

Physical activity for general health benefits in disabled children and disabled young people: evidence review: Appendix 6 – records that informed the review

Published 16 February 2022

[1] Ahmed GM, Mohamed S. Effect of regular aerobic exercises on behavioral, cognitive and psychological response in patients with attention deficit-hyperactivity disorder. Life Sci J. 2011;8(2):366-371.

[2] Amini H, Fazelkalkhoran J, Salehi M, F J. Effect of backward walking training improves postural stability in children with Down Syndrome. Int J Pediatr. 2016;4:2171-81.

[3] Angeli JM, Peck MN, Schwab SM. Self-Perceived Scholastic Competence, Athletic Competence, and Physical Appearance Are Enhanced in Children and Young Adults with Physical Disabilities Following a Community-Based Running Program. J Dev Phys Disabil. 2019;31(5):707-723.

[4] Armitano CN, Clapham ED, Lamont LS, Audette JG. Benefits of surfing for children with disabilities: a pilot study. Palaestra. 2015;29(3):31-34.

[5] Ashkenazi T, Laufer Y, Orian D, Weiss P. Effect of training children with Developmental Coordination Disorders in a virtual environment compared with a conventional environment. 2013 International Conference on Virtual Rehabilitation (ICVR); 2013:46-50 (full paper).

[6] Auld ML, Johnston LM. 'Strong and steady': a community-based strength and balance exercise group for children with cerebral palsy. Disabil Rehabil. 2014;36(24):2065-2071.

[7] Aytur S, Craig PJ, Frye M, Bonica M, Rainer S, Hapke L, et al. through the lens of a camera exploring the meaning of competitive sport participation among youth athletes with disabilities. Ther Recreat J. 2018;52(2):95-125. (Qualitative study)

[8] Ballaz L, Plamondon S, Lemay M. Group aquatic training improves gait efficiency in adolescents with cerebral palsy. Disabil Rehabil. 2011;33(17-18):1616-1624.

[9] Baran F, Aktop A, Özer D, Nalbant S, Ağlamış E, Barak S, et al. The effects of a Special Olympics Unified Sports Soccer training program on anthropometry, physical fitness and skilled performance in Special Olympics soccer athletes and non-disabled partners. Res Dev Disabil. 2013;34(1):695-709.

[10] Baym CL, Hedgecock JB, Rapport MJK. Functional mobility improved after intensive progressive resistance exercise in an adolescent with spina bifida. Pediatr Phys Ther. 2018;30(2):E1-E7.

[11] Bellamy J, Broderick C, Hardy LL, Simar D, Puusepp-Benazzouz H, Ong N, et al. Feasibility of a school-based exercise intervention for children with intellectual disability to reduce cardiometabolic risk. J Intellect Disabil Res. 2020;64(1):7-17.

[12] Benzing V, Chang Y-K, Schmidt M. Acute physical activity enhances executive functions in children with ADHD. Sci Report. 2018;8(1):1-10.

[13] Benzing V, Schmidt M. The effect of exergaming on executive functions in children with ADHD: A randomized clinical trial. Scandi J Med Sci Sport. 2019;29(8):1243-1253.

[14] Biricocchi C, Drake J, Svien L. Balance outcomes following a tap dance program for a child with congenital myotonic muscular dystrophy. Pediatr Phys Ther. 2014;26(3):360-365.

[15] Bjornson KF, Moreau N, Bodkin AW. Short-burst interval treadmill training walking capacity and performance in cerebral palsy: a pilot study. Dev Neurorehabil. 2019;22(2):126-133.

[16] Borremans E, Rintala P, Kielinen M. Effectiveness of an exercise training program on youth with asperger syndrome. Eur J Adapt Phys Act. 2009;2(2):14-25.

[17] Bowling A, Slavet J, Miller DP, Haneuse S, Beardslee W, Davison K. Cybercycling effects on classroom behavior in children with behavioral health disorders: an RCT. Pediatr. 2017;139(2).

[18] Bremer E, Balogh R, Lloyd M. Effectiveness of a fundamental motor skill intervention for 4-year-old children with autism spectrum disorder: a pilot study. Autism. 2015;19(8):980-891. [19] Brien M, Sveistrup H. An intensive virtual reality program improves functional balance and mobility of adolescents with cerebral palsy. Pediatr Phys Ther. 2011;23(3):258-266.

[20] Bryant E, Pountney T, Williams H, Edelman N. Can a six-week exercise intervention improve gross motor function for non-ambulant children with cerebral palsy? A pilot randomized controlled trial. Clinic Rehabil. 2013;27(2):150-159.

[21] Bustamante EE, Davis CL, Frazier SL, Rusch D, Fogg LF, Atkins MS, et al. Randomized controlled trial of exercise for adhd and disruptive behavior disorders. Med Sci Sport Exerc. 2016;48(7):1397-1407.

[22] Calıskan E, Pehlivan A, Erzeybek MS, Kayapınar FC, Agopyan A, Yuksel S, et al. Body mass index and percent body fat in goalball and movement education in male and female children with severe visual impairment. Neurol Psychiatr Brain Res. 2011;17(2):39-41.

[23] Cannella-Malone HI, Tullis CA, Kazee AR. Using Antecedent Exercise to Decrease Challenging Behavior in Boys With Developmental Disabilities and an Emotional Disorder. J Posit Behav Interv. 2011;13(4):230-239.

[24] Capio CM, Mak TCT, Tse MA, Masters RSW. Fundamental movement skills and balance of children with Down Syndrome. J Intellect Disabil Res. 2018;62(3):225-236.

[25] Capio CM, Sit CHP, Eguia KF, Abernethy B, Masters RSW. Fundamental movement skills training to promote physical activity in children with and without disability: a pilot study. J Sport Health Sci. 2015;4(3):235-243.

[26] Carter B, Grey J, McWilliams E, Clair Z, Blake K, Byatt R. 'Just kids playing sport (in a chair)': experiences of children, families and stakeholders attending a wheelchair sports club. Disabil Soc. 2014;29(6):938-952. (Qualitative study)

[27] Casey AF, Rasmussen R, Mackenzie SJ, Glenn J. Dual-energy x-ray absorptiometry to measure the influence of a 16-week community-based swim training program on body fat in children and adolescents with intellectual disabilities. Arch Phys Med Rehabil. 2010;91(7):1064-1069.

[28] Chang Y-K, Hung C-L, Huang C-J, Hatfield BD, Hung T-M. Effects of an aquatic exercise program on inhibitory control in children with ADHD: a preliminary study. Arch Clinic Neuropsychol. 2014;29(3):217-223.

[29] Chang Y-K, Liu S, Yu H-H, Lee Y-H. Effect of acute exercise on executive function in children with attention deficit hyperactivity disorder. Arch Clinic Neuropsychol. 2012;27(2):225-237.

[30] Chen C-C, Lin S-Y. The impact of rope jumping exercise on physical fitness of visually impaired students. Res Dev Disabil. 2011;32(1):25-29.

[31] Chen C-L, Chen C-Y, Liaw M-Y, Chung C-Y, Wang C-J, Hong W-H. Efficacy of homebased virtual cycling training on bone mineral density in ambulatory children with cerebral palsy. Osteoporos Int. 2013;24(4):1399-1406.

[32] Chen C-L, Hong W-H, Cheng H-YK, Liaw M-Y, Chung C-Y, Chen C-Y. Muscle strength enhancement following home-based virtual cycling training in ambulatory children with cerebral palsy. Res Dev Disabil. 2012;33(4):1087-1094.

[33] Cherriere C, Martel M, Sarrasin A, Ballaz L, Tallet J, Lemay M. Benefits of a Dance Intervention on Balance in Adolescents with Cerebral Palsy. Phys Occup Ther Pediatr. 2020;40(5):518-533.

[34] Chiu HC, Ada L, Lee HM. Upper limb training using Wii Sports Resort[™] for children with hemiplegic cerebral palsy: a randomized, single-blind trial. Clinic Rehabil. 2014;28(10):1015-1024.

[35] Chou C-C, Huang C-J. Effects of an 8-week yoga program on sustained attention and discrimination function in children with attention deficit hyperactivity disorder. PeerJ. 2017;5:e2883.

[36] Chuang L-Y, Tsai Y-J, Chang Y-K, Huang C-J, Hung T-M. Effects of acute aerobic exercise on response preparation in a Go/No Go Task in children with ADHD: an ERP study. J Sport Health Sci. 2015;4(1):82-88.

[37] Chunxiao L, Shihui C. Exploring experiences of physical activity in special school students with cerebral palsy: a qualitative perspective. Eur J Adapt Phys Act. 2012;5(1):7-17. (Qualitative study)

[38] Clapham ED, Lamont LS, Shim M, Lateef S, Armitano CN. Effectiveness of surf therapy for children with disabilities. Disabil Health J. 2020;13(1):100828.

[39] Clutterbuck GL, Auld ML, Johnston LM. SPORTS STARS:a practitioner-led, peergroup sports intervention for ambulant, school-aged children with cerebral palsy. Parent and physiotherapist perspectives. Disabil Rehabil. 2020:1-10.

[40] Clutterbuck GL, Auld ML, Johnston LM. SPORTS STARS: a practitioner-led, peergroup sports intervention for ambulant children with cerebral palsy. Activity and participation outcomes of a randomised controlled trial. Disabil Rehabil. 2020:1-9.

[41] Collins K, Staples K. The role of physical activity in improving physical fitness in children with intellectual and developmental disabilities. Res Dev Disabil. 2017;69:49-60.

[42] Colquitt G, Kiely K, Caciula M, Li L, Vogel RL, Moreau NG. Community-based upper extremity power training for youth with cerebral palsy: a pilot study. Phys Occup Ther Pediatr. 2020;40(1):31-46.

[43] Cook O, Frost G, Twose D, Wallman L, Falk B, Galea V, et al. CAN-flip: a pilot gymnastics program for children with cerebral palsy. Adapt Phys Act Q. 2015;32(4):349-370.

[44] Daly C, Moore CL, Johannes S, Middleton J, Kenyon LK. Pilot evaluation of a schoolbased programme focused on activity, fitness, and function among children with cerebral palsy at GMFCS Level IV: single-subject research design. Physiother Can. 2020;72(2):195-204.

[45] Davis E, Reddihough D, Murphy N, Epstein A, Reid SM, Whitehouse A, et al. Exploring quality of life of children with cerebral palsy and intellectual disability: What are the important domains of life? Child Care Health Dev. 2017;43(6):854-860. (Qualitative study)

[46] Davis K, Zhang GL, Hodson P. Promoting health-related fitness for elementary students with intellectual disabilities through a specifically designed activity program. J Pol Pract Intellect Disabil. 2011;8(2):77-84.

[47] De Milander M, Coetzee FF, Venter A. Perceptual-motor intervention for developmental coordination disorder in grade 1 children. S Afr J Res Sport Phys Educ Recreat. 2015;37(2):15-32.

[48] Declerck M, Verheul M, Daly D, Sanders R. Benefits and enjoyment of a swimming intervention for youth with cerebral palsy: an RCT study. Pediatr Phys Ther. 2016;28(2):162-169.

[49] Dehghani M, Gunay M. The effect of balance training on static and dynamic balance in children with intellectual disability. J Appl Environ Biol Sci. 2015;5:527-531.

[50] Depiazzi J, Smith N, Gibson N, Wilson A, Langdon K, Hill K. Aquatic high intensity interval training to improve aerobic capacity is feasible in adolescents with cerebral palsy: pilot randomised controlled trial. Clinic Rehabil. 2021;35(2):222-231.

[51] Dickinson K, Place M. A randomised control trial of the impact of a computer-based activity programme upon the fitness of children with autism. Autism Res Treat. 2014.

[52] Dimitrijević L, Aleksandrović M, Madić D, Okičić T, Radovanović D, Daly D. The effect of aquatic intervention on the gross motor function and aquatic skills in children with cerebral palsy. J Hum Kinet. 2012;32:167.

[53] Dorsan A, Gözde K, Elif K, Emine B, Çalişkan E. The effect of 12 weeks dance education on physical fitness values at mentally retarded children. Int J Sport Cult Sci. 2014;2(S2):283-286.

[54] Duronjić M, Válková H. The influence of early intervention movement programs on motor skills development in preschoolers with autism spectrum disorder (case studies). Acta Universitatis Palackianae Olomucensis Gymnica. 2010;40(2):37-45.

[55] Dursun OB, Erhan SE, Ibi EÖ, Esin IS, Kele S, Şirinkan A, et al. The effect of ice skating on psychological well-being and sleep quality of children with visual or hearing impairment. Disabil Rehabil. 2015;37(9):783-789.

[56] Edwards J, Jeffrey S, May T, Rinehart NJ, Barnett LM. Does playing a sports active video game improve object control skills of children with autism spectrum disorder? J Sport Health Sci. 2017;6(1):17-24.

[57] Eek MN, Tranberg R, Zugner R, Alkema K, Beckung E. Muscle strength training to improve gait function in children with cerebral palsy. Dev Med Child Neurol. 2008;50(10):759-764.

[58] Ekins C, Miller W, Wright J, Schulz H, Wright PR, Owens D. Effects of a Drums Alive® Kids Beats intervention on motor skills and behavior in children with intellectual disabilities. Palaestra. 2019;33(2):16-25.

[59] Emami Kashfi T, Sohrabi M, Saberi Kakhki A, Mashhadi A, Jabbari Nooghabi M. Effects of a motor intervention program on motor skills and executive functions in children with learning disabilities. Percept Mot Ski. 2019;126(3):477-498.

[60] Faber Taylor A, Kuo FE. Children with attention deficits concentrate better after walk in the park. J Atten Disord. 2009;12(5):402-409.

[61] Favazza PC, Siperstein GN, Zeisel SA, Odom SL, Sideris JH, Moskowitz AL. Young athletes program: impact on motor development. Adapt Phys Act Q. 2013;30(3):235-253.

[62] Ferguson GD, Jelsma D, Jelsma J, Smits-Engelsman BCM. The efficacy of two taskorientated interventions for children with Developmental Coordination Disorder: neuromotor task training and Nintendo Wii Fit training. Res Dev Disabil. 2013;34(9):2449-2461.

[63] Fong SS, Chung JW, Chow LP, Ma AW, Tsang WW. Differential effect of Taekwondo training on knee muscle strength and reactive and static balance control in children with developmental coordination disorder: A randomized controlled trial. Res Dev Disabil. 2013;34(5):1446-1455.

[64] Fragala-Pinkham M, Haley SM, O'Neil ME. Group aquatic aerobic exercise for children with disabilities. Dev Med Child Neurol. 2008;50(11):822-827.

[65] Fragala-Pinkham MA, Dumas HM, Boyce M, Peters CY, Haley SM. Evaluation of an adaptive ice skating programme for children with disabilities. Dev Neurorehabil. 2009;12(4):215-223.

[66] Fragala-Pinkham MA, Haley SM, O'Neil ME. Group swimming and aquatic exercise programme for children with autism spectrum disorders: a pilot study. Dev Neurorehabil. 2011;14(4):230-241.

[67] Fragala-Pinkham MA, Smith HJ, Lombard KA, Barlow C, O'Neil ME. Aquatic aerobic exercise for children with cerebral palsy: a pilot intervention study. Physiother Theory Pract. 2014;30(2):69-78.

[68] Gatica-Rojas V, Cartes-Velasquez R, Mendez-Rebolledo G, Guzman-Munoz E, Lizama LEC. Effects of a Nintendo Wii exercise program on spasticity and static standing balance in spastic cerebral palsy. Dev Neurorehabil. 2017;20(6):388-391.

[69] Gawrilow C, Stadler G, Langguth N, Naumann A, Boeck A. Physical activity, affect, and cognition in children with symptoms of ADHD. J Atten Disord. 2016;20(2):151-162.

[70] Getz M, Hutzler Y, Vermeer A, Yarom Y, Unnithan V. The effect of aquatic and landbased training on the metabolic cost of walking and motor performance in children with cerebral palsy: a pilot study. Int Sch Res Notices. 2012.

[71] Ghaeeni S, Bahari Z, Khazaei A. Effect of core stability training on static balance of the children with Down Syndrome. Phys Treatment. 2015;5:49-54.

[72] Gorter H, Holty L, Rameckers EEA, Elvers H, Oostendorp RAB. Changes in endurance and walking ability through functional physical training in children with cerebral palsy. Pediatric Physical Therapy. 2009;21(1):31-37.

[73] Gupta S, Rao Bk, Sd K. Effect of strength and balance training in children with Down's syndrome: a randomized controlled trial. Clinical Rehabilitation. 2011;25(5):425-432.

[74] Hassani F, Shahrbanian S, Shahidi SH, Sheikh M. Playing games can improve physical performance in children with autism. Int J Dev Disabil. 2020:1-8.

[75] Hegarty AK, Kurz MJ, Stuberg W, Silverman AK. Strength training effects on muscle forces and contributions to whole-body movement in cerebral palsy. J Mot Behav. 2019;51(5):496-510.

[76] Hilderley AJ, Fehlings D, Chen JYL, Wright FV. Comparison of sports skills movement training to lower limb strength training for independently ambulatory children with cerebral palsy: a randomised feasibility trial. Disabil Rehabil. 2020:1-9.

[77] Hilton CL, Cumpata K, Klohr C, Gaetke S, Artner A, Johnson H, et al. Effects of exergaming on executive function and motor skills in children with autism spectrum disorder: a pilot study. Am J Occup T|her. 2014;68(1):57-65.

[78] Huang C-J, Tu H-Y, Hsueh M-C, Chiu Y-H, Huang M-Y, Chou C-C. Effects of acute aerobic exercise on executive function in children with and without learning disability: a randomized controlled trial. Adapt Phys Act Q. 2020;37(4):404-422.

[79] Hung C-L, Huang C-J, Tsai Y-J, Chang Y-K, Hung T-M. Neuroelectric and behavioral effects of acute exercise on task switching in children with attention-deficit/hyperactivity disorder. Front Psychol. 2016;7:1589.

[80] Ilbeigi S, Khirkhah M, Mhajur M, Soltani H, Khoshbakhti J. Investigating the effects of 8 weeks of rope skipping on static and dynamic balance of educable mentally retarded boys. Int J Med Res Health Sci. 2016;5:349-353.

[81] İLhan EL, Kirimoglu H, FİLazoglu Cokluk G. The effect of special physical education and sports program on the quality of life of the children with mental retardation. J Phys Educ Sport Sci. 2013;7(1):1-8.

[82] Isik M, Zorba E. The effects of hemsball on motor proficiency of students with intellectual disabilities. Int J Dev Disabil. 2018;66(2):104-112.

[83] Jazi SD, Purrajabi F, Movahedi A, Jalali S. Effect of Selected Balance Exercises on the Dynamic Balance of Children with Visual Impairments. J Vis Impair Blind. 2012;106(8):466-474.

[84] Jelsma J, Pronk M, Ferguson G, Jelsma-Smit D. The effect of the Nintendo Wii Fit on balance control and gross motor function of children with spastic hemiplegic cerebral palsy. Dev Neurorehabil. 2013;16(1):27-37.

[85] Johnson BA, Salzberg C, MacWilliams BA, Shuckra AL, D'Astous JL. Plyometric training: effectiveness and optimal duration for children with unilateral cerebral palsy. Pediatr Phys Ther. 2014;26(2):169-179.

[86] Jorgić B, Aleksandrović M, Dimitrijević L, Radovanović D, Živković D, Özsari M, et al. The effects of a program of swimming and aquatic exercise on flexibility in children with cerebral palsy. Facta Universitatis: Series Phys Educ Sport. 2014;12(2):71-82.

[87] Kachouri H, Borji R, Baccouch R, Laatar R, Rebai H, Sahli S. The effect of a combined strength and proprioceptive training on muscle strength and balance in boys with intellectual disability: an exploratory study. Res Dev Disabil. 2016;53-54:367-376.

[88] Kadri A, Slimani M, Bragazzi NL, Tod D, Azaiez F. Effect of taekwondo practice on cognitive function in adolescents with attention deficit hyperactivity disorder. Int J Environ Res Public Health. 2019;16(2):204.

[89] Kane KJ, Staples KL. A group motor skills program for children with coordination difficulties: effect on fundamental movement skills and physical activity participation. Phys Occup Ther Pediatr. 2016;36(1):28-45.

[90] Kang K, Choi J, Kang S, Han D. Sports therapy for attention, cognitions and sociality. Int J Sports Med. 2011;32(12):953-959.

[91] Katz-Leurer M, Rotem H, Keren O, Meyer S. The effects of a 'home-based' taskoriented exercise programme on motor and balance performance in children with spastic cerebral palsy and severe traumatic brain injury. Clinic Rehab. 2009;23(8):714-724.

[92] Keawutan P, Bell KL, Oftedal S, Davies PSW, Ware RS, Boyd RN. Quality of life and habitual physical activity in children with cerebral palsy aged 5 years: a cross-sectional study. Res Dev Disabil. 2018;74:139-145.

[93] Kelly M, Legg D. On-land community-based aerobic and strength training program for children with cerebral palsy. Eur J Adapt Phys Act. 2009;2(1):7-20.

[94] Kenyon LK, Sleeper MD, Tovin MM. Sport-specific fitness testing and intervention for an adolescent with cerebral palsy: a case report. Pediatr Phys Ther. 2010;22(2):234-240.

[95] Khalili MA, Elkins MR. Aerobic exercise improves lung function in children with intellectual disability: a randomised trial. Austr J Physiother. 2009;55(3):171-175.

[96] Knights S, Graham N, Switzer L, Hernandez H, Ye Z, Findlay B, et al. An innovative cycling exergame to promote cardiovascular fitness in youth with cerebral palsy. Developmental Neurorehabilitation. 2016;19(2):135-140.

[97] Kong ZW, Sze TM, Yu JJ, Loprinzi PD, Xiao T, Yeung AS, et al. Tai Chi as an alternative exercise to improve physical fitness for children and adolescents with intellectual disability. Int J Environ Res Public Health. 2019;16(7):1152.

[98] Kosari S, Hemayat-Talab R, Arab-Ameri E, Keyhani F. The effect of physical exercise on the development of gross motor skills in children with attention deficit/hyperactivity disorder. Zahedan J Res Med Sci. 2013;15(2):74-78.

[99] Kozlowski KF, Lopata C, Donnelly JP, Thomeer ML, Rodgers JD, Seymour C. Feasibility and associated physical performance outcomes of a high-intensity exercise program for children with autism. Res Q Exerc Sport. 2020:1-12.

[100] Kruse A, Schranz C, Svehlik M, Tilp M. The effect of functional home-based strength training programs on the mechano-morphological properties of the plantar flexor muscle-tendon unit in children with spastic cerebral palsy. Pediatr Exerc Sci. 2019;31(1):67-76.

[101] Lakes KD, Sharp K, Grant-Beuttler M, Neville R, Haddad F, Sunico R, et al. A six week therapeutic ballet intervention improved gait and inhibitory control in children with cerebral palsy-a pilot study. Front Public Health. 2019;7:137.

[102] Lauruschkus K, Nordmark E, Hallstrom I. "It's fun, but ..." Children with cerebral palsy and their experiences of participation in physical activities. Disabil Rehabil. 2015;37(4):283-289. (Qualitative study)

[103] Lauruschkus K, Nordmark E, Hallstrom I. Parents' experiences of participation in physical activities for children with cerebral palsy - protecting and pushing towards independence. Disabil Rehabil. 2017;39(8):771-778. (Qualitative study)

[104] Lee S-K, Song J, Park J-H. Effects of combination exercises on electroencephalography and frontal lobe executive function measures in children with ADHD: a pilot study. Biomed Res. 2017.

[105] Leineweber MJ, Wyss D, Dufour SK, Gane C, Zabjek K, Bouyer LJ, et al. The effects of acute intense physical exercise on postural stability in children with cerebral palsy. Adapt Phys Act Q. 2016;33(3):271-282.

[106] Leunkeu AN, Shephard RJ, Ahmaidi S. Six-minute walk test in children with cerebral palsy Gross Motor Function Classification System Levels I and II: reproducibility, validity, and training effects. Arch Phys Med Rehabil. 2012;93(12):2333-2339.

[107] Liao HF, Liu YC, Liu WY, Lin YT. Effectiveness of loaded sit-to-stand resistance exercise for children with mild spastic diplegia: a randomized clinical trial. Arch Phys Med Rehabil. 2007;88(1):25-31.

[108] Liusuwan RA, Widman LM, Abresch RT, Johnson AJ, McDonald CM. Behavioral intervention, exercise, and nutrition education to improve health and fitness (BENEfit) in adolescents with mobility impairment due to spinal cord dysfunction. J Spinal Cord Med. 2007;30:S119-S26.

[109] Ludyga S, Brand S, Gerber M, Weber P, Brotzmann M, Habibifar F, et al. An eventrelated potential investigation of the acute effects of aerobic and coordinative exercise on inhibitory control in children with ADHD. Dev Cog Neurosci. 2017;28:21-28. [110] Ludyga S, Gerber M, Mucke M, Brand S, Weber P, Brotzmann M, et al. The acute effects of aerobic exercise on cognitive flexibility and task-related heart rate variability in children with ADHD and healthy controls. J Atten Disord. 2020;24(5):693-703.

[111] Maher CA, Toohey M, Ferguson M. Physical activity predicts quality of life and happiness in children and adolescents with cerebral palsy. Disabil Rehabil. 2016;38(9):865-869.

[112] Mak C, Whittingham K, Cunnington R, Boyd RN. Effect of mindfulness yoga programme MiYoga on attention, behaviour, and physical outcomes in cerebral palsy: a randomized controlled trial. Dev Med Child Neurol. 2018;60(9):922-932.

[113] Maltais DB, Gane C, Dufour SK, Wyss D, Bouyer LJ, McFadyen BJ, et al. Acute Physical Exercise Affects Cognitive Functioning in Children With Cerebral Palsy. Pediatr Exerc Sci. 2016;28(2):304-311.

[114] Mann K, Tsao E, Bjornson KF. Physical activity and walking performance: Influence on quality of life in ambulatory children with cerebral palsy (CP). J Pediatr Rehabil Med. 2016;9(4):279-286.

[115] Mattern-Baxter K, Bellamy S, Mansoor JK. Effects of intensive locomotor treadmill training on young children with cerebral palsy. Pediatr Phys Ther. 2009;21(4):308-318.

[116] Mattern-Baxter K, Looper J, Zhou C, Bjornson K. Low-intensity vs high-intensity home-based treadmill training and walking attainment in young children with spastic diplegic cerebral palsy. Arch Phys Med Rehabil. 2020;101(2):204-212.

[117] Mavrovouniotis FI, Papaioannou CS, Argiriadou EA, Mountakis CM, Konstantinakos PD, Pikoula IT, et al. The effect of a combined training program with Greek dances and Pilates on the balance of blind children. J Phys Educ Sport. 2013;13(1):91-100.

[118] Mazzoli E, Salmon J, Pesce C, Teo WP, Rinehart N, May T, et al. Effects of classroom-based active breaks on cognition, sitting and on-task behaviour in children with intellectual disability: a pilot study. J Intellect Disabil Res. 2021;65(5):464-488.

[119] Mazzoni ER, Purves PL, Southward J, Rhodes RE, Temple VA. Effect of indoor wall climbing on self-efficacy and self-perceptions of children with special needs. Adapt Phys Act Q. 2009;26(3):259-273.

[120] McNee AE, Gough M, Morrissey MC, Shortland AP. Increases in muscle volume after plantarflexor strength training in children with spastic cerebral palsy. Dev Med Child Neurol. 2009;51(6):429-435.

[121] Memarmoghaddam M, Torbati H, Sohrabi M, Mashhadi A, Kashi A. Effects of a selected exercise programon executive function of children with attention deficit hyperactivity disorder. J Med Life. 2016;9(4):373.

[122] Miklos M, Komaromy D, Futo J, Balazs J. Acute physical activity, executive function, and attention performance in children with Attention-Deficit Hyperactivity Disorder and typically developing children: an experimental study. Int J Environ Res Public Health. 2020;17(11):4071.

[123] Milligan K, Sibalis A, McKeough T, Lackner C, Schmidt LA, Pun C, et al. Impact of mindfulness martial arts training on neural and behavioral indices of attention in youth with learning disabilities and co-occurring mental health challenges. Mindfulness. 2019;10(10):2152-2164.

[124] Mirela D, Cristian P, Corina P. Bosu exercises for improvement of balance to children with Down Syndrome. Gymnasium: Sci J Educ Sport Health. 2015;16:151-166.

[125] Mitchell LE, Ziviani J, Boyd RN. A randomized controlled trial of web-based training to increase activity in children with cerebral palsy. Dev Med Child Neurol. 2016;58(7):767-773.

[126] Mohanty P, Meshram N, Pattnaik M. Comparision of dynamic cycling vs static cycling on endurance, balance, and walking ability of children with cerebral palsy. Int J Physiother Res. 2015;3(4).

[127] Mohanty S, Pradhan B, Hankey A. Yoga practices as an alternative training for physical fitness in children with visual impairment. Adapt Phys Act Q. 2019;36(4):431-446.

[128] Mombarg R, Jelsma D, Hartman E. Effect of Wii-intervention on balance of children with poor motor performance. Res Dev Disabil. 2013;34(9):2996-3003.

[129] Moraru C, Hodorca RM, Vasilescu D. The role of gymnastics and dance in rehabilitating motor capacities in children with down syndrome. Sport Soc. 2014;14:102-112.

[130] Moreau NG, Holthaus K, Marlow N. Differential adaptations of muscle architecture to high-velocity versus traditional strength training in cerebral palsy. Neurorehabil Neural Repair. 2013;27(4):325-334.

[131] Moss P, Lim KH, Prunty M, Norris M. Children and young people's perspectives and experiences of a community wheelchair basketball club and its impact on daily life. Br J Occup Ther. 2020;83(2):118-128. (Qualitative study)

[132] Mueller C, Ackley-Holbrook E. The impact of a school running program on healthrelated physical fitness and self-efficacy in youth with sensory impairments. Palaestra. 2016;30(1):13-17.

[133] Myrhaug HT, Ostensjo S. Motor training and physical activity among preschoolers with cerebral palsy: a survey of parents' experiences. Phys Occup Ther Pediatr. 2014;34(2):153-167.

[134] Ninot G, Maïano C. Long-term effects of athletics meet on the perceived competence of individuals with intellectual disabilities. Res Dev Disabil. 2007;28(2):176-186.

[135] Nsenga AL, Shephard RJ, Ahmaidi S. Aerobic training in children with cerebral palsy. Int J Sport Med. 2013;34(6):533-537.

[136] Ortiz-Ortiz M, Terrazas-Ordorica KI, Cano-Rodríguez LE, Gómez-Miranda LM, Ozols-Rosales A, Moncada-JiméNez J. Effect of an intensive physical conditioning program on body composition and isometric strength in children with Down syndrome. J Phys Educ Sport. 2019;19:897-902.

[137] Özer D, Baran F, Aktop A, Nalbant S, Ağlamış E, Hutzler Y. Effects of a Special Olympics Unified Sports soccer program on psycho-social attributes of youth with and without intellectual disability. Res Dev Disabil. 2012;33(1):229-239.

[138] Ozmen T, Yildirim NU, Yuktasir B, Beets MW. Effects of school-based cardiovascular-fitness training in children with mental retardation. Pediatr Exerc Sci 2007;19(2):171-178.

[139] Pan C-Y, Chu C-H, Tsai C-L, Lo S-Y, Cheng Y-W, Liu Y-J. A racket-sport intervention improves behavioral and cognitive performance in children with attention-deficit/hyperactivity disorder. Res Dev Disabil. 2016;57:1-10.

[140] Pan C-Y, Tsai C-L, Chu C-H, Sung M-C, Huang C-Y, Ma W-Y. Effects of physical exercise intervention on motor skills and executive functions in children with ADHD: a pilot study. J Atten Disord. 2019;23(4):384-397.

[141] Peens A, Pienaar A, Nienaber A. The effect of different intervention programmes on the self-concept and motor proficiency of 7-to 9-year-old children with DCD. Child Care Health Dev. 2008;34(3):316-328.

[142] Pickering D, Horrocks LM, Visser KS, Todd G. 'Every picture tells a story': Interviews and diaries with children with cerebral palsy about adapted cycling. J Pediatr Child Health. 2013;49(12):1040-1044. (Qualitative study)

[143] Piepmeier AT, Shih CH, Whedon M, Williams LM, Davis ME, Henning DA, et al. The effect of acute exercise on cognitive performance in children with and without ADHD. J Sport Health Sci. 2015;4(1):97-104.

[144] Pontifex MB, Saliba BJ, Raine LB, Picchietti DL, Hillman CH. Exercise improves behavioral, neurocognitive, and scholastic performance in children with Attention-Deficit/Hyperactivity Disorder. J Pediatr. 2013;162(3):543-551.

[145] Rahmat A, Hasan D. The effect of core stabilization exercises on factors physical fitness to mental retardation. Sport Med J. 2013;9(1):2058-2062.

[146] Ramer JD, Santiago-Rodriguez ME, Davis CL, Marquez DX, Frazier SL, Bustamante EE. Exercise and academic performance among children with Attention-Deficit Hyperactivity Disorder and Disruptive Behavior Disorders: a randomized controlled trial. Pediatr Exerc Sci. 2020;32(3):140-149.

[147] Ramstrand N, Lygnegard F. Can balance in children with cerebral palsy improve through use of an activity promoting computer game? Technol Health Care. 2012;20(6):501-510.

[148] Retarekar R, Fragala-Pinkham MA, Townsend EL. Effects of Aquatic Aerobic Exercise for a Child with Cerebral Palsy: Single-Subject Design. Pediatr Phys Ther. 2009;21(4):336-344.

[149] Scholtes VA, Becher JG, Comuth A, Dekkers H, van Dijk L, Dallmeijer AJ. Effectiveness of functional progressive resistance exercise strength training on muscle strength and mobility in children with cerebral palsy: a randomized controlled trial. Dev Med Child Neurol. 2010;52(6):E107-E113.

[150] Scholtes VA, Becher JG, Janssen-Potten YJ, Dekkers H, Smallenbroek L, Dallmeijer AJ. Effectiveness of functional progressive resistance exercise training on walking ability in children with cerebral palsy: a randomized controlled trial. Res Dev Disabil 2012;33(1):181-188.

[151] Schranz C, Kruse A, Belohlavek T, Steinwender G, Tilp M, Pieber T, et al. Does home-based progressive resistance or high-intensity circuit training improve strength, function, activity or participation in children with cerebral palsy? Arch Phys Med Rehabil. 2018;99(12):2457-2464.

[152] Silva AP, Prado SO, Scardovelli TA, Boschi SR, Campos LC, Frère AF. Measurement of the effect of physical exercise on the concentration of individuals with ADHD. PLoS One. 2015;10(3):e0122119. [153] Silva LAD, Doyenart R, Henrique Salvan P, Rodrigues W, Felipe Lopes J, Gomes K, et al. Swimming training improves mental health parameters, cognition and motor coordination in children with Attention Deficit Hyperactivity Disorder. Int J Environ Health Res. 2020;30(5):584-592.

[154] Smith AL, Hoza B, Linnea K, McQuade JD, Tomb M, Vaughn AJ, et al. Pilot physical activity intervention reduces severity of ADHD symptoms in young children. J Atten Disord. 2013;17(1):70-82.

[155] Soori R, Goodarzvand F, Akbarnejad A, Effatpanah M, Ramezankhani A, Teixeira AL, et al. Effect of high-intensity interval training on clinical and laboratory parameters of adolescents with attention deficit hyperactivity disorder. Sci Sport. 2020;35(4):207-215.

[156] Soori Z, Heyrani A, Rafie F. Exercise effects on motor skills in hearing-impaired children. Sport Sciences for Health. 2019;15(3):635-639.

[157] Stribling K, Christy J. Creative dance practice improves postural control in a child with cerebral palsy. Pediatr Phys Ther. 2017;29(4):365-369.

[158] Suarez-Manzano S, Ruiz-Ariza A, De La Torre-Cruz MJ, MartÍNez-LÓPez EJ. Effect of monitored cooperative HIIT on attention, concentration, memory, linguistic reasoning and mathematical calculation in ADHD youth. Int J Sport Psychol. 2018;49(6):531-551.

[159] Sumaryanti, Tomoliyus, Ndayisenga J. Circuit training intervention for adaptive physical activity to improve cardiorespiratory fitness, leg muscle strength static and balance of intellectually disabled children. Sport Mont. 2019;17(3):97-100.

[160] Taylor A, Novo D, Foreman D. An exercise program designed for children with Attention Deficit/Hyperactivity Disorder for use in school physical education: feasibility and utility. Healthcare. 2019;7(3):102.

[161] Toscano CVA, Carvalho HM, Ferreira JP. Exercise effects for children with autism spectrum disorder: metabolic health, autistic traits, and quality of life. Percept Mot Ski. 2018;125(1):126-146.

[162] Tsai C-L. The effectiveness of exercise intervention on inhibitory control in children with developmental coordination disorder: using a visual-spatial attention paradigm as a model. Res Dev Disabil. 2009;30(6):1268-1280.

[163] Tse CYA, Lee HP, Chan KSK, Edgar VB, Wilkinson-Smith A, Lai WHE. Examining the impact of physical activity on sleep quality and executive functions in children with autism spectrum disorder: a randomized controlled trial. Autism. 2019;23(7):1699-1710.

[164] Ulrich DA, Burghardt AR, Lloyd M, Tiernan C, Hornyak JE. Physical activity benefits of learning to ride a two-wheel bicycle for children with down syndrome: a randomized trial. Phys Ther. 2011;91(10):1463-1477.

[165] Van Vulpen LF, de Groot S, Rameckers E, Becher JG, Dallmeijer AJ. Improved walking capacity and muscle strength after functional power-training in young children with cerebral palsy. Neurorehabil Neural Repair. 2017;31(9):827-841.

[166] Van Vulpen LF, de Groot S, Rameckers EA, Becher JG, Dallmeijer AJ. Improved parent-reported mobility and achievement of individual goals on activity and participation level after functional power-training in young children with cerebral palsy: a double-baseline controlled trial. Eur J Phys Rehabil Med. 2018;54(5):730-737.

[167] Verret C, Guay MC, Berthiaume C, Gardiner P, Beliveau L. A physical activity program improves behavior and cognitive functions in children with ADHD: an exploratory study. J Atten Disord. 2012;16(1):71-80.

[168] Vranesic-Hadzimehmedovic D, Memisevic H. The effects of four-month exercise program in improving the gross motor skills of students with visual impairment. Homo Sporticus. 2018(2):36-40.

[169] Walsh SF, Scharf MG. Effects of a recreational ice skating program on the functional mobility of a child with cerebral palsy. Physiother Theory Pract. 2014;30(3):189-195.

[170] Weerdmeester J, Cima M, Granic I, Hashemian Y, Gotsis M. A feasibility study on the effectiveness of a full-body videogame intervention for decreasing Attention Deficit Hyperactivity Disorder symptoms. Game Health J. 2016;5(4):258-269.

[171] Williams H, Pountney T. Effects of a static bicycling programme on the functional ability of young people with cerebral palsy who are non-ambulant. Dev Med Child Neurol. 2007;49(7):522-527.

[172] Willis CE, Reid S, Elliott C, Rosenberg M, Nyquist A, Jahnsen R, et al. A realist evaluation of a physical activity participation intervention for children and youth with disabilities: what works, for whom, in what circumstances, and how? BMC Pediatr. 2018;18. (Qualitative study)

[173] Xu CC, Yao MY, Kang MX, Duan GT. improving physical fitness of children with intellectual and developmental disabilities through an adapted rhythmic gymnastics program in China. Biomed Res Int. 2020.

[174] Yilmaz I, Ergu N, Konukman F, Agbuga B, Zorba E, Cimen Z. The effects of water exercises and swimming on physical fitness of children with mental retardation. J Hum Kinet. 2009;21:105-111.

[175] Ziereis S, Jansen P. Effects of physical activity on executive function and motor performance in children with ADHD. Res Dev Disabil. 2015;38:181-191.

[176] Zverev Y, Kurnikova M. Adapted community-based group aquatic program for developing balance: a pilot intervention study involving children and adolescents with cerebral palsy. J Phys Educ Sport. 2016;16(4):1258-1265.