# Review of an Environmental Permit for an Installation subject to Chapter II of the Industrial Emissions Directive under the Environmental Permitting (England & Wales) Regulations 2016 (as amended)

# Decision document recording our decision-making process following review of a permit

The Permit number is: EPR/UP3494ZL

The Operator is: Suez Recycling and Recovery UK Ltd The Installation is: Ellington Road Composting Facility This Variation Notice number is: EPR/UP3494ZL/V006

### What this document is about

Article 21(3) of the Industrial Emissions Directive (IED) requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication by the European Commission of updated decisions on BAT Conclusions.

We have reviewed the permit for this installation against the revised BAT Conclusions for the Waste Treatment industry sector published on 10 August 2018 in the Official Journal of the European Union. In this decision document, we set out the reasoning for the consolidated variation notice that we have issued.

It explains how we have reviewed and considered the techniques used by the Operator in the operation and control of the plant and activities of the installation. This review has been undertaken with reference to the decision made by the European Commission establishing Best Available Techniques (BAT) Conclusions (BATc) for Waste Treatment as detailed in document reference C(2018) 5070. It is our record of our decision-making process and shows how we have taken into account all relevant factors in reaching our position. It also provides a justification for the inclusion of any specific conditions in the permit that are in addition to those included in our generic permit template.

As well as considering the review of the operating techniques used by the Operator for the operation of the plant and activities of the installation, the consolidated variation notice takes into account and brings together in a single document all previous variations that relate to the original permit issue. Where this has not already been done, it also modernises the entire permit to reflect the conditions contained in our current generic permit template.

The introduction of new template conditions makes the Permit consistent with our current general approach and with other permits issued to Installations in this sector. Although the wording of some conditions has changed, while others have been deleted because of the new regulatory approach, it does not reduce the level of environmental protection achieved by the Permit in any way. In this document, we therefore address only our determination of substantive issues relating to the new BAT Conclusions.

We try to explain our decision as accurately, comprehensively and plainly as possible. Achieving all three objectives is not always easy, and we would welcome any feedback as to how we might improve our decision documents in future.

# How this document is structured

- 1. Our decision

- How we reached our decision
   The legal framework
   Annex 1 Review of operating techniques within the Installation against BAT
- Annex 2 Review and assessment of changes that are not part of the BAT Conclusions derived permit review
- 6. Annex 3 Improvement Conditions

## 1 Our decision

We have decided to issue the Variation Notice to the Operator. This will allow the Operator to continue to operate the Installation, subject to the conditions in the Consolidated Variation Notice that updates the whole permit.

We consider that, in reaching our decision, we have taken into account all relevant considerations and legal requirements and that the varied permit will ensure that a high level of protection is provided for the environment and human health.

The Consolidated Variation Notice contains many conditions taken from our standard Environmental Permit template including the relevant annexes. We developed these conditions in consultation with industry, having regard to the legal requirements of the Environmental Permitting Regulations and other relevant legislation. This document does not therefore include an explanation for these standard conditions. Where they are included in the Notice, we have considered the techniques identified by the operator for the operation of their installation, and have accepted that the details are sufficient and satisfactory to make those standard conditions appropriate. This document does, however, provide an explanation of our use of "tailor-made" or installation-specific conditions, or where our Permit template provides two or more options.

# 2 How we reached our decision

# 2.1 Requesting information to demonstrate compliance with BAT Conclusion techniques

We issued a Notice under Regulation 61(1) of the Environmental Permitting (England and Wales) Regulations 2016 (a Regulation 61 Notice) on 20 January 2020 requiring the Operator to provide information to demonstrate where the operation of their installation currently meets, or how it will subsequently meet, the revised standards described in the relevant BAT Conclusions document.

The Notice required that where the revised standards are not currently met, the operator should provide information that:

- describes the techniques that will be implemented before 17 August 2022, which will then
  ensure that operations meet the revised standards, or
- justifies why standards will not be met by 17 August 2022, and confirmation of the date when the operation of those processes will cease within the Installation or an explanation of why the revised BAT standards are not applicable to those processes, or
- justifies why an alternative technique will achieve the same level of environmental protection equivalent to the revised BAT standards described in the BAT Conclusions.

Where the Operator proposed that they were not intending to meet a BAT standard that also included a BAT Associated Emission Level (BAT-AEL) described in the BAT Conclusions Document, the Regulation 61 Notice required that the Operator make a formal request for derogation from compliance with that BAT-AEL (as provisioned by Article 15(4) of IED). In this circumstance, the Notice identified that any such request for derogation must be supported and justified by sufficient technical and commercial information that would enable us to determine acceptability of the derogation request.

The Regulation 61 Notice response from the Operator was received on 20 July 2020.

We considered it was in the correct form, however, no supporting documentation was submitted which could be used as evidence to demonstrate compliance with the BAT conclusions. We completed the determination based on the information received.

The Operator made no claim for commercial confidentiality. We have not received any information in relation to the Regulation 61 Notice response that appears to be confidential in relation to any party.

# 2.2 Review of our own information in respect to the capability of the Installation to meet revised standards included in the BAT Conclusions document

Based on our records and previous experience in the regulation of the installation we consider that the Operator will be able to comply with the techniques and standards described in the BAT Conclusions other than for those techniques and requirements described in BAT Conclusions 1, 2, 3, 4, 5, 8, 10, 12, 13, 14, 18, 19, 21, 22, 23, 24, 33, 34, 35, 36 and 37. In relation to these BAT Conclusions, we do not fully agree with the Operator in respect of their current stated capability as recorded in their response to the Regulation 61 Notice. We have therefore included Improvement Conditions IC2 and IC3 in the Consolidated Variation Notice to ensure that the requirements of the BAT Conclusions are delivered before 17 August 2022.

The Operator provided references to a number of operating techniques and documents which were incorporated under previous permit variations. However, the operator did not describe how these documents would still be relevant and how they meet the BAT standards. Particularly, the operator did not perform a review of these documents to identify any deficiencies and describe plans to become compliant with each BAT technique. In summary, no clear evidence or review of current operating techniques was presented to the Environment Agency to demonstrate how the permitted operations meet the Waste Treatment BAT conclusions.

# 3 The legal framework

The Consolidated Variation Notice will be issued under Regulations 18 and 20 of the EPR. The Environmental Permitting regime is a legal vehicle which delivers most of the relevant legal requirements for activities falling within its scope. In particular, the regulated facility is:

- an installation as described by the IED;
- subject to aspects of other relevant legislation which also have to be addressed.

We consider that, in issuing the Consolidated Variation Notice, it will ensure that the operation of the Installation complies with all relevant legal requirements and that a high level of protection will be delivered for the environment and human health.

We explain how we have addressed specific statutory requirements more fully in the rest of this document.

# Annex 1: decision checklist regarding relevant BAT **Conclusions**

BAT Conclusions for the Waste Treatment sector were published by the European Commission on 10 August 2018. There are 53 BAT Conclusions. This annex provides a record of decisions made in relation to each relevant BAT Conclusion applicable to the installation. This annex should be read in conjunction with the Consolidated Variation Notice.

The overall status of compliance with the BAT conclusion is indicated in the table as:

NA - Not Applicable

CC – Currently Compliant
FC – Compliant in the future (within 4 years of publication of BAT conclusions)

NC – Not Compliant

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
1	In order to improve the overall environmental performance, BAT is to implement and adhere to an environmental management system (EMS) that incorporates all of the following features:  I. commitment of the management, including senior management; II. definition, by the management, of an environmental policy that includes the continuous improvement of the environmental performance of the installation; III. planning and establishing the necessary procedures, objectives and targets, in conjunction with financial planning and investment. IV. implementation of procedures paying particular attention to: (a) structure and responsibility, (b) recruitment, training, awareness and competence, (c) communication, (d) employee involvement, (e) documentation, (f) effective process control, (g) maintenance programmes, (h) emergency preparedness and response, (i) safeguarding compliance with environmental legislation;  V. checking performance and taking corrective action, paying particular attention to: (a) monitoring and measurement (see also the JRC Reference Report on Monitoring of emissions to air and water from IED installations – ROM), (b) corrective and preventive action, recruitment, training, awareness and competence, (c) maintenance of records,	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 1 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
2	<ul> <li>(d) independent (where practicable) internal or external auditing in order to determine whether or not the EMS conforms to planned arrangements and has been properly implemented and maintained</li> <li>VI. review, by senior management, of the EMS and its continuing suitability, adequacy and effectiveness;</li> <li>VII. following the development of cleaner technologies;</li> <li>VIII. consideration for the environmental impacts from the eventual decommissioning of the plant at the stage of designing a new plant, and throughout its operating life;</li> <li>IX. application of sectoral benchmarking on a regular basis;</li> <li>X. waste stream management (see BAT 2);</li> <li>XI. an inventory of waste water and waste gas streams (see BAT 3);</li> <li>XIII. residues management plan (see description in Section 6.5);</li> <li>XIV. odour management plan (see BAT 12)</li> <li>XV. noise and vibration management plan (see BAT 17).</li> <li>In order to improve the overall environmental performance of the plant, BAT is to use all of the techniques listed below:</li> </ul>	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 2 in
	<ul> <li>(a) Set up and implement waste characterisation and pre-acceptance procedures;</li> <li>(b) Set up and implement waste acceptance procedures;</li> <li>(c) Set up and implement a waste tracking system and inventory;</li> <li>(d) Set up and implement an output quality management system;</li> <li>(e) Ensure waste segregation;</li> <li>(f) Ensure waste compatibility prior to mixing or blending of waste;</li> <li>(g) Sort incoming solid waste</li> </ul>		response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			and BAT Conclusions by the compliance date, 17 August 2022.
3	In order to facilitate the reduction of emissions to water and air, BAT is to establish and to maintain an inventory of waste water and waste gas streams, as part of the environmental management system (see BAT 1), that incorporates all of the following features:  (i) information about the characteristics of the waste to be treated and the waste treatment processes, including: (a) simplified process flow sheets that show the origin of the emissions; (b) descriptions of process-integrated techniques and waste water/waste gas treatment at source including their performances;  (ii) information about the characteristics of the waste water streams, such as: (a) average values and variability of flow, pH, temperature, and conductivity; (b) average concentration and load values of relevant substances and their variability (e.g. COD/TOC, nitrogen species, phosphorus, metals, priority substances /micropollutants); (c) data on bioeliminability (e.g. BOD, BOD to COD ratio, Zahn-Wellens test, biological inhibition potential (e.g. inhibition of activated sludge)) (see BAT 52);  (iii) information about the characteristics of the waste gas streams, such as: (a) average values and variability of flow and temperature; (b) average concentration and load values of relevant substances and their variability (e.g. organic compounds, POPs such as PCBs); (c) flammability, lower and higher explosive limits, reactivity;	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 3 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	(d) presence of other substances that may affect the waste gas treatment system or plant safety (e.g. oxygen, nitrogen, water vapour, dust).		
4	In order to reduce the environmental risk associated with the storage of waste, BAT is to use all of the techniques given below:  (a) Optimised storage location; (b) Adequate storage capacity; (c) Safe storage operation; (d) Separate area for storage and handling of packaged hazardous waste.	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 4 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
5	In order to reduce the environmental risk associated with the handling and transfer of waste, BAT is to set up and implement handling and transfer procedures.  Handling and transfer procedures aim to ensure that wastes are safely handled and transferred to the respective storage or treatment. They include the following elements:  • handling and transfer of waste are carried out by competent staff; • handling and transfer of waste are duly documented, validated prior to execution and verified after execution; • measures are taken to prevent, detect and mitigate spills;	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 5 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	<ul> <li>operation and design precautions are taken when mixing or blending wastes (e.g. vacuuming dusty/powdery wastes).</li> </ul>		
	Handling and transfer procedures are risk-based considering the likelihood of accidents and incidents and their environmental impact.		
6	For relevant emissions to water as identified by the inventory of waste water streams (see BAT 3), BAT is to monitor key process parameters (e.g. waste water flow, pH, temperature, conductivity, BOD) at key locations (e.g. at the inlet and/or outlet of the pre-treatment, at the inlet to the final treatment, at the point where the emission leaves the installation).	NA	Environment Agency assessment We are satisfied that BATc 6 is not applicable to this Installation. There are no point source emissions of process water to watercourses.
7	BAT is to monitor emissions to water with at least the frequency given in BATc 7, and in accordance with EN standards. If EN standards are not available, BAT is to use ISO, national or other international standards that ensure the provision of data of an equivalent scientific quality.	NA	Environment Agency assessment We are satisfied that BATc 6 is not applicable to this Installation. There are no point source emissions of process water to watercourses.
8	BAT is to monitor channelled emissions to air with at least the frequency given in BATc 8, and in accordance with EN standards. If EN standards are not available, BAT is to use ISO, national or other international standards that ensure the provision of data of an equivalent scientific quality.	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 8 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			and BAT Conclusions by the compliance date, 17 August 2022.
10	<ul> <li>BAT is to periodically monitor odour emissions.</li> <li>Odour emissions can be monitored using: <ul> <li>EN standards (e.g. dynamic olfactometry according to EN 13725 in order to determine the odour concentration or EN 16841-1 or -2 in order to determine the odour exposure);</li> <li>when applying alternative methods for which no EN standards are available (e.g. estimation of odour impact), ISO, national or other international standards that ensure the provision of data of an equivalent scientific quality.</li> </ul> </li> <li>The monitoring frequency is determined in the odour management plan (see BAT 12).</li> </ul>	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 10 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
11	BAT is to monitor the annual consumption of water, energy and raw materials as well as the annual generation of residues and waste water, with a frequency of at least once per year.  Monitoring includes direct measurements, calculation or recording, e.g. using suitable meters or invoices. The monitoring is broken down at the most appropriate level (e.g. at process or plant/installation level) and considers any significant changes in the plant/installation.	СС	Environment Agency assessment  The operator has provided information to support compliance with BATc 11. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 11.
12	In order to prevent or, where that is not practicable, to reduce odour emissions, BAT is to set up, implement and regularly review an odour management plan, as part of the environmental management system (see BAT 1), that includes all of the following elements:	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 12 in

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	<ul> <li>a protocol containing actions and timelines;</li> <li>a protocol for conducting odour monitoring as set out in BAT 10;</li> <li>a protocol for response to identified odour incidents, e.g. complaints;</li> <li>an odour prevention and reduction programme designed to identify the source(s); to characterise the contributions of the sources; and to implement prevention and/or reduction measures.</li> </ul>		response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
13	In order to prevent or, where that is not practicable, to reduce odour emissions, BAT is to use one or a combination of the techniques given below:  (a) Minimising residence times; (b) Using chemical treatment; (c) Optimising aerobic treatment	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 13 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
14	In order to prevent or, where that is not practicable, to reduce diffuse emissions to air, in particular of dust, organic compounds and odour, BAT is to use an appropriate combination of the techniques given below:	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 14 in

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	<ul> <li>(a) Minimising the number of potential diffuse emission sources;</li> <li>(b) Selection and use of high-integrity equipment;</li> <li>(c) Corrosion prevention;</li> <li>(d) Containment, collection and treatment of diffuse emissions;</li> <li>(e) Dampening;</li> <li>(f) Maintenance;</li> <li>(g) Cleaning of waste treatment and storage areas;</li> <li>(h) Leak detection and repair (LDAR) programme</li> </ul>		response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
15	BAT is to use flaring only for safety reasons or for non-routine operating conditions (e.g. start-ups, shutdowns) by using both of the techniques given below:  (a) Correct plant design; (b) Plant management	NA	Environment Agency assessment We are satisfied that BATc 15 is not applicable to this Installation. There is no requirement operate a flare for composting activities.
16	In order to reduce emissions to air from flares when flaring is unavoidable, BAT is to use both of the techniques given below:  (a) Correct design of flaring devices; (b) Monitoring and recording as part of flare management	NA	Environment Agency assessment We are satisfied that BATc 16 is not applicable to this Installation. There is no requirement operate a flare for composting activities.
17	In order to prevent or, where that is not practicable, to reduce noise and vibration emissions, BAT is to set up, implement and regularly review a noise and vibration management plan, as part of the environmental management system (see BAT 1), that includes all of the following elements:	NA	Environment Agency assessment  We are satisfied that BATc 17 is not applicable to this Installation. There is currently no evidence of noise pollution from the installation activities. The site is also located within a rural

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	<ul> <li>I. a protocol containing appropriate actions and timelines;</li> <li>II. a protocol for conducting noise and vibration monitoring;</li> <li>III. a protocol for response to identified noise and vibration events, e.g. complaints;</li> <li>IV. a noise and vibration reduction programme designed to identify the source(s), to measure /estimate noise and vibration exposure, to characterise the contributions of the sources and to implement prevention and /or reduction measures.</li> </ul>		area with few sensitive receptors near to the site.
18	In order to prevent or, where that is not practicable, to reduce noise and vibration emissions, BAT is to use one or a combination of the techniques given below:  (a) Appropriate location of equipment and buildings; (b) Operational measures; (c) Low noise-equipment; (d) Noise and vibration equipment; (e) Noise attenuation	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 18 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
19	In order to optimise water consumption, to reduce the volume of waste water generated and to prevent or, where that is not practicable, to reduce emissions to soil and water, BAT is to use an appropriate combination of the techniques given below:  (a) Water management; (b) Water recirculation;	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 19 in response to the Regulation 61 Notice dated 20 January 2020.

20 In ap Pr (a) (b) (c)	c) Impermeable surface; d) Techniques to reduce the likelihood and impact of overflows and failures from tanks and vessels; e) Roofing of waste storage and treatment areas; f) Segregation of water streams g) Adequate drainage infrastructure; h) Design and maintenance provisions to allow detection and repair of leaks f) Appropriate buffer storage capacity		We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date,
(a) (b) (c)			17 August 2022.
(d) (e) (f) (g) (h) (i) (j)	n order to reduce emissions to water, BAT is to treat waste water using an appropriate combination of the techniques given below:  Preliminary and primary treatment, e.g.  a) Equalisation b) Neutralisation c) Physical separation, e.g. screens, sieves, grit separators, grease eparators, oil-water separation or primary settlement tanks  Physico-chemical treatment, e.g. d) Adsorption e) Distillation /rectification f) Precipitation g) Chemical oxidation h) Chemical reduction f) Evaporation f) Evaporation f) Ion exchange k) Stripping	NA	Environment Agency assessment We are satisfied that BATc 20 is not applicable to this Installation. There are no point source emissions of process water to watercourses.

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	(I) Activated sludge process (m) Membrane bioreactor (n) Nitrification / denitrification when the treatment includes a biological treatment  Solids removal, e.g. (o) Coagulation and flocculation (p) Sedimentation (q) Filtration (e.g. sand filtration, microfiltration, ultrafiltration) (r) Flotation  See also: Table 6.1: BAT-associated emission levels (BAT-AELs) for direct discharges to a receiving water body		
	See also: Table 6.2: BAT-associated emission levels (BAT-AELs) for indirect discharges to a receiving water body		
21	In order to prevent or limit the environmental consequences of accidents and incidents, BAT is to use all of the techniques given below, as part of the accident management plan (see BAT 1):  (a) Protection measures; (b) Management of incidental /accidental emissions; (c) Incident /accident registration and assessment system	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 21 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
22	In order to use materials efficiently, BAT is to substitute materials with waste.  Waste is used instead of other materials for the treatment of wastes (e.g. waste alkalis or waste acids are used for pH adjustment, fly ashes are used as binders).	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 22 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
23	In order to use energy efficiently, BAT is to use both of the techniques given below:  (a) Energy efficiency plan; (b) Energy balance record	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 23 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			and BAT Conclusions by the compliance date, 17 August 2022.
24	In order to reduce the quantity of waste sent for disposal, BAT is to maximise the reuse of packaging, as part of the residues management plan (see BAT 1).  Packaging (drums, containers, IBCs, pallets, etc.) is reused for containing waste, when it is in good condition and sufficiently clean, depending on a compatibility check between the substances contained (in consecutive uses). If necessary, packaging is sent for appropriate treatment prior to reuse (e.g. reconditioning, cleaning).	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 24 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
33	In order to reduce odour emissions and to improve the overall environmental performance, BAT is to select the waste input.  The technique consists of carrying out the pre-acceptance, acceptance and sorting of the waste input (see BAT 2) so as to ensure the suitability of the waste input for the waste treatment, e.g. in terms of nutrient balance, moisture or toxic compounds which may reduce the biological activity.	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 33 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			and BAT Conclusions by the compliance date, 17 August 2022.
34	In order to reduce channelled emissions to air of dust, organic compounds and odorous compounds, including H <sub>2</sub> S and NH <sub>3</sub> , BAT is to use one or a combination of the techniques given below:  (a) Adsorption; (b) Biofilter; (c) Fabric filter; (d) Thermal oxidation; (e) Wet scrubbing  See also: Table 6.7: BAT-associated emission levels (BAT-AELs) for channelled NH <sub>3</sub> , odour, dust and TVOC emissions to air from the biological treatment of waste.	FC BATc 34, Table 6.7 FC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 34 in response to the Regulation 61 Notice dated 20 January 2020.  However, the current permit specifies that odour abatement is in operation within the permit to treat channelled emissions. Waste gases from the enclosed processes, are treated via an acid scrubber and open biofilter.  No information was submitted to demonstrate compliance with BAT AELs. We have set a BAT-AEL for ammonia as specified in the Waste Treatment BREF and BAT Conclusions.
			We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			In addition to the BAT-AEL, we have inserted the requirement to monitor odour concentration, hydrogen sulphide and ammonia on a 6-monthly frequency in Table S3.4 (process monitoring).  As part of the Environment Agency approach
			to reduce emissions in the biowaste treatment sector, we have included the following improvement conditions:  Improvement condition for the review of
			effectiveness of abatement plant  Improvement condition 10 (IC10) requires the operator to review abatement plant on site, in order to determine whether existing measures have been effective and adequate to prevent and /or minimise emissions released to air. Where further improvements are identified, the operator is required to implement these measures.
			Improvement condition for the review of abatement plant design  Improvement condition 11 (IC11) requires the operator to review the design of the site

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			ventilation system and abatement plant in order to determine whether it is fit for purpose and effective in controlling odorous compounds in the air streams from site processes. Where further improvements are identified, the operator is required to implement these measures.
35	In order to reduce the generation of waste water and to reduce water usage, BAT is to use all of the techniques given below:  (a) Segregation of water streams; (b) Water recirculation; (c) Minimisation of the generation of leachate	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 35 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
36	In order to reduce emissions to air and to improve the overall environmental performance, BAT is to monitor and/or control the key waste and process parameters.  Monitoring and/or control of key waste and process parameters, including:  • waste input characteristics (e.g. C to N ratio, particle size);  • temperature and moisture content at different points in the windrow;	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 36 in response to the Regulation 61 Notice dated 20 January 2020.

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	<ul> <li>aeration of the windrow (e.g. via the windrow turning frequency, O<sub>2</sub> and/or CO<sub>2</sub> concentration in the windrow, temperature of air streams in the case of forced aeration);</li> <li>windrow porosity, height and width.</li> </ul>		We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
37	In order to reduce diffuse emissions to air of dust, odour and bioaerosols from open-air treatment steps, BAT is to use one or both of the techniques given below:  (a) Use of semi permeable membrane covers; (b) Adaptation of operations to the meteorological conditions	NC	Environment Agency assessment The operator did not provide any information to support compliance with BATc 27 in response to the Regulation 61 Notice dated 20 January 2020.  We have included improvement conditions in the permit to achieve compliance. The operator is required to complete the improvement conditions and demonstrate compliance with the Waste Treatment BREF and BAT Conclusions by the compliance date, 17 August 2022.
38	In order to reduce emissions to air and to improve the overall environmental performance, BAT is to monitor and/or control the key waste and process parameters.  This includes monitoring and/or control of key waste and process parameters:  • pH and alkalinity of the digester feed;  • digester operating temperature;	NA	Environment Agency assessment  We are satisfied that BATc 38 is not applicable to this Installation. These requirements apply to anaerobic digestion activities only.

BAT Conclusion No	Summary of BAT Conclusion requirement for Waste Treatment	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	<ul> <li>hydraulic and organic loading rates of the digester feed;</li> <li>concentration of volatile fatty acids (VFA) and ammonia within the digester and digestate;</li> <li>biogas quantity, composition (e.g. H<sub>2</sub>S) and pressure;</li> <li>liquid and foam levels in the digester.</li> </ul>		
39	In order to reduce emissions to air, BAT is to use both of the techniques given below:  (a) Segregation of the waste gas streams; (b) Recirculation of waste gas	NA	Environment Agency assessment We are satisfied that BATc 39 is not applicable to this Installation. These requirements apply to mechanical biological treatment activies.

# Annex 2: Review and assessment of changes that are not part of the BAT Conclusions derived permit review

#### **Bioaerosols monitoring requirements**

We asked the Operator to confirm the following aspects regarding the site operations in the Regulation 61 Notice:

- Whether or not the operational processes of biodegradable waste are in open processes within 250 metres of human receptors.
- Whether or not there is a channelled or point source release within 250 metres that are open sources e.g. biofilters within 250 metres of human receptors; and
- The existing permit contains bioaerosols monitoring requirements, the microbiological markers, associated bioaerosols limits and the monitoring standards

The Operator provided information regarding bioaerosols monitoring in their response to the Regulation 61 Notice. We carried out an assessment of the site location and the distance of site processes from sensitive receptors as part of this determination.

There are no external site operational processes and/or channelled/point sources within 250 metres of a sensitive receptor. Monitoring of bioaerosols is not required at the Installation. Formerly, the permit required monitoring of bioaerosols. However, this was included in error. The Environment Agency confirmed to the Operator in March 2015 that monitoring of bioaerosols was not required. We have removed these conditions as part of the permit review process.

### Soil & groundwater risk assessment (baseline report)

The IED requires that the operator of any IED installation using, producing or releasing "relevant hazardous substances" (RHS) shall, having regarded the possibility that they might cause pollution of soil and groundwater, submit a "baseline report" with its permit application. The baseline report is an important reference document in the assessment of contamination that might arise during the operational lifetime of the regulated facility and at cessation of activities. It must enable a quantified comparison to be made between the baseline and the state of the site at surrender.

At the definitive cessation of activities, the Operator has to satisfy us that the necessary measures have been taken so that the site ceases to pose a risk to soil or groundwater, taking into account both the baseline conditions and the site's current or approved future use. To do this, the Operator has to submit a surrender application to us, which we will not grant unless and until we are satisfied that these requirements have been met.

The Operator did not submit a risk assessment which includes a description of the condition of the site and a consideration of the possibility of soil and groundwater contamination at the installation. No site baseline condition was included in the submission and no site investigation was undertaken as part of the original application.

We have included an Improvement condition in the permit (IC4 and IC5) which requires the Operator to submit an updated site condition report which includes baseline soil and groundwater data. See Improvement conditions in Annex 3 of this decision document.

#### Waste types

We have specified the permitted waste types, descriptions and quantities, which can be accepted at the regulated facility. The wastes are specified in Table S2.2, S2.3 S2.4 and S2.5 in the permit (Note, Tables S2.4 and S2.5 are for separate waste operations not linked to the installations activities).

We are satisfied that the Operator can accept these wastes for the following reasons:

- they are suitable for the proposed activities
- the proposed infrastructure is appropriate
- the environmental risk assessment is acceptable.

# Other wastes (non-standard waste codes)

The following wastes in the current permit are not specified in the our revised biowaste treatment permit templates. We have retained these wastes in the current permit provided the Operator undertakes a detailed characterisation of the wastes prior to acceptance for treatment at the site in accordance with BATc 2a.

Table S2.2 (In-	Table S2.2 (In-Vessel Composting) non-standard waste codes				
Waste code	Description				
17 02 01	wood – excluding treated wood containing veneers, other coatings or preserving agents. No chemical additives or preservatives, and no persistent organics present. Untreated wood only.				
19 12 07	wood other than that mentioned in 19 12 06				
19 12 09	minerals (for example sand and stone)				
20 01 38	wood other than that mentioned in 20 01 37 – excluding wood with non-biodegradable coating or preserving substance present. No chemical additives or preservatives, and no persistent organics present. Untreated wood only.				
20 02 02	soil and stones				
20 03 01	mixed municipal waste (biodegradable waste only)				

Table S2.3 (Open Windrows Composting) non-standard waste codes			
Waste code	Description		
17 02 01	wood – excluding treated wood containing veneers, other coatings or preserving agents. No chemical additives or preservatives, and no persistent organics present. Untreated wood only.		
20 01 38	wood other than that mentioned in 20 01 37 – excluding wood with non-biodegradable coating or preserving substance present. No chemical additives or preservatives, and no persistent organics present. Untreated wood only.		

The Operator did not provide any supporting documentation in support of demonstrating compliance with BAT 2. Improvement condition 3 (IC3) has been included in the permit to achieve compliance (see Annex 3).

We made this decision with respect to waste types in accordance with the Framework Guidance Note – Framework for assessing suitability of wastes going to anaerobic digestion, composting and biological treatment (July 2013).

### Secondary containment and lagoon storage infrastructure design

We asked the Operator via the Regulation 61 Notice to:

- describe any secondary containment and whether it currently meets the relevant standard in the "Containment systems for the prevention of pollution (C736)" report, where there are above-ground storage or primary containment on site; or
- explain why the current site infrastructure design and construction is fit for purpose,
   where it is concluded that secondary containment is not required or does not need to

- meet the standards in the C736 report, to enable a baseline standard so as to establish a quantified comparison; and
- describe how the construction of the lagoons meets the relevant standard in CIRIA C736 report, where there are storage lagoons used for the storage of digestate on site.

The Operator did not provide a response to the Regulation 61 Notice with respect to the existing site secondary containment and lagoon storage infrastructure.

We have set improvement conditions in the permit to address the deficiencies in the existing site secondary containment (IC7) and lagoon storage infrastructure (IC8). See Improvement conditions in Annex 3 of this decision document.

# <u>Primary containment infrastructure design (tanks /vessels used for storage and/or treatment activities)</u>

We assessed primary containment as part of the permit review. This information was not requested in the Regulation 61 Notice issued to the Operator, however, it was considered prudent to address this aspect as part of the permit review process. In this instance, the required information relating to the review of primary containment infrastructure against CIRIA C736 was not previously submitted to the Environment Agency, nor was it included in the supporting documentation submitted by the Operator in their Regulation 61 response.

We have therefore set an Improvement Condition (IC6) in the permit to address this aspect of the permit review (see Annex 3).

# Lagoon cover and digestate storage capacity

We asked the Operator via the Regulation 61 Notice to:

- confirm if storage lagoons are covered to prevent emission loss; and
- confirm whether or not the operational lagoon storage capacity provides a minimum of two months storage.

The Operator did not provide any information in response to lagoon cover arrangements and operational digestate storage capacity on site.

We have therefore set an Improvement Condition (IC9) in the permit to address this aspect of the permit review (see Annex 3).

### **Annex 3: Improvement Conditions**

Based on the information in the Operator's Regulation 61 Notice response and our own records of the capability and performance of the installation at this site, we consider that we need to set improvement conditions so that the outcome of the techniques detailed in the BAT Conclusions are achieved by the installation. These improvement conditions are set out below - justifications for them is provided at the relevant section of the decision document (Annex 1 or Annex 2).

If the consolidated permit contains existing improvement conditions that are not yet complete or the opportunity has been taken to delete completed improvement conditions then the numbering in the table below will not be consecutive as these are only the improvement conditions arising from this permit variation.

Table S1.3 I	Table S1.3 Improvement programme requirements				
Reference	Requirement	Date			
IC1	The operator shall submit an odour management plan for the Open Windrows Composting activity to the Environment Agency for written approval. The plan shall take into account the appropriate measures for odour control specified in section 2.2.6 of Sector Guidance Note IPPC S5.06 – Guidance for the Treatment of Hazardous and Non Hazardous Waste.  The plan shall also incorporate all the required detailed information as specified in the Environment Agency's Horizontal Guidance H4 – Odour Management. The plan must contain dates for implementation of individual measures.	Completed			
Improveme	nt condition for progress report to achieve BAT-AELs				
IC2	The operator shall submit, for approval by the Environment Agency, a report setting out progress to achieving the Best Available Techniques Conclusion Associated Emission Levels (BAT-AELs) where BAT is currently not achieved, but will be achieved before 17 August 2022. The report shall include, but not be limited to, the following:  1) Current performance against the BAT-AELs. 2) Methodology for reaching the BAT-AELs. 3) Associated targets /timelines for reaching compliance by 17 August 2022. 4) Any alterations to the initial plan (in progress reports). The report shall address the BAT Conclusions for Waste Treatment with respect to the following:  • BAT 34 Table 6.7 (compliance with BAT-AELs for channelled NH <sub>3</sub> , odour, dust and TVOC emissions to air from the biological treatment of waste) Refer to BAT Conclusions for a full description of the BAT requirement.	Progress reports at three monthly intervals from date of permit issue: Initial plan: 18/04/2022 Progress report: 18/07/2022			

Table S1.3 I	Table S1.3 Improvement programme requirements					
Reference	Requirement	Date				
Improvemen	Improvement condition for progress report to achieve Narrative BAT					
IC3	The operator shall submit, for approval by Environment Agency, a report setting out progress to achieving the 'Narrative' BAT where BAT is currently not achieved, but will be achieved before 17 August 2022. The report shall include, but not be limited to, the following:  1) Methodology for achieving BAT 2) Associated targets /timelines for reaching compliance by 17 August 2022 3) Any alterations to the initial plan (in progress reports).	Progress reports at three monthly intervals from date of permit issue: Initial plan: 18/04/2022 Progress report: 18/07/2022				
	The report shall address the BAT Conclusions for Waste Treatment with respect to BAT 1, 2, 3, 4, 5, 8, 10, 12, 13, 14, 18, 19, 21, 22, 23, 24, 33, 34, 35, 36 and 37.					
Improvement pollution	nt condition for site risk assessment to prevent soil & groun	dwater				
IC4	The operator shall submit to the Environment Agency for approval a risk assessment considering the possibility of soil and groundwater contamination at the installation where the activity involves the use, production or release of a relevant hazardous substance (as defined in Article 3(18) of the Industrial Emissions Directive). The risk assessment shall clearly establish with appropriate evidence whether or not there is a risk of contamination of soil and groundwater and should follow the Defra Guidance – Industrial Emissions Directive EPR Guidance on Part A Installations (Section 5.10-5.15, pages 28-29 - Baseline Reports and Permit Surrender).	18/01/2023 or other date as agreed in writing with the Environment Agency				
IC5	<ul> <li>Where the risk assessment carried out under IC4 above establishes a risk to soil and groundwater, the operator shall: <ul> <li>a) prepare and submit a baseline report compliant with Article 22 of the Industrial Emissions Directive (IED) containing information necessary to determine the current state of soil and groundwater contamination; or</li> <li>b) provide a summary report referring to information previously submitted where the operator is satisfied that such information represents the current state of soil and groundwater contamination,</li> </ul> </li> <li>so as to enable a quantified comparison to be made with the state of soil and groundwater contamination upon definitive cessation of activity.</li> </ul>	Within 6 months of completion of IC4				

Table S1.3 I	Table S1.3 Improvement programme requirements				
Reference	Requirement	Date			
Improveme	nt condition for primary containment				
IC6	The operator shall submit a written 'primary containment plan' and shall obtain the Environment Agency's written approval to it. The plan shall contain the results of an inspection and program of works undertaken by a qualified engineer, and shall assess the extent design specification and condition of primary containment systems where polluting liquids and solids are being stored, treated, and/or handled.	18/01/2023 or other date as agreed in writing with the Environment Agency			
	The plan shall include:				
	<ul> <li>an assessment of the physical condition of all primary containment systems (storage and treatment vessels) using a Written Scheme of Examination and their suitability for providing primary containment when subjected to the dynamic and static loads caused by catastrophic tank failure;</li> <li>a program of works with timescales for the implementation of individual improvement measures necessary to demonstrate that the primary containment is fit for purpose or alternative appropriate measures to ensure all polluting materials will be contained on site; and</li> <li>a preventative maintenance and inspection regime</li> <li>The plan shall be implemented in accordance with the Environment Agency's written approval.</li> </ul>				
Improveme	nt condition for secondary containment design				
IC7	The operator shall submit a written 'secondary and tertiary containment plan' and shall obtain the Environment Agency's written approval to it. The plan shall contain the results of an inspection and program of works undertaken by a competent structural engineer, in accordance with the risk assessment methodology detailed within CIRIA C736 (2014) guidance, of the condition and extent of secondary and tertiary containment systems where all polluting liquids and solids are being stored, treated, and/or handled.	18/01/2023 or other date as agreed in writing with the Environment Agency			
	The inspection shall consider, but not be limited to, the storage vessels, bunds, loading and unloading areas, transfer pipework/pumps, temporary storage areas, and liners underlying the site.				
	The plan shall include:				
	an assessment of the physical condition of all secondary and/or tertiary containment systems, using a Written Scheme of Examination and their suitability for providing containment when subjected to the				

Reference	Requirement	Date
	dynamic and static loads caused by catastrophic tank	
	failure;	
	a program of works with timescales for the	
	implementation of individual improvement measures	
	necessary for the secondary and/or tertiary	
	containment systems to comply with CIRIA C736	
	(2014) guidance, or equivalent.	
	a preventative maintenance and inspection regime	
	The plan shall be implemented in accordance with the Environment Agency's written approval.	
Improveme	nt condition for storage lagoon design	T
IC8	The operator shall submit a written 'storage lagoon plan' and shall obtain the Environment Agency's written approval to it. The plan shall contain the results of an inspection and program of works undertaken by a competent structural	18/01/2023 o other date as agreed in writing with
	engineer, in accordance with the risk assessment	the
	methodology detailed within CIRIA C736 (2014) guidance, of	Environment
	the condition and extent of the site lagoon(s) where digestate or compost leachate are being stored, treated, and/or handled.	Agency
	The inspection shall consider, but not be limited to, the transfer pipework/pumps, and liners underlying the storage lagoons.	
	The plan shall include:	
	an assessment of the physical condition of the storage lagoons, using a Written Scheme of Examination and the suitability for providing containment when subjected to the dynamic and static loads caused by the digestate or compost	
	leachate;	
	<ul> <li>a program of works with timescales for the</li> </ul>	
	implementation of individual improvement measures	
	necessary for the storage lagoon to comply with	
	CIRIA C736 (2014) guidance, or equivalent.	
	<ul> <li>a preventative maintenance and inspection regime.</li> </ul>	
	The plan shall be implemented in accordance with the Environment Agency's written approval.	
Improveme	nt condition for lagoon cover and operational storage capac	ity
IC9	The operator shall provide a written "compost liquor storage	18/01/2023 o
	plan" and shall obtain the Environment Agency's written approval to it. The plan shall contain the results of a review of the current storage of digestate and/or compost liquor	other date as agreed in

Reference	Requirement	Date
	produced from site operations. The review shall examine site contingency arrangements in the event of closed landspreading periods, extreme weather conditions, site closure, disease outbreak etc.  The storage plan shall include:	writing with the Environment Agency
	<ul> <li>Existing cover arrangements on storage lagoons used to store digestate and/or compost liquor to minimise odour, ammonia and methane emissions;</li> <li>Additional storage capacity on-site (at least 2 months storage) and storage capacity off-site;</li> <li>Identification of alternative outlets for compost liquor – identify companies /permitted waste facilities that would be able to manage the liquor output, taking into account their permits and capacity constraints.</li> <li>The plan shall be implemented in accordance with the Environment Agency's written approval.</li> </ul>	
Improveme	nt condition for review of effectiveness of abatement plant	
		1
IC10	The operator shall carry out a review of the abatement plant on site, in order to determine whether the measures have been effective and adequate to prevent and where not possible minimise emissions released to air including but not limited to odour and ammonia.  The operator shall submit a written report to the Environment	18/01/2023 cother date as agreed in writing with the Environment
	Agency following this review for assessment and approval.  The report shall include but not limited to the following aspects:	Agency
	<ul> <li>Full investigation and characterisation of the waste gas streams.</li> </ul>	
	<ul> <li>Abatement stack monitoring results (not limited to odour and ammonia)</li> </ul>	
	<ul> <li>Abatement process monitoring results (not limited to odour and ammonia)</li> </ul>	
	<ul> <li>Details of air quality quantitative impact assessment including modelling and a proposal for site-specific "action levels" (not limited to odour concentration, hydrogen sulphide and ammonia).</li> </ul>	
	<ul> <li>Odour monitoring results at the site boundary</li> <li>Records of odour complaints and odour related incidents</li> </ul>	
	Recommendations for improvement including the replacement or upgrading the abatement plant	
	<ul> <li>Timescales for implementation of improvements to the abatement plant</li> </ul>	

Reference	Requirement	Date
	The operator shall implement the improvements in line with the timescales as approved by the Environment Agency.	
Improveme	nt condition for review of abatement plant design	
IC11	The operator shall submit to the Environment Agency a written review report of the design details of the site ventilation system and abatement plant and obtain the Environment Agency's written approval to it.  The report shall include but not limited to:  a) Ventilation design performance criteria for effective fugitive odorous emission control  b) Design of the abatement systems that will ensure compliance with the odour condition 3.3. The report shall include a demonstration (whether by a detailed review of technical papers or by trial results) that all odorous chemical compounds and their loading rates expected in the relevant air streams have been considered in the design; and supporting evidence that the odorous compounds will be controlled and/or abated either by operating techniques or by the proposed abatement systems.  c) Design alarms and triggers for each relevant scenario to alert the operator to the malfunction of both ventilation and abatement systems. The report should further list all relevant contingency mitigation actions to minimise risk of elevated odour pollution from the installation linked to each malfunction scenario and detail the actions to restore systems to normal operating conditions for effective odour control.  Ventilation and abatement systems should be designed by suitably qualified named engineers who can supervise and sign-off on construction quality assurance.	18/01/2023 or other date as agreed in writing with the Environment Agency