

# Ambulance Syndromic Surveillance System Bulletin (England) 2022 Week 15

## Key messages

Data reported to: 18 April 2022

Nationally, 'COVID-19-like' and difficulty breathing calls decreased during week 15.

Please note: COVID-19-like calls in East of England decreased during week 11, but concurrent increases were seen in other indicators, including difficulty breathing, which may have reflected a change in local coding practices. Please see **Data quality issues of note this week** for more information.

## Syndromic indicators at a glance

Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.

| Indicator                                       | Trend      | Level               |
|---|------------|---------------------|
| COVID-19-like (Figure 1)                        | Decreasing | No baseline         |
| Difficulty breathing (Figure 2)                 | Decreasing | Below baseline      |
| Chest pain (Figure 3)                           | Decreasing | Below baseline      |
| Cardiac or respiratory arrest (Figure 4)        | Decreasing | Above baseline      |
| Impact of heat or cold (Figure 5)               | Decreasing | Similar to baseline |
| Headache (Figure 6)                             | Decreasing | Below baseline      |
| Unconscious or passing out (Figure 7)           | No trend   | Similar to baseline |
| Collapsed with unknown problem (Figure 8)       | No trend   | Below baseline      |
| Allergic reactions (Figure 9)                   | No trend   | Below baseline      |
| Injuries (Figure 10)                            | Decreasing | Below baseline      |
| Overdose, or ingestion or poisoning (Figure 11) | No trend   | Similar to baseline |

## System coverage

Table 2: The number of ambulance Trusts included in surveillance each day during the most recent week.

| Date          | Number of ambulance Trusts <sup>1</sup> |
|---------------|---|
| 12 April 2022 | 10                                      |
| 13 April 2022 | 9                                       |
| 14 April 2022 | 10                                      |
| 15 April 2022 | 10                                      |
| 16 April 2022 | 9                                       |
| 17 April 2022 | 10                                      |
| 18 April 2022 | 10                                      |

<sup>&</sup>lt;sup>1</sup> maximum 10 Trusts in England

# **Contents**

| Key messages                             | 2  |
|--|----|
| Syndromic indicators at a glance         | 2  |
| System coverage                          | 2  |
| Contents                                 | 3  |
| About this syndromic surveillance system | 4  |
| Respiratory conditions                   | 5  |
| COVID-19-like                            | 5  |
| Difficulty breathing                     | 6  |
| Cardiac conditions                       | 7  |
| Chest pain                               | 7  |
| Cardiac or respiratory arrest            | 8  |
| Seasonal or environmental conditions     | 9  |
| Impact of heat or cold                   | 9  |
| Other conditions                         | 11 |
| Headache                                 | 11 |
| Unconscious or passing out               | 12 |
| Collapsed with unknown problem           | 13 |
| Allergic reactions                       | 14 |
| Injuries                                 | 15 |
| Overdose or poisoning                    | 16 |
| Notes and caveats                        | 17 |
| COVID-19 syndromic surveillance          | 17 |
| Acknowledgements                         | 18 |
| About the UK Health Security Agency      | 19 |

# About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) ambulance syndromic surveillance system.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see Notes and caveats)
- compare levels between age groups/areas

Fully anonymised, daily ambulance call data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as difficulty breathing, chest pain and injuries
- syndromic indicators are based on:
  - o information gathered during the initial call
  - signs/symptoms and may not be laboratory confirmed
- Key messages describes any notable trends nationally (England), and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in Table 1
- charts are provided for each syndromic indicator, on a national basis, by geographical area (UKHSA Region). Each chart includes a year of data with:
  - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
  - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the **Notes and caveats** section.

Previous weekly bulletins from this system are available <u>here</u>.

#### Data quality issues of note this week


During week 15, due to technical issues data were missing from one ambulance trust on 13 and 16 April 2022. Ambulance trusts reduced use of the 'pandemic' triage card for assessing COVID-19 patients 25 October to 23 December 2021.

See **Table 2** for the number of Trusts included in the most recent week, indicating where data has not arrived at the time of this report production. All historical data are complete.

## **Respiratory conditions**


#### COVID-19-like

Figure 1: Daily number of COVID-19-like ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region. Please note there is minimal usage of this syndromic indicator by the North East, West Midlands and South East ambulance Trusts.




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.


Black dotted line is baseline.



#### Difficulty breathing

Figure 2: Daily number of difficulty breathing ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region. Please note there is minimal usage of this syndromic indicator by the East Midlands ambulance Trust.







#### **Cardiac conditions**

## Chest pain


Figure 3: Daily number of chest pain ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region. Please note there is minimal usage of this syndromic indicator by the South East ambulance Trust.






### Cardiac or respiratory arrest

Figure 4: Daily number of cardiac or respiratory arrest ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region. Please note there is minimal usage of this syndromic indicator by the East Midlands ambulance Trust.





#### Seasonal or environmental conditions

During set periods of the year the Met Office operates both heat and cold weather watch systems, in association with UKHSA. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

Cold weather alert period: 1 November to 31 March

Heat-Health Alert period:1 June to 15 September


Highest weather alert level during the current reporting week:


Level 0 - Long-term planning

(a)

#### Impact of heat or cold

Figure 5: Daily number of heat or cold related ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region.







#### Other conditions

#### Headache


Figure 6: Daily number of headache ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region.





### Unconscious or passing out

Figure 7: Daily number of unconscious or passing out ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region.



Oct 21

Aug 21


Jun 21

Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.

Feb 22


Apr 22


Dec 21



### Collapsed with unknown problem

Figure 8: Daily number of collapsed with unknown problem ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region.





# Allergic reactions


Figure 9: Daily number of allergic reactions ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region.

NASSS: allergic reactions 19/04/2021 to 18/04/2022

| Sep | 150 | 150 | 150 | 150 | 150 | 100 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |


Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.


Black dotted line is baseline.



### Injuries

Figure 10: Daily number of injury ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region.







#### Overdose or poisoning


Figure 11: Daily number of overdose or poisoning ambulance service calls (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by UKHSA Region.





Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.

#### **Notes and caveats**

The following additional caveats apply to the UKHSA ambulance syndromic surveillance system

- the data presented are based on a national syndromic surveillance system:
  - o the 10 ambulance trusts in mainland England are included
  - the number of Trusts included each day of the most recent week is included in Table 2
  - indicating where data has not arrived at the time of this report production.
     All historical data is complete
- the signs/symptoms related to each call may be recorded differently by each ambulance Trust
  - there may be minimal usage of some syndromic indicators by some ambulance Trusts
  - the title for each set of syndromic indicator charts will describe which Trusts (if any) are affected
- baselines:
  - o were last remodelled July 2021
  - o are constructed from historical data since January 2019
  - represent seasonally expected levels of activity
  - take account of any known substantial changes in data collection, population coverage or reporting practices:
    - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
  - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which may affect call levels

## COVID-19 syndromic surveillance

- the COVID-19-like syndromic indicator is based on calls grouped into a 'Pandemic/ Epidemic/ Outbreak' triage card:
  - these data are based on COVID-19-like symptoms reported and are not based on outcomes of tests for coronavirus
  - o not all ambulance trusts use this grouping:
    - COVID-19-like calls to the North East, West Midlands and South East ambulance Trusts are included here in the 'difficulty breathing' syndromic indicator
  - the number of COVID-19-like calls should not be used to estimate an absolute count of ambulance calls for COVID-19 patients

# **Acknowledgements**

#### We would like to thank:

- North East, North West, Yorkshire, East Midlands, West Midlands, East of England, London, South East Coast, South Central, and South Western NHS ambulance Trusts for submitting anonymised, daily data to this syndromic surveillance system
- the Association of Ambulance Chief Executives for their support in establishing this syndromic surveillance system

# About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation heath secure.

<u>UKHSA</u> is an executive agency, sponsored by the <u>Department of Health and Social Care</u>.

www.gov.uk/government/organisations/uk-health-security-agency

© Crown copyright 2022

Version: Amb-2

Prepared by: Real-time Syndromic Surveillance Team

For queries relating to this document, please contact: syndromic.surveillance@phe.gov.uk

Published: April 2022



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit <u>OGL</u>. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

