### **Standard rules**

Chapter 4, The Environmental Permitting (England and Wales) Regulations 2016



# Standard rules SR2008 No12\_75kte – nonhazardous household waste amenity site – existing permits

# Introductory note

This introductory note does not form part of these standard rules.

These amended standard rules are only available for existing SR2008 No12 permit-holders. New applicants should use standard rules SR2015 No19.

When referred to in an environmental permit, these rules will allow the operator to operate a Civic Amenity Site at a specified location, provided that no part of the site is located within 200 metres of a European Site<sup>1</sup>, Ramsar site or a Site of Special Scientific Interest (SSSI); or within 50m of any well spring or borehole used for the supply of water for human consumption. This must include private water supplies.

Permitted wastes are limited to non-hazardous household and similar wastes and do not include hazardous wastes such as asbestos. The total quantity of waste that can be accepted at a site under these rules must be less than 75,000 tonnes a year. Wastes can be bulked up for disposal or recovery elsewhere and can also be treated by sorting, separation, shredding or compaction. These rules will not permit the burning of any wastes, either in the open, inside buildings or in any form of incinerator.

These rules do not allow any point source emission into surface waters or groundwater. However, under the emissions of substances not controlled by emission limits rule:

- Liquids may be discharged into a sewer subject to a consent issued by the local water company.
- Liquids may be taken off-site in a tanker for disposal or recovery.
- Clean surface water from roofs, or from areas of the site that are not being used in connection with storing
  and treating waste, may be discharged directly to surface waters, or to groundwater by seepage through the
  soil via a soakaway.

End of introductory note

<sup>&</sup>lt;sup>1</sup> A candidate or Special Area of Conservation (cSAC or SAC) and proposed or Special Protection Area (pSPA or SPA) in England and Wales.

### **Rules**

# 1 – Management

### .1 General management

- 1.1.1 The operator shall manage and operate the activities:
  - (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
  - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with rule 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in these standard rules shall have convenient access to a copy of them kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

# 1.2 Avoidance, recovery and disposal of wastes produced by the activities

- 1.2.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
- (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
- (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

# 2 - Operations

#### .2 2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in table 2.1 below ("the activities").

Table 2.1 activities	
Description of activities	Limits of activities
D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)	Treatment consisting only of manual sorting, separation, shredding or compaction of waste into different components for disposal, (no more than 50 tonnes per day) or recovery.
R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)	
<b>D14:</b> Repackaging prior to submission to any of the operations numbered D1 to 13	
D9: Physico-chemical treatment not specified elsewhere in Annex I which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D8 and D10 to D12	
R3: Recycling/reclamation of organic substances which are not used as solvents	
R4: Recycling/reclamation of metals and metal compounds	
R5: Recycling/reclamation of other inorganic materials	

# .3 Waste acceptance

- 2.2.1 Waste shall only be accepted if:
  - (a) it is of a type and quantity listed in table 2.2 below; and
  - (b) except for household waste accepted from householders, it conforms to the description in the documentation supplied by the producer and holder.

## Table 2.2. Waste types and quantities

#### **Maximum Quantities**

The total quantity of waste accepted at the site shall be less than 75,000 tonnes a year.

#### **Exclusions**

Wastes having any of the following characteristics shall not be accepted:

Consisting solely or mainly of dusts, powders or loose fibres

Waste	Description
-------	-------------

15	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 03	end-of-life tyres
16 05	gases in pressure containers and discarded chemicals
16 05 05	gases in pressure containers other than those mentioned in 16 05 04
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 01	concrete, bricks, tiles and ceramics
17 01 01	Concrete
17 01 02	Bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 06	insulation materials and asbestos-containing construction materials
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 08	gypsum-based construction material
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
17 09	other construction and demolition wastes
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
20 01	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS separately collected fractions (except 15 01)
20 01 01	paper and cardboard
20 01 02	Glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	Clothes
20 01 11	Textiles
20 01 25	edible oil and fat
20 01 28	Paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 01 30	Detergents other than those mentioned in 20 01 29
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	Plastics
20 01 40	Metals
20 01 41	wastes from chimney sweeping
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
	2.

20 02 02	soil and stones
20 02 03	other non-biodegradable wastes
20 03	other municipal wastes
20 03 01	mixed municipal waste
20 03 07	bulky waste

### .4 Operating techniques

.4.1 The activities shall be operated using the techniques and in the manner described in Table 2.3 below.

#### Table 2.3 Operating techniques

- 1. The operator shall:
  - (a) following any fire or if required by the Environment Agency, submit to the Environment Agency for approval within the period specified a fire prevention plan;
  - (b) implement the approved fire prevention plan, form the date of approval, unless otherwise agreed in writing by the Environment Agency.

The fire prevention plan shall as a minimum specify:

- (i) the total amount of waste that will be stored on site at any one time and if more than one type of waste is to be stored at the site the total amount of each type of waste;
- (ii) the maximum time each type of waste will be stored on site;
- (iii) the method of storage of each type of waste;
- (iv) the maximum volume of each waste pile in m<sup>3</sup>;
- (v) the location within the site where each type of waste will be stored;
- (vi) the maximum size of any waste pile stack stipulating the maximum height, width and depth;
- (vii) the minimum separation (fire break) distance between waste piles or storage areas;
- (viii) if fire walls are used in place of fire breaks, full details of the design and construction of such walls
- (ix) the steps put in place to prevent and minimise the risk of a fire or of it spreading within the site or from the site;
- (x) the steps put in place to extinguish a fire if a fire starts;
- (xi) the steps and procedures to be followed if a fire occurs on site, including how the impact or emissions from a fire that may affect people or the environment will be minimised and mitigated; and
- (xii) the provisions made to enable safe access to the site for fire and rescue services, including how the impact on people or the environment of water used in fighting the fire will be managed and minimised.
- 2. Waste shall be stored and treated on an impermeable surface with sealed drainage system.

#### .5 The site

- .5.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan attached to the permit.
- .5.2 The activities shall not be carried out within 200 metres of a European Site or a SSSI.
- 2.4.3 The activities shall not be carried out within 50m of any well spring or borehole used for the supply of water for human consumption This must include private water supplies

# 3 – Emissions and monitoring

# .6 3.1 Emissions of substances not controlled by emission limits

3.1.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this rule if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.

- 3.1.2 The operator shall:
  - if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan;
  - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.1.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

#### .7 3.2 Odour

- 3.2.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable, to minimise, the odour.
- 3.2.2 The operator shall:
  - if notified by the Environment Agency that the activities are giving rise to pollution outside the site
    due to odour, submit to the Environment Agency for approval within the period specified, an odour
    management plan;
  - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

#### .8 Noise and vibration

- 3.3.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan, to prevent or where that is not practicable, to minimise, the noise and vibration.
- .8.1 The operator shall:
  - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan;
  - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

# 4 - Information

### .9 4.1 Records

- .9.1 4.1.1 All records required to be made by these standard rules shall:
  - (a) be legible:
  - (b) be made as soon as reasonably practicable;
  - if amended, be amended in such a way that the original and any subsequent amendments remain legible or are capable of retrieval; and
  - (d) be retained, unless otherwise agreed by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
    - (i) off-site environmental effects; and
    - (ii) matters which affect the condition of land and groundwater.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by these standard rules, unless otherwise agreed in writing by the Environment Agency.

### .10 4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by these standard rules to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

#### .11 Notifications

- 4.3.1 The Environment Agency shall be notified without delay following the detection of:
  - (a) any malfunction, breakdown or failure of equipment or techniques, accident or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
  - (b) the breach of a limit specified in these standard rules; or
  - (c) any significant adverse environmental effects.
- 4.3.2 Written confirmation of actual or potential pollution incidents and breaches of emission limits shall be submitted within 24 hours.
- 4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.
- 4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters except where such disclosure is prohibited by Stock Exchange rules:
  - a) Where the operator is a registered company:
- any change in the operator's trading name, registered name or registered office address; and
- any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.
  - b) Where the operator is a corporate body other than a registered company:
- any change in the operator's name or address; and
- any steps taken with a view to the dissolution of the operator.
  - c) In any other case:
- the death of any of the named operators (where the operator consists of more than one named individual);
- any change in the operator's name(s) or address(es); and
- any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a
  composition or arrangement with creditors, or, in the case them being in a partnership, dissolving the
  partnership.

## .12 Interpretation

- 4.3.5 In these standard rules the expressions listed below shall have the meaning given.
- 4.4.2 In these standard rules references to reports and notifications mean written reports and notifications, except when reference is being made to notification being made "without delay", in which case it may be provided by telephone.

"accident" means an accident that may result in pollution.

"Annex I" means Annex I to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

"authorised officer" means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in Section 108(4) of that Act.

"D" means a disposal operation provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

"emissions of substances not controlled by emission limits" means emissions of substances to air, water or land from the activities, either from emission points specified in these standard rules or from other localised or diffuse sources, which are not controlled by an emission limit.

"European Site" means a European site within the meaning of Regulation 8 of the Conservation of Habitats and Species Regulations 2017.

"groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"hazardous waste" has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005 (as amended)

"impermeable surface" means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface, and should be read in conjunction with the term "sealed drainage system" (below).

"pollution" means emissions as a result of human activity which may—

- (a) be harmful to human health or the quality of the environment,
- (b) cause offence to a human sense,
- (c) result in damage to material property, or
- (d) impair or interfere with amenities and other legitimate uses of the environment.

"quarter" means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

"R" means a recovery operation provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

"sealed drainage system" in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- (a) no liquid will run off the surface otherwise than via the system;
- (b) except where they may lawfully be discharged to foul sewer, all liquids entering the system are collected in a sealed sump.

"SSSI" means Site of Special Scientific Interest within the meaning of the Wildlife and Countryside Act 1981 (as amended by the Countryside and Rights of Way Act 2000).

"Waste code" means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk. 'List of Wastes' means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

"year" means calendar year commencing on 1st January.

#### End of standard rules