

Construction Noise and Vibration Monthly Report – March 2022

Warwick District Council

Non-Techni	cal Summary	1				
Abbreviatio	ons and Descriptions	3				
1 Introduct	ion	4				
1.2	Measurement Locations	6				
2 Summary	of Results	8				
2.1	Summary of Measured Noise and Vibration Levels	8				
2.2	Exceedances of the LOAEL and SOAEL	11				
2.3	Exceedances of Trigger Level	14				
2.4	Complaints	14				
Appendix A	Site Locations	15				
Appendix B	Monitoring Locations	22				
Appendix C	Data	28				
List of table	es					
Table 1: Tab	le of Abbreviations	3				
	nitoring Locations	7 9				
Table 3: Summary of Measured dB L _{Aeq} Data over the Monitoring Period						
	nmary of Exceedances of LOAEL and SOAEL	12				
	nmary of Exceedances of Trigger Levels	14 14				
Table 6: Summary of Complaints						

Non-Technical Summary

This Noise and Vibration Monitoring Report fulfils HS2 Limited's commitment detailed in the Environmental Minimum Requirements (EMRs), Annex 1, Code of Construction Practice, to present the results of noise and vibration monitoring carried out within Warwick District Council (WDC) area during the month of March 2022.

Within this period monitoring was undertaken at the following worksites:

- Noise monitoring was undertaken at the Burton Green Tunnel worksite (ref.: BGT), where work activities included lifting, concrete pours and steel works.
- Noise monitoring was undertaken at Bockenden Cutting (ref.: BC), where work activities included pond discharge works.
- Noise monitoring was undertaken at the A429 Kenilworth Road Overbridge (ref.: A429KRO), where work activities included plant crossing works, excavation works, temporary diversion works and drainage works, pond discharge works and pond excavation, earthworks, stockpiling and compound operation.
- Noise monitoring was undertaken at the A46 Compound (ref.: A46C), where work
 activities included trial holes works, asphalting and lining works, earthworks, pond
 construction, installation of conveyor sections, vegetation clearance and road works.
- Noise monitoring was undertaken at the Stoneleigh Park (ref. where work activities included trial holes works, asphalting and lining works, earthworks, pond construction, installation of conveyor sections, vegetation clearance and road works.
- Noise monitoring was undertaken at the Cubbington Road (ref.: CR), where work activities included trial holes works, asphalting and lining works, earthworks, pond construction, installation of conveyor sections, vegetation clearance and road works.
- Noise monitoring was undertaken at Fosseway Diversion (ref.: FD), where work activities included soil movement works, landscaping works and highways works.
- Noise monitoring was undertaken at Offchurch Cutting (ref.: OC), where work
 activities included trial holes works, asphalting and lining works, earthworks, pond
 construction, installation of conveyor sections, vegetation clearance and road works.

There were no exceedances of the HS2 threshold levels for significant noise impacts, which are defined in Information Paper E23 (https://www.gov.uk/government/publications/hs2-information-papers-environment), during the reporting period.

There were no exceedances of trigger levels as defined in Section 61 consents during the reporting period at any monitoring position.

Four (4) complaints were received during the monitoring period. A description of the complaints, the results of investigations and any actions taken are detailed in Table 6 of this report.

Abbreviations and Descriptions

The abbreviations, descriptions and project terminology used within this report can be found in Table 1.

Table 1: Table of Abbreviations

Acronym/Term	Definition
L _{Aeq,T}	See equivalent continuous sound pressure level
Ambient sound	A description of the all-encompassing sound at a given location and time which will include sound from many sources near and far. Ambient sound can be quantified in terms of the equivalent continuous sound pressure level, L _{pAeq,T}
Decibel(s), or dB	Between the quietest audible sound and the loudest tolerable sound there is a million to one ratio in sound pressure (measured in Pascal (Pa)). Because of this wide range, a level scale called the decibel (dB) scale, based on a logarithmic ratio, is used in sound measurement. Audibility of sound covers a range of approximately 0-140dB.
Decibel(s) A- weighted, or dB(A)	The human ear system does not respond uniformly to sound across the detectable frequency range and consequently instrumentation used to measure sound is weighted to represent the performance of the ear. This is known as the 'A weighting' and is written as 'dB(A)'.
Equivalent continuous sound pressure level, or L _{Aeq,T}	An index used internationally for the assessment of environmental sound impacts. It is defined as the notional unchanging level that would, over a given period of time (T), deliver the same sound energy as the actual time-varying sound over the same period. Hence fluctuating sound levels can be described in terms of an equivalent single figure value, typically expressed as a decibel level.
Exclusion of data	Measurement of noise levels can be affected by weather conditions such as prolonged periods of rain, winds speeds higher than 5m/s and snow/ice ground cover. Noise levels measured during these periods are considered not representative of normal noise conditions at the site and, for the purposes of this report, are excluded from the assessment of exceedances and calculation of typical noise levels and are also greyed out in charts. Identifiable incongruous noise and vibration events not attributable to HS2 construction noise are also excluded.
Façade	A facade noise level is the noise level 1m in front of a large reflecting surface. The effect of reflection, is to produce a slightly higher (typically +3 dB) sound level than it would be if the reflecting surface was not there.
Free-field	A free-field noise level is the noise level measured at a location where no reflective surfaces, other than the ground, lies within 3.5 metres of the microphone position.
LOAEL	Lowest Observed Adverse Effect Level - the level above which adverse effects on health and quality of life can be detected.
Peak particle velocity, or PPV	Instantaneous maximum velocity reached by a vibrating element as it oscillates about its rest position. The PPV is a simple indicator of perceptibility and risk of damage to structures due to vibration. It is usually measured in mm/s.
SOAEL	Significant Observed Adverse Effect Level - the level above which significant adverse effects on health and quality of life occur.
Sound pressure level	The parameter by which sound levels are measured in air. It is measured in decibels. The threshold of hearing has been set at 0dB, while the threshold of pain is approximately 120dB. Normal speech is approximately 60dB at a distance of 1 metre and a change of 3dB in a time varying sound signal is commonly regarded as being just detectable. A change of 10dB is subjectively twice, or half, as loud.
Vibration dose value, or VDV	An index used to evaluate human exposure to vibration in buildings. While the PPV provides information regarding the magnitude of single vibration events, the VDV provides a measure of the total vibration experienced over a specified period of time (typically 16h daytime and 8h night-time). It takes into account the magnitude, the number and the duration of vibration events and can be used to quantify exposure to continuous, impulsive, occasional and intermittent vibration. The vibration dose value is measured in m/s ^{1.75} .

1 Introduction

- 1.1.1 HS2 is required to undertake noise (and vibration) monitoring as necessary to comply with the requirements of the High Speed Rail (London-West Midlands) Environmental Minimum Requirements, including specifically Annex 1: Code of Construction Practice, in addition to any monitoring requirements arising from conditions imposed through consents under Section 61 of the Control of Pollution Act, 1974 or through Undertakings & Assurances given to third parties. Such monitoring may be undertaken for the following purposes:
 - monitoring the impact of construction works;
 - to investigate complaints, incidents and exceedance of trigger levels; or
 - monitoring the effectiveness of noise and vibration control measures.
- 1.1.2 Monitoring data and interpretive reports are to be provided to each relevant local authority on a monthly basis and shall include a summary of the construction activities occurring, the data recorded over the monitoring period, any complaints received, any periods in exceedance of agreed trigger levels, the results of any investigations and any actions taken or mitigation measures implemented. This report provides noise data, and interpretation thereof, for monitoring carried out by HS2 within the Warwick District Council (WDC) area for the period 1st to 28th March 2022.
- 1.1.3 Construction sites in the local authority area where monitoring was undertaken during this period include:
 - Burton Green Tunnel worksite (ref.: BGT, see plan 1 in Appendix A), where work activities included:
 - included lifting;
 - concrete pours; and
 - steel works.
 - Bockenden Cutting (ref.: BC, see plan 1 in Appendix A), where work activities included:
 - pond discharge works
 - A429 Kenilworth Road Overbridge (ref.: A429KRO, see plan 2 in Appendix A), where work activities included:
 - plant crossing works;
 - excavation works;

- temporary diversion works and drainage works;
- pond discharge works and pond excavation, including draining and backfilling;
- earthworks;
- stockpiling; and
- compound operation.
- A46 Compound, (ref.: A46C, see plan 3 in Appendix A), where work activities included:
 - trial hole works;
 - asphalting and lining works;
 - pond construction;
 - earthworks;
 - installation of conveyor sections;
 - vegetation clearance and road works.
- Stoneleigh Park, (ref.: SP, see plan 3 in Appendix A), where work activities included:
 - trial hole works;
 - asphalting and lining works;
 - pond construction;
 - earthworks;
 - installation of conveyor sections;
 - vegetation clearance and road works.
- Cubbington Road (ref.: CR, see plan 4 in Appendix B), where work activities included:
 - trial hole works;
 - asphalting and lining works;
 - pond construction;
 - earthworks;
 - installation of conveyor sections;
 - vegetation clearance and road works.

- Fosseway Diversion (ref.: FD, see plan 5 in Appendix A), where work activities included:
 - soil movement works;
 - landscaping works; and
 - highways works.
- Offchurch Cutting worksite (ref.: OC, see plan 5 in Appendix A), where work activities included:
 - trial hole works;
 - asphalting and lining works;
 - pond construction;
 - earthworks;
 - installation of conveyor sections;
 - vegetation clearance and road works.
- 1.1.4 The applicable standards, guidance, and monitoring methodology is outlined in the construction noise and vibration monitoring methodology report which can be found at the following location

 https://www.gov.uk/government/collections/monitoring-the-environmental-effects-of-hs2. Noise and vibration monitoring reports for previous months can also be found at this location.

1.2 Measurement Locations

- 1.2.1 Thirteen (13) noise monitoring installations were active in March in the WDC area. Table 2 summarises the position of the noise monitoring installations within the WDC area in March 2022.
- 1.2.2 The noise monitor FD-N2 in the proximity of Fosseway Diversion worksite (worksite re.:FD), was removed following completion of works in the area. The monitor will be re-installed for the upcoming works.
- 1.2.3 Maps showing the position of the noise and vibration monitoring installations are presented in Appendix B.

Table 2: Monitoring Locations

Worksite Reference	Measurement Reference	Address			
Burton Green	BGT-N1	301 Cromwell Lane, Burton Green, Warwick, Warwickshire			
Tunnel (BGT)	BGT-N2	Broadwell Woods Caravan Park, Red Lane, Burton Green, Warwick, Warwickshire			
Bockenden Cutting (BC)	BC-N1	Thistle Estate, Red Lane, Burton Green, Warwick, Warwickshire			
A429 Kenilworth	A429KRO-N1	Millburn Grange, Coventry Road, Kenilworth			
Road Overbridge (A429KRO)	A429KRO-N2	Brookview, Milburn Grange, Coventry Road, Kenilworth			
(**************************************	A429KRO-N3	16 Kenilworth Road, Kenilworth			
A46 Compound (A46C)	A46C-N1	Kingswood Farmhouse, Dalehouse Lane, Kenilworth			
Stoneleigh Park (SP)	SP-N2	Stoneleigh Park, Kenilworth			
Cubbington (CR)	CR-N1	Wychwood, Cubbington Road, Leamington Spa			
Fosseway Diversion (FD)	FD-N1	Burnt Heath Cottages, Long Itchington Rd, Offchurch, Leamington Spa			
Offchurch Cutting	OC-N1	Welsh Road, Offchurch, Leamington			
(OC)	OC-N2	Valley Fields, Offchurch, Leamington Spa			
	OC-N3	Brickyard Cottage, Welsh Road, Offchurch, Warwick			

2 Summary of Results

2.1 Summary of Measured Noise Levels

2.1.1 Table 3 presents a summary of the measured noise levels at each monitoring location over the reporting period. The $L_{Aeq,T}$ is presented for each of the relevant time periods averaged over the calendar month, along with the highest single period $L_{Aeq,T}$ that was found to occur within the month.

Table 3: Summary of Measured dB L_{Aeq} Data over the Monitoring Period

Worksite Reference	Measurement Reference	Site Address	Free-field or Façade Measurement	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})			
				0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
BGT	BGT-N1	301 Cromwell Lane, Burton Green,	Free-field	48.4 (51.8)	52.0 (55.0)	47.1 (53.1)	42.8 (52.0)	41.0 (52.9)	47.5 (48.7)	50.0 (50.9)	46.0 (47.1)	46.0 (49.8)	41.5 (47.9)	45.1 (50.7)	40.6 (53.4)
	BGT-N2	Broadwell Woods Caravan Park, Red Lane, Burton Green,	Free-field	48.5 (52.5)	55.7 (63.6)	49.4 (61.2)	46.6 (56.5)	45.3 (56.4)	48.0 (49.6)	50.7 (52.5)	49.1 (50.2)	50.2 (58.3)	44.5 (49.3)	47.0 (54.4)	43.0 (48.2)
ВС	BC-N1	Thistle Estate, Red Lane, Burton Green	Free-field	44.5 (51.3)	44.9 (51.3)	41.8 (47.3)	39.9 (49.5)	40.3 (54.1)	43.6 (46.9)	45.7 (47.7)	46.5 (48.8)	46.0 (51.7)	40.7 (48.4)	42.6 (48.7)	39.8 (51.6)
A429KRO	A429KRO-N1	Millburn Grange, Coventry Road, Kenilworth	Free-field	52.3 (57.5)	55.3 (60.2)	52.3 (55.8)	52.6 (57.5)	50.3 (58.5)	51.1 (51.3)	55.7 (62.8)	52.3 (53.2)	51.1 (54.9)	43.4 (51.1)	50.3 (53.9)	45.2 (54.3)
	A429KRO-N2	Brookview, Milburn Grange, Coventry Road, Kenilworth	Free-field	54.6 (57.3)	56.2 (59.5)	51.4 (55.0)	50.9 (55.7)	48.7 (55.8)	50.3 (53.7)	50.8 (54.1)	51.0 (53.9)	49.7 (53.8)	44.7 (52.8)	49.3 (56.5)	46.2 (53.9)
	A429KRO-N3	16 Kenilworth Road, Kenilworth	Free-field	59.0 (61.4)	58.3 (61.1)	58.3 (61.4)	55.6 (58.3)	51.1 (60.0)	54.9 (55.9)	57.5 (59.2)	57.6 (59.3)	56.5 (59.5)	51.7 (62.5)	55.9 (59.8)	50.5 (59.1)
A46C	A46C-N1	Kingswood Farmhouse, Dalehouse Lane, Kenilworth	Free-field	60.6 (66.7)	59.9 (65.9)	60.1 (65.1)	57.8 (63.5)	55.5 (65.8)	58.2 (61.8)	59.5 (62.8)	59.5 (63.3)	58.5 (62.8)	53.0 (59.9)	58.2 (63.2)	54.6 (61.0)
SP	SP-N2	Stoneleigh Park, Kenilworth	Free-field	54.1 (56.5)	56.3 (72.5)	51.1 (54.8)	45.9 (52.7)	43.8 (53.9)	47.6 (50.3)	52.3 (53.0)	51.2 (52.1)	49.1 (54.1)	40.3 (46.3)	48.7 (56.9)	44.2 (52.6)

Worksite Reference	Measurement Reference	Site Address	Free-field or Façade Measurement		Weekda (High	y Avera est Day		r	Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})		
				0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
CR	CR-N1	Wychwood, Cubbington Road, Lillington	Free field	56.0 (57.8)	57.1 (65.3)	55.8 (57.8)	51.9 (58.9)	46.3 (60.3)	51.3 (52.4)	56.5 (59.9)	54.5 (55.4)	54.5 (60.9)	45.4 (50.9)	53.8 (57.9)	45.2 (52.3)
FD	FD-N1	Burnt Heath Cottages Long Itchington Rd, Offchurch	Free-field	52.0 (68.5)	63.1 (69.7)	48.6 (54.9)	45.2 (54.8)	42.1 (53.3)	47.8 (50.3)	52.1 (60.8)	50.9 (57.7)	49.0 (58.9)	42.4 (49.1)	49.2 (63.6)	42.6 (50.8)
ОС	OC-N1	Welsh Road, Offchurch,	Free-field	50.5 (57.2)	51.5 (55.8)	49.6 (53.0)	45.1 (61.7)	42.3 (52.0)	48.9 (54.7)	51.9 (55.7)	47.9* (50.3)*	45.7 (50.0)	41.7 (47.8)	44.2 (51.9)	40.5 (50.7)
OC-	OC-N2	Valley Fields, Hunningham Road, Offchurch	Free field	49.0 (51.7)	53.1 (59.0)	46.3 (49.4)	43.8 (50.4)	44.5 (51.3)	47.6 (49.3)	52.6 (57.8)	49.9 (52.7)	47.9 (53.9)	44.6 (49.4)	45.5 (49.9)	43.2 (49.7)
	OC-N3	Brickyard Cottage, Welsh Road, Offchurch,	Free-field	54.9 (58.3)	53.8 (56.8)	53.7 (58.0)	48.5 (57.6)	46.8 (57.4)	51.2 (52.2)	54.1 (55.9)	53.5 (54.6)	51.9 (58.2)	45.0 (52.4)	50.7 (55.1)	45.8 (54.5)

2.1.2 Appendix C presents graphs of the noise monitoring data over the month for each of the measurement locations. Noise data presented consists of the hourly L_{Aeq} values and, where relevant, the L_{Aeq,T} values (where the time period T has been taken to be the averaging period as specified in Table 1 of HS2 Information Paper E23). The full data set for the monitoring equipment can be found at the following location: https://data.gov.uk/dataset/24542ae7-dd44-444f-b259-871c4cc43b5e/environmental-monitoring-data.

2.2 Exceedances of the LOAEL and SOAEL

- 2.2.1 The lowest observed adverse effect level (LOAEL) is defined in the Planning Practice Guidance Noise (PPG) as the level above which "noise starts to cause small changes in behaviour and/or attitude, e.g. turning up volume of television; speaking more loudly; where there is no alternative ventilation, having to close windows for some of the time because of the noise. Potential for some reported sleep disturbance. Affects the acoustic character of the area such that there is a perceived change in the quality of life".
- 2.2.2 The significant observed adverse effect level (SOAEL) is defined in the 'Planning Practice Guidance Noise' as the level above which "noise causes a material change in behaviour and/or attitude, e.g. avoiding certain activities during periods of intrusion; where there is no alternative ventilation, having to keep windows closed most of the time because of the noise. Potential for sleep disturbance resulting in difficulty in getting to sleep, premature awakening and difficulty in getting back to sleep. Quality of life diminished due to change in acoustic character of the area."
- 2.2.3 HS2 Phase One Information Paper E23: Control of Construction Noise and Vibration sets out the LOAELs and SOAELs for construction noise.
- 2.2.4 Where reported construction noise levels exceed the LOAEL and SOAEL, relevant periods will be identified. Summary statistics to evaluate ongoing qualification for noise insulation and temporary rehousing are also presented where relevant.
- 2.2.5 Table 4 presents a summary of recorded exceedances of the LOAEL and SOAEL at each measurement location over the reporting period, including the number of exceedances during each time period.

Table 4: Summary of Exceedances of LOAEL and SOAEL

Worksite Reference	Measurement Reference	Site Address	Day (Weekday, Saturday, Sunday, Night)	Time period	Number of exceedances of LOAEL	Number of exceedances of SOAEL
BGT	BGT-N1*	301 Cromwell Lane, Burton Green, Warwick, Warwickshire	All days	All periods	No exceedances	No exceedances
	BGT-N2*	Broadwell Woods Caravan Park, Red Lane, Burton Green, Warwick, Warwickshire	Weekdays	08:00-18:00	1	No exceedance
BC	BC-N1*	Thistle Estate, Red Lane, Burton Green, Warwick, Warwickshire	All days	All periods	No exceedances	No exceedances
A429KRO	A429KRO-N1*	Millburn Grange, Coventry Road, Kenilworth	All days	All periods	No exceedances	No exceedances
	A429KRO-N2*	Brookview, Milburn Grange, Coventry Road, Kenilworth	All days	All periods	No exceedances	No exceedances
	A429KRO-N3*	16 Kenilworth Road, Kenilworth	All days	All periods	No exceedances	No exceedances
A46C	A46C-N1	Kingswood Farmhouse, Dalehouse Lane, Kenilworth	Weekdays	08:00-18:00	2	No exceedances
SP	SP-N2	Stoneleigh Park, Kenilworth	All days	All periods	Not applicable	Not applicable
CR	CR-N1	Wychwood, Cubbington Road, Lillington, Leamington Spa	Weekdays	08:00-18:00	1	No exceedance

Worksite Reference	Measurement Reference	Site Address	Day (Weekday, Saturday, Sunday, Night)	Time period	Number of exceedances of LOAEL	Number of exceedances of SOAEL
FD	FD-N1	Burnt Heath Cottages Long Itchington Rd, Offchurch, Leamington Spa	Weekday	0800-1800	4	No exceedances
OC	OC-N1*	Welsh Road, Offchurch, Leamington,	All days	All periods	No exceedances	No exceedances
	OC-N2*	Valley Fields, Hunningham Road, Offchurch, Leamington Spa	All days	All periods	No exceedances	No exceedances
	OC-N3	Brickyard Cottage, Welsh Road, Offchurch, Warwick	All days	All periods	No exceedances	No exceedances

^{*} A distance correction has been applied while calculating exceedances of the LOAEL and SOAEL.

2.2.6 LOAEL exceedances have been recorded at noise monitoring location BGT-N2, A46C-N1, CR-N1 and FD-N1 during core hours. No SOAEL exceedances occurred during the month of March.

2.3 Exceedances of Trigger Level

2.3.1 Table 5 provides a summary of exceedances of the Section 61 trigger noise levels determined to be due to HS2 related construction noise measured during the reporting period, along with the findings of any investigation.

Table 5: Summary of Exceedances of Trigger Levels

Complaint Reference Number (if applicable)	Worksite Reference	Date and Time Period	Identified Source	Results of Investigation (including noise monitoring results)	Actions Taken
-	-	-	-	-	-

2.4 Complaints

2.4.1 Table 6 provides a summary of complaint information related to noise and vibration received during the reporting period, along with the findings of any investigation.

Table 6: Summary of Complaints


Complaint Reference Number	Worksite Reference	Description of Complaint	Results of Investigation	Actions Taken
HS2-22-43394-C	ВС	Complaint due to noise disturbance from a drainage pump installation running throughout the daytime and night time.	Investigations shown that the pump is used for collecting run off water into a constructed pool. Works have been undertaken in line with Section 61 consent.	Works have been undertaken in line with Section 61 consent, however it has been confirmed to the stakeholder that the use of the pump will be minimised wherever possible.
HS2-22-43489-C HS2-22-43490-C HS2-22-43491-C	BC	Complaint due to noise and vibration disturbance due to a roller being operated in the evening time.	Investigation shown that works have been undertaken in line with Section 61 consent.	The complainant has been contacted and it has been confirmed that works at site will be completed earlier in the day to prevent any evening disturbance.

Appendix A Site Locations


Worksite Overview




Worksite Identification Plan - 1



Worksite Identification Plan - 2




Worksite Identification Plan - 3




Legend
Active Worksites

HS2 Worksite Identification Plan - 4




Worksite Identification Plan - 5




Appendix B Monitoring Locations

HS2 Noise and Vibration Monitoring Plan - 1




HS2 **Noise and Vibration Monitoring Plan - 2**




Active Worksites


Noise and Vibration Monitoring Plan - 3



HS2 Noise and Vibration Monitoring Plan - 4



HS2 Noise and Vibration Monitoring Plan - 5





Appendix C Data


Noise


The following graphs show the hourly measured ambient noise level $L_{Aeq,1h}$ and, where relevant, the averaged noise level $L_{Aeq,T}$ values, where the time period T is as specified in Table 1 of HS2 Information Paper E23. Periods with adversely weather affected noise levels are greyed out and have been excluded from the calculation of the $L_{Aeq,T}$ values in Table 3 of the main report.

Worksite: BGT - Monitoring Ref: BGT-N1












Note: Missing data at 01:00 on Sunday 27th March 2021 was due to the clocks going forward at the start of British Summer Time.




Worksite: BGT - Monitoring Ref: BGT-N2












Note: Missing data at 01:00 on Sunday 27th March 2021 was due to the clocks going forward at the start of British Summer Time.



Worksite: BC - Monitoring Ref: BC-N1













Note: Missing data at 01:00 on Sunday 27th March 2021 was due to the clocks going forward at the start of British Summer Time.




Worksite: A429KRO - Monitoring Ref: A429KRO-N1












Note: Missing data at 01:00 on Sunday 27th March 2021 was due to the clocks going forward at the start of British Summer Time.




Worksite: A429KRO - Monitoring Ref: A429KRO-N2














Worksite: A429KRO - Monitoring Ref: A429KRO-N3
















Worksite: A46C - Monitoring Ref: A46C-N1
















Worksite: SP - Monitoring Ref: SP-N2















Worksite: CR - Monitoring Ref: CR-N1
















Worksite: FD - Monitoring Ref: FD-N1
















Worksite: OC - Monitoring Ref: OC-N1
















Worksite: OC - Monitoring Ref: OC-N2











Worksite: OC - Monitoring Ref: OC-N3

