

facility in this trial:

- Routine clinical pathology testing Yes No Not Answered
- Clinical chemistry Yes No Not Answered
- Clinical haematology Yes No Not Answered
- Clinical microbiology Yes No Not Answered
- Histopathology Yes No Not Answered
- Serology / endocrinology Yes No Not Answered
- Analytical chemistry Yes No Not Answered
- ECG analysis / review Yes No Not Answered
- Medical image analysis/ review - X-ray, MRI, ultrasound, etc. Yes No Not Answered
- Primary/ surrogate endpoint test Yes No Not Answered
- Other Yes No Not Answered

Organisation

Central technical facility organisation name Vaccitech (UK) Ltd.
 Central technical facility organisation department
 Contact person Given name [REDACTED]
 Contact person Family name [REDACTED]
 Street address The Schrodinger Building, Heatley Road, The Oxford Science Park
 Town/city Oxford
 Post code OX4 4GE
 Country United Kingdom
 Work Telephone
 Fax
 E-mail

Enter the details of any duties subcontracted to this central technical facility in this trial:

- Routine clinical pathology testing Yes No Not Answered
- Clinical chemistry Yes No Not Answered
- Clinical haematology Yes No Not Answered
- Clinical microbiology Yes No Not Answered
- Histopathology Yes No Not Answered
- Serology / endocrinology Yes No Not Answered
- Analytical chemistry Yes No Not Answered
- ECG analysis / review Yes No Not Answered