

GP Out-of-Hours Syndromic Surveillance System Bulletin (England) 2022 Week 23

Key messages

Data reported to: 12 June 2022

During week 23, GP out-of-hours contacts for acute bronchitis/bronchiolitis and 'difficulty breathing, wheeze or asthma' returned to seasonally expected levels.

Syndromic indicators at a glance

Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.

Indicator	Trend ¹	Level
Total contacts (Figure 1)	Increasing	No baseline
Acute respiratory infections (Figure 2)	No trend	Similar to baseline
Influenza-like illness (Figure 3)	No trend	Above baseline
Acute bronchitis/bronchiolitis (Figure 4)	Decreasing	Similar to baseline
Difficulty breathing/wheeze/asthma (Figure 5)	No trend	Similar to baseline
Fever (Figure 6)	No trend	Similar to baseline
Acute pharyngitis (Figure 7)	Decreasing	Below baseline
Gastroenteritis (Figure 8)	No trend	Similar to baseline
Diarrhoea (Figure 9)	No trend	Similar to baseline
Vomiting (Figure 10)	No trend	Similar to baseline
Chest pain (inc. myocardial infarction) (Figure 11)	No trend	Similar to baseline
Eye problems (Figure 12)	No trend	Below baseline
Insect bites (Figure 13)	No trend	Below baseline
Heat or sunstroke (Figure 14)	No trend	Below baseline

¹ Current trend reports on the trend seen over previous weeks

Contents

Key messages2
Syndromic indicators at a glance2
Contents
About this syndromic surveillance system4
Total contacts5
Respiratory conditions7
Acute respiratory infections7
Influenza-like illness
Acute bronchitis/bronchiolitis11
Difficulty breathing, wheeze or asthma13
Fever
Acute pharyngitis17
Gastrointestinal conditions
Gastroenteritis
Diarrhoea21
Vomiting23
Cardiac conditions
Chest pain (including myocardial infarction)25
Seasonal environmental conditions27
Eye problems27
Insect bites
Heat or sunstroke
Notes and caveats
Acknowledgements
About the UK Health Security Agency

About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) GP out-of-hours\ unscheduled care syndromic surveillance system.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see Notes and caveats)
- compare levels between age groups/areas

Fully anonymised, daily GP out-of-hours (OOH) and unscheduled care service provider data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as acute respiratory infections, fever and gastroenteritis
- syndromic indicators are based on:
 - diagnoses recorded during OOH patient contacts
 - o diagnoses are based on signs/symptoms and not laboratory confirmed
 - o not all contacts include a diagnosis
 - some contacts include more than one diagnosis, so may be included in more than one syndromic indicator
- **Key messages** describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in **Table 1**
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
 - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
 - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the Notes and caveats section.


Previous weekly bulletins from this system are available here.


Data quality issues of note this week

During week 22 there have been technical problems affecting receipt of data for 2nd to 5th June inclusive and therefore the trends shown here should be interpreted with caution.

Total contacts


Figure 1: Daily number of GP out-of-hours and unscheduled contacts (with 7-day moving average adjusted for bank holidays) recorded in this sentinel syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.







GP out of hours: total contacts by age (years) 13/06/2021 to 12/06/2022



(C)





Table 2: The number of GP out-of-hours contacts in England recorded each day in the most recent week.

Date	Number of contacts
6 June 2022	27,947
7 June 2022	24,568
8 June 2022	24,937
9 June 2022	23,310
10 June 2022	24,370
11 June 2022	38,143
12 June 2022	32,998

Respiratory conditions

Acute respiratory infections


Figure 2: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for acute respiratory infections, England (a) nationally, (b) by age and (c) by UKHSA Region.




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

GP out of hours: acute respiratory infection by age (years) 13/06/2021 to 12/06/2022




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.




Black dotted line is baseline.

Influenza-like illness


Figure 3: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for influenza-like illness, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

GP out of hours: influenza-like illness by age (years) 13/06/2021 to 12/06/2022




(c)




Black dotted line is baseline.

Acute bronchitis/bronchiolitis


Figure 4: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for acute bronchitis/bronchiolitis, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

GP out of hours: acute bronchitis by age (years) 13/06/2021 to 12/06/2022





(c)



Difficulty breathing, wheeze or asthma


Figure 5: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for difficulty breathing, wheeze or asthma, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

GP out of hours: difficulty breathing, wheeze or asthma by age (years) 13/06/2021 to 12/06/2022




Sep 21





Dec 21 Mar 22 Jun 22 Sep 21 Dec 21 Mar 22 Jun 22 Sep 21 Dec 21 Mar 22 Jun 22 NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Fever


Figure 6: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for fever, England (a) nationally, (b) by age and (c) by UKHSA Region.









(c)



Acute pharyngitis


Figure 7: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays for acute pharyngitis, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

GP out of hours: pharyngitis or scarlet fever by age (years) 13/06/2021 to 12/06/2022



(c)




Black dotted line is baseline.

Gastrointestinal conditions

Gastroenteritis


Figure 8: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for gastroenteritis, England (a) nationally, (b) by age and (c) by UKHSA Region.




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

GP out of hours: gastroenteritis by age (years) 13/06/2021 to 12/06/2022





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.





Diarrhoea


Figure 9: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for diarrhoea, England (a) nationally, (b) by age and (c) by UKHSA Region.













22


RY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Vomiting


Figure 10: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for vomiting, England (a) nationally, (b) by age and (c) by UKHSA Region.








(c)



Cardiac conditions

Chest pain (including myocardial infarction)


Figure 11: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for chest pain (including myocardial infarction), England (a) nationally, (b) by age and (c) by UKHSA Region.




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

GP out of hours: chest pain by age (years) 13/06/2021 to 12/06/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.



GP out of hours: chest pain by region 13/06/2021 to 12/06/2022

²⁶

Seasonal environmental conditions

During set periods of the year the Met Office operates both heat and cold weather watch systems, in association with UKHSA. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).


Cold weather alert period: 1 November to 31 March


Heat-Health Alert period:1 June to 15 September

Highest weather alert level during the current reporting week: *Level 1 – Summer Preparedness*

Eye problems

Figure 12: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for eye problems, England (a) nationally, (b) by age and (c) by UKHSA Region.







NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.

Insect bites


Figure 13: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for insect bites, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

GP out of hours: insect bites by age (years) 14/06/2021 to 13/06/2022



Black line is 7 day moving average adjusted for bank holidays.





Black dotted line is baseline.


Heat or sunstroke


(b)

Figure 14: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for heat or sunstroke, England (a) nationally, (b) by age and (c) by UKHSA Region.










(c)



Black dotted line is baseline.

Notes and caveats

The following additional caveats apply to the UKHSA GP out-of-hours/unscheduled care syndromic surveillance system:

- the data presented should be used to monitor trends rather than numbers of 'cases':
 - this is a sentinel syndromic surveillance system; not all GP OOH service providers in England are included
 - coverage varies by location, as reflected in the numbers included in the total contacts by Region charts **above**
- some syndromic indicators are hierarchical:
 - acute respiratory infections includes:
 - influenza-like illness
 - acute bronchitis/ bronchiolitis
 - other and non-specific acute respiratory infections
 - o gastroenteritis includes:
 - diarrhoea
 - vomiting
 - other and non-specific gastroenteritis
- baselines:
 - were last remodelled March 2021
 - o are constructed from historical data since July 2009
 - o represent seasonally expected levels of activity
 - take account of any known substantial changes in data collection, population coverage or reporting practices:
 - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
 - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which affect GP OOH usage

Acknowledgements

We are grateful to Advanced and the GP OOH and unscheduled care service providers who have kindly agreed to participate in this system.

About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation heath secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

www.gov.uk/government/organisations/uk-health-security-agency

© Crown copyright 2022 Version: OOH-2

Prepared by: Real-time Syndromic Surveillance Team For queries relating to this document, please contact: syndromic.surveillance@phe.gov.uk

Published: June 2022



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit <u>OGL</u>. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

