

GP Out-of-Hours Syndromic Surveillance System Bulletin (England)2022 Week 29

Key messages

Data reported to: 24 July 2022

During week 29 there was a large increase in GP out-of-hours 'heat or sunstroke' contacts, which peaked in line with the Level 4 Heat-Health Alert for extreme heat issued for 18/19 July. Please note: due to a technical issue GP out-of-hours contacts were not received from a number of OOH providers during week 29 and therefore trends presented in this report should be interpreted with some caution. We are working to rectify this issue.

Syndromic indicators at a glance

Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.

Indicator	Trend ¹	Level
Total contacts (Figure 1)	Decreasing	No baseline
Acute respiratory infections (Figure 2)	Decreasing	Similar to baseline
Influenza-like illness (Figure 3)	Decreasing	Similar to baseline
Acute bronchitis/bronchiolitis (Figure 4)	No trend	Similar to baseline
Difficulty breathing/wheeze/asthma (Figure 5)	Decreasing	Similar to baseline
Fever (Figure 6)	Decreasing	Similar to baseline
Acute pharyngitis (Figure 7)	Decreasing	Below baseline
Gastroenteritis (Figure 8)	Decreasing	Similar to baseline
Diarrhoea (Figure 9)	Decreasing	Similar to baseline
Vomiting (Figure 10)	Decreasing	Similar to baseline
Chest pain (inc. myocardial infarction) (Figure 11)	No trend	Similar to baseline
Eye problems (Figure 12)	No trend	Similar to baseline
Insect bites (Figure 13)	Increasing	Below baseline
Heat or sunstroke (Figure 14)	Decreasing	Above baseline

¹ Current trend reports on the trend seen over previous weeks

Contents

Key messages	2
Syndromic indicators at a glance	2
Contents	3
About this syndromic surveillance system	4
Total contacts	5
Respiratory conditions	7
Acute respiratory infections	7
Influenza-like illness	9
Acute bronchitis/bronchiolitis	11
Difficulty breathing, wheeze or asthma	13
Fever	15
Acute pharyngitis	17
Gastrointestinal conditions	19
Gastroenteritis	19
Diarrhoea	21
Vomiting	23
Cardiac conditions	25
Chest pain (including myocardial infarction)	25
Seasonal environmental conditions	27
Eye problems	27
Insect bites	29
Heat or sunstroke	31
Notes and caveats	33
Acknowledgements	34
About the UK Health Security Agency	35

About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) GP out-of-hours\ unscheduled care syndromic surveillance system.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see Notes and caveats)
- compare levels between age groups/areas

Fully anonymised, daily GP out-of-hours (OOH) and unscheduled care service provider data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as acute respiratory infections, fever and gastroenteritis
- syndromic indicators are based on:
 - o diagnoses recorded during OOH patient contacts
 - o diagnoses are based on signs/symptoms and not laboratory confirmed
 - o not all contacts include a diagnosis
 - some contacts include more than one diagnosis, so may be included in more than one syndromic indicator
- Key messages describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in Table 1
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
 - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
 - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the **Notes and caveats** section.


Previous weekly bulletins from this system are available here.


Data quality issues of note this week

Due to a technical issue data were not received from a number of OOH providers and therefore total contacts have decreased and trends presented in this report should be interpreted with caution.

Total contacts

Figure 1: Daily number of GP out-of-hours and unscheduled contacts (with 7-day moving average adjusted for bank holidays) recorded in this sentinel syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.









Table 2: The number of GP out-of-hours contacts in England recorded each day in the most recent week.


Date	Number of contacts
18 July 2022	21,517
19 July 2022	19,125
20 July 2022	18,458
21 July 2022	20,467
22 July 2022	21,249
23 July 2022	31,246
24 July 2022	27,547


Respiratory conditions

Acute respiratory infections

Figure 2: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for acute respiratory infections, England (a) nationally, (b) by age and (c) by UKHSA Region.








Influenza-like illness

Sep 21

Nov 21

Figure 3: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for influenza-like illness, England (a) nationally, (b) by age and (c) by UKHSA Region.




Jan 22


Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.

May 22

Jul 22

Mar 22







Acute bronchitis/bronchiolitis

Figure 4: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for acute bronchitis/bronchiolitis, England (a) nationally, (b) by age and (c) by UKHSA Region.






Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

Black line is 7 day moving average adjusted for bank holidays.



Difficulty breathing, wheeze or asthma

Figure 5: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for difficulty breathing, wheeze or asthma, England (a) nationally, (b) by age and (c) by UKHSA Region.

GP out of hours: difficulty breathing, wheeze or asthma 25/07/2021 to 24/07/2022

500

400

200

Sep 21

Nov 21

Jan 22


Mar 22


May 22

Jul 22

Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.


Black line is 7 day moving average adjusted for bank holidays.







Fever

Figure 6: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for fever, England (a) nationally, (b) by age and (c) by UKHSA Region.









Acute pharyngitis


Figure 7: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays for acute pharyngitis, England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) GP out of hours: pharyngitis or scarlet fever 25/07/2021 to 24/07/2022




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.


Black line is 7 day moving average adjusted for bank holidays.




Gastrointestinal conditions

Gastroenteritis


Figure 8: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for gastroenteritis, England (a) nationally, (b) by age and (c) by UKHSA Region.






Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.






NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.


Black line is 7 day moving average adjusted for bank holidays.




Diarrhoea

Figure 9: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for diarrhoea, England (a) nationally, (b) by age and (c) by UKHSA Region.










Vomiting

Figure 10: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for vomiting, England (a) nationally, (b) by age and (c) by UKHSA Region.








Cardiac conditions

Chest pain (including myocardial infarction)


Figure 11: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for chest pain (including myocardial infarction), England (a) nationally, (b) by age and (c) by UKHSA Region.






Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.

Black line is 7 day moving average adjusted for bank holidays.





Seasonal environmental conditions

During set periods of the year the Met Office operates both heat and cold weather watch systems, in association with UKHSA. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

Cold weather alert period: 1 November to 31 March

Heat-Health Alert period:1 June to 15 September


Highest weather alert level during the current reporting week:

Level 4 - National Emergency

Eye problems


(a)

Figure 12: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for eye problems, England (a) nationally, (b) by age and (c) by UKHSA Region.



Oct 21

Jan 22 Apr 22



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.

Oct 21 Jan 22 Apr 22 Jul 22


Black line is 7 day moving average adjusted for bank holidays.

Oct 21

Jan 22 Apr 22


Insect bites

Figure 13: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for insect bites, England (a) nationally, (b) by age and (c) by UKHSA Region.




(b) GP out of hours: insect bites by age (years) 25/07/2021 to 24/07/2022 under 1 1 to 4 5 to 14 daily contacts 45 to 64 15 to 44 over 65 125 100 75 50 25 Oct 21 Jan 22 Apr 22 Oct 21 Jan 22 Apr 22 Oct 21 Jan 22 Apr 22 NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.


Black line is 7 day moving average adjusted for bank holidays.




Heat or sunstroke

Figure 14: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for heat or sunstroke, England (a) nationally, (b) by age and (c) by UKHSA Region.







Notes and caveats

The following additional caveats apply to the UKHSA GP out-of-hours/unscheduled care syndromic surveillance system:

- the data presented should be used to monitor trends rather than numbers of 'cases':
 - this is a sentinel syndromic surveillance system; not all GP OOH service providers in England are included
 - coverage varies by location, as reflected in the numbers included in the total contacts by Region charts above
- some syndromic indicators are hierarchical:
 - o acute respiratory infections includes:
 - influenza-like illness
 - acute bronchitis/ bronchiolitis
 - other and non-specific acute respiratory infections
 - gastroenteritis includes:
 - diarrhoea
 - vomiting
 - other and non-specific gastroenteritis
- baselines:
 - o were last remodelled March 2021
 - o are constructed from historical data since July 2009
 - represent seasonally expected levels of activity
 - take account of any known substantial changes in data collection, population coverage or reporting practices:
 - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
 - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which affect GP OOH usage

Acknowledgements

We are grateful to Advanced and the GP OOH and unscheduled care service providers who have kindly agreed to participate in this system.

About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation heath secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

www.gov.uk/government/organisations/uk-health-security-agency

© Crown copyright 2022

Version: OOH-2

Prepared by: Real-time Syndromic Surveillance Team

For queries relating to this document, please contact: syndromic.surveillance@ukhsa.gov.uk

Published: July 2022

OGL

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit <u>OGL</u>. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

