

EC Type Examination Certificate Number: UK/ 0120/ SGS0029

Landis + Gyr Ltd

Orion Business Park Bird Hall Lane Stockport SK3 ORT

Instrument Identification:

E06122 54

E6 gas meter with internal cut-off valve

Instrument Traceable Number UK/ 0120/ SGS0029

EC Directive 2004/22/EC

on Measuring Instruments Annex B

It is certified that the manufacturer's technical design and specimen for the above instrument has been examined and, based on the evidence submitted, it is considered that the instrument conforms to the requirements of MI-002 of EC Directive 2004/22/EC.

This certificate is to be used in conjunction with a certificate covering the product verification as required in

Annex D or Annex F

This certificate is valid for 10 years from 6th November 2008 until 5th November 2018

Issue 1

Certification is based on report number(s) MIB-B-115410/120106 dated 4th November 2008

Notified Body Number 0120

Authorised Signature Mr J Weaver

(€ 0120

Notified Body

SGS United Kingdom Ltd, 202B Worle Parkway, Weston-super-Mare, BS22 6WA UK

t +44 (0)1934 522917 f +44 (0)1934 522137 www.sgs.com

Contact Address

SGS United Kingdom Ltd, Unit 10, South Industrial Estate, Bowburn, Durham, DH6 5AD UK t +44 (0)191 377 2000 f +44 (0)191 377 2020 www.sgs.com

EC Type Examination Cert.

Page 1 of 5 MID-B06E Rev 2




UK/ 0120/ SGS0029 6th November 2008 Issue 1

Approval Annex for EC Type Examination Cert. No. UK/ 0120/ SGS0029

Manufacturer	:	Landis + Gyr Ltd		
_		F00100 F1		
Type of Meter(s)	<u>: </u>	E06122 54		
Description of Meter	:	E6 Gas Meter		
Accuracy Class (es)	:	1.5	Software Version No	: V17.00
Firmware Version No	:	ASIC 3	Bill Of Materials No	: 7466201280
Meter Location	:	Indoor, or in suitable enclosure	Sealing Type Location	: Plastic laser etched seal : 1 x Front of meter
Integrity of Meter	:	Inaccessible without breaking seals	Temperature Range	: -10°C to +40°C
Range of Gases	:	Second Family	Maximum Operating Pressure: 75 mbar	
Flow Range	:	Qmax 6.0m ³ /h Qmin 0.040m ³ /h	Orientation	: Connection ports vertical

Artwork of front of meter





UK/ 0120/ SGS0029 6th November 2008 Issue 1



Photograph of Meter without Module Fitted





UK/ 0120/ SGS0029 6th November 2008 Issue 1

Photograph of Meter Showing PCB





UK/ 0120/ SGS0029 6th November 2008 Issue 1

Product Variant Identification Details:

Meter type

E Ultrasonic gas meter

Maximum flow rate Q_{max}

 $6 \, \text{m}^3/\text{h}$

Functionality

1 Including shutoff valve, no temperature compensation

Boss spacing

2 152mm

Boss Type

2 1 inch boss to BS 746

Space

Generation (Model Number)

Two Part measuring tube and software version V17.00

Modifications to the meter described according to approval No.UK/ 0120/ SGS0029 must be notified to the issuing body to confirm the meter's continuing compliance to the relevant pattern approval standard(s). All modifications to the module relating to the Meter Index (in particular the module case cover, buttons, window and sealing arrangement), fitted to the meter, must also be agreed with the issuing body before being implemented.