

Review of an Environmental Permit for an Installation subject to Chapter II of the Industrial Emissions Directive under the Environmental Permitting (England & Wales) Regulations 2016 (as amended)

Decision document recording our decision-making process following review of a permit

The Permit number is: EPR/BO2641IU
The Operator is: Heygates Limited
The Installation is: Bugbrooke Flour Mill
This Variation Notice number is: EPR/BO2641IU/V003

What this document is about

Article 21(3) of the Industrial Emissions Directive (IED) requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication by the European Commission of updated decisions on best available techniques (BAT) Conclusions.

We have reviewed the permit for this installation against the BAT Conclusions for the Food, Drink and Milk Industries published on 4th December 2019 in the Official Journal of the European Union. In this decision document, we set out the reasoning for the consolidated variation notice that we have issued.

It explains how we have reviewed and considered the techniques used by the Operator in the operation and control of the plant and activities of the installation. It is our record of our decision-making process and shows how we have taken into account all relevant factors in reaching our position.

As well as considering the review of the operating techniques used by the Operator for the operation of the plant and activities of the installation, the consolidated variation notice takes into account and brings together in a single document all previous variations that relate to the original permit issue. Where this has not already been done, it also modernises the entire permit to reflect the conditions contained in our current generic permit template.

The introduction of new template conditions makes the Permit consistent with our current general approach and with other permits issued to Installations in this sector. Although the wording of some conditions has changed, while others have been deleted because of the new regulatory approach, it does not reduce the level of environmental protection achieved by the Permit in any way. In this document, we therefore address only our determination of substantive issues relating to the new BAT Conclusions

We try to explain our decision as accurately, comprehensively and plainly as possible. Achieving all three objectives is not always easy, and we would welcome any feedback as to how we might improve our decision documents in future.

How this document is structured

1. Our decision
2. How we reached our decision
3. The legal framework
4. Annex 1 – Review of operating techniques within the Installation against BAT Conclusions.
5. Annex 2 – Review and assessment of changes that are not part of the BAT Conclusions derived permit review
6. Annex 3 – Improvement Conditions

1 Our decision

We have decided to issue the Variation Notice to the Operator. This will allow the Operator to continue to operate the Installation, subject to the conditions in the Consolidated Variation Notice that updates the whole permit.

We consider that, in reaching our decision, we have taken into account all relevant considerations and legal requirements and that the varied permit will ensure that a high level of protection is provided for the environment and human health.

The Consolidated Variation Notice contains many conditions taken from our standard Environmental Permit template including the relevant annexes. We developed these conditions in consultation with industry, having regard to the legal requirements of the Environmental Permitting Regulations and other relevant legislation. This document does not therefore include an explanation for these standard conditions. Where they are included in the Notice, we have considered the techniques identified by the operator for the operation of their installation, and have accepted that the details are sufficient and satisfactory to make those standard conditions appropriate. This document does, however, provide an explanation of our use of “tailor-made” or installation-specific conditions, or where our Permit template provides two or more options.

2 How we reached our decision

2.1 Requesting information to demonstrate compliance with BAT Conclusion techniques

We issued a Notice under Regulation 61(1) of the Environmental Permitting (England and Wales) Regulations 2016 (a Regulation 61 Notice) on 31/01/2022 requiring the Operator to provide information to demonstrate where the operation of their installation currently meets, or how it will subsequently meet, the revised standards described in the relevant BAT Conclusions document.

The Notice required that where the revised standards are not currently met, the operator should provide information that:

- describes the techniques that will be implemented before 4 December 2023, which will then ensure that operations meet the revised standards, or
- justifies why standards will not be met by 4 December 2023, and confirmation of the date when the operation of those processes will cease within the Installation or an explanation of why the revised BAT standards are not applicable to those processes, or
- justifies why an alternative technique will achieve the same level of environmental protection equivalent to the revised BAT standards described in the BAT Conclusions.

Where the Operator proposed that they were not intending to meet a BAT standard that also included a BAT Associated Emission Level (BAT-AEL) described in the BAT Conclusions Document, the Regulation 61 Notice required that the Operator make a formal request for derogation from compliance with that BAT-AEL (as provisioned by Article 15(4) of IED). In this circumstance, the Notice identified that any such request for derogation must be supported and justified by sufficient technical and commercial information that would enable us to determine acceptability of the derogation request.

The Regulation 61 Notice response from the Operator was received on 01/06/2022.

We considered it was in the correct form and contained sufficient information for us to begin our determination of the permit review but not that it necessarily contained all the information we would need to complete that determination.

The Operator made no claim for commercial confidentiality. We have not received any information in relation to the Regulation 61 Notice response that appears to be confidential in relation to any party.

2.2 Review of our own information in respect to the capability of the Installation to meet revised standards included in the BAT Conclusions document

Based on our records and previous experience in the regulation of the installation we have no reason to consider that the Operator will not be able to comply with the techniques and standards described in the BAT Conclusions. However, the operator does not currently comply with the requirements described in BAT Conclusion 5 and 1 (xvi). We have therefore included Improvement Conditions IC8 and IC9 in the Consolidated Variation Notice to ensure that the requirements of the BAT Conclusions are delivered before 4 December 2023.

2.3 Requests for further information during determination

Although we were able to consider the Regulation 61 Notice response generally satisfactory at receipt, we did in fact need more information in order to complete our permit review assessment, and issued further information requests on 16/01/23 requesting the Reg61 response from the Operator, and 24/02/23 requesting Bugbrooke Four Mill energy efficiency plan. A copy of each further information requests was placed on our public register.

3 The legal framework

The Consolidated Variation Notice will be issued under Regulations 18 and 20 of the EPR. The Environmental Permitting regime is a legal vehicle which delivers most of the relevant legal requirements for activities falling within its scope. In particular, the regulated facility is:

- an *installation* as described by the IED;
- subject to aspects of other relevant legislation which also have to be addressed.

We consider that, in issuing the Consolidated Variation Notice, it will ensure that the operation of the Installation complies with all relevant legal requirements and that a high level of protection will be delivered for the environment and human health.

We explain how we have addressed specific statutory requirements more fully in the rest of this document.

Annex 1: decision checklist regarding relevant BAT Conclusions

BAT Conclusions for the Food, Drink and Milk Industries, were published by the European Commission on 4 December 2019.

There are 37 BAT Conclusions.

BAT 1 – 15 are General BAT Conclusions (Narrative BAT) applicable to all relevant Food, Drink and Milk Installations in scope.

BAT 16 – 37 are sector-specific BAT Conclusions, including Best Available Techniques Associated Emissions Levels (BAT-AELs) and Associated Environmental Performance Levels (BAT-AEPLs):

BAT 16 & 17	BAT Conclusions for Animal Feed
BAT 18 – 20	BAT Conclusions for Brewing
BAT 21 – 23	BAT Conclusions for Dairies
BAT 24	BAT Conclusions for Ethanol Production
BAT 25 & 26	BAT Conclusions for Fish and Shellfish Processing
BAT 27	BAT Conclusions for Fruit and Vegetable Processing
BAT 28	BAT Conclusions for Grain Milling
BAT 29	BAT Conclusions for Meat Processing
BAT 30 – 32	BAT Conclusions for Oilseed Processing and Vegetable Oil Refining
BAT 33	BAT Conclusions for Soft Drinks and Nectar/Fruit Juice Processed from Fruit and Vegetables
BAT 34	BAT Conclusions for Starch Production
BAT 35 – 37	BAT Conclusions for Sugar Manufacturing

This annex provides a record of decisions made in relation to each relevant BAT Conclusion applicable to the installation. This annex should be read in conjunction with the Consolidated Variation Notice.

The overall status of compliance with the BAT conclusion is indicated in the table as:

NA – Not Applicable

CC – Currently Compliant

FC – Compliant in the future (within 4 years of publication of BAT Conclusions)

NC – Not Compliant

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
GENERAL BAT CONCLUSIONS (BAT 1-15)			
1	<p>Environmental Management System - Improve overall environmental performance.</p> <p>Implement an EMS that incorporates all the features as described within BATc 1.</p>	FC	<p>The operator provided information to support compliance with BATc1, the operator has a full EMS in place. However, some aspects they noted that they were not currently achieving compliance and would be future compliant for BATc1 (xvi).</p> <p>We have included an improvement condition IC9 to ensure the relevant sections of the EMS are submitted for approval to ensure compliance against BATc1 (xvi). The operator is required to complete the improvement condition and demonstrate compliance with BATc1 by the compliance date, 4 December 2023. See Annex 3.</p>
2	<p>EMS Inventory of inputs & outputs. Increase resource efficiency and reduce emissions.</p> <p>Establish, maintain and regularly review (including when a significant change occurs) an inventory of water, energy and raw materials consumption as well as of waste water and waste gas streams, as part of the environmental management system (see BAT 1), that incorporates all of the features as detailed within the BATCs.</p>	CC	<p>The operator has provided information to support compliance with BATc 2. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 2.</p> <p>The operator has a full EMS in place.</p>
3	<p>Monitoring key process parameters at key locations for emissions to water.</p> <p>For relevant emissions to water as identified by the inventory of waste water streams (see BAT 2), BAT is to monitor key process parameters (e.g. continuous monitoring of waste water flow, pH and temperature) at key locations (e.g. at the inlet and/or outlet of the pre-treatment, at the inlet to the final treatment, at the point where the emission leaves the installation).</p>	N/A	<p>We are satisfied that BATc 3 is not applicable to this Installation.</p> <p>There are no discharges of process effluent arising from this installation. The only emission point is rain water runoff from the roof into a soakaway.</p>

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
4	<p>Monitoring emissions to water to the required frequencies and standards.</p> <p>BAT is to monitor emissions to water with at least the frequency given [refer to BAT 4 table in BATc] and in accordance with EN standards. If EN standards are not available, BAT is to use ISO, national or other international standards that ensure the provision of data of an equivalent scientific quality.</p>	N/A	<p>We are satisfied that BATc 4 is not applicable to this Installation.</p> <p>There are no discharges of process effluent arising from this installation. The only emission point is rain water runoff from the roof into a soakaway.</p>
5	<p>Monitoring channelled emissions to air to the required frequencies and standards.</p> <p>BAT is to monitor channelled emissions to air with at least the frequency given [refer to BAT5 table in BATc] and in accordance with EN standards.</p>	FC	<p>The operator is currently not compliant with BATc5. We have assessed the information provided and we are satisfied that the operator will be future compliant with BATc 5.</p> <p>The operator is not currently monitoring emission points as there were no emission monitoring requirements set in their current permit. The site does not currently undertake annual particulates monitoring to EN 13284-1 standard, this will be in place by 4th Dec 2023.</p> <p>Due to the large number of emission points of dust at various stages of the milling process and the relatively low environmental risk of the dust emissions the Environment Agency position is to implement a proportionate approach to monitoring. The Operator should produce a rolling monitoring procedure focusing on the principal emission points on site. This procedure should implement a monitoring protocol which should include 3 samples per annum on the key processing stages wheat cleaning, wheat milling and finished product handling.</p>

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			We have included an improvement condition IC8 to ensure that a monitoring procedure is submitted, agreed and implemented. The monitoring requirements of the BATc 5 are included, post-dated, in the permit to ensure compliance. The operator is required to complete the improvement condition and demonstrate compliance with BATc 5 by the compliance date, 4 December 2023. See Annex 3.
6	<p>Energy Efficiency</p> <p>In order to increase energy efficiency, BAT is to use an energy efficiency plan (BAT 6a) and an appropriate combination of the common techniques listed in technique 6b within the table in the BATc.</p>	CC	<p>The operator has provided information to support compliance with BATc 6. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 6.</p> <p>The operator has provided evidence of a plan to improve energy efficiency which outlines the common techniques that they are using. This includes maintaining air systems, motors and drives, and the compressed air systems. They use insulation where appropriate, and the space heating and hot water systems are maintained by a third-party contractor. Lubrication is used to avoid high friction loss. Air compressors have variable speed drives and they react to demand, they are maintained by a third-party service. Provision of sealing and containment methods to prevent pressure loss. They use simple sensors and timers to prevent unnecessary discharge of materials. They have energy efficient lighting</p>
7	<p>Water and wastewater minimisation</p> <p>In order to reduce water consumption and the volume of waste water discharged, BAT is to use BAT 7a and one or a combination of the techniques b to k given below. [for detail of each technique, refer BAT 7 table in BATc]</p> <p>(a) water recycling and/or reuse</p>	N/A	<p>We are satisfied that BATc 7 is not applicable to this Installation.</p> <p>The site does not produce waste water. The only water emissions point is surface water from the building roofs that enters the site drainage system and is collected via a series of down pipes. As</p>

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	(b) Optimisation of water flow (c) Optimisation of water nozzles and hoses (d) Segregation of water streams Techniques related to cleaning operations: (e) Dry cleaning (f) Pigging system for pipes (g) High-pressure cleaning (h) Optimisation of chemical dosing and water use in cleaning-in-place (CIP) (i) Low-pressure foam and/or gel cleaning (j) Optimised design and construction of equipment and process areas (k) Cleaning of equipment as soon as possible		grain milling is a dry process, it should not require extensive amount of water usage.
8	Prevent or reduce the use of harmful substances In order to prevent or reduce the use of harmful substances, e.g. in cleaning and disinfection, BAT is to use one or a combination of the techniques given below. (a) Proper selection of cleaning chemicals and/or disinfectants (b) Reuse of cleaning chemicals in cleaning-in-place (CIP) (c) Dry cleaning (d) Optimised design and construction of equipment and process areas [for detail of each technique, refer BAT 8 table in BATc]	CC	We are satisfied that BATc 8 is not applicable to this Installation. The operator has confirmed that they do not use CIP in this process as it is a dry process. The operator has confirmed that they do not use harmful chemicals.
9	Refrigerants In order to prevent emissions of ozone-depleting substances and of substances with a high global warming potential from cooling and	N/A	We are satisfied that BATc 9 is not applicable to this Installation. The operator does not use any refrigerants on site.

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	freezing, BAT is to use refrigerants without ozone depletion potential and with a low global warming potential.		
10	<p>Resource efficiency In order to increase resource efficiency, BAT is to use one or a combination of the techniques given below:</p> <ul style="list-style-type: none"> (a) Anaerobic digestion (b) Use of residues (c) Separation of residues (d) Recovery and reuse of residues from the pasteuriser (e) Phosphorus recovery as struvite (f) Use of waste water for land spreading 	CC	<p>The operator has provided information to support compliance with BATc 10. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 10.</p> <p>The operator sends all their waste to anaerobic digestion.</p>
11	<p>Waste water buffer storage In order to prevent uncontrolled emissions to water, BAT is to provide an appropriate buffer storage capacity for waste water.</p>	N/A	<p>We are satisfied that BATc 11 is not applicable to this Installation.</p> <p>The operator does not have waste water on site.</p> <p>The operator did provide evidence of how they would prevent waste water from entering the river should there be uncontrolled emission to water on the premises.</p>
12	<p>Emissions to water – treatment In order to reduce emissions to water, BAT is to use an appropriate combination of the techniques given below. Preliminary, primary and general treatment</p> <ul style="list-style-type: none"> (a) Equalisation (b) Neutralisation 	N/A	<p>We are satisfied that BATc 12 is not applicable to this Installation.</p> <p>There are no discharges of process effluent arising from this installation. The only emission point is rain water runoff from the roof into a soakaway.</p>

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	(c) Physical separate (eg screens, sieves, primary settlement tanks etc) Aerobic and/or anaerobic treatment (secondary treatment) (d) Aerobic and/or anaerobic treatment (eg activated sludge, aerobic lagoon etc) (e) Nitrification and/or denitrification (f) Partial nitrification - anaerobic ammonium oxidation Phosphorus recovery and/or removal (g) Phosphorus recovery as struvite (h) Precipitation (i) Enhanced biological phosphorus removal Final solids removal (j) Coagulation and flocculation (k) Sedimentation (l) Filtration (eg sand filtration, microfiltration, ultrafiltration) (m) Flotation [for detail of each technique, refer BAT 12 table 1]		
13	Noise management plan In order to prevent or, where that is not practicable, to reduce noise emissions, BAT is to set up, implement and regularly review a noise management plan, as part of the environmental management system (see BAT 1), that includes all of the following elements: - a protocol containing actions and timelines; - a protocol for conducting noise emissions monitoring; - a protocol for response to identified noise events, eg complaints;	N/A	We are satisfied that BATc 13 is not applicable to this Installation. The permit previous does not require the operator to have a noise management plan and we are not aware of any substantiated noise complaints.

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	<p>- a noise reduction programme designed to identify the source(s), to measure/estimate noise and vibration exposure, to characterise the contributions of the sources and to implement prevention and/or reduction measures.</p> <p>Note: BAT13 is only applicable where a noise nuisance at sensitive receptors is expected and/or has been substantiated.</p>		
14	<p>Noise management</p> <p>In order to prevent or, where that is not practicable, to reduce noise emissions, BAT is to use one or a combination of the techniques given below.</p> <p>(a) Appropriate location of equipment and buildings (b) Operational measures (c) Low-noise equipment (d) Noise control equipment (e) Noise abatement</p> <p>[for detail of each technique, refer BAT 14 table in BATCs]</p>	CC	<p>We are satisfied that the operator has demonstrated compliance with BATc 14. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 14.</p> <p>A combination of the relevant techniques has been implemented at the site. This includes limiting operations with high nuisance potential (e.g. noise from material deliveries) during the night; plant maintenance operations undertaken as far away from receptors as possible and, where this is not possible, should be limited to normal daylight hours; reducing the speed of on-site vehicle movements; ensure that operations are designed to be undertaken with any directional noise emissions pointing away from noise-sensitive receptors where practicable; and noise abatement is considered when they purchase new equipment.</p>
15	<p>Odour Management</p> <p>In order to prevent or, where that is not practicable, to reduce odour emissions, BAT is to set up, implement and regularly review an odour management plan, as part of the environmental management system (see BAT 1), that includes all of the following elements:</p> <ul style="list-style-type: none"> - a protocol containing actions and timelines; - a protocol for conducting odour monitoring. 	N/A	<p>We are satisfied that BATc 15 is not applicable to this Installation.</p> <p>The permit previous does not require the operator to have an odour management plan and we are not aware of any substantiated odour complaints.</p>

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement						
	<p>- a protocol for response to identified odour incidents e.g. complaints;</p> <p>- an odour prevention and reduction programme designed to identify the source(s); to measure/estimate odour exposure: to characterise the contributions of the sources; and to implement prevention and/or reduction measures.</p> <p>BAT 15 is only applicable to cases where an odour nuisance at sensitive receptors is expected and/or has been substantiated.</p>								
GRAIN MILLING BAT CONCLUSION (BAT 28)									
28	<p>Emissions to air</p> <p>In order to reduce channelled dust emission to air, BAT is to use a bag filter.</p> <table border="1" data-bbox="275 810 1075 981"> <thead> <tr> <th data-bbox="275 810 501 919">Parameter</th> <th data-bbox="501 810 736 919">Unit</th> <th data-bbox="736 810 1075 919">BAT-AEL (average over the sampling period)</th> </tr> </thead> <tbody> <tr> <td data-bbox="275 919 501 981">Dust</td> <td data-bbox="501 919 736 981">mg/Nm³</td> <td data-bbox="736 919 1075 981"><2-5</td> </tr> </tbody> </table>	Parameter	Unit	BAT-AEL (average over the sampling period)	Dust	mg/Nm ³	<2-5	FC	<p>All of the relevant channelled emission points to air are abated appropriately via bag filters. The operator has stated they will carry out an assessment in order to ensure appropriate monitoring is in place and to confirm they are compliant with the BAT-AELs by 2023.</p> <p>There are currently no emission limit values (ELVs) in the permit for particulate emissions. We have included future dated ELVs in the permit for the emission points A4, A5, A9, A10, A11, A12, A17, A18, A19, A20.</p> <p>We consider that the operator will be future compliant with BATc 28. Due to the rolling programme of monitoring (IC8), we are unable to add an improvement condition for the operator to demonstrate compliance by 04/12/2023. However, we are satisfied that the BAT-AEL will be achieved and we have no evidence that a derogation is required. On that basis, compliance will be achieved through the rolling programme.</p>
Parameter	Unit	BAT-AEL (average over the sampling period)							
Dust	mg/Nm ³	<2-5							

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement	
	Grain Milling Environmental Performance Levels			
EPL	Environmental Performance Level – Energy Consumption for Grain Milling	CC	<p>The operator has provided information to support compliance with the EPLs.</p> <p>The operator has confirmed the current performance is at 0.089 MWh/t.</p>	
	<table border="1"> <tr> <td data-bbox="275 502 678 576">Unit</td> <td data-bbox="678 502 1077 576">Specific energy consumption (yearly average)</td> </tr> <tr> <td data-bbox="275 576 678 620">MWh/tonne of products</td> <td data-bbox="678 576 1077 620">0.05 – 0.13</td> </tr> </table>			Unit
Unit	Specific energy consumption (yearly average)			
MWh/tonne of products	0.05 – 0.13			

Annex 2: Review and assessment of changes that are not part of the BAT Conclusions derived permit review

Updating permit during permit review consolidation

- Introductory note
- Site plan
- Table S1.1 overhaul
 - Activity Reference (AR) renumbering
 - Addition of production capacity
 - Directly associated activities (DAAs) standardisation

We have updated permit conditions to those in the current generic permit template as a part of permit consolidation. The conditions will provide the same level of protection as those in the previous permit.

Capacity Threshold

The Environment Agency is looking to draw a “line in the sand” for permitted production capacity; a common understanding between the Operator and regulator for the emissions associated with a (maximum) level of production, whereby the maximum emissions have been demonstrated as causing no significant environmental impact.

We have included a permitted production level (capacity) within table S1.1 of the permit for the section 6.8 listed activity and we need to be confident that the level of emissions associated with this production level have been demonstrated to be acceptable.

The H1 assessment is not valid for the maximum capacity stated within the permit as production is now higher. We have included an improvement condition within the permit (IC10) which requires the operator to revisit their H1 risk assessment for particulate emissions to air at the capacity limit figure that is now stated within table S1.1 of the permit.

Emissions to Air

We asked the operator to list all emission points to air from the installation in the Regulation 61 notice. And to provide a site plan indicating the locations of all air emission points.

The operator has provided an up to date air emission plan.

Particulate Emissions

For emission points noted to be future complaint we have included future dated ELV(s) and monitoring requirements from the date of permit issue. This is relevant for emission point(s) A4, A5, A9, A10, A11, A12, A17, A18, A19, A20.

We have incorporated an improvement condition (IC8) to ensure the monitoring is carried out as soon as reasonably practical prior to December 2023 for these emission points

Emissions to Water and implementing the requirements of the Water Framework Directive

We asked the Operator to provide information on all emissions to water at the installation in the Regulation 61 Notice as follows;

- Identify any effluents which discharge directly to surface or groundwater;
- Provide an assessment of volume and quality, including results of any monitoring data available;
- and for any discharges to water / soakaway whether a recent assessment of the feasibility of connection to sewer has been carried out.

The operator has previously provided assessments for all emissions to water at the installation. The operator declares there has been no change to activities and subsequent effluents generated at the installation since this risk assessment was taken. Consequently, we agree that the original risk assessments remain valid at this time.

We agree with the operators justification and proposed route as the best option for the installation.

Soil & groundwater risk assessment (baseline report)

The IED requires that the operator of any IED installation using, producing or releasing “relevant hazardous substances” (RHS) shall, having regarded the possibility that they might cause pollution of soil and groundwater, submit a “baseline report” with its permit application. The baseline report is an important reference document in the assessment of contamination that might arise during the operational lifetime of the regulated facility and at cessation of activities. It must enable a quantified comparison to be made between the baseline and the state of the site at surrender.

At the definitive cessation of activities, the Operator has to satisfy us that the necessary measures have been taken so that the site ceases to pose a risk to soil or groundwater, taking into account both the baseline conditions and the site’s current or approved future use. To do this, the Operator has to submit a surrender application to us, which we will not grant unless and until we are satisfied that these requirements have been met.

The Operator submitted a summary report which referenced the site condition report and baseline report. We have reviewed the information and we consider that it adequately describes the current condition of the soil and groundwater. Consequently, we are satisfied that the baseline conditions have not changed.

Hazardous Substances

Hazardous substances are those defined in Article 3 of Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures

The operator has not identified any hazardous substances used / stored at the installation.

Climate Change Adaptation

The operator has considered if the site is at risk of impacts from adverse weather (flooding, unavailability of land for land spreading, prolonged dry weather / drought).

The operator has identified the installation as likely to be or has been affected by flooding which we consider to be a severe weather event.

The operator has submitted a climate change adaptation plan, which considers, as a minimum, the impact of severe weather on the operations within the installation.

We consider the climate change adaptation plan to be appropriate for the installation.

Containment

The operator has confirmed there are no above ground storage or process tanks at the installation.

Annex 3: Improvement Conditions

Based on the information in the Operator's Regulation 61 Notice response and our own records of the capability and performance of the installation at this site, we consider that we need to set improvement conditions so that the outcome of the techniques detailed in the BAT Conclusions are achieved by the installation. These improvement conditions are set out below - justifications for them is provided at the relevant section of the decision document (Annex 1 or Annex 2).

The following improvement conditions have been superseded or marked as complete and removed from the permit.

IC1 – IC7 were marked as complete in the previous permit.

Superseded Improvement Conditions		
IC1	The operator shall review and develop the Accident Management Plan having regard section 2.8 of Agency Sector Guidance Note IPPC S6.10. The developed plan shall specifically include risk assessment for flooding and major fire scenarios and suitable measure and procedures shall be developed with the purpose of prevention and/or minimising the potential environmental impacts arising from these scenarios. A copy of the revised Accident Management Plan and any proposals for improvements, with a timetable for implementation, shall be submitted to the Agency.	Completed
IC2	The operator shall develop and implement a formal Environmental Management System, having regard to Section 2.3 of the Agency Sector Guidance Note IPPC S6.10.	Completed
IC3	The operator shall provide the Agency with written proposals for a programme of monitoring of particulate releases from emission points A1- A16 inclusive. Monitoring shall be carried out to an appropriate recognises standard. The proposals shall include a justification for the frequency and method of monitoring and a justification for the exclusion of monitoring of any of the emission points.	Completed
IC4	Using emissions data collected as a result of IC3 the operator shall assess the installation's point source particulate emissions to air. The assessment shall include a comparison of the monitored particulate emission concentrations against the relevant benchmark concentration contained in Section 3.9 of the Agency Sector Guidance Note IPPC S6.10 and a review of the techniques used to prevent and/or minimise these emissions to air. The operator shall submit a written report of this assessment to the Agency with proposals and a timescale for any identified improvements.	Completed
IC5	The operator shall carry out a review of the installation's particulate abatement equipment. The review shall consider the provision of continuous, alarmed detection systems to indicate the relevant performance of, and detect failures in, particulate abatement equipment where the exhaust flow exceeds 100m ³ /min. A written report shall be submitted to the Agency summarising the results of the review, along with a timetable for implementing any identified improvements.	Completed

IC6	The operator shall review the provision of appropriate measures and procedures for the protection of surface water and land (including soakaways) from fugitive emissions, having regard for section 2.2.5 of Agency Sector Guidance Note IPPC S6.10. The operator shall submit a written report of this review to the Agency, which shall include proposals for improvements with a timescale for implementation that shall be adhered to unless otherwise agreed	Completed
IC7	The operator shall develop a written Site Closure Plan having regard for the requirements of Agency Sector Guidance Note IPPC 6.10, Section 2.11. A copy of the Plan shall be submitted to the Agency.	Completed

If the consolidated permit contains existing improvement conditions that are not yet complete or the opportunity has been taken to delete completed improvement conditions then the numbering in the table below will not be consecutive as these are only the improvement conditions arising from this permit variation.

Improvement programme requirements		
Reference	Reason for inclusion	Justification of deadline
IC8	<p>The operator shall submit, for approval by the Environment Agency, a monitoring procedure for particulate matter emissions from principal emission points on site. The procedure must describe how the operator will implement a rolling monitoring programme which shall include, but not be limited to the following:</p> <ol style="list-style-type: none"> 1. Methodology for how representative monitoring will be carried out annually, with a minimum of 3 point sources on a rolling-basis. 2. Ensuring the key process stages, wheat cleaning, wheat milling and finished product handling including wheatfeed, are prioritised. 3. Identify any principal emission points excluded from the rolling monitoring programme and provide a justification for this. 4. Provide a commencement date for the programme which will demonstrate compliance with the permit requirements. <p>The monitoring procedure shall address the requirements of BAT Conclusions for Food, Drink and Milk Industries with respect to BAT 5.</p>	04/12/2023
IC9	<p>The operator shall submit, for approval by Environment Agency, a report demonstrating the 'Narrative' BAT requirements will be achieved before 4 December 2023. The report shall include, but not be limited to, the following:</p> <ol style="list-style-type: none"> 1) Methodology for achieving BAT 2) Associated targets/timelines for reaching compliance by 4 December 2023. <p>The report shall address the BAT Conclusions for Food, Drink and Milk Industries with respect to BATc1 (xvi).</p> <p>Refer to BAT Conclusions for a full description of the BAT requirement.</p>	04/12/2023
IC10	<p>The operator shall review and update the H1 risk assessment for particulate emissions to air at the capacity levels stated within table S1.1 of this permit. The H1 shall be submitted to the Environment Agency for review.</p>	04/11/2023