



UK Health  
Security  
Agency

# **GP in Hours Syndromic Surveillance System Bulletin (England)**

## **2023 Week 25**

## Key messages

### Data reported to: 25 June 2023

During week 25, GP in-hours consultation rates for conjunctivitis and allergic rhinitis both decreased, in line with seasonally expected trends. There was also a decrease in 'heat or sunstroke' consultations, but rates remain just above expected levels. The consultation rate for insect bites was stable during week 25 however rates remain above the levels expected for the time of year.

## Syndromic indicators at a glance

**Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.**

| Indicator  | Trend <sup>1</sup> | Level               |
|--|--------------------|---------------------|
| COVID-19-like ( <b>Figure 1</b> )                      | No trend           | No baseline         |
| Upper respiratory tract infections ( <b>Figure 2</b> ) | No trend           | Below baseline      |
| Influenza-like illness ( <b>Figure 3</b> )             | No trend           | Similar to baseline |
| Pharyngitis or scarlet fever ( <b>Figure 4</b> )       | No trend           | Below baseline      |
| Scarlet fever ( <b>Figure 5</b> )                      | No trend           | Below baseline      |
| Lower respiratory tract infections ( <b>Figure 6</b> ) | No trend           | Similar to baseline |
| Pneumonia ( <b>Figure 7</b> )                          | No trend           | Above baseline      |
| Acute presenting asthma ( <b>Figure 8</b> )            | No trend           | Similar to baseline |
| Gastroenteritis ( <b>Figure 9</b> )                    | No trend           | Above baseline      |
| Diarrhoea ( <b>Figure 10</b> )                         | No trend           | Above baseline      |
| Vomiting ( <b>Figure 11</b> )                          | No trend           | Above baseline      |
| Measles ( <b>Figure 12</b> )                           | No trend           | Similar to baseline |
| Mumps ( <b>Figure 13</b> )                             | No trend           | Similar to baseline |
| Whooping cough ( <b>Figure 14</b> )                    | No trend           | Similar to baseline |
| Cellulitis ( <b>Figure 15</b> )                        | Increasing         | Above baseline      |
| Chickenpox ( <b>Figure 16</b> )                        | No trend           | Similar to baseline |
| Herpes zoster ( <b>Figure 17</b> )                     | No trend           | Similar to baseline |
| Impetigo ( <b>Figure 18</b> )                          | No trend           | Similar to baseline |
| Conjunctivitis ( <b>Figure 19</b> )                    | Decreasing         | Similar to baseline |
| Allergic rhinitis ( <b>Figure 20</b> )                 | Decreasing         | Above baseline      |
| Heat or sunstroke ( <b>Figure 21</b> )                 | Decreasing         | Above baseline      |
| Insect bites ( <b>Figure 22</b> )                      | No trend           | Above baseline      |

<sup>1</sup> trend reports on the trend seen over most recent and earlier weeks

## System coverage

**Table 2: The number of GP practices, and number of registered patients included in surveillance during the most recent week.**

| Year | Week | GP practices reporting <sup>1</sup> | Registered patients <sup>1</sup> |
|------|------|-------------------------------------|----------------------------------|
| 2023 | 25   | 658                                 | 7.0 million                      |

<sup>1</sup> based on the average number of practices and registered patient population in the reporting week (Monday-Friday).

# Contents

|  |    |
|--|----|
| Key messages .....                             | 2  |
| Syndromic indicators at a glance .....         | 2  |
| System coverage.....                           | 3  |
| Contents .....                                 | 4  |
| About this syndromic surveillance system ..... | 6  |
| Respiratory conditions .....                   | 7  |
| COVID-19-like .....                            | 7  |
| Upper respiratory tract infections .....       | 9  |
| Influenza-like illness .....                   | 11 |
| Pharyngitis or scarlet fever .....             | 13 |
| Scarlet fever.....                             | 15 |
| Lower respiratory tract infections .....       | 17 |
| Pneumonia.....                                 | 19 |
| Acute presenting asthma .....                  | 21 |
| Gastrointestinal conditions .....              | 23 |
| Gastroenteritis .....                          | 23 |
| Diarrhoea .....                                | 25 |
| Vomiting .....                                 | 27 |
| Vaccine preventable conditions .....           | 29 |
| Measles.....                                   | 29 |
| Mumps .....                                    | 30 |
| Whooping cough .....                           | 32 |
| Skin conditions .....                          | 34 |
| Cellulitis.....                                | 34 |
| Chickenpox .....                               | 36 |
| Herpes zoster .....                            | 38 |
| Impetigo .....                                 | 40 |
| Seasonal environmental conditions .....        | 42 |
| Heat-health alerts in place .....              | 42 |

|   |    |
|---|----|
| Conjunctivitis.....                       | 43 |
| Allergic rhinitis .....                   | 45 |
| Heat or sunstroke .....                   | 47 |
| Insect bites.....                         | 49 |
| Notes and caveats .....                   | 51 |
| COVID-19 syndromic surveillance .....     | 51 |
| Acknowledgements .....                    | 53 |
| About the UK Health Security Agency ..... | 54 |

# About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) GP in hours Syndromic Surveillance System.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see **Notes and caveats**)
- compare levels between age groups/areas

Fully anonymised, daily GP in hours data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as upper respiratory tract infections, acute presenting asthma and gastroenteritis
- syndromic indicators are based on:
  - diagnoses recorded during GP in hours patient consultations
  - diagnoses based on signs/symptoms and may not be laboratory confirmed
- describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in **Table 1**
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
  - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
  - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the **Notes and caveats** section.

Previous weekly bulletins from this system are available [here](#).



## Data quality issues of note this week

No issues identified.

# Respiratory conditions


## COVID-19-like

**Figure 1: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for COVID-19-like GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

GP in-hours (TPP): covid-19-like by region 26/06/2022 to 25/06/2023





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.




# Upper respiratory tract infections

**Figure 2: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for upper respiratory tract infections GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**




(c)


GP in-hours (TPP): upper respiratory tract infection by region 26/06/2022 to 25/06/2023



## Influenza-like illness



**Figure 3: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for influenza-like illness GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**






# Pharyngitis or scarlet fever



**Figure 4: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for pharyngitis or scarlet fever GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**






# Scarlet fever

**Figure 5: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for scarlet fever GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c) GP in-hours (TPP): scarlet fever by region 26/06/2022 to 25/06/2023





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.




# Lower respiratory tract infections

**Figure 6: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for lower respiratory tract infections GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



GP in-hours (TPP): lower respiratory tract infection by region 26/06/2022 to 25/06/2023



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


# Pneumonia

**Figure 7: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for pneumonia GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



GP in-hours (TPP): pneumonia by region 26/06/2022 to 25/06/2023



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


# Acute presenting asthma

**Figure 8: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for acute presenting asthma GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

GP in-hours (TPP): acute presenting asthma by region 26/06/2022 to 25/06/2023





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Gastrointestinal conditions


## Gastroenteritis

**Figure 9: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for gastroenteritis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

GP in-hours (TPP): gastroenteritis by region 26/06/2022 to 25/06/2023





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.




## Diarrhoea

**Figure 10: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for diarrhoea GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



GP in-hours (TPP): diarrhoea by region 26/06/2022 to 25/06/2023



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


# Vomiting

**Figure 11: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for vomiting GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

GP in-hours (TPP): vomiting by region 26/06/2022 to 25/06/2023




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Vaccine preventable conditions



## Measles

**Figure 12: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for measles GP in hours consultations, England (a) nationally.**




# Mumps

**Figure 13: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for mumps GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)




# Whooping cough

**Figure 14: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for whooping cough GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**










# Skin conditions

## Cellulitis



**Figure 15: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for cellulitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**






# Chickenpox



**Figure 16: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for chickenpox GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**






# Herpes zoster

**Figure 17: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for herpes zoster GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



GP in-hours (TPP): herpes zoster by region 26/06/2022 to 25/06/2023




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Impetigo

**Figure 18: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for impetigo GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**







## Seasonal environmental conditions

UKHSA and the Met Office operate a weather-health alert system that includes both heat and cold weather alert periods. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

[Cold weather alert](#) period: 1 November to 31 March

[Heat-Health Alert](#) period: 1 June to 30 September



Highest weather alert level during the current reporting week:

**Level Yellow - Hot weather response.**


## Heat-health alerts in place

# Conjunctivitis

**Figure 19: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for conjunctivitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c) GP in-hours (TPP): conjunctivitis by region 26/06/2022 to 25/06/2023



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


# Allergic rhinitis

**Figure 20: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for allergic rhinitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



GP in-hours (TPP): allergic rhinitis by region 26/06/2022 to 25/06/2023




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Heat or sunstroke

**Figure 21: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for heat or sunstroke GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**









## Insect bites


**Figure 22: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for insect bites GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**

(a)



(b)





## Notes and caveats

The following additional caveats apply to the UKHSA GP in hours syndromic surveillance system:

- all syndromic trends should be interpreted with caution due to changes in national advice and guidance regarding access to health care services as well as updates and changes to service provision during the COVID-19 pandemic
- the data presented are based on a sentinel syndromic surveillance system:
  - not all GP practices in England are included
  - national coverage each week is included in **Table 2**
  - coverage varies by location
- some syndromic indicators are hierarchical:
  - upper respiratory tract infections includes:
    - influenza-like illness
    - pharyngitis or scarlet fever
    - other and non-specific upper respiratory tract infections
  - lower respiratory tract infections includes:
    - pneumonia
    - other and non-specific lower respiratory tract infections
  - gastroenteritis includes:
    - diarrhoea
    - vomiting
    - other and non-specific gastroenteritis
- baselines:
  - were last remodelled June 2023
  - are constructed from historical data since April 2012
  - represent seasonally expected levels of activity
  - take account of any known substantial changes in data collection, population coverage or reporting practices:
    - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
  - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which may affect GP consultation levels

## COVID-19 syndromic surveillance

- the COVID-19-like syndromic indicator is based on diagnoses recorded using the COVID-19 Snomed codes released in March 2020:
  - these data are based on COVID-19-like symptoms reported and are not based on outcomes of tests for coronavirus

- patients presenting with COVID-19 symptoms may be diagnosed using other clinical codes used by the GP, so the COVID-19-like syndromic indicator should be interpreted in context with the other respiratory syndromic indicators presented in this report
- the rate of COVID-19-like consultations should not be used to estimate an absolute count of patients with COVID-19

## Acknowledgements

We thank TPP, ResearchOne and the SystemOne GP practices contributing to this surveillance system.

# About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation health secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

[www.gov.uk/government/organisations/uk-health-security-agency](http://www.gov.uk/government/organisations/uk-health-security-agency)

© Crown copyright 2023

Version: IH-2

Prepared by: Real-time Syndromic Surveillance Team

For queries relating to this document, please contact: [syndromic.surveillan@ukhsa.gov.uk](mailto:syndromic.surveillan@ukhsa.gov.uk)

Published: June 2023



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](https://www.ogp.gov.uk). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

