

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Olus Environmental Limited

Olus Environmental Limited Composting Facility Winterpick Business Park Hurstpierpoint Road Wineham West Sussex BN5 9BJ

Variation application number

EPR/NP3795HH/V006

Permit number EPR/NP3795HH

Olus Environmental Limited Composting Facility Permit number EPR/NP3795HH

Introductory note

This introductory note does not form a part of the notice

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

Changes introduced by this variation notice/statutory review

The Industrial Emissions Directive (IED) came into force on 7 January 2014 with the requirement to implement all relevant Best Available Techniques (BAT) Conclusions as described in the Commission Implementing Decision. Article 21(3) of the IED requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication of updated decisions on Best Available Techniques (BAT) Conclusions. The BAT Conclusions for Waste Treatment (the BREF) was published on 17 August 2018 following a European Union wide review of BAT, implementing decision (EU) 2018/1147 of 10 August 2018.

The scope of the permit review also covers the assessment of:

- the bioaerosols monitoring and compliance with M9 bioaerosols monitoring requirements;
- the design and construction of secondary containment and storage lagoons;
- the available storage facilities and measures to reduce ammonia emissions from storage; and
- information on existing medium combustion plant and/or specified generators on site.

This variation has been issued to update some of the conditions following a statutory review of the permits in the industry sector for biowaste treatment. The opportunity has also been taken to consolidate the original permit and subsequent variations.

Brief Description of the process

The site is located in the northern part of the Winterpick Business Park, approximately 16 km north of Brighton (grid ref: TQ 23999 18385). The B2116 Road leads from the site almost straight to the A23.

The facility comprises of a large, concreted pad area which is split into different areas of waste reception, processing and end product storage. The impermeable concrete pad beneath the site is constructed with a base of 40 mm clean stone and with a 200 mm concrete top layer. Outside stabilisation and sanitisation takes place in a Bulk Composting System. The composting block will typically be 5 m high, 60 m long and 30 m wide. An open warehouse is present in the south east corner where bulk compost is stored and bagged.

Wastes will be accepted at the green waste reception area and then formed into windrows on the concreted pad. The composting process will take up to 8 weeks to achieve sanitisation and stabilisation. Moisture and temperature will be monitored during this process and the windrows turned as necessary. Leachate generated during the open windrow composting will be collected in a lagoon. The leachate is re-used on site to manage the moisture content of the waste. Any excess leachate is tankered off site.

Bulk compost storage, bagging and screening all takes place within warehouses in the south west of the site.

The operator has management plans in place to ensure that the environment is protected from emissions to air, land and water.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit			
Description	Date	Comments	
Permit determined EAWML 10112 (EPR/NP3795HH/A001)	08/09/2000	Bespoke licence issued to Olus Environmental Limited.	
Modification issued	30/01/2004	Deletion of financial provisions conditions	
Modification issued	26/04/2005	Updated waste table	
Modification issued (EPR/NP3795HH/V003)	27/06/2008	Increase in annual tonnage	
Variation application (EPR/NP3795HH/V004)	Duly made 11/12/2014	Application to vary the permit from a waste operation to an IED Installation and update the permit to modern conditions.	
Additional information received	18/02/2016	Schedule 5 response including application and supporting information for a normal variation. Includes increase in annual tonnage and site boundary.	
Variation issued	30/06/2016	Permit updated to modern conditions and permitted boundary increased.	
Application EPR/NP3795HH/V005 (variation and consolidation)	Duly Made 12/10/2017	Application to vary the permit to increase the annual waste throughput.	
Additional information received	04/12/2017	Submission of the revised Fire Prevention Plan	
Additional information received	07/12/2017	Submission of the revised Fire Prevention Plan	
Regulation 61 Notice sent to Operator	22/04/2021	Regulation 61 Notice requiring information for statutory review of permit.	
Regulation 61 Notice response	10/08/2021	Response received from the operator.	
Application EPR/NP3795HH/V006 (variation and consolidation)	Environment Agency Initiated Variation	Statutory review of permit occasioned by Waste Treatment BAT Conclusions published on 17 August 2018.	
Environment Agency Biowaste Treatment Sector Review Permit reviewed Variation determined EPR/NP3795HH (Billing Ref: EF1234GH)	03/08/2023	Varied and consolidated permit issued.	

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies and consolidates

Permit number

EPR/NP3795HH

Issued to

Olus Environmental Limited ("the operator")

whose registered office is

Caudle Counting House Caudle Street Henfield West Sussex BN5 9DQ

company registration number 01770276

to operate a regulated facility at

Olus Environmental Limited Composting Facility Winterpick Business Park Hurstpierpoint Road Wineham West Sussex BN5 9BJ

to the extent set out in the schedules.

The notice shall take effect from 03/08/2023

Name	Date
Sandra Cavill	03/08/2023

Authorised on behalf of the Environment Agency

Schedule 1

All conditions have been varied by the consolidated permit as a result of an Environment Agency initiated variation.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/NP3795HH

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/NP3795HH/V006 authorising,

Olus Environmental Limited ("the operator"),

whose registered office is

Caudle Counting House Caudle Street Henfield West Sussex BN5 9DQ

company registration number 01770276

to operate an installation at

Olus Environmental Limited Composting Facility Winterpick Business Park Hurstpierpoint Road Wineham West Sussex BN5 9BJ

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Sandra Cavill	03/08/2023

Authorised on behalf of the Environment Agency

Conditions

Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
 - (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Energy efficiency

- 1.2.1 The operator shall:
 - (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) take any further appropriate measures identified by a review.

1.3 Efficient use of raw materials

- 1.3.1 The operator shall:
 - (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.4 Avoidance, recovery and disposal of wastes produced by the activities

- 1.4.1 The operator shall take appropriate measures to ensure that:
 - (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

OFFICIAL

1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").
- 2.1.2 The activities shall be undertaken in accordance with best available techniques.
- 2.1.3 All process plant and equipment shall be commissioned, operated and maintained and shall be fully documented and recorded in accordance with the manufacturer's recommendations.
- 2.1.4 Waste authorised by this permit shall be clearly distinguished from any other waste on the site.

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 Waste shall only be accepted if:
 - (a) it is of a type and quantity listed in schedule 2 table S2.2; and
 - (b) it conforms to the description in the documentation supplied by the producer and holder.
 - (c) the facility has sufficient free capacity to store and treat the waste.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
 - (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.
- 2.3.6 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.3.7 Waste pre-acceptance and acceptance procedures shall be undertaken in accordance with best available techniques.

2.4 Improvement programme

- 2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 table S3.1.
- 3.1.2 The limits given in schedule 3 shall not be exceeded.
- 3.1.3 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.4 Noise and vibration

3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any

approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

- 3.4.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:
 - (a) point source emissions specified in tables S3.1;
 - (b) process monitoring specified in table S3.2;
 - (c) bioaerosols monitoring specified in table S3.3.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1 unless otherwise agreed in writing by the Environment Agency.

3.6 Bioaerosols

- 3.6.1 The operator shall take all appropriate measures, to prevent or where that is not practicable to minimise the release of bioaerosols. Emissions of bioaerosols from the operational activities shall not exceed the emission action levels specified in table S3.3.
- 3.6.2 The operator shall where the emission action levels are exceeded:
 - (a) notify the Environment Agency and investigate and take remedial action;
 - (b) submit to the Environment Agency for approval within the period specified, a bioaerosols management plan which identifies and minimises the risks of pollution from bioaerosols; and
 - (c) implement the bioaerosols management plan from the date of approval and revise the plan periodically, unless otherwise agreed in writing by the Environment Agency.

3.7 Pests

- 3.7.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.7.2 The operator shall:

- (a) only use approved products for pest control;
- (b) treat pest infestations promptly;
- (c) reject pest-infected incoming waste;
- (d) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution from pests;
- (e) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.8 Fire prevention

- 3.8.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.
- 3.8.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to a risk of fire, submit to the Environment Agency for approval within the period specified, a fire prevention plan which prevents fires and minimises the risk of pollution from fires;
 - (b) implement the fire prevention plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
 - (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 A report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:
 - (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;

- (b) the annual production/treatment data set out in schedule 4 table S4.2; and
- (c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
 - (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
 - (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.
- 4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.
- 4.2.6 The operator shall keep records of non-waste materials leaving the site, including the type of material, the batch number, the date of export off-site and the tonnage exported on that date. These records shall be maintained for at least 2 years.
- 4.2.7 The operator shall submit an annual report detailing the efficiency of removal of non-compostable materials from feedstock prior to processing and the level of contamination in the final recovered compost.

4.3 Notifications

- 4.3.1 In the event:
 - (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
 - (b) of a breach of any permit condition the operator must immediately—
 - (i) inform the Environment Agency, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
 - (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 (a)(i), or 4.3.1 (b)(i) where the information relates to the breach of a limit specified in the permit, shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

OFFICIAL

- 4.3.3 Following the detection of an issue listed in condition 4.3.1, the operator shall review and revise the management system and implement any changes as necessary to minimise the risk of reoccurrence of the issue.
- 4.3.4 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.
- 4.3.5 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.
- 4.3.6 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
 - (a) the Environment Agency shall be notified at least 14 days before making the change; and
 - (b) the notification shall contain a description of the proposed change in operation.
- 4.3.7 The Environment Agency shall be given at least 14 days' notice before implementation of any part of the site closure plan.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

Schedule 1 – Operations

Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
AR1	S5.4 A(1) (b) (i) Recovery or a mix of recovery and disposal of non-hazardous waste with a capacity exceeding 75 tonnes per day (or 100 tonnes per day if the only waste treatment activity is anaerobic digestion) involving biological treatment.	R3: Recycling/reclamation of organic substances which are not used as solvents	From receipt of waste through to composting and recovery of by-products. Composting of waste under aerobic conditions in open systems such as outdoor turned windrows or aerated static piles on an impermeable surface with a sealed drainage system. Maximum of 5,000 tonnes on site at any one time as specified in section 1.4 of the working plan. Waste types suitable for acceptance are limited to those specified in Table S2.2.
	Directly Associated Activity	/	
AR2	Storage of waste pending recovery or disposal	R13: Storage of waste pending the R3 operation (excluding temporary storage, pending collection, on the site where it is produced)	From the receipt of waste to despatch for composting or despatch off site for recovery and/or disposal. Storage of waste on an impermeable surface with a sealed drainage system. 100 tonnes at any one time as specified in section 9.1.1 of the working plan. No more than 3 days storage prior to composting as specified in section 9.1.1 of the working plan. Waste types suitable for acceptance are limited to those specified in Table S2.2.
AR3	Physical treatment for the purposes of recycling	R3: Recycling/reclamation of organic substances	From the receipt of waste to despatch for composting or

Activity	Activity Activity listed in Schedule Description of specified Limits of specified		
Activity reference	1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	activity and waste types
		which are not used as solvents	despatch off site for recovery.
			Pre-treatment of waste prior to composting on an impermeable surface with a sealed drainage system including shredding and screening.
			Post-treatment of processed compost on an impermeable surface with a sealed drainage system including screening to remove contraries.
			Waste types suitable for acceptance are limited to those specified in Table S2.2.
AR4	Raw material storage	Storage of raw materials including lubrication oil, antifreeze, diesel.	From the receipt of raw materials to despatch for use within the facility.
AR5	Storage of finished compost and non-composted fraction	R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)	From the receipt of processed uncertified compost and non- composted fraction produced at the facility to treatment on site and despatch for use off-site.
			Storage of processed uncertified compost on an impermeable surface.
AR6	Process water collection and storage	Collection and storage of compost liquor/leachate in a lagoon.	From the receipt of compost leachate produced at the facility to despatch for treatment at the facility or despatch off site for recovery or disposal.
AR7	Surface water collection and storage	Collection and storage of uncontaminated roof and site surface water in a lagoon.	From the collection of uncontaminated roof and site surface water from non- operational areas only to re- use within the facility or discharge off-site.

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application	The operating techniques contained within the operators original permit application documentation, Working Plan and any additional documentation addressing operating techniques contained in any subsequent variation application documentation, where applicable.	
Application EPR/NP3795HH/V005	Application supporting document OE11 - Bioaerosols Management Plan. Application supporting document OE10 – Odour Management Plan.	31/07/2017
Response to Regulation 61 Notice dated 22/04/2023	 Annex 1 Returns Spreadsheet Compliance and operating techniques identified in response to BAT Conclusions 1 to 8, 10 to 24 and 33 to 38 in the Waste Treatment BREF published on 17 August 2018. 	Received 10/08/2021

Reference	Requirement	Date
IC1	The operator shall submit a revised odour management plan to the Environment Agency for written approval. The plan shall take into account the appropriate measures for odour control specified in section 2.2.6 of Sector Guidance Note IPPC S5.06 – <i>Guidance for the Treatment of Hazardous and Non-Hazardous Waste</i> . The plan shall also incorporate all the required detailed information as specified in the Environment Agency's Horizontal Guidance H4 – <i>Odour Management</i> . The plan must contain dates for implementation of individual measures.	Complete
IC2	The operator shall monitor emissions of bioaerosols upwind and downwind of the site (as per table S4.1) following commissioning according to the Environment Agency's Technical Guidance Note M9 – Environmental monitoring of bioaerosols at regulated facilities. Where bioaerosols are identified as being released in significant quantities and / or above the benchmark values, a report shall be submitted to the Environment Agency that proposes appropriate emission limit values and further on-going monitoring, having due regard to the fate of the substance. The report shall also contain a review of appropriate measures to assess whether further abatement or other improvements are necessary in order to reduce the concentration / quantity of that emission. Where further on-going monitoring, abatement or other improvements are proposed, the report shall include an implementation timetable.	Complete
IC3	The operator shall submit a revised written updated drainage plan to the Environment Agency for approval. The plan must contain an updated calculation of the maximum volume of the lagoon before which the collection waters are emptied out, in order to demonstrate BAT requirements detailed in the Environment Agency's Draft Guidance, How to comply with your environmental permit. Additional technical guidance for: composting and aerobic treatment sector. The notification requirements of condition 2.4.2 will be deemed to have been complied with on submission of the plan.	Complete
	You must implement the revised drainage plan as approved, and from the date stipulated by the Environment Agency	
IC4	Following 6 months bioaerosols monitoring, the operator shall submit a report which assesses the effectiveness of the proposed bioaerosols management measures to the Environment Agency and receive approval to it. The report shall include a review of the monitoring results, suitability of the management measures proposed in the Bioaerosols Management Plan (Document OE11 submitted 31/07/17) and improvements to the management measures, if deemed necessary. Upon receiving approval, the operator shall update the Bioaerosols Management Plan to include the agreed bioaerosols management measures.	Complete

IC5	The operator shall submit a report which assesses the effectiveness of the odour management measures to the Environment Agency and receive approval to it. The report shall take into account the results of the odour monitoring and potential odour complaints. The report shall include proposals for additional odour management measures, if deemed necessary. Upon receiving approval, the operator shall update the Odour Management Plan to include the agreed odour management measures.	Complete
IC6	The operator shall submit a revised fire prevention plan to the Environment Agency which contains details of the firewater containment measures that will be in place for the incoming green waste piles, and any other waste materials excluding the active composting materials. The response provided must be in line with Section 17 of the FPP Guidance.	Complete
	The plan shall detail a timetable for any works to be completed. Once approved in writing by the Environment Agency, the plan shall be implemented, and form part of the Operating Techniques specified in table S1.2 of this permit.	
Improveme	nt condition for primary containment	
IC7	The operator shall submit a written 'primary containment plan' and shall obtain the Environment Agency's written approval to it. The plan shall contain the results of an inspection and program of works undertaken by a qualified engineer, and shall assess the extent design specification and condition of primary containment systems where polluting liquids and solids are being stored, treated, and/or handled.	12 months from the issuing of variation EPR/NP3795HH/V006 or other date as agreed in writing with the Environment Agency
	The plan shall include:	
	 an assessment of the physical condition of all primary containment systems (storage and treatment vessels) using a Written Scheme of Examination and their suitability for providing primary containment when subjected to the dynamic and static loads caused by catastrophic tank failure; 	
	 a program of works with timescales for the implementation of individual improvement measures necessary to demonstrate that the primary containment is fit for purpose or alternative appropriate measures to ensure all polluting materials will be contained on site; and 	
	• a preventative maintenance and inspection regime. The plan shall be implemented in accordance with the Environment Agency's written approval.	
Improveme	nt condition for storage lagoon design including lagoon cover	
IC8	The operator shall submit a written 'storage lagoon plan' and shall obtain the Environment Agency's written approval to it. The plan shall contain the results of an inspection and program of works undertaken by a competent structural engineer, in accordance with the risk assessment methodology detailed within CIRIA C736 (2014) guidance, of the condition and extent of the site lagoon(s) where compost leachate /liquor is being stored, treated, and/or handled.	12 months from the issuing of variation EPR/NP3795HH/V006 or other date as agreed in writing with the Environment Agency

	The inspection shall consider, but not be limited to, the transfer pipework/pumps, and liners underlying the storage lagoon.	
	The plan shall include:	
	 an assessment of the physical condition of the storage lagoon, using a Written Scheme of Examination and the suitability for providing containment when subjected to the dynamic and static loads caused by compost leachate /liquor; 	
	 a program of works with timescales for the implementation of individual improvement measures necessary for the storage lagoon to comply with CIRIA C736 (2014) guidance, or equivalent. 	
	 a preventative maintenance and inspection regime Existing cover arrangements on storage lagoons used to store compost leachate /liquor to minimise odour, ammonia and methane emissions 	
	The plan shall be implemented in accordance with the Environment Agency's written approval.	
Improveme	nt condition for operational contingency storage capacity	
IC9	 The operator shall provide a written "operational contingency storage plan" and shall obtain the Environment Agency's written approval to it. The plan shall contain the results of a review of the current storage of compost produced from site operations. The review shall examine site contingency arrangements in the event of closed landspreading periods, extreme weather conditions, site closure, disease outbreak etc. The contingency storage plan shall include: Additional storage capacity on-site (at least 2 months storage) and storage capacity off-site; Identification of alternative outlets for compost – identify approxime to the storage to the storage that would be able to approxime to the storage to the storage	12 months from the issuing of variation EPR/NP3795HH/V006 or other date as agreed in writing with the Environment Agency
	companies /permitted waste facilities that would be able to manage the compost output, taking into account their permits and capacity constraints.	
	The plan shall be implemented in accordance with the Environment Agency's written approval.	
Improveme	ent condition for site risk assessment to prevent soil & groundwate	r pollution
IC10	 The operator shall: a) prepare and submit a baseline report compliant with Article 22 of the Industrial Emissions Directive (IED) containing information necessary to determine the current state of soil and groundwater contamination; or b) provide a summary report referring to information previously submitted where the operator is satisfied that such information represents the current state of soil and 	12 months from the issuing of variation EPR/NP3795HH/V006 or other date as agreed in writing with the Environment Agency
	groundwater contamination, so as to enable a quantified comparison to be made with the state of soil and groundwater contamination upon definitive cessation of activity.	

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	Specification

Table S2.2 P	Table S2.2 Permitted waste types and quantities for composting in open systems		
Maximum quantity	Annual throughput shall not exceed 40,000 tonnes.		
Exclusions	 Wastes having any of the following characteristics shall not be accepted: biodegradable wastes that is significantly contaminated with non-compostable or digestible contaminants, in particular plastic and litter shall be no more than 1% w/w and shall be as low as reasonably practicable by 31 December 2025. waste consisting solely or mainly of dusts (except sawdust), powders or loose fibres hazardous wastes wastes that are in liquid form wastes containing wood-preserving agents or other biocides and treated wood and post-consumer wood wastes containing persistent organic pollutants wastes containing Japanese Knotweed or other invasive plant species listed in the Invasive Species (Amendment etc.) (EU Exit) Regulations 2019 manures, slurries and spoiled bedding and straw from farms where animals have notifiable diseases as stipulated in the Animal By-Products (Enforcement) (England) Regulations 2013. pest infested waste 		
Waste code	Description		
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing		
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing		
02 01 06	animal faeces, urine and manure (including spoiled fully biodegradable animal bedding)		
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified		
15 01	packaging (including separately collected municipal packaging waste)		
15 01 03	wooden packaging – virgin timber only		
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions		
20 01	separately collected fractions (except 15 01)		
20 01 01	paper and cardboard (excluding veneers, plastic coatings or laminates) meeting EN 13432 or equivalent certified compostable packaging only		
20 02	garden and park wastes (including cemetery waste)		

20 02 01	biodegradable waste (plant matter only)
----------	---

Schedule 3 – Emissions and monitoring

Table S3.1 Point source emissions to air – emission limits and monitoring requirements						
Emission point ref. & location	Source	Parameter	Limit (including unit)	Reference period	Monitoring frequency	Monitoring standard or method
Vents from tanks	Oil/Fuel storage tanks	No parameter set	No limit set			

Table S3.2 Process mor	itoring requirements			
Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Meteorological conditions	Wind speed, Air temperature, Wind direction	Continuous	As specified in the Environmental Management System	Weather station or anemometer and wind sock
Stockpiles prior to composting including	Temperature	Daily prior to processing	Temperature probe	Monitoring equipment shall be
screened and shredded material	Moisture	Daily prior to processing	Industry grab test as a minimum, or oven drying in accordance with BS EN 13040	available on site and used as required to maintain aerobic conditions and ensure compliance with this permit.
	C:N Total Organic Carbon and Total Kjeldahl Nitrogen	On acceptance or as agreed in an approved odour management plan	Total Organic Carbon using recognised industry method Total Kjeldahl Nitrogen in accordance with BS EN 13654-1	Equipment shall be calibrated on a 4 monthly basis, or as agreed in writing by the Environment Agency. Uncontrolled self- heating and decomposition must be prevented in accordance with the Accident Management Plan and/or Fire Prevention Plan. Process shall be controlled in

				accordance with permit condition 3.3 and the Odour Management Plan. Sampling of waste shall be in accordance with EN14899. Anaerobic conditions shall be
	Fly infestation or pupa formation	Daily – for stockpiles in storage prior to preparation and stockpiles in sanitisation stage Weekly – for stockpiles in stabilisation stage	Visual inspection	prevented. Records of fly count must be maintained as necessary and infested waste should be rejected in accordance waste acceptance procedures and in accordance with permit condition 3.7.
Representative internal core for each composting batch during sanitisation and stabilisation stage	Temperature	Daily during sanitisation stage. Weekly during stabilisation stage	Temperature probe Temperature probe shall record core waste temperature and probe placement must be sufficient to record temperature uniformly.	Monitoring equipment shall be available on site and used as required to maintain aerobic conditions and ensure compliance with this permit. Equipment shall be calibrated on a 4 monthly basis, or as agreed in writing by the Environment
	Moisture	At least daily during sanitisation stage Weekly during stabilisation stage	Industry grab test as a minimum, or oven drying in accordance with BS EN 13040	Agency. Process shall be controlled in accordance with permit condition 3.3 and the Odour Management Plan.
	C:N	Weekly or as agreed in an approved odour	Total Organic Carbon using recognised	Sampling of waste shall be in

	Total Organic Carbon and Total Kjeldahl Nitrogen	management plan	industry method Total Kjeldahl Nitrogen in accordance with BS EN 13654-1	accordance with EN14899. Anaerobic conditions shall be prevented.
Representative internal core for each composting batch during further maturation stage	Temperature	Weekly	Temperature probe Temperature probe shall record core waste temperature and probe placement must be sufficient to record temperature uniformly	Process shall be controlled in accordance with permit condition 3.3 and the Odour Management Plan.
	Moisture	Weekly	Industry grab test as a minimum, or oven drying in accordance with BS EN 13040	
Internal core for oversize storage piles	Temperature	Once per week	Temperature probe As specified in the Environmental Management System	Uncontrolled self- heating and decomposition must be prevented in accordance permit condition 3.8, the Fire Prevention Plan and/or Accident Management Plan.
Leachate storage lagoons and storage tanks	Volume	At least daily	Visual or capacity measurement	750 mm freeboard must be maintained for storage lagoons. Records of volume must be maintained.

Waste reception building; Storage tank(s); Maturation area	Odour	Daily	Olfactory monitoring	Odour detection at the site boundary
Storage tank(s)	Integrity checks	Weekly	Visual assessment	

Location or description of point of measurement	Parameter	Bioaerosols action levels (CFU m ⁻³)	Monitoring frequency	Monitoring standard or method	Other specifications
Upwind of the operational area, as described in the Technical Guidance Note M9	Total bacteria	1000 Note 1 500 Note 1	Twice a year, unless otherwise advised in writing by the Environment Agency Note 2	In accordance with Technical Guidance Note M9 – Environmental monitoring of bioaerosols at regulated	As described in the Technical Guidance Note M9, including all the additional data requirements specified
Downwind of the operational area, as described in the Technical Guidance Note M9	Fumigatus	500		facilities.	therein.
the distance of the take action to min and in line with generating Note 2. Where the take action to min and the take action to min	he nearest sensitigate the impact guidance. ne bioaerosols a	levels are only applica itive receptor. Where th t on sensitive receptor ction levels are exceed the site has adequate i	nese action leve s. Assessment ded, then monito	Is are elevated, the of compliance will b oring remain quarter	operator must be based on risk

Permit number EPR/NP3795HH

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitorin	Table S4.1 Reporting of monitoring data					
Parameter	Emission or monitoring point/reference	Reporting period	Period begins			
Process monitoring Parameters as required by condition 3.5.1	As specified in schedule 3 table S3.2	Every 12 months	1 January			
Bioaerosols monitoring Parameters as required by condition 3.5.1	As specified in schedule 3 table S3.3	Twice a year unless otherwise advised in writing by the Environment Agency	1 January, 1 July			
Non-compostable contamination removal efficiency Parameters as required by conditions 2.3.4 and 2.3.7		Every 12 months Yearly report of detailing contamination removal efficiency and progress with plastic reduction contamination	1 January			

Table S4.2 Annual production/treatment			
Parameter	Units		
Processed compost	tonnes		
Recovered outputs	tonnes		

Table S4.3 Performance parameters				
Parameter	Frequency of assessment	Units		
Water usage	Annually	tonnes or m ³		
Energy usage	Annually	MWh		
Total raw material used	Annually	tonnes		

Table S4.4 Reporting forms				
Media/parameter	Reporting format	Date of form		
Bioaerosols	As specified in the Technical Guidance Note M9 or other form as agreed in writing by the Environment Agency			

Table S4.4 Reporting forms				
Media/parameter	Reporting format	Date of form		
Process monitoring	Form process 1 or other form as agreed in writing by the Environment Agency	03/08/2023		
Water usage	Form water usage 1 or other form as agreed in writing by the Environment Agency	03/08/2023		
Energy usage	Form energy 1 or other form as agreed in writing by the Environment Agency	03/08/2023		
Other performance indicators	Form performance 1 or other form as agreed in writing by the Environment Agency	03/08/2023		
Waste Returns	E-waste Returns Form or other form as agreed in writing by the Environment Agency			

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution			
To be notified within 24 hours of detection			
Date and time of the event			
Reference or description of the location of the event			
Description of where any release into the environment took place			
Substances(s) potentially released			
Best estimate of the quantity or rate of release of substances			
Measures taken, or intended to be taken, to stop any emission			
Description of the failure or accident.			

(b) Notification requirements for the breach of a limit			
To be notified within 24 hours of detection unless otherwise specified below			
Emission point reference/ source			
Parameter(s)			
Limit			
Measured value and uncertainty			
Date and time of monitoring			

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the detection of any significant adverse environmental effect			
To be notified within 24 hours of detection			
Description of where the effect on the environment was detected			
Substances(s) detected			
Concentrations of substances detected			
Date of monitoring/sampling			

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

"accident" means an accident that may result in pollution.

"accident management plan" means a plan that identifies risks and failures which can have an impact on the environment or have environmental consequences. The plan forms part of the management system. The plan must minimise the potential causes and consequences and identify clearly the roles, responsibilities and action to be taken to minimise the consequences of accidents. This includes measures to prevent and control fires on site, DSEAR assessment and clearly marked zones.

"Animal By-Products Regulations" means The Animal By-Products (Enforcement) (England) Regulations 2013 (SI 2013 No. 2952).

"animal waste" means any waste consisting of animal matter that has not been processed into food for human consumption. This does include blood, feathers, uncooked butchers waste and any other animal waste that is not catering waste or former foodstuffs. This does not include faecal matter from animals (e.g. chicken litter or farmyard manure).

"application" means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

"authorised officer" means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

"best available techniques" means the most effective and advanced stage in the development of activities and their methods of operation which indicates the practical suitability of particular techniques for providing the basis for emission limit values and other permit conditions designed to prevent and, where that is not practicable, to reduce emissions and the impact on the environment as a whole:

- *a.* 'techniques' includes both the technology used and the way in which the installation is designed, built, maintained, operated and decommissioned;
- b. 'available techniques' means those developed on a scale which allows implementation in the relevant industrial sector, under economically and technically viable conditions, taking into consideration the costs and the advantages, whether or not the techniques are used or produced inside the Member State in question, as long as they are reasonably accessible to the operator;
- c. 'best' means most effective in achieving high general level of protection of the environment as a whole.

"bioaerosols action levels" means the maximum acceptable bioaerosol concentrations at the nearest sensitive receptor, or at an equivalent distance downwind of the biowaste treatment operations, which are attributable to the biowaste treatment operations. The maximum acceptable concentrations are respectively 1000 and 500 CFU m⁻³ for total bacteria and Aspergillus fumigatus. Where these action levels are elevated, the operator must take action to mitigate the impact on sensitive receptors.

"biodegradable" means a material is capable of undergoing biological anaerobic or aerobic degradation leading to the production of CO₂, H₂O, methane, biomass and mineral salts depending on the environmental conditions of the process.

"building" means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

"capacity" means the potential capacity and not historical or actual production levels or throughput. This means that the designed capacity is the maximum rate at which the site can operate. Biological treatment of waste usually takes place over more than one day, so the physical daily capacity can be calculated by dividing the maximum quantity of waste that could be subject to biological treatment at any one time by the minimum residence time. For in-vessel composting, the residence time for sanitisation should be calculated separately and then aggregated to the complete composting time. Further guidance '<u>RGN2: Understanding the meaning of regulated facility</u>' is available.

"channelled emissions" means the emissions of pollutants into the environment through any kind of duct, pipe, stack, etc. This also includes emissions from open top biofilters.

"closed system" means a closed composting reactor or closed area (such as a building) in which waste is fully contained and efficient air management abatement systems are demonstrated. This may cover a wide range of technology and where necessary is in compliance with the Animal By-Products Regulations.

"competent persons and resources" means that a technically competent person accredited to a relevant scheme must attend site and record their attendance, and that all roles and responsibilities are clearly stated in the management systems along with records of operatives' training. See the guidance on the <u>level of competence and duration of attendance</u>

"compost" means solid particulate material that is the result of composting, which has been sanitised and stabilised, and which confers beneficial effects when added to soil, used as a component of growing media or used in another way in conjunction with plants.

'compostable plastics' means waste containing packaging or non-packaging items (or both) with a valid certificate of conformity to EN 13432 or an equivalent standard for compostable and digestible items, the certificate issued by an independent certification body capable of fully biodegrading by a biological process to create compost or digest.

"composting" means the biological decomposition of organic materials, under conditions that are predominantly aerobic and that allow the development of thermophilic temperatures as a result of biologically produced heat and that result in compost.

"composting batch" means an identifiable quantity of material that progresses through the composting system and when fully processed has similar characteristics throughout. For composting systems that operate on a continuous or a plug-flow basis, batches will be taken to mean a series of "portions of production".

'direct discharge' means discharge to a receiving water body

"disposal" means any of the operations provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

"emissions of substances not controlled by emission limits" means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

"emissions to land" includes emissions to groundwater.

"EP Regulations" means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

"groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"hazardous waste" has the meaning given in the Hazardous Waste (England and Wales) Regulations as amended.

'impermeable surface' means a surface or pavement constructed in accordance with CIRIA 736 or a demonstrated equivalent and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface, and should be read in conjunction with the term 'sealed drainage system'.

"incidental contamination" means low levels of incidental waste, for example plastic that may be contained within the feedstock waste.

"Industrial Emissions Directive" means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

"maturation" means a stage when by agitating and turning the compost, it no longer results in reheating and the monitored temperature falls to ambient without the compost being too dry or anaerobic. Phytotoxins that are formed during the active composting phase are metabolised by microorganisms, which will result in the final material not being too harmful to plants. This usually coincides with a drop in pH toward neutral, and the conversion of ammonia into nitrates and recolonization of beneficial microorganisms. The maturation phase may need active management by turning to prevent the material becoming anaerobic.

MCERTS" means the Environment Agency's Monitoring Certification Scheme.

'nearest sensitive receptor' means the nearest place to the permitted activities where people are likely to be for prolonged periods. This term would therefore apply to dwellings (including any associated gardens) and to many types of workplaces. We would not normally regard a place where people are likely to be present for less than 6 hours at one time as being a sensitive receptor. The term does not apply to those controlling the permitted facility, their staff when they are at work or to visitors to the facility, as their health is covered by Health and Safety at Work legislation, but would apply to dwellings occupied by the family of those controlling the composting facility.

"operational area" means any part of a facility used for the handling, storing and treatment of waste.

"operator" means in relation to a regulated facility:

- a) the person who has control over the operation of the regulated facility,
- b) if the regulated facility has not yet been put into operation, the person who will have control over the regulated facility when it is put into operation, or
- c) if a regulated facility authorised by an environmental permit ceases to be in operation, the person who holds the environmental permit
- d) "pests" means birds, vermin and insects.

"pollution" means emissions as a result of human activity which may-:

- a) be harmful to human health or the quality of the environment,
- b) cause offence to human sense.
- c) result in damage to material property, or
- d) impair or interfere with amenities and other legitimate uses of the environment.

"post-consumer wood" means manufactured treated wooden materials and products that have been discarded.

"quarter" means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

"recovery" means any of the operations provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

"representative internal" means representative monitoring at a point internally of the windrows that will give a representative assessment of temperature. Note: Larger windrows will require more bespoke temperature equipment to adequately assess temperature profiles accurately.

"sanitisation" means the actively managed and intensive stage of composting, lasting for at least five days, characterised by high oxygen demand and temperatures of over 55 °C, during which biological processes, together with conditions in the composting mass, eradicate human and animal pathogens or reduce them to acceptably low levels. The operator also needs to meet ABPR requirements.

"sealed drainage system" in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- a. no liquids will run off the surface otherwise than via the system
- b. all liquids entering the system are collected in a sealed sump, except where liquids may be lawfully discharged to foul sewer.

"secondary containment" – means a systems that is capable of containing loss from all above ground and underground storage tanks and that complies with CIRIA standard 736 or equivalent standard of design and construction.

"stable, stabilised" means the degree of processing and biodegradation at which the rate of biological activity has slowed to an acceptably low and consistent level and will not significantly increase under favourable, altered conditions. "stabilisation stage" means the stage of composting following sanitisation, during which biological conditions in the composting mass, give rise to compost that is nominally stable. Soluble carbon is usually not fully used and material is still considered to be in treatment. This stage is a managed process to prevent odours, dust and bioaerosols. There is also a residual risk of reheating and leachate breakout.

"treated wood" means any wood that has been chemically treated (e.g. to enhance or alter the performance of the original wood). Treatments may include penetrating oils, tar oil preservatives, water-borne preservatives, organic-based preservatives, boron and organo-metallic based preservatives, boron and halogenated flame retardants and surface treatments (including paint and venner).

"Waste code" means the six digit code referable to a type of waste in accordance with the List of Wastes (England) Regulations 2005, or List of Wastes (Wales) Regulations 2005, as appropriate, and in relation to hazardous waste, includes the asterisk.

"Waste Framework Directive" or "WFD" means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.


Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid fuels and gaseous fuels, 6% dry for solid fuels; and/or
- in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.


"year" means calendar year ending 31 December.

Schedule 7 – Site plan

Site layout plan



Site boundary



©Crown Copyright. All rights reserved. Environment Agency, 100026380, 2023.

END OF PERMIT