

NOTICE OF AUTHORIZED AMENDMENT: MAA/NAA/23/48

RA(s) or Manual Chapter(s):	RA 3264 – Aerodrome Inspections
RFC Reference(s):	MAA/RFC/2022/108 and 2022/274
NPA Reference(s):	NPA 23/24

MAA Author	Post	DSA-MAA-Reg-ATM1-Gen	
	Name	Redacted	
	Rank	Redacted	Redacted - Original Signed

MAA Supervisor	Post	DSA-MAA-Reg-ATM	
	Name	Redacted	
	Rank	Redacted	Redacted - Original Signed

MAA Independent	Post	DSA-MAA-OpAssure-SO2-Sys	
	Name	Redacted	
	Rank	Redacted	Redacted - Original Signed

MAA LegAd (if required)	Post	N/A	
	Name	N/A	
	Rank	N/A	N/A

Amendment Classification (iaw MAA SOP 20)	Routine	Publishing Requirements:	Next regular release
--	----------------	--------------------------	----------------------

Cross-references to Other Documents or Relevant Sources	
Other MRP Amendments	N/A
Service Inquiry Recommendations	N/A
AAIB Recommendations	N/A
Other Investigation Recommendations	N/A
Any Other Document	N/A

Authorized Amendment
Summary / Overview of the amendment to explain/ensure that the reader understands: the rationale for the amendment; the major changes; and, importantly, the full context (including desired outcome) of the amendment.
The Regulated Community is reminded to check this amendment against any applicable AAMC, Waivers or Exemptions to ensure their ongoing validity.
To remove ambiguity caused by the change made to para 1(d) in Issue 3 to ensure that 24 hr units are conducting two inspections within a 24 hr period. Provided clarity on when an Aerodrome Inspection is required and what it entails as a minimum. In addition, gender neutral terminology has been used throughout the RA.

ISSUE STATE CHANGES (if more lines required, contact the MRP Team)		
Document Title	Previous Issue	New Issue
RA 3264 - Aerodrome Inspections	Issue 3	To Issue 4

Approval (iaw MAA SOP 20)	Post	DSA-MAA-Reg-DepHd	
	Name	Redacted	
	Rank	Redacted	Redacted - Original Signed