

GP in Hours Syndromic Surveillance System Bulletin (England) 2023 Week 39

Key messages

Data reported to: 1 October 2023

During week 39, there were further increases in GP in-hours consultations for upper respiratory tract and lower respiratory tract infections, particularly in children aged under 15 years, but in line with seasonally expected trends. There were also increases observed in influenza-like illness consultations, however these increases were small and within seasonal expectations.

Syndromic indicators at a glance

Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.

Indicator	Trend ¹	Level
COVID-19-like (Figure 1)	Increasing	No baseline
Upper respiratory tract infections (Figure 2)	Increasing	Similar to baseline
Influenza-like illness (Figure 3)	Increasing	Similar to baseline
Pharyngitis or scarlet fever (Figure 4)	Increasing	Below baseline
Scarlet fever (Figure 5)	No trend	Below baseline
Lower respiratory tract infections (Figure 6)	Increasing	Similar to baseline
Pneumonia (Figure 7)	No trend	Similar to baseline
Acute presenting asthma (Figure 8)	Increasing	Similar to baseline
Gastroenteritis (Figure 9)	Increasing	Above baseline
Diarrhoea (Figure 10)	Decreasing	Above baseline
Vomiting (Figure 11)	Decreasing	Above baseline
Measles (Figure 12)	No trend	Similar to baseline
Mumps (Figure 13)	No trend	Similar to baseline
Whooping cough (Figure 14)	No trend	Similar to baseline
Cellulitis (Figure 15)	No trend	Similar to baseline
Chickenpox (Figure 16)	No trend	Similar to baseline
Herpes zoster (Figure 17)	Increasing	Similar to baseline
Impetigo (Figure 18)	Increasing	Similar to baseline
Conjunctivitis (Figure 19)	No trend	Similar to baseline
Allergic rhinitis (Figure 20)	No trend	Similar to baseline
Heat or sunstroke (Figure 21)	No trend	Similar to baseline
Insect bites (Figure 22)	No trend	Above baseline

¹ trend reports on the trend seen over most recent and earlier weeks

System coverage

Table 2: The number of GP practices, and number of registered patients included in surveillance during the most recent week.

Year	Week	GP practices reporting ¹	Registered patients ¹
2023	39	657	7.0 million

¹ based on the average number of practices and registered patient population in the reporting week (Monday-Friday).

Contents

Key messages	2
Syndromic indicators at a glance	2
System coverage	3
Contents	4
About this syndromic surveillance system	6
Respiratory conditions	7
COVID-19-like	7
Upper respiratory tract infections	9
Influenza-like illness1	1
Pharyngitis or scarlet fever1	3
Scarlet fever1	5
Lower respiratory tract infections1	7
Pneumonia1	9
Acute presenting asthma2	1
Gastrointestinal conditions	3
Gastroenteritis	3
Diarrhoea2	5
Vomiting2	7
Vaccine preventable conditions2	9
Measles2	9
Mumps	0
Whooping cough	2
Skin conditions	4
Cellulitis	4
Chickenpox	6
Herpes zoster	8
Impetigo4	0
Seasonal environmental conditions4	2
Heat-health alerts in place4	2

	Conjunctivitis	43
	Allergic rhinitis	45
	Heat or sunstroke	
	Insect bites	49
N	otes and caveats	51
	COVID-19 syndromic surveillance	51
A	cknowledgements	53
	About the UK Health Security Agency	54

About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) GP in hours Syndromic Surveillance System.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see Notes and caveats)
- compare levels between age groups/areas

Fully anonymised, daily GP in hours data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as upper respiratory tract infections, acute presenting asthma and gastroenteritis
- syndromic indicators are based on:
 - o diagnoses recorded during GP in hours patient consultations
 - o diagnoses based on signs/symptoms and may not be laboratory confirmed
- describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in **Table 1**
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
 - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
 - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the Notes and caveats section.

Previous weekly bulletins from this system are available here.


Data quality issues of note this week

No issues identified.

Respiratory conditions

COVID-19-like


Figure 1: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for COVID-19-like GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.




Black dotted line is baseline. Grey columns show weekends and bank holidays.



GP in-hours (TPP): covid-19-like by age (years) 02/10/2022 to 01/10/2023







Black dotted line is baseline.

(b)


Upper respiratory tract infections

Figure 2: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for upper respiratory tract infections GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.






GP in-hours (TPP): upper respiratory tract infection by age (years) 02/10/2022 to 01/10/2023



(c)





Black dotted line is baseline.


Influenza-like illness


(b)

Figure 3: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for influenza-like illness GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.











11





12

Pharyngitis or scarlet fever


Figure 4: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for pharyngitis or scarlet fever GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.







(c)





Black dotted line is baseline.


Scarlet fever


(b)


Figure 5: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for scarlet fever GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.












Black dotted line is baseline.


(b)

Lower respiratory tract infections

Figure 6: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for lower respiratory tract infections GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.










GP in-hours (TPP): lower respiratory tract infection by UKHSA region 02/10/2022 to 01/10/2023





Black dotted line is baseline.


Pneumonia


(b)

Figure 7: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for pneumonia GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.










Black dotted line is baseline.


GP in-hours (TPP): pneumonia by UKHSA region 02/10/2022 to 01/10/2023


Acute presenting asthma

(b)


Figure 8: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for acute presenting asthma GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.







(c)




Black dotted line is baseline.


Gastrointestinal conditions


Gastroenteritis

Figure 9: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for gastroenteritis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.



Black dotted line is baseline. Grey columns show weekends and bank holidays.







Black dotted line is baseline.


Diarrhoea

(b)


Figure 10: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for diarrhoea GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.







Black line is 7 day moving average adjusted for bank holidays.





GP in-hours (TPP): diarrhoea by UKHSA region 02/10/2022 to 01/10/2023


Vomiting

(b)


Figure 11: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for vomiting GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.







(c)




RY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Vaccine preventable conditions

Measles

Figure 12: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for measles GP in hours consultations, England (a) nationally.





Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.


Mumps


(b)

Figure 13: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for mumps GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.












Whooping cough

(b)


Figure 14: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for whooping cough GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.








(c)



Skin conditions

Cellulitis


Figure 15: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for cellulitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

GP in-hours (TPP): cellulitis by age (years) 02/10/2022 to 01/10/2023






RY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.


Chickenpox


Figure 16: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for chickenpox GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)






Black line is 7 day moving average adjusted for bank holidays.





Herpes zoster

(b)

Figure 17: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for herpes zoster GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.








Black line is 7 day moving average adjusted for bank holidays.

38





Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.


Impetigo


(b)

Figure 18: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for impetigo GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.









Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Seasonal environmental conditions

UKHSA and the Met Office operate a weather-health alert system that includes both heat and cold weather alert periods. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

Cold weather alert period: 1 November to 31 March

Heat-Health Alert period: 1 June to 30 September


Highest weather alert level during the current reporting week:


Level Green - Summer preparedness

Heat-health alerts in place

Conjunctivitis


Figure 19: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for conjunctivitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

GP in-hours (TPP): conjunctivitis by age (years) 02/10/2022 to 01/10/2023






Black dotted line is baseline.


GP in-hours (TPP): conjunctivitis by UKHSA region 02/10/2022 to 01/10/2023


Allergic rhinitis


(b)


Figure 20: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for allergic rhinitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.













Heat or sunstroke


Figure 21: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for heat or sunstroke GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

GP in-hours (TPP): heat or sunstroke by age (years) 02/10/2022 to 01/10/2023



Black line is 7 day moving average adjusted for bank holidays.


(c)




Black dotted line is baseline.

Insect bites


Figure 22: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for insect bites GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)





Black line is 7 day moving average adjusted for bank holidays.



Notes and caveats

The following additional caveats apply to the UKHSA GP in hours syndromic surveillance system:

- all syndromic trends should be interpreted with caution due to changes in national advice and guidance regarding access to health care services as well as updates and changes to service provision during the COVID-19 pandemic
- the data presented are based on a sentinel syndromic surveillance system:
 - o not all GP practices in England are included
 - o national coverage each week is included in Table 2
 - coverage varies by location
- some syndromic indicators are hierarchical:
 - upper respiratory tract infections includes:
 - influenza-like illness
 - pharyngitis or scarlet fever
 - other and non-specific upper respiratory tract infections
 - lower respiratory tract infections includes:
 - pneumonia
 - other and non-specific lower respiratory tract infections
 - gastroenteritis includes:
 - diarrhoea
 - vomiting
 - other and non-specific gastroenteritis
- baselines:
 - o were last remodelled June 2023
 - \circ are constructed from historical data since April 2012
 - o represent seasonally expected levels of activity
 - take account of any known substantial changes in data collection, population coverage or reporting practices:
 - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
 - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which may affect GP consultation levels

COVID-19 syndromic surveillance

- the COVID-19-like syndromic indicator is based on diagnoses recorded using the COVID-19 Snomed codes released in March 2020:
 - these data are based on COVID-19-like symptoms reported and are not based on outcomes of tests for coronavirus

- patients presenting with COVID-19 symptoms may be diagnosed using other clinical codes used by the GP, so the COVID-19-like syndromic indicator should be interpreted in context with the other respiratory syndromic indicators presented in this report
- the rate of COVID-19-like consultations should not be used to estimate an absolute count of patients with COVID-19

Acknowledgements

We thank TPP, ResearchOne and the SystmOne GP practices contributing to this surveillance system.

About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation heath secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

www.gov.uk/government/organisations/uk-health-security-agency

© Crown copyright 2023 Version: IH-2

Prepared by: Real-time Syndromic Surveillance Team For queries relating to this document, please contact: syndromic.surveillan@ukhsa.gov.uk

Published: October 2023



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit <u>OGL</u>. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

