



CIVIL / STRUCTURAL DESIGN RISK MANAGEMENT

Abnormal or unusual residual risks associated with the design outcomes shown on this drawing are:-

RSK LDE LTD has followed its Design Risk Management process for Hazard Elimination and Risk reduction in developing the designs shown on this drawing. Abnormal or unusual residual risks may be shown above where it is considered that such risk may not normally be expected by competent persons engaged on work of this nature or type.

- Notes**
1. This drawing is to be read in conjunction with all relevant Architects and Engineers drawings and specifications.
 2. All levels quoted are in metres A.O.D.
 3. All Finished Floor Levels stated are indicative and will be subject to detailed review as part of the audit for Building Regulation Part M compliance. In this respect the levels shown may deviate by +/- 200mm.
 4. For the Site Drainage Layout refer to Drawing No 0022 - 0024
 5. All road gullies shall be located away from proposed entrances to houses.
 6. Kerb upstands to footway adjacent to road pavements to be typically 125mm.

Rev.	Date	Amendment	Drawn	Chk.	Appr.
P04	04.10.2023	Amended to latest architects layout.	AF	AM	AM
P03	04.08.2023	Amended to latest architects layout.	LN	GT	GT
P02	13.07.2023	Amended to latest architects layout.	LN	GT	GT
P01	05.07.2023	Final Issue	LN	AF	GT



18 Fingernose Road
Hemel Hempstead
Herts SG8 1JY
United Kingdom

Tel: +44 (0) 1462 437500
Fax: +44 (0) 1462 437500



**MOOR FIELDS
LITTLE DUNMOW**

PLANNING

**SITE LEVELS
SHEET 1 OF 3**

Drawn	Date	Checked	Date	Approved	Date
LN	03.06.2023	AF	04.07.2023	GT	05.07.2023

Scale	Orig. Size	Dimensions
1:250	A0	Metres

Project No.	Drawing File
134390	134390-RSK-ZZ-DR-C-0006-0008-Site Levels.dwg

Project	Disc	Rev.	Rev. No.	Rev. Date	Rev. By	Rev. Appr.
134390	RSK	ZZ	DR	C	0006	P04

