

# Notice of variation with introductory note

## The Environmental Permitting (England & Wales) Regulations 2016

---

TVWM Limited  
Billingham Reach EfW  
Billingham Reach Industrial Estate  
Stockton  
TS23 1PX

**Variation application number**

EPR/HP3145QD/V002

**Permit number**

EPR/HP3145QD

# Billingham Reach EfW

## Permit number EPR/HP3145QD

### Introductory note

#### **This introductory note does not form a part of the notice.**

The following notice gives notice of the variation of an environmental permit.

The Industrial Emissions Directive (IED) came into force on 7th January 2014 with the requirement to implement all relevant Best Available Techniques (BAT) conclusions as described in the Commission Implementing Decision. The BAT conclusions for incineration were published on 03 December 2019 in the Official Journal of the European Union (L323) following a European Union wide review of BAT, implementing decision 2017/2117/EU of 21 November 2017. This variation has been issued to ensure that the plant cannot operate until a full review has been carried out.

The schedules specify the changes made to the original permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Permit determined. EPR/HP3145QD/A001 (Billing Reference NP3537YY)	20/09/2018	Permit issued to Tees Eco Energy Ltd for a 125MW thermal input RDF waste incinerator.
Variation issued EPR/HP3145QD/V002. (Billing Reference UP3332QX)	10/10/2018	Varied permit issued to Tees Eco Energy Ltd.
Variation determined EPR/NP3537YY/V003 (Billing reference XP3636QQ)	03/02/2020	Varied permit issued to Tees Eco Energy Ltd Varied (capacity thermal increase, change to cooling technology, change to site boundary).
Transfer determined EPR/HP3145QD/T001. (Full transfer of permit EPR/NP3537YY)	01/11/2022	Full transfer of permit complete to TVWM Ltd.
Application EPR/HP3145QD/V002 (variation)	Duly made 04/10/2023	Application to vary the permit to add a pre-operational condition.
Variation determined EPR/HP3145QD	04/10/2023	Notice of variation issued.
Regulation 61 notice issued	18/11/2022	Regulation 61 Notice requiring information for Statutory review of permit. BAT Conclusions published 03 December 2019.
Regulation 61 notice response	21/11/2022	Operator elected to defer permit review.
Variation issued. EPR/HP3145QD/V002	12/10/2023	Notice of variation issued.

End of introductory note

# Notice of variation

## The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies.

### Permit number

**EPR/HP3145QD**

### Issued to

**TVWM Limited** ("the operator")

whose registered office is

**20 North Audley Street**

**London**

**W1K 6LX**

company registration number 13598873

to operate a regulated facility at

**Billingham Reach EfW**

**Billingham Reach Industrial Estate**

**Stockton**

**TS23 1PX**

to the extent set out in the schedules.

The notice shall take effect from 12/10/2023.

Name	Date
Permitting Team Leader	12/10/2023

Authorised on behalf of the Environment Agency

## Schedule 1 – conditions to be added.

The following conditions are added following an Environment Agency initiated variation.

### 2.5 Pre-operational conditions

- 2.5.1 The activities shall not be brought into operation until the measures specified in schedule 1 table S1.4 have been completed.

Table S1.4 Pre-operational measures	
Reference	Pre-operational measures
PO13	<p>Prior to the commencement of any activities authorised by the permit the operator shall submit to the Environment Agency for approval (using the form provided by the Environment Agency) a report that addresses compliance with each BAT conclusion listed in the Waste Incineration BAT Conclusions (Commission Implementing Decision (EU) 2019/2010 of 12 November 2019). The report shall include:</p> <ul style="list-style-type: none"><li>i. A list of any BAT conclusions that are not relevant, including justification.</li><li>ii. A description of how the installation complies with the standards set out in each relevant BAT conclusion, including those for new plants.</li></ul> <p>The permitted activities shall only commence once the operator has obtained the Environment Agency's written approval to the report and the Environment Agency has issued a variation notice to implement new plant BAT standards.</p>