Review of an Environmental Permit for an Installation subject to Chapter II of the Industrial Emissions Directive under the Environmental Permitting (England & Wales) Regulations 2016 (as amended)

Decision document recording our decision-making process following review of a permit

The Permit number is:EPR/GP3135ASThe Operator is:Mars Food UK LimitedThe Installation is:King's Lynn SiteThis Variation Notice number is:EPR/GP3135AS/V006

What this document is about

Article 21(3) of the Industrial Emissions Directive (IED) requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication by the European Commission of updated decisions on best available techniques (BAT) Conclusions.

We have reviewed the permit for this installation against the BAT Conclusions for the Food, Drink and Milk Industries published on 4th December 2019 in the Official Journal of the European Union. In this decision document, we set out the reasoning for the consolidated variation notice that we have issued.

It explains how we have reviewed and considered the techniques used by the Operator in the operation and control of the plant and activities of the installation. It is our record of our decision-making process and shows how we have taken into account all relevant factors in reaching our position.

As well as considering the review of the operating techniques used by the Operator for the operation of the plant and activities of the installation, the consolidated variation notice takes into account and brings together in a single document all previous variations that relate to the original permit issue. Where this has not already been done, it also modernises the entire permit to reflect the conditions contained in our current generic permit template.

The introduction of new template conditions makes the Permit consistent with our current general approach and with other permits issued to Installations in this sector. Although the wording of some conditions has changed, while others have been deleted because of the new regulatory approach, it does not reduce the level of environmental protection achieved by the Permit in any way. In this document, we therefore address only our determination of substantive issues relating to the new BAT Conclusions.

We try to explain our decision as accurately, comprehensively and plainly as possible. Achieving all three objectives is not always easy, and we would welcome any feedback as to how we might improve our decision documents in future.

How this document is structured

- 1. Our decision
- 2. How we reached our decision
- 3. The legal framework
- 4. Annex 1 Review of operating techniques within the Installation against BAT Conclusions.

- 5. Annex 2 Review and assessment of changes that are not part of the BAT Conclusions derived permit review
- 6. Annex 3 Improvement Conditions

1 Our decision

We have decided to issue the Variation Notice to the Operator. This will allow the Operator to continue to operate the Installation, subject to the conditions in the Consolidated Variation Notice that updates the whole permit.

We consider that, in reaching our decision, we have taken into account all relevant considerations and legal requirements and that the varied permit will ensure that a high level of protection is provided for the environment and human health.

The Consolidated Variation Notice contains many conditions taken from our standard Environmental Permit template including the relevant annexes. We developed these conditions in consultation with industry, having regard to the legal requirements of the Environmental Permitting Regulations and other relevant legislation. This document does not therefore include an explanation for these standard conditions. Where they are included in the Notice, we have considered the techniques identified by the operator for the operation of their installation, and have accepted that the details are sufficient and satisfactory to make those standard conditions appropriate. This document does, however, provide an explanation of our use of "tailor-made" or installation-specific conditions, or where our Permit template provides two or more options.

2 How we reached our decision

2.1 Requesting information to demonstrate compliance with BAT Conclusion techniques

We issued a Notice under Regulation 61(1) of the Environmental Permitting (England and Wales) Regulations 2016 (a Regulation 61 Notice) on 09/06/2022 requiring the Operator to provide information to demonstrate where the operation of their installation currently meets, or how it will subsequently meet, the revised standards described in the relevant BAT Conclusions document.

The Notice required that where the revised standards are not currently met, the operator should provide information that:

- describes the techniques that will be implemented before 4 December 2023, which will then ensure that operations meet the revised standards, or
- justifies why standards will not be met by 4 December 2023, and confirmation of the date when the
 operation of those processes will cease within the Installation or an explanation of why the revised BAT
 standards are not applicable to those processes, or
- justifies why an alternative technique will achieve the same level of environmental protection equivalent to the revised BAT standards described in the BAT Conclusions.

Where the Operator proposed that they were not intending to meet a BAT standard that also included a BAT Associated Emission Level (BAT-AEL) described in the BAT Conclusions Document, the Regulation 61 Notice required that the Operator make a formal request for derogation from compliance with that BAT-AEL (as provisioned by Article 15(4) of IED). In this circumstance, the Notice identified that any such request for derogation must be supported and justified by sufficient technical and commercial information that would enable us to determine acceptability of the derogation request.

The Regulation 61 Notice response from the Operator was received on 08/10/2022.

We considered that the response did not contain sufficient information for us to commence determination of the permit review. We therefore issued a further information request to the Operator. Suitable further information was provided by the Operator on 12/09/2023.

We considered it was in the correct form and contained sufficient information for us to begin our determination of the permit review [but not that it necessarily contained all the information we would need to complete that determination].

The Operator made no claim for commercial confidentiality. We have not received any information in relation to the Regulation 61 Notice response that appears to be confidential in relation to any party.

2.2 <u>Review of our own information in respect to the capability of the Installation to meet revised</u> standards included in the BAT Conclusions document

Based on our records and previous experience in the regulation of the installation we consider that the Operator will be able to comply with the techniques and standards described in the BAT Conclusions other than for those techniques and requirements described in BAT Conclusion BATc 9 refrigeration. The operator does not currently comply with the requirements of BATc 9 refrigeration. In relation to this BAT Conclusion, the operator has committed compliance by 4 December 2023. We have therefore included Improvement Condition IC 2 in the Consolidated Variation Notice to ensure that the requirements of the BAT Conclusions are delivered before 4 December 2023.

2.3 <u>Requests for further information during determination</u>

Although we were able to consider the Regulation 61 Notice response generally satisfactory at receipt, we did in fact need more information in order to complete our permit review assessment, and issued a further information request on 12/09/2023 to clarify BATc 1 ISO14001 certificate, BATc 6 Energy Efficiency, BATc 7 wastewater minimisation, BATc 8, BATc 9 refrigerants, RHS and climate change. A copy of the further information request was placed on our public register.

3 The legal framework

The Consolidated Variation Notice will be issued under Regulations 18 and 20 of the EPR. The Environmental Permitting regime is a legal vehicle which delivers most of the relevant legal requirements for activities falling within its scope. In particular, the regulated facility is:

- an *installation* as described by the IED;
- subject to aspects of other relevant legislation which also have to be addressed.

We consider that, in issuing the Consolidated Variation Notice, it will ensure that the operation of the Installation complies with all relevant legal requirements and that a high level of protection will be delivered for the environment and human health.

We explain how we have addressed specific statutory requirements more fully in the rest of this document.

Annex 1: decision checklist regarding relevant BAT Conclusions

BAT Conclusions for the Food, Drink and Milk Industries, were published by the European Commission on 4 December 2019.

There are 37 BAT Conclusions.

BAT 1 – 15 are General BAT Conclusions (Narrative BAT) applicable to all relevant Food, Drink and Milk Installations in scope.

BAT 16 – 37 are sector-specific BAT Conclusions, including Best Available Techniques Associated Emissions Levels (BAT-AELs) and Associated Environmental Performance Levels (BAT-AELs):

BAT 16 & 17	BAT Conclusions for Animal Feed
BAT 18 – 20	BAT Conclusions for Brewing
BAT 21 – 23	BAT Conclusions for Dairies
BAT 24	BAT Conclusions for Ethanol Production
BAT 25 & 26	BAT Conclusions for Fish and Shellfish Processing
BAT 27	BAT Conclusions for Fruit and Vegetable Processing
BAT 28	BAT Conclusions for Grain Milling
BAT 29	BAT Conclusions for Meat Processing
BAT 30 – 32	BAT Conclusions for Oilseed Processing and Vegetable Oil Refining
BAT 33	BAT Conclusions for Soft Drinks and Nectar/Fruit Juice Processed from
	Fruit and Vegetables
BAT 34	BAT Conclusions for Starch Production
BAT 35 – 37	BAT Conclusions for Sugar Manufacturing

This annex provides a record of decisions made in relation to each relevant BAT Conclusion applicable to the installation. This annex should be read in conjunction with the Consolidated Variation Notice.

The overall status of compliance with the BAT conclusion is indicated in the table as:

NA – Not Applicable

- **CC** Currently Compliant
- FC Compliant in the future (within 4 years of publication of BAT Conclusions)
- NC Not Compliant

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
GEN	IERAL BAT CONCLUSIONS (BAT 1-15)		
1	Environmental Management System - Improve overall environmental performance. Implement an EMS that incorporates all the features as described within BATc 1.	cc	The operator has provided information to support compliance with BATc 1. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 1.
			The site is audited against the ISO1400:2015 standard by the Mars globally appointed auditor but not formally accredited with certification expiring in April 2022. The operator however confirms the EMS conforms to all elements of the standard.
2	EMS Inventory of inputs & outputs. Increase resource efficiency and reduce emissions. Establish, maintain and regularly review (including when a significant change occurs) an inventory of water, energy and raw materials consumption as well as of waste water and waste gas streams, as part of the environmental management system (see BAT 1), that incorporates all of the features as detailed within the BATCs.	CC	The operator has provided information to support compliance with BATc 2. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 2. Energy and water, and waste are captured on a periodic basis and is a requirement for all Mars sites. A global system 'Enablon' is used to capture this data and inputs are reviewed at a site and regional level. Data on raw materials usage is maintained by the site logistics and finance functions.
3	Monitoring key process parameters at key locations for emissions to water. For relevant emissions to water as identified by the inventory of waste water streams (see BAT 2), BAT is to monitor key process parameters (e.g. continuous monitoring of waste water flow, pH and temperature) at key locations (e.g. at the inlet and/or outlet of the pre-treatment, at the inlet to the final treatment, at the point where the emission leaves the installation).	CC	The operator has provided information to support compliance with BATc 3. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 3. Automatic monitoring of flow, pH and temperature is undertaken with effluent diverted from the 7.5m ³ treated tank back to the balance tank if the effluent composition is outside Trade Effluent Consent (TEC)

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			parameters. In addition Chemical Oxygen Demand (COD), Total Suspended Solids (TSS) and Sulphate are also measured in line with the TEC.
4	Monitoring emissions to water to the required frequencies and standards. BAT is to monitor emissions to water with at least the frequency given [refer to BAT 4 table in BATc] and in accordance with EN standards. If EN standards are not available, BAT is to use ISO, national or other international standards that ensure the provision of data of an equivalent scientific quality.	N/A	The only parameter relevant for discharges to sewer is chloride but this is not a parameter of concern for this particular process (rice, pasta and sauce manufacture) so is not applicable. We are therefore satisfied that BATc 4 is not applicable for this site
5	Monitoring channelled emissions to air to the required frequencies and standards. BAT is to monitor channelled emissions to air with at least the frequency given and in accordance with EN standards.	N/A	BATc 5 sets out air emissions monitoring requirements applicable to specific FDM sub- sectors. None of these monitoring requirements are applicable to this site as the activities undertaken (ready meal manufacture) are not specified in the sector and specific processes set out in BATc 5. We are therefore satisfied that BATc 5 is not applicable to this site.
6	Energy Efficiency In order to increase energy efficiency, BAT is to use an energy efficiency plan (BAT 6a) and an appropriate combination of the common techniques listed in technique 6b within the table in the BATc.	CC	The operator has provided information to support compliance with BATc 6. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 6. The operator stated their energy efficiency plan (EEP) includes calculating specific energy consumption and in setting, analysing and delivering against performance indicators, objectives and targets. The site Climate Change Levy supports this requirement. The EEP incorporates a number of documents within the Health Safety Environment

NO.	BATC	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
				 Management System and for the purpose of the review created a summary document. The operator has also confirmed they implement the following energy saving techniques: Variable Speed operation, LED lights, heat recovery (i.e. economisers, condensate recovery and water preheat on new boiler install) automated controls on the boiler and effluent treatment plant system insulation throughout the site where relevant
	7	 Water and wastewater minimisation In order to reduce water consumption and the volume of waste water discharged, BAT is to use BAT 7a and one or a combination of the techniques b to k given below. (a) water recycling and/or reuse (b) Optimisation of water flow (c) Optimisation of water nozzles and hoses (d) Segregation of water streams Techniques related to cleaning operations: (e) Dry cleaning (f) Pigging system for pipes (g) High-pressure cleaning (h) Optimisation of chemical dosing and water use in cleaning-in-place (CIP) (i) Low-pressure foam and/or gel cleaning (j) Optimised design and construction of equipment and process areas (k) Cleaning of equipment as soon as possible 	CC	 The operator has provided information to support compliance with BATc 7. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 7. The operator has confirmed they implement the following water minimisation activities: Automated CIP system are used for cleaning purposes, with water reuse stages reducing consumption and effluent generation Water sprays are optimised for flow/pressure. Effluent treatment includes automated analysis of pH with real time dosing for neutralisation to minimise over consumption of water treatment chemicals and effluent strength. Water recycling is undertaken on the Retorts,

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			 Internal equipment is stainless steel design to support ease of cleaning.
8	 Prevent or reduce the use of harmful substances In order to prevent or reduce the use of harmful substances, e.g. in cleaning and disinfection, BAT is to use one or a combination of the techniques given below. (a) Proper selection of cleaning chemicals and/or disinfectants (b) Reuse of cleaning chemicals in cleaning-in-place (CIP) (c) Dry cleaning (d) Optimised design and construction of equipment and process areas 	CC	The operator has provided information to support compliance with BATc 8. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 8. The operator confirmed dry cleaning is used in operational areas where possible. The CIP processes are optimised and incorporate chemical recovery/reuse to ensure efficient use of cleaning chemicals. All cleaning chemicals are chosen to ensure that cleaning requirements are achieved with minimal environmental impact
9	Refrigerants In order to prevent emissions of ozone-depleting substances and of substances with a high global warming potential from cooling and freezing, BAT is to use refrigerants without ozone depletion potential and with a low global warming potential.	FC	The operator has provided information to support compliance with BATc 9. We have assessed this information and we are not satisfied the operator has demonstrated compliance with BATc 9. The operator has provided an inventory of refrigeration systems on site. Some associated with the manufacturing process use refrigerants with high GWP including R404A and R134A. They confirm they are currently liaising with relevant contractors to explore alternatives and develop a plan for this. We have added improvement Condition (IC 2) to the permit to ensure compliance.
10	Resource efficiency In order to increase resource efficiency, BAT is to use one or a combination of the techniques given below: (a) Anaerobic digestion (b) Use of residues	СС	The operator has provided information to support compliance with BATc 10. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 10.

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	 (c) Separation of residues (d) Recovery and reuse of residues from the pasteuriser (e) Phosphorus recovery as struvite (f) Use of waste water for land spreading 		The operator confirmed there are procedures in place to prevent waste and send residues offsite for anaerobic digestion.
			A source collection process is used whereby out of specification products are pumped and cleaned from vessels and pipework to IBC's prior to off site transfer and anaerobic digestion.
			In addition screening out waste solids is undertaken by dry sweeping and by catch pots in production areas. The initial treatment for effluent is a rotary screen which removes solids prior to the effluent entering the effluent treatment plant. The Dissolved Air Flotation plant further removes solids which, along with the screened solids are sent off-site for Anaerobic Digestion.
11	Waste water buffer storage In order to prevent uncontrolled emissions to water, BAT is to provide an appropriate buffer storage capacity for waste water.	cc	The operator has provided information to support compliance with BATc 11. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 11.
			Level sensors in place on all tanks within the ETP and high level alarms in the event of level sensor failure which are linked to audible and visual alarms and pump shut off. All tanks are contained within a bunded area.
			The automated controls minimise the potential for overfilling whilst the bund provides physical control in the event of unplanned release. Any spillages that do occur in the bund will flow into a dedicated underground sump where it is

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			pumped back into the balance tanks. Excessive spillages above 150mm trigger audible and visual alarms and instigate Mars emergency response.
			There are 3 surface water discharge points which discharge uncontaminated rainwater to Middleton Stop Drain. Interceptors are in place to provide containment for hydrocarbons.
12	Emissions to water – treatment In order to reduce emissions to water, BAT is to use an appropriate combination of the techniques given below. Preliminary, primary and general treatment (a) Equalisation (b) Neutralisation (c) Physical separate (eg screens, sieves, primary settlement tanks etc) Aerobic and/or anaerobic treatment (secondary treatment) (d) Aerobic and/or anaerobic treatment (eg activated sludge, aerobic lagoon etc) (e) Nitification and/or denitrification (f) Partial nitration - anaerobic ammonium oxidation Phosphorus recovery and/or removal (g) Phosphorus recovery as struvite (h) Precipitation (i) Enhanced biological phosphorus removal Final solids removal (j) Coagulation and flocculation (k) Sedimentation (l) Filtration (eg sand filtration, microfiltration, ultrafiltration) (m) Flotation	CC	The operator has provided information to support compliance with BATc 12. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 12. The Operator treats process effluent on site within the permitted effluent treatment plant prior to discharge to sewer to Clenchwarten Waste Water Treatment Works operated by Anglian Water. The on-site effluent treatment plant incorporates screening, pH adjustment and Dissolved Air Flotation (DAF).
12	Emissions to water – treatment BAT-associated emission levels (BAT-AELs) for direct emissions to a receiving water body	N/A	The site discharges process effluent to the foul sewer, there are no direct discharges to the water course, as such BAT-AELs do not apply.

BATC No.	Summary of BAT Conclusion require Industries	ment for Food, Drink and Milk	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
	Parameter Chemical oxygen demand (COD) (') (')	BAT-AEL (?) (?) (daily average) 25-100 mg/l (?)		We are therefore satisfied that BAT AELs associated with BATc 12 is not applicable for this site.
	Total suspended solids (TSS)	4-50 mg/l (*)		
	Total nitrogen (TN)	2-20 mg/l (') (')		
	Total phosphorus (TP)	0,2-2 mg/l (")		
13	Noise management plan		сс	The operator has provided information to
	 Noise management plan In order to prevent or, where that is not practicable, to reduce noise emissions, BAT is to set up, implement and regularly review a noise management plan, as part of the environmental management system (see BAT 1), that includes all of the following elements: a protocol containing actions and timelines; a protocol for conducting noise emissions monitoring; a protocol for response to identified noise events, eg complaints; a noise reduction programme designed to identify the source(s), to measure/estimate noise and vibration exposure, to characterise the contributions of the sources and to implement prevention and/or reduction measures. 			support compliance with BATc 13. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 13. The operator has a Noise Management Plan in place. Noise complaints have been recorded on and off for the last two years and the site has an action plan in place to review the infrastructure concerned.
14	 Noise management In order to prevent or, where that is not practicable, to reduce noise emissions, BAT is to use one or a combination of the techniques given below. (a) Appropriate location of equipment and buildings (b) Operational measures (c) Low-noise equipment (d) Noise control equipment (e) Noise abatement 		CC	The operator has provided information to support compliance with BATc 14. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 14. Noise mitigation measures are in place at the site however as above ongoing improvements are underway and are not fully signed off. The operators has stated the following:

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the operator to demonstrate compliance with the BAT Conclusion requirement
			The main noise generating plant is located "wherever practicable" in locations furthest removed from noise sensitive receptors.
			Specific attenuation has been installed on equipment that has the potential to generate noise (retort venting), and in major plant (Boilers) which are located in an enclosed building with fast acting roller shutter access doors. The compressed air plant has been specified to minimise noise, including venturi silencing intake, sound muffler and V-design of compressor block / heavy-weight cast iron cooling fan. The operator also stated regular noise monitoring is undertaken using a digital noise meter which is subject to annual external calibration and internally prior to each use. A weather station has been installed on site to ensure that noise results can be aligned to weather conditions.
15	Odour Management	N/A	An odour management plan is only required
	In order to prevent or, where that is not practicable, to reduce odour emissions, BAT is to set up, implement and regularly review an odour management plan, as part of the environmental management system (see BAT 1), that includes all of the following elements:		where odour nuisance at sensitive receptors is expected or has been substantiated. There have been no substantiated odour nuisance from the site therefore an OMP is not a
	- a protocol containing actions and timelines;	a protocol containing actions and timelines;	
	- a protocol for conducting odour monitoring.		We are therefore satisfied that $BATc$ 15 is not
	- a protocol for response to identified odour incidents eg complaints;		applicable for this site.
	- an odour prevention and reduction programme designed to identify the source(s); to measure/estimate odour exposure: to characterise the contributions of the sources; and to implement prevention and/or reduction measures.		

Annex 2: Review and assessment of changes that are not part of the BAT Conclusions derived permit review

Updating permit during permit review consolidation

- Activity name
- Introductory note
- Site plan
- Table S1.1 overhaul
 - Activity Reference (AR) renumbering
 - Updated listed activities
 - Addition of production capacity
 - o Directly associated activities (DAAs) standardisation

We have updated permit conditions to those in the current generic permit template as a part of permit consolidation. The conditions will provide the same level of protection as those in the previous permit.

Production/Capacity Threshold

The Environment Agency is looking to draw a "line in the sand" for permitted production capacity; a common understanding between the Operator and regulator for the emissions associated with a (maximum) level of production, whereby the maximum emissions have been demonstrated as causing no significant environmental impact.

We have included a permitted production level (capacity) within table S1.1 of the permit for the section 6.8 listed activity and we need to be confident that the level of emissions associated with this production level have been demonstrated to be acceptable.

The existing H1 assessment of emissions to water remains valid for the revised capacity threshold now placed within table S1.1 of the permit.

Emissions to Air

We asked the operator to list all emission points to air from the installation in the Regulation 61 notice. And to provide a site plan indicating the locations of all air emission points.

The operator has provided an up to date air emission plan.

We asked the Operator to provide information on all combustion plant on site in the Regulation 61 Notice as follows:

- Number of combustion plant (CHP engines, back-up generators, boilers);
- Size of combustion plant rated thermal input (MWth)
- Date each combustion plant came into operation

The Operator provided the information in the table below:

Boilers

	Boiler 1	Boiler 2	Boiler 3
1. Rated thermal input	5.35	5.35	5.35
(IVIVV) of the medium			
compustion plant.	D "	D 11	D "
2. Type of the medium	Boiler	Boller	Boiler
compustion plant (diesel			
engine, gas turbine, duai			
or other medium			
2 Type and above of fuele	Notural gas	Notural gas	Notural gas
3. Type and share of fuel	Natural gas	Natural gas	Natural gas
used according to the fuel			
Annex II.	lan 0004	lan 0004	lan 0004
4. Date of the start of the	Jan 2021	Jan 2021	Jan 2021
operation of the medium			
compussion plant or,			
where the exact date of			
the start of the operation			
is unknown, proof of the			
fact that the operation			
started before 20			
December 2018.			

We have reviewed the information provided and we consider the boilers are considered "new" medium combustion plant.

These were permitted under variation V005 issued May 2021 with the appropriate emission limit values included within the permit. We have retained these requirements.

Emissions to Water and implementing the requirements of the Water Framework Directive

We asked the Operator to provide information on all emissions to water at the installation in the Regulation 61 Notice as follows;

- Identify any effluents which discharge directly to surface or groundwater;
- Provide an assessment of volume and quality, including results of any monitoring data available;
- and for any discharges to water / soakaway whether a recent assessment of the feasibility of connection to sewer has been carried out.

The operator has previously provided assessments for all emissions to water at the installation. The operator declares there has been no change to activities and subsequent effluents generated at the installation since this risk assessment was taken. Consequently, we agree that the original risk assessments remain valid at this time.

Soil & groundwater risk assessment (baseline report)

The IED requires that the operator of any IED installation using, producing or releasing "relevant hazardous substances" (RHS) shall, having regarded the possibility that they might cause pollution of soil and groundwater, submit a "baseline report" with its permit application. The baseline report is an important reference document in the assessment of contamination that might arise during the operational lifetime of the regulated facility and at cessation of activities. It must enable a quantified comparison to be made between the baseline and the state of the site at surrender.

At the definitive cessation of activities, the Operator has to satisfy us that the necessary measures have been taken so that the site ceases to pose a risk to soil or groundwater, taking into account both the baseline conditions and the site's current or approved future use. To do this, the Operator has to submit a surrender application to us, which we will not grant unless and until we are satisfied that these requirements have been met.

The Operator submitted a site condition report [Hansa Road Food Factory Site Condition Report March 2015] during the original application received on March 2015. The site condition report included a report on the baseline conditions as required by Article 22. We reviewed that report and considered that it adequately described the condition of the soil and groundwater at that time.

Hazardous Substances

Hazardous substances are those defined in Article 3 of Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures

The operator has provided a short risk assessment on the hazardous substances stored and used at the installation. The risk assessment was a stage 1-3 assessment as detailed within EC Commission Guidance 2014/C 136/03.

The stage 1 assessment identified the hazardous substances used / stored on site. The stage 2 assessment identified if hazardous substances are capable of causing pollution. If they are capable of causing pollution they are then termed Relevant Hazardous Substances (RHS). The Stage 3 assessment identified if pollution prevention measures are fit for purpose in areas where hazardous substances are used / stored. This includes drains as well.

The outcomes of the three stage assessment identified that pollution of soil and/or ground water to be unlikely.

Climate Change Adaptation

The operator has considered if the site is at risk of impacts from adverse weather (flooding, unavailability of land for land spreading, prolonged dry weather / drought).

The operator has identified the installation as likely to be or has been affected by prolonged dry weather/ drought, which we consider to be a severe weather event.

The operator has submitted a climate change adaptation plan, which considers, as a minimum the impact of severe weather on the operations within the installation.

We consider the climate change adaptation plan to be appropriate for the installation.

Containment

We asked the Operator vis the Regulation 61 Notice to provide details of the each above ground tanks which contain potentially polluting liquids at the site, including tanks associated with the effluent treatment process where appliable.

The Operator provided details of all tanks;

- Tank reference/name
- Contents
- Capacity (litres)
- Location
- Construction material(s) of each tank
- The bunding specification including
 - Whether the tank is bunded
 - If the bund is shared with other tanks
 - The capacity of the bund
 - The bund capacity as % of tank capacity
 - Construction material of the bund
 - Whether the bund has a drain point
 - Whether any pipes penetrate the bund wall
- Details of overfill prevention
- Drainage arrangements outside of bunded areas
- Tank filling/emptying mitigation measures (drips/splashes)
- Leak detection measures
- Details of when last bund integrity test was carried out
- Maintenance measures in place for tank and bund (inspections)
- How the bund is emptied
- Details of tertiary containment

and whether the onsite tanks currently meet the relevant standard in the Ciria "Containment systems for the prevention of pollution (C736)" report.

We reviewed the information provided by the operator and their findings. We are not satisfied that the existing tanks and containment measures on site meet the standards set out in CIRIA C736.

We have set improvement conditions in the permit to address the deficiencies in the existing tanks and containment measures on site (IC3). See Improvement condition(s) in Annex 3 of this decision document.

Annex 3: Improvement Conditions

Based on the information in the Operator's Regulation 61 Notice response and our own records of the capability and performance of the installation at this site, we consider that we need to set improvement conditions so that the outcome of the techniques detailed in the BAT Conclusions are achieved by the installation. These improvement conditions are set out below - justifications for them is provided at the relevant section of the decision document (Annex 1 or Annex 2).

Previous improvement conditions marked as complete in the previous permit.

Superseded Improvement Conditions – Removed from permit as marked as "complete"			
Reference	Improvement Condition		
IC1	The operator shall undertake a review of their original noise abatement and management systems with regard to the Environmnet Agency Guidance Note H3 Horizontal Guidance for Noise Part 2 – Noise Assessment and Control June 2004. Attention shall be given to the noise levels at the sensitive receptors. A written noise management plan shall be submitted to the Environmnet Agency or approval detailing the options available, the preferred option and timetable for implementation of any work		

The following improvement conditions have added to the permit as a result of the variation.

Improveme	Improvement programme requirements			
Reference	Reason for inclusion	Justification of deadline		
IC2	The operator shall use refrigerants without ozone depletion potential and with a low global warning potential (GWP) in accordance with BAT 9 from the Food, Drink and Milk Industries BATCs	04/12/2023		
	To demonstrate compliance against BAT 9, the operator shall develop a replacement plan for the refrigerant system(s) at the installation. This shall be incorporated within the existing environmental management system by the specified date.			
	 The plan should include, but not be limited to, the following: Where practicable, retro filling systems containing high GWP refrigerants e.g. R-404A with lower GWP alternatives as soon as possible. An action log with timescales, for replacement of end-of-life equipment using refrigerants with the lowest practicable GWP. 			

IC3	 The Operator shall undertake a survey of the primary, secondary and tertiary containment at the site and review measures against relevant standard including: CIRIA Containment systems for the prevention of pollution (C736) – Secondary, tertiary and other measures for industrial and commercial premises, EEMUA 159 - Above ground flat bottomed storage tanks The operator shall submit a written report to the Environment Agency approval which outlines the results of the survey and the review of standard and provide details of current containment measures any deficiencies identified in comparison to relevant standards, improvements proposed time scale for implementation of improvements. The operator shall implement the proposed 	12 months from permit issue
	 time scale for implementation of improvements. The operator shall implement the proposed 	
	improvements in line with the timescales agreed by	
	the Environment Agency.	