

Emergency Department Syndromic Surveillance System Bulletin (England) 2023 Week 50

Key messages

Data reported to: 17 December 2023

During week 50, attendances for respiratory infection indicators (including acute respiratory infection and influenza-like illness) increased in those aged over 5 years. 'COVID-19-like' ED attendances increased in those over 15 years of age. Pneumonia attendances stabilised during week 50 but with a continued increase observed in children aged 5-14 years (noting the small numbers of attendances) and adults aged 15-64 years.

Please note: remodelled EDSSS influenza-like illness baselines have been refitted to influenza-like illness surveillance data during week 50 2023 to account for post-COVID-19 changes in health care seeking behaviour.

Syndromic indicators at a glance

Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.

| Indicator | Trend ¹ | Level |
|--|--------------------|---------------------|
| Total attendances (Figure 1) | No trend | No baseline |
| COVID-19-like (Figure 2) | Increasing | No baseline |
| Acute respiratory infections (Figure 3) | No trend | Similar to baseline |
| Acute bronchiolitis or bronchitis (Figure 4) | Decreasing | Below baseline |
| Influenza-like illness (Figure 5) | Increasing | Below baseline |
| Pneumonia (Figure 6) | No trend | Similar to baseline |
| Asthma (Figure 7) | No trend | Above baseline |
| Gastroenteritis (Figure 8) | Increasing | Below baseline |
| Cardiac (Figure 9) | No trend | Similar to baseline |
| Myocardial ischaemia (Figure 10) | Increasing | Similar to baseline |
| Acute alcohol intoxication (Figure 11) | Increasing | Below baseline |
| Mental health (Figure 12) | No trend | No baseline |
| Scarlet fever (Figure 13) | No trend | Above baseline |
| Impact of cold (Figure 14) | No trend | Similar to baseline |

¹ trend reports on the trend seen over most recent and earlier weeks

Contents

| Key messages |
|---|
| Syndromic indicators at a glance2 |
| Contents |
| About this syndromic surveillance system4 |
| Total attendances |
| Respiratory conditions7 |
| COVID-19-like |
| Acute respiratory infections9 |
| Acute bronchiolitis/bronchitis11 |
| Influenza-like illness |
| Pneumonia15 |
| Asthma17 |
| Gastrointestinal conditions |
| Gastroenteritis |
| Cardiac conditions |
| Cardiac21 |
| Myocardial ischaemia23 |
| Other conditions |
| Acute alcohol intoxication25 |
| Mental health27 |
| Scarlet fever |
| Seasonal environmental conditions |
| Impact of cold |
| Notes and caveats |
| Acknowledgements |
| About the UK Health Security Agency |

About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) emergency department syndromic surveillance system.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see Notes and caveats)
- compare levels between age groups/areas

Fully anonymised, daily ED data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as acute respiratory tract infections, gastroenteritis and myocardial ischaemia
- syndromic indicators are based on:
 - the primary diagnosis for each attendance
 - o other diagnoses may be recorded, but are not used for indicator grouping
 - o diagnoses are based on signs/symptoms (not laboratory confirmed)
- **Key messages** describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in **Table 1**
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
 - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
 - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see Notes and caveats

Previous weekly bulletins from this system are available here.


Data quality issues of note this week


No issues identified. See Table 2 and Table 3 for the numbers of EDs included this week.

Please note that remodelled EDSSS influenza-like illness baselines have been refitted to influenza-like illness surveillance data during week 50 2023 to account for post-COVID-19 changes in health care seeking behaviour.

Total attendances


Figure 1: Daily number of ED attendances (and 7-day moving average adjusted for bank holidays) recorded in this sentinel syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.








EDSSS: total attendances by age (years) 18/12/2022 to 17/12/2023



Black line is 7 day moving average adjusted for bank holidays.

(c)



Black dotted line is baseline.

Table 2: The number of emergency department (ED) attendances and number with a diagnosis code included in surveillance each day during the most recent week.

| Date | Total attendances ² | Diagnoses included ² |
|------------------|--------------------------------|---------------------------------|
| 11 December 2023 | 39,046 | 24,168 |
| 12 December 2023 | 36,335 | 22,004 |
| 13 December 2023 | 34,432 | 21,013 |
| 14 December 2023 | 33,769 | 21,068 |
| 15 December 2023 | 33,389 | 21,132 |
| 16 December 2023 | 31,209 | 19,661 |
| 17 December 2023 | 32,106 | 20,673 |

Table 3: The number of EDs in total and in each UKHSA Region included in surveillance each day during the most recent week.


| UKHSA Region | Number of EDs ² | |
|----------------------|----------------------------|--|
| North East | 7 | |
| North West | 24 | |
| Yorkshire and Humber | 15 | |
| West Midlands | 19 | |
| East Midlands | 7 | |
| East of England | 13 | |
| London | 19 | |
| South West | 12 | |
| South East | 19 | |
| Total | 135 | |

² only attendances from Type 01 EDs meeting the weekly reporting criteria are included in this report, for further details see Notes and caveats

Respiratory conditions

COVID-19-like


Figure 2: Daily number of COVID-19-like ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

EDSSS: covid-19-like by age (years) 18/12/2022 to 17/12/2023




Black line is 7 day moving average adjusted for bank holidays.





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.


Acute respiratory infections


Figure 3: Daily number of acute respiratory infection ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.
















Acute bronchiolitis/bronchitis


Figure 4: Daily number of acute bronchiolitis/bronchitis ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

EDSSS: acute bronchiolitis by age (years) 18/12/2022 to 17/12/2023





Black line is 7 day moving average adjusted for bank holidays.





Influenza-like illness

Figure 5: Daily number of influenza-like illness ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.










Black line is 7 day moving average adjusted for bank holidays.




Black dotted line is baseline.


Pneumonia

(b)


Figure 6: Daily number of pneumonia ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.



Black dotted line is baseline. Grey columns show weekends and bank holidays.



Black line is 7 day moving average adjusted for bank holidays.




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.


Asthma

(b)


Figure 7: Daily number of asthma ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.



Black dotted line is baseline. Grey columns show weekends and bank holidays.



Black line is 7 day moving average adjusted for bank holidays.




Black dotted line is baseline.

Gastrointestinal conditions

Gastroenteritis


Figure 8: Daily number of gastroenteritis ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.



Black dotted line is baseline. Grey columns show weekends and bank holidays.


(b)

EDSSS: gastroenteritis by age (years) 18/12/2022 to 17/12/2023



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

(c)




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Cardiac conditions

Cardiac


Figure 9: Daily number of cardiac ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

EDSSS: cardiac conditions by age (years) 18/12/2022 to 17/12/2023




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.





Black dotted line is baseline.


Myocardial ischaemia

Figure 10: Daily number of myocardial ischaemia ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.










Black line is 7 day moving average adjusted for bank holidays.

(c)




Black dotted line is baseline.

24

Other conditions

Acute alcohol intoxication


Figure 11: Daily number of acute alcohol intoxication ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

EDSSS: acute alcohol intoxication by age (years) 18/12/2022 to 17/12/2023



Black line is 7 day moving average adjusted for bank holidays.




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.


Mental health

Figure 12: Daily number of mental health³ ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

³ mental health attendances reported here are those with a primary diagnosis in the ECDS mental health diagnosis grouping. Attendances where the primary diagnosis relates to overdose, alcohol use or self harm are not included.




Black dotted line is baseline. Grey columns show weekends and bank holidays.



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.

(c)


EDSSS: mental health by UKHSA region 18/12/2022 to 17/12/2023




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is 8 baseline.

Scarlet fever


Figure 13: Daily number of scarlet fever ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.






(b)

EDSSS: scarlet fever by age (years) 18/12/2022 to 17/12/2023



Black line is 7 day moving average adjusted for bank holidays.

(c)



Seasonal environmental conditions

UKHSA and the Met Office operate a weather-health alert system that includes both heat and cold weather alert periods. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

Cold weather alert period: 1 November to 31 March

Heat-Health Alert period: 1 June to 30 September


Highest weather alert level during the current reporting week:


No alerts issued


Impact of cold

(b)


Figure 14: Daily number of impact of cold ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.







Black line is 7 day moving average adjusted for bank holidays.



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Notes and caveats

The following additional caveats apply to the UKHSA emergency department syndromic surveillance system:

- the data presented are based on a national syndromic surveillance system:
 - o should be used to monitor trends not to estimate numbers of 'cases'
 - an automated daily transfer of anonymised ED data is received from NHS Digital, from the <u>Emergency Care Data Set</u> (ECDS)
 - not all EDs currently provide data on a daily basis, EDs are eligible for inclusion in this report only where:
 - data relates to attendances at a type 01 ED
 - data for 7 of the 7 most recent days was received
 - data for those days was received within 2 calendar days of the patient arrival
 - when an ED meets these criteria, all historical data from that ED is included
 - EDs included each week is likely to change, which will affect the historical data inclusion
 - o national coverage each week is included in Table 2,
 - the number of EDs in each region area is described in Table 3
- individual EDs will not be identified in these bulletins
- some syndromic indicators are hierarchical:
 - o acute respiratory infections includes:

acute bronchitis or bronchiolitis

COVID-19-like

- influenza-like illness
- pneumonia
- other and non-specific acute respiratory infections
- cardiac conditions includes:
 - myocardial ischaemia
 - other and non-specific cardiac conditions
- baselines:
 - o were last remodelled January 2023
 - o are constructed from historical data since April 2018
 - o represent seasonally expected levels of activity
 - take account of any known substantial changes in data collection, population coverage or reporting practices:
 - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
 - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which may affect ED attendance levels

Acknowledgements

We are grateful to the clinicians in each ED and other staff within each Trust for their continued involvement in the EDSSS.

We thank the Royal College of Emergency Medicine, NHS Digital and NHS England for their support in the development of national EDSSS, using anonymised data collection from ECDS.

About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation heath secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

www.gov.uk/government/organisations/uk-health-security-agency

© Crown copyright 2023 Version: ED-2

Prepared by: Real-time Syndromic Surveillance Team For queries relating to this document, please contact: syndromic.surveillan@ukhsa.gov.uk

Published: December 2023



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit <u>OGL</u>. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

