

GP in Hours Syndromic Surveillance System Bulletin (England) 2024 Week 1

Key messages

Data reported to: 5 January 2024

During week 1, GP in-hours consultation rates for upper respiratory tract infections decreased overall but increased in adults while lower respiratory tract infections increased overall. COVID-19-like consultations decreased, particularly in the 65+ years age group. Influenza-like illness and pneumonia consultations both increased slightly. There was an increase in the consultation rate for measles during week 1 with a noticeable spike observed on 2/1/24 (when routine GP services resumed after the public holiday).

Please note: week 52 (2023) and week 1 (2024) contain public holidays when routine GP inhours services are not available – recent data and trends presented in this report should therefore be interpreted with some caution.

Syndromic indicators at a glance

Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.

| Indicator | Trend ¹ | Level |
|---|--------------------|---------------------|
| COVID-19-like (Figure 1) | Decreasing | No baseline |
| Upper respiratory tract infections (Figure 2) | Decreasing | Below baseline |
| Influenza-like illness (Figure 3) | Increasing | Below baseline |
| Pharyngitis (Figure 4) | Decreasing | Below baseline |
| Scarlet fever (Figure 5) | Decreasing | Below baseline |
| Lower respiratory tract infections (Figure 6) | Increasing | Above baseline |
| Pneumonia (Figure 7) | Increasing | Above baseline |
| Bronchiolitis (Figure 8) | Decreasing | Similar to baseline |
| Acute bronchitis (Figure 9) | Increasing | Similar to baseline |
| Acute presenting asthma (Figure 10) | No trend | Similar to baseline |
| Gastroenteritis (Figure 11) | Increasing | Above baseline |
| Diarrhoea (Figure 12) | No trend | Above baseline |
| Vomiting (Figure 13) | No trend | Above baseline |
| Measles (Figure 14) | Increasing | Above baseline |
| Mumps (Figure 15) | No trend | Below baseline |
| Whooping cough (Figure 16) | No trend | Above baseline |
| Cellulitis (Figure 17) | No trend | Similar to baseline |
| Chickenpox (Figure 18) | Increasing | Similar to baseline |
| Herpes zoster (Figure 19) | No trend | Above baseline |
| Impetigo (Figure 20) | No trend | Similar to baseline |
| Conjunctivitis (Figure 21) | No trend | Below baseline |

¹ trend reports on the trend seen over most recent and earlier weeks

System coverage

Table 2: The number of GP practices, and number of registered patients included in surveillance during the most recent week.

| Year | Week | GP practices reporting ¹ | Registered patients ¹ |
|------|------|-------------------------------------|----------------------------------|
| 2024 | 01 | 1820 | 18.7 million |

¹ based on the average number of practices and registered patient population in the reporting week (Monday-Friday).

Contents

| Key messages | 2 |
|--|------|
| Syndromic indicators at a glance | 2 |
| System coverage | 3 |
| Contents | 4 |
| About this syndromic surveillance system | 6 |
| Respiratory conditions | 7 |
| COVID-19-like | 7 |
| Upper respiratory tract infections | 9 |
| Influenza-like illness | .11 |
| Pharyngitis | .13 |
| Scarlet fever | .15 |
| Lower respiratory tract infections | .17 |
| Pneumonia | .19 |
| Bronchiolitis | .21 |
| Acute bronchitis | .23 |
| Acute presenting asthma | .25 |
| Gastrointestinal conditions | .27 |
| Gastroenteritis | .27 |
| Diarrhoea | .29 |
| Vomiting | .31 |
| Vaccine preventable conditions | .33 |
| Measles | . 33 |
| Mumps | .34 |
| Whooping cough | .36 |
| Skin conditions | . 38 |
| Cellulitis | . 38 |
| Chickenpox | .40 |
| Herpes zoster | .42 |
| Impetigo | .44 |

| Seasonal environmental conditions | .46 |
|-------------------------------------|-----|
| Conjunctivitis | .47 |
| Notes and caveats | .49 |
| COVID-19 syndromic surveillance | .50 |
| Acknowledgements | .51 |
| About the UK Health Security Agency | .52 |

About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) GP in hours Syndromic Surveillance System.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see Notes and caveats)
- compare levels between age groups/areas

Fully anonymised, daily GP in hours data from two sources, TPP and ORCHID (Oxford and Royal College of General Practitioners Clinical Informatics Digital Hub), are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as upper respiratory tract infections, acute presenting asthma and gastroenteritis
- syndromic indicators are based on:
 - o diagnoses recorded during GP in hours patient consultations
 - diagnoses are based on signs/symptoms and may not be laboratory confirmed
- **Key messages** describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in **Table 1**
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
 - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
 - statistical baselines (where available) to aid in the assessment of level compared to historical expectations
 - o denominators vary for individual indicators, and are provided in figure titles

For further information please see the Notes and caveats section.

Previous weekly bulletins from this system are available here.


Data quality issues of note this week

No issues identified.

Respiratory conditions

COVID-19-like


Figure 1: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for COVID-19-like GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 11.8 million patients).




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.



GP in-hours (Orchid): covid-19-like by age (years) 09/01/2023 to 05/01/2024






8


(b)

Upper respiratory tract infections

Figure 2: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for upper respiratory tract infections GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).




Black dotted line is baseline. Grey columns show weekends and bank holidays.



Black line is 7 day moving average adjusted for bank holidays.

(C)



Black dotted line is baseline.

Influenza-like illness


(b)


0


Apr 23

Jul 23

Figure 3: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for influenza-like illness GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 11.8 million patients).








GP in-hours (Orchid): influenza-like illness by age (years) 09/01/2023 to

² 2 Ω Λ Oct 23 Apr 23 Jul 23 Oct 23 Jan 24 Apr 23 Jul 23 Jan 24 Oct 23 Jan 2 NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.





Black dotted line is baseline.


Pharyngitis


(b)

Figure 4: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for pharyngitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).











Black dotted line is baseline.


Scarlet fever

(b)


Figure 5: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for scarlet fever GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).








Black line is 7 day moving average adjusted for bank holidays.




Black dotted line is baseline.

Lower respiratory tract infections

Figure 6: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for lower respiratory tract infections GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).




Black dotted line is baseline. Grey columns show weekends and bank holidays.



Black line is 7 day moving average adjusted for bank holidays.

(C)





Black dotted line is baseline.


Pneumonia

(b)

Figure 7: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for pneumonia GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).








Black line is 7 day moving average adjusted for bank holidays.


(C)





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Bronchiolitis


Figure 8: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for bronchiolitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).








21





Black dotted line is baseline.


Acute bronchitis

Figure 9: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for acute bronchitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).












Black dotted line is baseline.

Acute presenting asthma


Figure 10: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for acute presenting asthma GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).







Black line is 7 day moving average adjusted for bank holidays.




Black dotted line is baseline.

GP in-hours: acute presenting asthma by UKHSA region 06/01/2023 to 05/01/2024

Gastrointestinal conditions

Gastroenteritis


Figure 11: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for gastroenteritis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 7.0 million patients).




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

GP in-hours (TPP): gastroenteritis by age (years) 08/01/2023 to 07/01/2024



27





Black dotted line is baseline.


Diarrhoea

(b)


Figure 12: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for diarrhoea GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 7.0 million patients).








Black line is 7 day moving average adjusted for bank holidays.





Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Vomiting


Figure 13: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for vomiting GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 7.0 million patients).







(c)




ARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Vaccine preventable conditions

Measles

Figure 14: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for measles GP in hours consultations, England (a) nationally (population 18.8 million patients).





Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.


Mumps

(b)


Figure 15: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for mumps GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).







(c)



Black dotted line is baseline.


GP in-hours: mumps by UKHSA region 06/01/2023 to 05/01/2024


35


Whooping cough

(b)

Figure 16: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for whooping cough GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).








Black line is 7 day moving average adjusted for bank holidays.

(c)




GP in-hours: whooping cough by UKHSA region 06/01/2023 to 05/01/2024

Black dotted line is baseline.

Skin conditions

Cellulitis


Figure 17: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for cellulitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 7.0 million patients).




Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)

GP in-hours (TPP): cellulitis by age (years) 08/01/2023 to 07/01/2024






Black dotted line is baseline.


GP in-hours (TPP): cellulitis by UKHSA region 08/01/2023 to 07/01/2024


Chickenpox


(b)

Figure 18: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for chicken pox GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).











Black dotted line is baseline.


Herpes zoster

(b)

Figure 19: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for herpes zoster GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).








42

(C)





Black dotted line is baseline.


Impetigo


(b)

Figure 20: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for impetigo GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 7.0 million patients).









Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Seasonal environmental conditions

UKHSA and the Met Office operate a weather-health alert system that includes both heat and cold weather alert periods. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

Cold weather alert period: 1 November to 31 March

Heat-Health Alert period: 1 June to 30 September


Highest weather alert level during the current reporting week:


Amber alert (Enhanced cold weather response)


Conjunctivitis

(b)


Figure 21: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for conjunctivitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region (population 18.8 million patients).







Black line is 7 day moving average adjusted for bank holidays.



Black dotted line is baseline.

Notes and caveats

The following additional caveats apply to the UKHSA GP in hours syndromic surveillance system:

- all syndromic trends should be interpreted with caution due to changes in national advice and guidance regarding access to health care services as well as updates and changes to service provision during the COVID-19 pandemic
- the data presented are based on a sentinel syndromic surveillance system:
 - not all GP practices in England are included
 - data is included from two sources, TPP and ORCHID (Oxford and Royal College of General Practitioners Clinical Informatics Digital Hub)
 - national coverage each week is included in **Table 2**
 - o coverage varies by location
 - Data from ORCHID is currently only available for inclusion in this bulletin up to Friday each week, so all charts that contain ORCHID data do not include the most recent weekend
- some syndromic indicators are hierarchical:
 - upper respiratory tract infections includes:
 - influenza-like illness
 - pharyngitis
 - other and non-specific upper respiratory tract infections
 - o lower respiratory tract infections includes:
 - pneumonia
 - bronchiolitis
 - acute bronchitis
 - other and non-specific upper respiratory tract infections
 - o gastroenteritis includes:
 - diarrhoea
 - vomiting
 - other and non-specific gastroenteritis
- baselines:
 - were last remodelled May 2023 for TPP and July 2023 for ORCHID
 - o are constructed from historical data since August 2016
 - represent seasonally expected levels of activity
 - take account of any known substantial changes in data collection, population coverage or reporting practices:
 - the COVID-19 pandemic period is excluded

COVID-19 syndromic surveillance

- the COVID-19-like syndromic indicator is based on diagnoses recorded using the COVID-19 Snomed codes released in March 2020:
 - these data are based on COVID-19-like symptoms reported and are not based on outcomes of tests for coronavirus
 - patients presenting with COVID-19 symptoms may be diagnosed using other clinical codes used by the GP, so the COVID-19-like syndromic indicator should be interpreted in context with the other respiratory syndromic indicators presented in this report
 - the rate of COVID-19-like consultations should not be used to estimate an absolute count of patients with COVID-19

Acknowledgements

We thank TPP, ResearchOne and the SystmOne GP practices contributing to this surveillance system.

Thanks to the Oxford-Royal College of General Practitioners Clinical Informatics Digital Hub (ORCHID), and to its Syndromic Surveillance General Practices (SSGP) and their patients who share data with this surveillance system, and also to EMIS for facilitating pseudonymised data access.

About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation heath secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

www.gov.uk/government/organisations/uk-health-security-agency

© Crown copyright 2024 Version: IH-2

Prepared by: Real-time Syndromic Surveillance Team For queries relating to this document, please contact: syndromic.surveillan@ukhsa.gov.uk

Published: January 2024



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit <u>OGL</u>. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

