

Year of issue	Country	PL number	Shelf life	Storage conditions
2018	GHANA	PL 15760/0036	<p>4 years.</p> <p>Chemical and physical in-use stability has been demonstrated for 48 hours at 25 °C when diluted with the solutions stated in section 6.6. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage times and conditions prior to use are the responsibility of the user and would normally not be longer than 24 hours at 2 to 8 °C, unless dilution has taken place in controlled and validated aseptic conditions.</p>	<p>Store in a refrigerator (2 °C – 8 °C). May be stored up to 30°C for 3 months, but must then be discarded. See section 6.3 for storage of diluted product. Keep the ampoules in the outer carton in order to protect from light.</p>
2018	HONG KONG	PL 16853/0021	3 years.	<p>For prolonged periods store between 2° and 8°C. Protect from light. Syntometrine may be stored up to 25°C for 2 months when protected from light, but must then be discarded.</p>

2018	ISRAEL	PL 15760/0036	<p>4 years.</p> <p>Chemical and physical in-use stability has been demonstrated for 48 hours at 25 °C when diluted with the solutions stated in section 6.6. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage times and conditions prior to use are the responsibility of the user and would normally not be longer than 24 hours at 2 to 8 °C, unless dilution has taken place in controlled and validated aseptic conditions.</p>	<p>Store in a refrigerator (2 °C – 8 °C). May be stored up to 30°C for 3 months, but must then be discarded. See section 6.3 for storage of diluted product. Keep the ampoules in the outer carton in order to protect from light.</p>
2018	ARGENTINA	PL 00101/0959	Five years	<p>Store between 2°C and 8°C. May be stored up to 30°C for 3 months, but must then be discarded.</p>
2018	VIETNAM	PL 17509/0089	<p>4 years.</p> <p>Chemical and physical in-use stability has been demonstrated for 48 hours at 25 °C when</p>	<p>Store in a refrigerator (2 °C – 8 °C). May be stored up to 30°C for 3 months, but must then be discarded.</p>

			<p>diluted with the solutions stated in section 6.6. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage times and conditions prior to use are the responsibility of the user and would normally not be longer than 24 hours at 2 to 8 °C, unless dilution has taken place in controlled and validated aseptic conditions.</p>	<p>See section 6.3 for storage of diluted product. Keep the ampoules in the outer carton in order to protect from light.</p>
2018	ALBANIA	PL 40369/0005	Three years	<p>Store in a refrigerator (2°C - 8°C). May be stored below 25°C for 6 months, but then discarded.</p>
2018	IRAQ	PL 40369/0005	Three years	<p>Store in a refrigerator (2°C - 8°C). May be stored below 25°C for 6 months, but then discarded.</p>
2018	ALBANIA	PL 40369/0006	Three years	<p>Store in a refrigerator (2°C - 8°C). May be stored below 25°C for 6 months, but then discarded</p>
2018	IRAQ	PL 40369/0006	Three years	<p>Store in a refrigerator (2°C - 8°C). May be stored below 25°C</p>

				for 6 months, but then discarded
2019	SULTANATE OF OMAN	PL 29831/0625	<p>Three years. Chemical and physical in-use stability has been demonstrated for 24 hours at 25°C. From a microbiological point of view, unless the method of opening/dilution precludes the risk of microbial contamination, the product should be used immediately. If not used immediately, in-use storage times and conditions are the responsibility of the user.</p>	<p>Store between 2°C and 8°C. May be stored up to 30°C for 3 months, but must then be discarded. Store in the original package in order to protect from light.</p>
2019	HONG KONG	PL 16853/0021	<p>3 years.</p>	<p>For prolonged periods store between 2°C and 8°C. Protect from light. Syntometrine may be stored up to 25°C for 2 months when protected from light, but must then be discarded.</p>
2019	PALESTINIAN AUTHORITY	PL 17509/0089	<p>4 years.</p> <p>Chemical and physical in-use stability has been demonstrated for 48 hours at 25 °C when diluted with the</p>	<p>Store in a refrigerator (2 °C – 8 °C). May be stored up to 30°C for 3 months, but must then be discarded.</p>

			<p>solutions stated in section 6.6. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage times and conditions prior to use are the responsibility of the user and would normally not be longer than 24 hours at 2 to 8 °C, unless dilution has taken place in controlled and validated aseptic conditions.</p>	<p>See section 6.3 for storage of diluted product. Keep the ampoules in the outer carton in order to protect from light.</p>
2019	ISRAEL	PL 17509/0089	<p>4 years.</p> <p>Chemical and physical in-use stability has been demonstrated for 48 hours at 25 °C when diluted with the solutions stated in section 6.6. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage times and conditions prior to use are the responsibility of the user and would normally not be longer than 24 hours at 2 to 8 °C, unless</p>	<p>Store in a refrigerator (2 °C – 8 °C). May be stored up to 30°C for 3 months, but must then be discarded.</p> <p>See section 6.3 for storage of diluted product. Keep the ampoules in the outer carton in order to protect from light.</p>

			dilution has taken place in controlled and validated aseptic conditions.	
2019	TRINIDAD / TOBAGO	PL 01502/0097	Five years	Store between 2°C and 8°C.