

Publication withdrawn

This guidance was withdrawn in April 2024.

For up-to-date information about the National Drug Treatment Monitoring System (NDTMS), see [core data set documentation on the NDTMS website](#).



Public Health
England

Protecting and improving the nation's health

National Drug Treatment Monitoring System (NDTMS) Reference data

Core dataset O

About Public Health England

Public Health England exists to protect and improve the nation's health and wellbeing, and reduce health inequalities. We do this through world-leading science, knowledge and intelligence, advocacy, partnerships and the delivery of specialist public health services. We are an executive agency of the Department of Health and Social Care, and a distinct delivery organisation with operational autonomy to advise and support government, local authorities and the NHS in a professionally independent manner.

Public Health England
Wellington House
133-155 Waterloo Road
London
SE1 8UG
Tel: 020 7654 8000
www.gov.uk/phe
Twitter: @PHE_uk
Facebook: www.facebook.com/PublicHealthEngland



© Crown copyright 2018

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government License v3.0. To view this license, visit [OGL](https://www.nationalarchives.gov.uk/ogl/) or email psi@nationalarchives.gsi.gov.uk. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned. Any enquiries regarding this publication should be sent to Neelam.Alhaddad@phe.gov.uk.

Published March 2019
PHE publications
gateway number: GW-225

PHE supports the UN
Sustainable Development Goals



Revision history

Version	Author	Purpose/reason																																	
14.03	LHughes	<p>Amendments since v14.02</p> <ul style="list-style-type: none"> As per revision below in V14.01 - comment for value 9 'Not Known' in SEXUALO field updated from 'Not recorded' to 'Not recorded – service unable to obtain information' (change had not previously been made). REFHEPCTX – removed 'Excluding alcohol only clients'. 																																	
14.02	LHughes	<p>Amendments since v14.01</p> <ul style="list-style-type: none"> Revision history pre CDS-O moved to 'Revision History Pre CDS-O' document Text for DISRSN 71 'Onward referral offered and refused' updated to show that it is an 'incomplete' discharge reason. 																																	
14.01	HSmith	<p>Amendments since v14.00</p> <ul style="list-style-type: none"> Comment for value '9' Not Known in SEXUALO field updated from 'Not recorded' to 'Not recorded – service unable to obtain information' Omitted from list of amendments specified for v.14.00: NA (not answered) for TOP values will no longer be accepted, code 99 must be used. 																																	
14.00	HSmith	<p>Amendments since v13.04</p> <ul style="list-style-type: none"> SEX – Recoded (AD, AA, YP, SA, SY): <table border="1"> <thead> <tr> <th>Previous code & text</th> <th>New CDS O code & text</th> <th>Comment</th> </tr> </thead> <tbody> <tr> <td>M Male</td> <td>1 Male</td> <td>Code change</td> </tr> <tr> <td>F Female</td> <td>2 Female</td> <td>Code change</td> </tr> <tr> <td>Z Not specified</td> <td>9 Not specified</td> <td>Code change</td> </tr> <tr> <td>0 Not known</td> <td>0 Not known</td> <td>No change</td> </tr> </tbody> </table> <ul style="list-style-type: none"> ETHNIC – New reference item 99 'Value is unknown' (AD, AA, YP, SA, SY) PC – Default code for clients with no fixed abode - ZZ99 3VZ (AD, AA, YP, SA, SY) ACCMNEED – additional examples added to comments (AD,AA) SEXUALO – recode and changes (AD,AA,SA): <table border="1"> <thead> <tr> <th>Previous code & text</th> <th>New CDS O code & text</th> <th>Comment</th> </tr> </thead> <tbody> <tr> <td>H Heterosexual</td> <td>1 Heterosexual or straight</td> <td>Code & text change</td> </tr> <tr> <td>G Gay/Lesbian</td> <td>2 Gay or Lesbian</td> <td>Code & text change</td> </tr> <tr> <td>B Bi-sexual</td> <td>3 Bisexual</td> <td>Code & text change</td> </tr> <tr> <td>P Client asked and does not know or is not sure</td> <td>U Client asked and does not know or is not sure</td> <td>Code change</td> </tr> <tr> <td>Z Not stated</td> <td>Z Not stated</td> <td>No change</td> </tr> </tbody> </table>	Previous code & text	New CDS O code & text	Comment	M Male	1 Male	Code change	F Female	2 Female	Code change	Z Not specified	9 Not specified	Code change	0 Not known	0 Not known	No change	Previous code & text	New CDS O code & text	Comment	H Heterosexual	1 Heterosexual or straight	Code & text change	G Gay/Lesbian	2 Gay or Lesbian	Code & text change	B Bi-sexual	3 Bisexual	Code & text change	P Client asked and does not know or is not sure	U Client asked and does not know or is not sure	Code change	Z Not stated	Z Not stated	No change
Previous code & text	New CDS O code & text	Comment																																	
M Male	1 Male	Code change																																	
F Female	2 Female	Code change																																	
Z Not specified	9 Not specified	Code change																																	
0 Not known	0 Not known	No change																																	
Previous code & text	New CDS O code & text	Comment																																	
H Heterosexual	1 Heterosexual or straight	Code & text change																																	
G Gay/Lesbian	2 Gay or Lesbian	Code & text change																																	
B Bi-sexual	3 Bisexual	Code & text change																																	
P Client asked and does not know or is not sure	U Client asked and does not know or is not sure	Code change																																	
Z Not stated	Z Not stated	No change																																	

Previous code & text	New CDS O code & text	Comment		
R	Other	4	Other sexual orientation not listed	Code & text change
		9	Not Known (not recorded)	New value
<ul style="list-style-type: none"> • Removal of item YPSLEAD 'YP has a Lead professional at treatment start' (YP) • LEHIGSYP field description changed from 'Legal highs (NPS)' to 'New psychoactive substances' (YP) • AFULHU field description changed 'Age substance first used: legal highs (NPS)' to 'Age first used: New psychoactive substances' (YP) • Removal of referral source (RFLS) 'PRU' as 'Alternative education' includes PRU (AD, AA & YP) • Removal of item YPSCAF 'YP has CAF at treatment start' (YP) • EMPSTAT – added additional option 16 'Unemployed and not seeking work' (AD, AA) • EHCSC – added additional option 99 'client declined to answer' (AD, AA, YP, SA, SY) • CIREHCSC - added additional option 99 'client declined to answer' (AD, AA & YP) • MTHTN - added additional option 99 'client declined to answer' (AD, AA & YP) • CIRMHTN - added additional option 99 'client declined to answer' (AD, AA & YP) • CRTMHN – added additional option 99 'client declined to commence treatment for their mental health need' (AD, AA & YP) • CIRCRTMHN– added additional option 99 'client declined to commence treatment for their mental health need' (AD, AA & YP) • YPSESTAT – removed option 9 'not in education or employment'. Use existing code 14 instead (YP) • MODEXIT – added additional option of D 'released from court' (SA, SY) • DISRSN – added additional option of 71 'Onward referral offered and refused' (AD, AA, YP, SA, SY) • YPCPL removed reference items (YP): '2 – No' new options: '3 – Never been subject to CPP' , '4 – Previously been subject to CPP' Text amended on item 1 'Yes' to Currently subject to CPP' • CYPS – recoded (YP): 				

		1	Yes	Y	Yes	Code change
		2	No	N	No	Code change
<ul style="list-style-type: none"> • Table of drug codes and names in Appendix A updated to include NDTMS reporting drug groups 						

Revision history prior to CDS-O can be found in the Revision History Pre CDS-O document available by request from your regional NDTMS team.

Contents

About Public Health England	2
Revision history	3
1. Introduction	10
2. Change control	12
3. Community data items	13
3.1 Client sex at registration of birth – SEX	13
3.2 Ethnicity codes – ETHNIC	13
3.3 Nationality codes – NATION	14
3.4 Agency codes – AGENCY	14
3.5 Consent for NDTMS – CONSENT	14
3.6 DAT of residence – DAT	14
3.7 Local authority – LA	15
3.8 Postcode – PC	15
3.9 Previously treated – PREVTR	15
3.10 Accommodation need codes – ACCMNEED	15
3.11 Sexual orientation codes – SEXUALO	16
3.12 Religion codes – RELIGION	17
3.13 Disability codes (Disability No 1, No 2, No 3) – DISABLE1, DISABLE2, DISABLE3	17
3.14 Employment status codes – EMPSTAT	18
3.15 Time since last paid employment - TSLPE	19
3.16 Pregnant codes – PREGNANT	19
3.17 Parental status codes – PRNTSTAT	19
3.18 Children living with client – CHILDWTH	20
3.19 Are any of the client’s children (biological, step, foster, adoptive, guardian) or any of the children living with the client receiving early help or are they in contact with children’s social care? – EHCSC	20
3.20 YP care status at treatment start? – YPLCS	21
3.21 YP involved in sexual exploitation at treatment start? – YPSSEXEX	21
3.22 YP involved in self-harm at treatment start? – YPSSLFHM	21
3.23 Has YP been involved in antisocial behaviour or committed a criminal act on more than one occasion in the past 6 months? – YPABACF	21
3.24 YP education status, employment/training status at treatment start – YPSESTAT	22
3.25 YP registered with GP at treatment start? – YPSGP	22
3.26 YP engaged in unsafe sex at treatment start? – YPSUSS	22

3.27	Has the YP been offered a screen for sexual transmitted infections? – YPESTI	22
3.28	Has the YP been offered a screen specifically for chlamydia? – YPSCCH	23
3.29	Is the YP subject to a child protection plan (CPP) at treatment start? – YPCPL	23
3.30	Does the young person feel affected by substance misuse in their close family/members of their household at treatment start? – YPASMFM	23
3.31	Has the YP ever been affected by domestic abuse at treatment start? – YPEBABDA	23
3.32	Drug list (problem substance No 1, No 2, No 3) – DRUG1, DRUG2, DRUG3	24
3.33	Route of administration of problem substance No 1– ROUTE	24
3.34	Referral source codes – RFLS	24
3.35	Injecting status codes – INJSTAT	28
3.36	Drinking days – ALCDDAYS	28
3.37	Units of Alcohol – ALCUNITS	28
3.38	Client’s SADQ Score – SADQ	28
3.39	Hep B intervention status codes – HEPBSTAT	29
3.40	Hep B vaccination count codes – HEPBVAC	29
3.41	Hep C intervention status – HEPCSTAT	29
3.42	Hep C tested – HEPCTD	30
3.43	Hep C test result antibody status – HCVAS	30
3.44	Hep C test result PCR (RNA) status – HCVPCR	30
3.45	TOP care coordination – TOPCC	30
3.46	Does the client have a mental health treatment need – MHTHN	31
3.47	Is the client receiving treatment for their mental health need(s) – CRTMHN	31
3.48	YP met goals agreed on care plan at discharge – YPECAREP	31
3.49	YP offered continuing support from non-substance misuse services at discharge – YPCSNSM	32
3.50	Discharge Reason codes – DISRSN	32
3.51	Treatment intervention codes – MODAL	33
3.52	Intervention setting – MODSET	33
3.53	Intervention exit status – MODEXIT	34
3.54	Adult pharmacological prescribing sub interventions	34
3.56	Adult psychosocial sub interventions	38
3.57	Adult recovery support sub interventions	40
3.58	YP psychosocial sub interventions	44
3.58	YP multi agency working sub interventions	45
	Employment/volunteering – YPEVOL	45
3.59	Time in treatment – TITREAT	49
3.60	CIR pregnant – CIRPREGNANT	49
3.61	CIR parental status codes – CIRPRTST	49
3.62	CIR children living with client – CIRCLDWT	50
3.63	CIR are any of the client’s children (biological or step, foster, adoptive, guardian) or any of the children living with	

the client receiving early help or are they in contact with children’s social care? –CIREHCSC	50
3.64 CIR does the client have a mental health treatment need? –CIRMTHTN	50
3.65 CIR is the client currently receiving treatment for their mental health need(s)? –CIRCRTMHN	51
3.66 CIR Hep B intervention status codes – CIRHEPBSTAT	51
3.67 CIR Hep B vaccination count codes – CIRHEPBVAC	52
3.68 CIR Hep C intervention status – CIRHEPCSTAT	52
3.69 CIR Hep C tested – CIRHEPCTD	52
3.70 CIR Hep C test result antibody status - CIRHCVAS	53
3.71 CIR Hep C test result PCR (RNA) status - CIRHCVPCR	53
4. Secure Setting Data Items	54
4.1 Client sex at registration of birth codes – SEX	54
4.2 Ethnicity codes – ETHNIC	54
4.3 Nationality codes – NATION	55
4.4 Agency codes – AGENCY	55
4.5 Consent for NDTMS – CONSENT	55
4.6 DAT of residence – DAT	55
4.7 Postcode mappings – PC	55
4.8 Transferred from – PRISON	56
4.9 Sexual orientation codes – SEXUALO	56
4.10 Religion codes – RELIGION	56
4.11 Disability codes (Disability No 1, No 2, No 3) – DISABLE1, DISABLE2, DISABLE3	57
4.12 Time since last paid employment – TSLPE	58
4.13 Pregnant codes – PREGNANT	58
4.14 Parental status codes – PRNTSTAT	58
4.15 Children living with client – CHILDWTH	59
4.16 Are the client’s children (biological, step, foster, adoptive, guardian) or any of the children living with the client receiving early help or are they in contact with children’s social care? – EHCSC	59
4.17 Drug list (problem substance No 1, No 2, No 3) – DRUG1, DRUG2, DRUG3	60
4.18 Injecting status – INJSTAT	60
4.19 Drinking days – ALCDDAYS	60
4.20 Units of Alcohol – ALCUNITS	60
4.21 Alcohol Audit Score – AUDIT	60
4.22 Dual diagnosis – DUALDIAG	61
4.23 Hep B intervention status codes – HEPBSTAT	61
4.24 Hep B vaccination count codes – HEPBVAC	61
4.25 Hep C intervention status – HEPSTAT	62
4.26 Hep C tested – HEPCTD	62
4.27 Discharge Reason codes – DISRSN	62

4.28 Sentenced – SENTENCED	63
4.29 Take home Naloxone and training information – THNALOX	63
4.30 Referred to Hep C treatment – REFHEPCTX	63
4.31 Secure setting exit reason codes – EXITRSN	63
4.32 Secure setting exit destination – EXITDEST	64
4.33 Referral on release status – RTOAGNCY	64
4.34 Treatment intervention codes – MODAL	64
4.35 Intervention exit status – MODEXIT	65
5. Outcomes Profiles	67
5.1 Treatment Outcomes Profile (TOP)	67
5.2 Young People’s Outcomes Record (YPOR)	70
5.3 Alcohol Outcomes Record (AOR)	75
Appendix A – Drug codes and names	77
Appendix B – List of reference data owners	82

1. Introduction

The National Drug Treatment Monitoring System (NDTMS) data helps drug treatment demonstrate the outcomes it achieves for the people it treats and in doing so aids accountability for the money invested in it. NDTMS is a national standard and is applicable to young people and adults within community and secure setting based treatment providers.

This document establishes the text to codal values (the reference data) in use with the NDTMS data set and will support software suppliers in implementing the data set.

Reference data is defined as (relatively) static data. Generally, it is employed as a means of validating data entry, and will typically be used to control the contents of drop-down lists etc. This document gives the permissible values for each of the reference items in the NDTMS datasets, only values for the relevant dataset should be included in the CSV file. The document is split into the following sections: community (burgundy), secure setting (green) and outcomes (blue).

Data items are applicable to young people and adults within community and secure setting based treatment providers. The dataset inclusion column provides information regarding which items are relevant to each dataset whereby:

- AD = adult drug dataset (community)
- AA = adult alcohol dataset (community)
- YP = young person dataset (community)
- SA = secure setting adult dataset
- SY = secure setting young person dataset

This document is intended to be a definitive and accessible source for use. It is not intended to be read from end to end, rather as a reference document, which is utilised by a variety of readers, including:

- Interpreters of data provided from PHE systems
- Suppliers of systems to PHE
- Suppliers of systems which interface to PHE systems
- PHE/National Drug Treatment Monitoring System (NDTMS) personnel

This document should not be used in isolation, it is part of a package of documents supporting the NDTMS dataset and reporting requirements.

Please read this document in conjunction with the following documents, all of which are available on www.nta.nhs.uk/core-data-set.aspx:

- **NDTMS CSV File Format Specification** – defines the format of the CSV file used as the primary means of inputting the core data set into NDTMS
- **NDTMS technical definition** – provides the full list of fields that are required in the CSV file and the verification rules for each item
- **NDTMS geographic information** – provides the locality information eg DAT of residence, Local Authority etc.
- **NDTMS business definitions** – provides the explicit definition of each of the fields we collect to ensure data is consistent. There is a separate definitions document for each of the datasets: adult drug & alcohol, young people and secure settings

To assist with the operational handling of CSV input files, each significant change to the NDTMS data set is allocated a letter.

The current version (commonly referred to as the NDTMS data set O) for national data collection will come into effect on 1st April 2018.

2. Change control

Each significant change to the NDTMS data set is allocated a letter. The current version (commonly referred to as NDTMS data set O) for national data collection will come into effect on 1st April 2018.

As this document is the ultimate definition for NDTMS reference data the behaviour of the NDTMS system must strictly adhere to the latest approved version of this document which can be found on the NTA website www.nta.nhs.uk/core-data-set.aspx

For those data items defined by PHE (internal data), the details contained in this document are the master definitions of such data, extending to issues such as upper/lower case, hyphenation, punctuation etc.

For those data items not defined by PHE (external data – see appendix B) this document defines the owner of the master data.

3. Community data items

3.1 Client sex at registration of birth – SEX

Code	Text	Comments	Dataset inclusion	Sort order
1	Male	Client sex at registration of birth	AD,AA,YP	1
2	Female	Client sex at registration of birth	AD,AA,YP	2
9	Not specified	Client sex at registration of birth	AD,AA,YP	3
0	Not known	Client sex at registration of birth	AD,AA,YP	4

3.2 Ethnicity codes – ETHNIC

Code	Text	Comments (ONS Group)	Dataset inclusion	Sort order
A	White British	White	AD,AA,YP	1
B	White Irish	White	AD,AA,YP	2
C	Other white	White	AD,AA,YP	3
D	White and Black Caribbean	Mixed	AD,AA,YP	4
E	White and Black African	Mixed	AD,AA,YP	5
F	White and Asian	Mixed	AD,AA,YP	6
G	Other mixed	Mixed	AD,AA,YP	7
H	Indian	Asian/Asian British	AD,AA,YP	8
J	Pakistani	Asian/Asian British	AD,AA,YP	9
K	Bangladeshi	Asian/Asian British	AD,AA,YP	10
L	Other Asian	Asian/Asian British	AD,AA,YP	11
M	Caribbean	Black/Black British	AD,AA,YP	12
N	African	Black/Black British	AD,AA,YP	13
P	Other Black	Black/Black British	AD,AA,YP	14
R	Chinese	Other Ethnic	AD,AA,YP	15
S	Other	Other Ethnic	AD,AA,YP	16
Z	Not stated	Not stated	AD,AA,YP	17
99	Ethnicity is unknown		AD,AA,YP	18

3.3 Nationality codes – NATION

Country of nationality, code selected from ISO 3166-1 alpha-3 standard.
 ISO 3166 Country Codes - www.iso.org/iso/country_codes. To view list of codes select the link to the Online Browsing Platform and refer to Alpha 3 codes.
 New permissible value added in core dataset H of 'Z – Not stated'. Dataset inclusion: AD,AA,YP.

3.4 Agency codes – AGENCY

Each treatment provider or secure setting establishment is assigned with an agency code. Responsibility for allocating a code is that of the relevant regional NDTMS manager.

A general guideline is that the code should comprise of 2 parts:

- a letter or letters which is intended to indicate the NDTMS region which 'manages' that treatment provider or secure setting establishment
- an identifier (1 to 6 alphanumeric characters) which uniquely identifies that treatment provider within the region

This guideline will ensure uniqueness of the agency code on a national basis.
 Examples of agency codes include L0043, W1000, U0001 etc.
 Dataset inclusion: AD,AA,YP.

3.5 Consent for NDTMS – CONSENT

Code	Text	Comments	Dataset inclusion	Sort order
N	No client has not consented		AD,AA,YP	1
Y	Yes client has consented		AD,AA,YP	2

3.6 DAT of residence – DAT

A list of the partnership and DAT codes currently used for NDTMS is given in the NDTMS Geographic Information document:
www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system
 Dataset inclusion: AD,AA,YP

3.7 Local authority – LA

A list of local authority codes currently used for NDTMS is given in the NDTMS Geographic Information document: www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Dataset inclusion: AD,AA,YP

3.8 Postcode – PC

Postcode mappings are used to establish/validate the geographic areas in which a client is resident.

CDS O introduction: Default post code for clients with No fixed abode is ZZ99 3VZ.

Dataset inclusion: AD,AA,YP

3.9 Previously treated – PREVTR

Code	Text	Comments	Dataset inclusion	Sort order
N	No		AD,YP	1
Y	Yes		AD,YP	2

3.10 Accommodation need codes – ACCMNEED

Code	Text	Comments	Dataset inclusion	Sort order
1	NFA - urgent housing problem	Lives on streets/rough sleeper Uses night shelter (night-by-night basis)/ emergency hostels Sofa surfing/ Sleeps on different friend's floor each night	AD,AA	1
2	Housing problem	Staying with friends/family as a short term guest Night winter shelter Direct Access short stay hostel Short term B&B or other hotel Placed in temporary accommodation by Local Authority Squatting	AD,AA	2

3	No housing problem	Owner occupier Tenant – Private landlord/ Housing Association /Local Authority/Registered Landlord/Arms length management organisation Approved premises Supported housing/hostel Traveller Own property Settled mainstream housing with friends/family Shared ownership scheme	AD,AA	3
26	YP living with relative	Young person living with parents, relatives or other carers	YP	4
27	Independent YP – settled accommodation	Young person living independently in settled accommodation	YP	5
28	Independent YP – unsettled accommodation	Young person living independently in unsettled accommodation	YP	6
29	Independent YP with No Fixed Abode	Young person living independently with No Fixed Abode	YP	7
31	YP supported housing	Young person living in specifically commissioned housing	YP	8
33	YP living in care	Young person has been placed in care, such as children’s homes, foster care for looked after child	YP	9
34	YP living in secure care	Young person has been placed in a secure setting eg a young offender institution (YOI), a secure training centre or a secure children’s home.	YP	10

3.11 Sexual orientation codes – SEXUALO

Code	Text	Comments	Dataset inclusion	Sort order
1	Heterosexual or Straight		AD,AA	1
2	Gay or Lesbian		AD,AA	2
3	Bisexual		AD,AA	3
U	Person asked and does not know or is not sure		AD,AA	4
Z	Not stated	Person asked but declined to provide a response	AD,AA	5

4	Other sexual orientation not listed		AD,AA	6
9	Not known	Not recorded – service unable to obtain information	AD,AA	7

3.12 Religion codes – RELIGION

Code	Text	Comments	Dataset inclusion	Sort order
A	Baha'i		AD,AA	1
B	Buddhist		AD,AA	2
C	Christian		AD,AA	3
D	Hindu		AD,AA	4
E	Jain		AD,AA	5
F	Jewish		AD,AA	6
G	Muslim		AD,AA	7
H	Pagan		AD,AA	8
I	Sikh		AD,AA	9
J	Zoroastrian		AD,AA	10
K	Other		AD,AA	11
L	None		AD,AA	12
M	Declines to disclose		AD,AA	13
N	Unknown		AD,AA	14

3.13 Disability codes (Disability No 1, No 2, No 3) – DISABLE1, DISABLE2, DISABLE3

Code	Text	Comments	Dataset inclusion	Sort order
1	Behaviour and emotional	Should be used where the client has times when they lack control over their feelings or actions.	AD,AA	1
2	Hearing	Should be used where the client has difficulty hearing, or need hearing aids, or need to lip-read what people say.	AD,AA	2
3	Manual dexterity	Should be used where the client experiences difficulty performing tasks with their hands.	AD,AA	3
4	Learning disability	Should be used where the client has difficulty with memory or ability to concentrate, learn or understand which began before the age of 18.	AD,AA	4

5	Mobility and gross motor	Should be used where the client has difficulty getting around physically without assistance or needs aids like wheelchairs or walking frames; or where the client has difficulty controlling how their arms, legs or head move.	AD,AA	5
6	Perception of physical danger	Should be used where the client has difficulty understanding that some things, places or situations can be dangerous and could lead to a risk of injury or harm.	AD,AA	6
7	Personal, self-care and continence	Should be used where the client has difficulty keeping clean and dressing the way they would like to.	AD,AA	7
8	Progressive conditions and physical health	Should be used where the client has any illness which affects what they can do, or which is making them more ill, which is getting worse, and which is going to continue getting worse (such as HIV, cancer, multiple sclerosis, fits etc.)	AD,AA	8
9	Sight	Should be used where the client has difficulty seeing signs or things printed on paper, or seeing things at a distance.	AD,AA	9
10	Speech	Should be used where the client has difficulty speaking or using language to communicate or make their needs known.	AD,AA	10
XX	Other	Should be used where the client has any other important health issue including dementia or autism.	AD,AA	11
NN	No disability		AD,AA	12
ZZ	Not stated	Client asked but declined to provide a response	AD,AA	13

3.14 Employment status codes – EMPSTAT

Code	Text	Comments	Dataset inclusion	Sort order
1	Regular employment		AD,AA	1
2	Pupil/student		AD,AA	2
9	Long term sick or disabled	Expansion of economically inactive, ie those who are receiving incapacity benefits, income support, or both	AD,AA	3
10	Homemaker	Expansion of economically inactive, ie those who are not working or actively seeking work	AD,AA	4
12	Unemployed and seeking work	Expansion of unemployed	AD,AA	5

13	Not receiving benefits	Expansion of unemployed, ie those who are not working or actively seeking work	AD,AA	6
14	Unpaid voluntary work	Expansion of unemployed, ie those who are not working or actively seeking work	AD,AA	7
15	Retired from paid work	Expansion of unemployed, ie those who are not working or actively seeking work	AD,AA	8
16	Unemployed and not seeking work	Expansion of unemployed, ie those who are not working or actively seeking work	AD,AA	9
99	Not stated	Client asked but declines to answer	AD,AA	10
5	Other		AD,AA	11
6	Not known		AD,AA	12

3.15 Time since last paid employment - TSLPE

Code	Text	Comments	Dataset inclusion	Sort order
0	Less than 1 year	Less than 1 year since paid employment	AD,AA	1
1	1-2 years	Between 1 and 2 years since last paid employment	AD,AA	2
2	2-3 years	Between 2 and 3 years since last paid employment	AD,AA	3
<i>n</i> *	<i>n</i> years since paid employment	<i>n</i> is defined as an integer between 3 and 75. Number of years should be rounded down, for example if a person was last in employment 3.6 years ago enter 3.	AD,AA	4
97	Never employed	Client has never been in paid employment	AD,AA	5
98	Currently employed		AD,AA	6
99	Client declined to answer		AD,AA	7

3.16 Pregnant codes – PREGNANT

Code	Text	Comments	Dataset inclusion	Sort order
N	No		AD,AA,YP	1
Y	Yes	Only expected for female clients	AD,AA,YP	2

3.17 Parental status codes – PRNTSTAT

Code	Text	Comments	Dataset inclusion	Sort order
11	All the children live with client		AD,AA,YP	1

12	Some of the children live with client		AD,AA,YP	2
13	None of the children live with client		AD,AA,YP	3
14	Not a parent		AD,AA,YP	4
15	Client declined to answer		AD,AA,YP	5

3.18 Children living with client – CHILDWTH

Code	Text	Comments	Dataset inclusion	Sort order
0	No children living with client		AD,AA,YP	1
1	1 child living with client		AD,AA,YP	2
2	2 children living with client		AD,AA,YP	3
<i>n</i> *	<i>n</i> children living with client	<i>n</i> is defined as an integer between 0 and 30	AD,AA,YP	4
98	Client declined to answer		AD,AA,YP	5
99	Undisclosed number		AD,AA,YP	6

3.19 Are any of the client’s children (biological, step, foster, adoptive, guardian) or any of the children living with the client receiving early help or are they in contact with children’s social care? – EHCSC

Code	Text	Comments	Dataset inclusion	Sort order
1	Early Help	Early Help - the needs of the child and family have been assessed and they are receiving targeted early help services as defined by Working Together to Safeguard Children 2015 (HM Govt.)	AD,AA,YP	1
2	Child in need	Child in need – the needs of the child and family have been assessed by a social worker and services are being provided by the local authority under Section 17 of the Children Act 1989	AD,AA,YP	2
3	Has a child protection plan	Has a child protection plan - social worker has led enquiries under Section 47 of the Children Act 1989. A child protection conference has determined that the child remains at continuing risk of ‘significant harm’ and a multi-agency child protection plan has been formulated to protect the child	AD,AA,YP	3

4	Looked after child	Looked after child - arrangements for the child have been determined following statutory intervention and care proceedings under the Children Act 1989. Looked after children may be placed with parents, foster carers (including relatives and friends), in children's homes, in secure accommodation or with prospective adopters	AD,AA,YP	4
5	No	Children are not receiving early help nor are they in contact with children's services.	AD,AA,YP	5
99	Client declined to answer		AD,AA,YP	6

3.20 YP care status at treatment start? – YPLCS

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes – looked after child		YP	2
3	Yes – child in need		YP	3

3.21 YP involved in sexual exploitation at treatment start? – YPSSEXEX

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2

3.22 YP involved in self-harm at treatment start? – YPSSLFHM

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2
98	Not known		YP	3

3.23 Has YP been involved in antisocial behaviour or committed a criminal act on more than 1 occasion in the past 6 months? – YPABACF

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1

1	Yes		YP	2
---	-----	--	----	---

3.24 YP education status, employment/training status at treatment start – YPSESTAT

Code	Text	Comments	Dataset inclusion	Sort order
1	Mainstream education		YP	1
2	Alternative education		YP	2
3	Temporarily excluded		YP	3
4	Permanently excluded		YP	4
5	Persistent absentee		YP	5
6	Apprenticeship or training		YP	6
10	Economically inactive caring role		YP	7
11	Economically inactive health issue		YP	8
12	Voluntary work		YP	9
13	Regular employment		YP	10
14	Not in employment or education or training (NEET)		YP	11
Z	Client declined to answer		YP	12

3.25 YP registered with GP at treatment start? – YPSGP

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2
98	Not known		YP	3

3.26 YP engaged in unsafe sex at treatment start? – YPSUSS

Code	Text	Comments	Dataset inclusion	Sort order
1	No		YP	1
2	Yes		YP	2
99	Not asked		YP	3

3.27 Has the YP been offered a screen for sexual transmitted infections? – YPESTI

Code	Text	Comments	Dataset inclusion	Sort order
A	Offered and accepted		YP	1
B	Offered and refused		YP	2
D	Assessed as not appropriate to offer		YP	3
C	Not known		YP	4

3.28 Has the YP been offered a screen specifically for chlamydia? – YPSCCH

Code	Text	Comments	Dataset inclusion	Sort order
A	Offered and accepted		YP	1
B	Offered and refused		YP	2
D	Assessed as not appropriate to offer		YP	3
C	Not known		YP	4

3.29 Is the YP subject to a child protection plan (CPP) at treatment start? – YPCPL

Code	Text	Comments	Dataset inclusion	Sort order
1	Currently subject to CPP		YP	3
3	Never been subject to CPP		YP	1
4	Previously been subject to CPP		YP	2

3.30 Does the young person feel affected by substance misuse in their close family/members of their household at treatment start? – YPASMFM

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2

3.31 Has the YP ever been affected by domestic abuse at treatment start? – YPEBABDA

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2

3.32 Drug list (problem substance No 1, No 2, No 3) – DRUG1, DRUG2, DRUG3

This is controlled by PHE. Details (groups, names and codes) are given in Appendix A. Two items in this list (drug-free and alcohol-free) are no longer actively used by NDTMS, and their use in the extracts should be discontinued for clients presenting after 1st April 2006.

These values will remain in the table, but ‘struck through’ to indicate that they are no longer to be used for new presentations.

Dataset inclusion: AD,AA,YP.

3.33 Route of administration of problem substance No 1– ROUTE

Code	Text	Comments	Dataset inclusion	Sort order
1	Inject		AD,YP	1
2	Sniff		AD,YP	2
3	Smoke		AD,YP	3
4	Oral		AD,YP	4
5	Other		AD,YP	5

3.34 Referral source codes – RFLS

Code	Text	Comments	Dataset inclusion	Sort order
4	Self	Self-referral by client	AD,AA,YP	1
69	Self referred via health professional	Self-referred following advice from a health professional	AD,AA,YP	2
3	GP	Referrals from general medical practitioners	AD,AA,YP	3
1	Drug service statutory		AD,AA	4
63	Arrest referral		AD,AA	5
70	Community Rehabilitation Company (CRC)		AD,AA	6
65	Criminal justice other		AD,AA	7

2	Drug service non-statutory		AD,AA	8
6	DRR	Drug Rehabilitation Requirement – formally Drug Treatment and Testing order (DTTO)	AD,AA	9
71	National Probation Service		AD,AA	10
72	Liaison and Diversion		AD,AA	11
11	Psychiatry services		AD,AA	12
19	Social Services		AD,AA	13
16	Education service		AD,AA	14
12	Community care assessment		AD,AA	15
9	A&E	Accident and Emergency services	AD,AA,YP	16
14	Employment service		AD,AA	17
10	Syringe exchange		AD,AA	18
18	Connexions		AD,AA	19
13	Prison		AD,AA	20
73	Children’s Social Services	Where Social Services are in contact with a child and subsequently refer an adult for treatment	AD,AA	21
20	CLA - Children Looked After	Any referrals from services designated to ensure the needs of children and young people who are registered as ‘looked after child’ are met	AD,AA,YP	22
21	Sex worker project		AD,AA	23
22	Hospital	Referrals from hospitals (not including A&E departments)	AD,AA,YP	24
23	Psychological services		AD,AA	25
24	Relative	Parents, siblings and other relatives	AD,AA,YP	26
25	Concerned other	Carers, friends, boyfriends or girlfriends who are connected to the client in a personal rather than a professional capacity and have referred the client to treatment	AD,AA,YP	27
32	Community alcohol team		AD,AA	28
36	Outreach	Referrals from services which provide active outreach to address homelessness, anti-social behaviour, child exploitation or other issues	AD,AA,YP	29
53	Job centre plus		AD,AA	30

56	Employer	Applicable to primary alcohol clients only	AD,AA,YP	31
57	ATR	Alcohol treatment requirement (applicable to primary alcohol clients only)	AD,AA	32
58	Peer	ie other service user (applicable to primary alcohol clients only)	AD, AA	33
15	Other		AD,AA	34
30	Children and family services	Any referrals from Children and Family Social Services	YP	35
33	Universal education	Referrals from main stream or universal educational services such as schools, colleges and universities	YP	36
34	Alternative education	Referrals from Pupil Referral Units and other alternative education services for excludes and truants or any young people who cannot access universal education provision for any reason	YP	37
35	Targeted youth support	Referrals from services providing prevention or early intervention or support services for vulnerable young people	YP	38
38	Non child mental health services	Referrals from mental health services such as adult psychiatric and psychological services; private psychiatric and psychological services and third sector mental health or advocacy services for people with mental health needs	YP	39
49	Primary care	Referrals from services delivered by health care professionals such as practice nurses, midwives and pharmacists in general medical settings such as walk in centres and pharmacies	YP	40
28	Children's mental health services	Including child and adolescent mental health services	YP	41
50	School nurse	Referrals from services delivered by registered nurses within the school setting	YP	42
39	Adult treatment provider	Services providing structured drug or alcohol treatment services predominantly for those aged 18 years or older. This includes needle exchange programmes and other services to address adult substance misuse	YP	43

40	Young people's structured treatment provider	Services providing specialist substance misuse treatment services pre-dominantly for those under 18	YP	44
41	Non structured treatment substance misuse services	Referrals from young people specific services providing universal, targeted or early interventions to address substance misuse	YP	45
51	FRANK	Referrals from the 'Talk to FRANK' helpline	YP	46
43	Crime prevention	Referrals from services working with young people identified as at risk of offending or of coming into formal contact with the youth justice system such as liaison and diversion schemes, and other local early intervention services.	YP	47
45	YOT	Referrals from youth offending teams or youth offending services working with young people who have been convicted or sentenced by the court and are serving either a community based disposal or are on licence post release from custody.	YP	48
47	Post custody	Self-referral from a young person who has been discharged from a young offender institution, secure training centre or local authority secure children's home in the last 28 days. After 28 days such a referral should be counted as a self-referral.	YP	49
66	Secure children's home	Secure children's homes (SCHs) are generally used to accommodate younger offenders who are assessed as vulnerable. They are run by local authority social services departments	YP	50
67	Secure training centre	Secure training centres (STCs) house vulnerable young people who are sentenced to custody or remanded to secure accommodation. These are purpose-built centres for young offenders up to the age of 17 and are run by private operators under contract	YP	51
68	Youth offender institute	Young offender institutions (YOIs) are facilities run by the prison service (NOMS) on behalf of the youth justice board and accommodate young offenders on remand or sentenced to custody	YP	52

52	Website	Self-referrals through a treatment service website	YP	53
55	YP housing	Referrals from services specifically commissioned to meet the accommodation needs of young people. This could include a foyer, hostel or other accommodation provided by a registered social landlord.	YP	54
42	Helpline	Referrals from help lines apart from FRANK and other local or regional substance misuse initiatives	YP	55

3.35 Injecting status codes – INJSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
P	Previously injected (but not currently)		AD	1
C	Currently injecting		AD	2
N	Never injected		AD	3
Z	Client declined to answer		AD	4

3.36 Drinking days – ALCDDAYS

Code	Text	Comments	Dataset Inclusion	Sort order
0-28	Number of days in the 28 days prior to initial assessment that the client consumed alcohol		AD,AA	

3.37 Units of Alcohol – ALCUNITS

Code	Text	Comments	Dataset Inclusion	Sort order
0-200	Typical number of units consumed on a drinking day in the 28 days prior to initial assessment.		AD,AA	

3.38 Client's SADQ Score – SADQ

Code	Text	Comments	Dataset Inclusion	Sort order
------	------	----------	-------------------	------------

0 - 60	The client's SADQ score	SADQ specified response	AD,AA	1
98	Information not available		AD,AA	2
99	Client declined to answer		AD,AA	3

3.39 Hep B intervention status codes – HEPBSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
A	Offered and accepted		AD	1
B	Offered and refused		AD,YP	2
C	Immunised already		AD,YP	3
D	Not offered		AD,YP	4
F	Assessed as not appropriate to offer		AD,YP	5
G	Offered and accepted – not yet had any vaccinations		YP	6
H	Offered and accepted – started having vaccinations		YP	7
I	Offered and accepted – completed vaccination course		YP	8
J	Offered and accepted but refused at a later date		AD,YP	9
K	Deferred due to clinical reasons		AD,YP	10

3.40 Hep B vaccination count codes – HEPBVAC

Code	Text	Comments	Dataset Inclusion	Sort order
1	One vaccination		AD	1
2	Two vaccinations		AD	2
3	Three vaccinations		AD	3
C	Course completed		AD	4

3.41 Hep C intervention status – HEPCSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
A	Offered and accepted		AD	1
B	Offered and refused		AD,YP	2
D	Not offered		AD,YP	3
F	Assessed as not appropriate to offer		AD,YP	4

G	Offered and accepted – not yet had a test		YP	5
H	Offered and accepted – had a hep C test		YP	6
J	Offered and accepted but refused at a later date		AD,YP	7
K	Deferred due to clinical reasons		AD,YP	8

3.42 Hep C tested – HEPCTD

Code	Text	Comments	Dataset	Sort order
1	No		AD	1
2	Yes		AD	2
99	Not asked	Not asked, information not known or client declined to answer	AD	3

3.43 Hep C test result antibody status – HCVAS

Code	Text	Comments	Dataset Inclusion	Sort order
1	Positive		AD	1
2	Negative		AD	2
3	Unknown		AD	3

3.44 Hep C test result PCR (RNA) status – HCVPCR

Code	Text	Comments	Dataset Inclusion	Sort order
1	Positive		AD	1
2	Negative		AD	2
3	Unknown		AD	3

3.45 TOP care coordination – TOPCC

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		AD	1
1	Yes		AD	2

3.46 Does the client have a mental health treatment need – MTHTN

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		AD,AA,YP	1
1	Yes		AD,AA,YP	2
99	Client declined to answer		AD,AA,YP	3

3.47 Is the client receiving treatment for their mental health need(s) – CRTMHN

Code	Text	Comments	Dataset Inclusion	Sort order
1	Already engaged with the community mental health team/ other mental health services		AD,AA,YP	1
2	Engaged with Improved Access to Psychological therapy (IAPT)		AD,AA,YP	2
3	Receiving mental health treatment from GP		AD,AA,YP	3
4	Receiving any NICE-recommended psychosocial or pharmacological intervention provided for the treatment of a mental health problem in drug or alcohol services		AD,AA,YP	4
5	Has an identified space in a health-based place of safety for mental health crises		AD,AA,YP	5
6	Treatment need identified but no treatment being received		AD,AA,YP	6
99	Client declined to commence treatment for their mental health need	Client was referred for treatment by service but declined to commence.	AD,AA,YP	7

3.48 YP met goals agreed on care plan at discharge – YPECAREP

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		YP	1
1	Yes		YP	2

3.49 YP offered continuing support from non-substance misuse services at discharge – YPCSNSM

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		YP	1
1	Yes		YP	2
3	No further support required		YP	3

3.50 Discharge Reason codes – DISRSN

Code	Text	Comments	Dataset Inclusion	Sort order
80	Treatment completed – drug-free		AD,YP	1
81	Treatment completed – alcohol-free		AD,AA	2
82	Treatment completed – occasional user (not opiates or crack)		AD,AA,YP	3
83	Transferred – not in custody		AD,AA,YP	4
84	Transferred – in custody		AD,AA,YP	5
71	Incomplete - onward referral offered and refused		AD,AA,YP	6
85	Incomplete – dropped out		AD,AA,YP	7
86	Incomplete – treatment withdrawn by provider		AD,AA,YP	8
87	Incomplete – retained in custody		AD,AA,YP	9
88	Incomplete – treatment commencement declined by client		AD,AA,YP	10
89	Incomplete – client died		AD,AA,YP	11
93	Transferred – programme completed at the residential provider – additional residential treatment required	Applicable to residential and inpatient services only	AD,AA	12
94	Transferred – programme completed at the residential provider – additional community treatment required	Applicable to residential and inpatient services only	AD,AA	13

95	Transferred – programme not completed at the residential provider – additional residential treatment required	Applicable to residential and inpatient services only	AD,AA	14
96	Transferred – programme not completed at the residential provider – additional community treatment required	Applicable to residential and inpatient services only	AD,AA	15
97	Transferred – transition to adult substance misuse service		YP	16

3.51 Treatment intervention codes – MODAL

Code	Text	Comments	Dataset Inclusion	Sort order
94	Pharmacological intervention	Structured intervention	AD,AA	1
95	Psychosocial intervention	Structured intervention	AD,AA	2
96	Recovery support	Non-structured intervention	AD,AA	3
76	ALC – brief intervention	Non-structured intervention	AA	5
98	YP pharmacological	Structured intervention	YP	6
102	YP psychosocial	Structured intervention	YP	7
101	YP multi agency working	Non-structured intervention	YP	8
52	YP harm reduction service	Structured intervention	YP	9
60	YP non structured intervention	Non-structured intervention	YP	10

3.52 Intervention setting – MODSET

Code	Type	Comments	Dataset Inclusion	Sort order
1	Community		AD,AA	1
2	Inpatient unit		AD,AA	2
3	Primary care		AD,AA	3
4	Secure setting		AD,AA	4
5	Residential		AD,AA	5
6	Recovery house		AD,AA	6
13	YP community		YP	7
7	YP inpatient unit – substance misuse specific		YP	8

8	YP inpatient unit – not substance misuse specific		YP	9
9	YP residential unit – substance misuse specific		YP	10
11	YP residential unit – not substance misuse specific		YP	11
10	YP home		YP	12
12	YP secure estate		YP	13

3.53 Intervention exit status – MODEXIT

Code	Text	Comments	Dataset Inclusion	Sort order
A	Mutually agreed planned exit	Intervention exit mutually agreed by the client and the provider	AD,AA,YP	1
B	Clients unilateral unplanned exit	Client exits intervention in an unplanned manner, ie without the agreement of the provider. This should also be used when the client dies	AD,AA,YP	2
C	Intervention withdrawn	The intervention has been withdrawn by the healthcare provider. Note: this is to be used in exceptional circumstances, eg due to exclusions from premises due to violent behaviour	AD,AA,YP	3

3.54 Adult pharmacological prescribing sub interventions

Client prescribing intention is assessment and stabilisation – PHSTBL

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribing intention is withdrawal – PHWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribing intention is maintenance – PHMAIN

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribing intention is relapse prevention – PHRELPR

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Alcohol client prescribing intention is withdrawal – APHWITH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Alcohol client prescribing intention is relapse prevention – APHREPR

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed unsupervised methadone - PHUSMET

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1

Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2
---	-----	---	-------	---

Client prescribed supervised methadone - PHSUPMET

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed unsupervised buprenorphine - PHUSBUP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed supervised buprenorphine - PHSUPBUP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed unsupervised buprenorphine/ naloxone (eg Suboxone) - PHUSBUNAL

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed supervised buprenorphine/ naloxone (eg Suboxone) - PHSUPBUNAL

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed diamorphine - PHDIAM

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed naltrexone - PHNALT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed chlordiazepoxide - PHCHLOR

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed acamprosate - PHACAMP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1

Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2
---	-----	---	-------	---

Client prescribed nalmefene - PHNALME

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed disulfiram - PHDISULF

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

Client prescribed other medication - PHOTHER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD,AA	2

3.56 Adult psychosocial sub interventions

Client involved in motivational interventions – PSYMOTI

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	2

Client involved with contingency management (drug focused) – PSYCNMG

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	2

Client involved with family and social network interventions – PSYFSNI

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	2

Client involved with cognitive and behavioural based relapse prevention interventions (substance misuse specific) – PSYCGBH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	2

Evidence-based psychological interventions for co-existing mental health disorders – PSYMNTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	2

Client involved with psychodynamic therapy – PSYDNMC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	2

Client involved with 12-step work – PSYSTP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	2

Client involved with counselling – BACP accredited – PSYCOUN

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD,AA	2

3.57 Adult recovery support sub interventions

Client provided with peer support involvement – RECPEER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with facilitated access to mutual aid – RECMAID

Code	Text	Comments	Dataset Inclusion	Sort order
------	------	----------	-------------------	------------

N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with family support – RECFMSP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with parenting support – RECPRNT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with housing support – RECHSE

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with employment support – RECEMP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with education and training support – RECEDUT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with supported work projects – RECWPRJ

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with recovery check-ups – RECCHKP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with evidence-based psychosocial interventions to support relapse prevention – RECRLPP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with complementary therapies – RECCMPT

Code	Text	Comments	Dataset Inclusion	Sort order
------	------	----------	-------------------	------------

N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with mental health interventions – RECGNH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with smoking cessation interventions – RECSMOC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client referred to Hep C treatment – RECHEPC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Has there been facilitation to domestic abuse/violence support? – RECDOMV

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

Client provided with take home Naloxone and training information – RECTHNAL

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD,AA	2

3.58 YP psychosocial sub interventions

Client provided with cognitive and behavioural interventions – CBIYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with motivational interventions – MIYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with structured family interventions (including family therapy) – SFIFTYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with multi component programmes – MCPYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with contingency management – CMYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with counselling – CYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

3.58 YP multi agency working sub interventions

Education/training – YPEDTR

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Employment/volunteering – YPEVOL

Code	Text	Comments	Dataset Inclusion	Sort order
------	------	----------	-------------------	------------

N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Housing – YPINHOU

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Generic family support – YPRGFS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Generic parenting support – YPGPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Peer support involvement/mentoring – YPPSIM

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Mental health – YPMHLTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Offending – YPOFFND

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Health – YPHEALTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Sexual health/pregnancy – YPSHP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Meaningful activity – YPMATY

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1

Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2
---	-----	--	----	---

Disability services – YPDISSER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Behavioural services – YPBESER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Young carers – YPYCAR

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Smoking cessation – YPSCES

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Youth services (including targeted youth support) – YPSER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

Children’s social care – YPCSC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was Multi-Agency working	YP	2

3.59 Time in treatment – TITREAT

Code	Text	Comments	Dataset Inclusion	Sort order
1	14 hours or less	Standard	AD,AA	1
2	More than 14 and less than 25 hours	High	AD,AA	2
3	25 or more hours	Very high	AD,AA	3

3.60 CIR pregnant – CIRPREGNANT

Code	Text	Comments	Dataset inclusion	Sort order
N	No		AD,AA,YP	1
Y	Yes	Only expected for female clients	AD,AA,YP	2

3.61 CIR parental status codes – CIRPRTST

Code	Text	Comments	Dataset Inclusion	Sort order
11	All the children live with client		AD,AA,YP	1
12	Some of the children live with client		AD,AA,YP	2
13	None of the children live with client		AD,AA,YP	3
14	Not a parent		AD,AA,YP	4

15	Client declined to answer		AD,AA,YP	5
----	---------------------------	--	----------	---

3.62 CIR children living with client – CIRCLDWT

Code	Text	Comments	Dataset Inclusion	Sort order
0	No children living with client		AD,AA,YP	1
1	1 child living with client		AD,AA,YP	2
2	2 children living with client		AD,AA,YP	3
<i>n</i> *	<i>n</i> children living with client	<i>n</i> is defined as an integer between 0 and 30	AD,AA,YP	4
98	Client declined to answer		AD,AA,YP	5
99	Undisclosed number		AD,AA,YP	6

3.63 CIR are any of the client’s children (biological or step, foster, adoptive, guardian) or any of the children living with the client receiving early help or are they in contact with children’s social care? – CIREHCSC

Code	Text	Comments	Dataset Inclusion	Sort order
1	Early Help		AD,AA,YP	1
2	Child in need		AD,AA,YP	2
3	Has a child protection plan		AD,AA,YP	3
4	Looked after child		AD,AA,YP	4
5	No	Children are not receiving early help nor are they in contact with children’s services.	AD,AA,YP	5
99	Client declined to answer		AD,AA,YP	6

3.64 CIR does the client have a mental health treatment need? – CIRMHTN

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		AD,AA,YP	1
1	Yes		AD,AA,YP	2
99	Client declined to answer		AD,AA,YP	3

3.65 CIR is the client currently receiving treatment for their mental health need(s)? – CIRCRTMHN

Code	Text	Comments	Dataset Inclusion	Sort order
1	Already engaged with the community mental health team/ Other mental health services		AD,AA,YP	1
2	Engaged with Improved Access to Psychological Therapy (IAPT)		AD,AA,YP	2
3	Receiving mental health treatment from GP		AD,AA,YP	3
4	Receiving any NICE-recommended psychosocial or pharmacological intervention provided for the treatment of a mental health problem in drug or alcohol services		AD,AA,YP	4
5	Has an identified space in a health-based place of safety for mental health crises		AD,AA,YP	5
6	Treatment need identified but no treatment being received		AD,AA,YP	6
99	Client declined to commence treatment for their mental health need	Client was referred for treatment by service but declined to commence.	AD,AA,YP	7

3.66 CIR Hep B intervention status codes – CIRHEPBSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
A	Offered and accepted		AD	1
B	Offered and refused		AD,YP	2
C	Immunised already		AD,YP	3
D	Not offered		AD,YP	4
F	Assessed as not appropriate to offer		AD,YP	5
G	Offered and accepted – not yet had any vaccinations		YP	6

H	Offered and accepted – started having vaccinations		YP	7
I	Offered and accepted – completed vaccination course		YP	8
J	Offered and accepted but refused at a later date		AD,YP	9
K	Deferred due to clinical reasons		AD,YP	10

3.67 CIR Hep B vaccination count codes – CIRHEPBVAC

Code	Text	Comments	Dataset Inclusion	Sort order
1	One vaccination		AD	1
2	Two vaccinations		AD	2
3	Three vaccinations		AD	3
C	Course completed		AD	4

3.68 CIR Hep C intervention status – CIRHEPCSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
A	Offered and accepted		AD	1
B	Offered and refused		AD,YP	2
D	Not offered		AD,YP	3
F	Assessed as not appropriate to offer		AD,YP	4
G	Offered and accepted – not yet had a test		YP	5
H	Offered and accepted – had a Hep C test		YP	6
J	Offered and accepted but refused at a later date		AD,YP	7
K	Deferred due to clinical reasons		AD,YP	8

3.69 CIR Hep C tested – CIRHEPCTD

Code	Text	Comments	Dataset Inclusion	Sort order
------	------	----------	-------------------	------------

1	No		AD	1
2	Yes		AD	2
99	Not asked	Information not known or client declined to answer	AD	3

3.70 CIR Hep C test result antibody status - CIRHCVAS

Code	Text	Comments	Dataset Inclusion	Sort order
1	Positive		AD	1
2	Negative		AD	2
3	Unknown		AD	3

3.71 CIR Hep C test result PCR (RNA) status - CIRHCVPCR

Code	Text	Comments	Dataset Inclusion	Sort order
1	Positive		AD	1
2	Negative		AD	2
3	Unknown		AD	3

4. Secure Setting Data Items

4.1 Client sex at registration of birth codes – SEX

Code	Text	Comments	Dataset inclusion	Sort order
1	Male	Client sex at registration of birth	SA,SY	1
2	Female	Client sex at registration of birth	SA,SY	2
9	Not specified	Client sex at registration of birth	SA,SY	3
0	Not known	Client sex at registration of birth	SA,SY	4

4.2 Ethnicity codes – ETHNIC

Code	Text	Comments (ONS group)	Dataset inclusion	Sort order
A	White British	White	SA,SY	1
B	White Irish	White	SA,SY	2
C	Other white	White	SA,SY	3
D	White and Black Caribbean	Mixed	SA,SY	4
E	White and Black African	Mixed	SA,SY	5
F	White and Asian	Mixed	SA,SY	6
G	Other mixed	Mixed	SA,SY	7
H	Indian	Asian/Asian British	SA,SY	8
J	Pakistani	Asian/Asian British	SA,SY	9
K	Bangladeshi	Asian/Asian British	SA,SY	10
L	Other Asian	Asian/Asian British	SA,SY	11
M	Caribbean	Black/Black British	SA,SY	12
N	African	Black/Black British	SA,SY	13
P	Other Black	Black/Black British	SA,SY	14
R	Chinese	Other Ethnic	SA,SY	15
S	Other	Other Ethnic	SA,SY	16
Z	Not stated	Not stated	SA,SY	17
99	Ethnicity is unknown		AD,AA,YP	18

4.3 Nationality codes – NATION

Country of nationality, code selected from ISO 3166-1 alpha-3 standard.

ISO 3166 Country Codes - www.iso.org/iso/country_codes. To view list of codes select the link to the Online Browsing Platform and refer to Alpha 3 codes.

New permissible value added in core dataset H of 'Z – Not stated'. Dataset Inclusion: SA,SY.

4.4 Agency codes – AGENCY

Each treatment provider or secure setting establishment is assigned with an agency code. Responsibility for allocating a code is that of the relevant regional NDTMS manager.

A general guideline is that the code should comprise of 2 parts:

- a single letter(s) which is intended to indicate the NDTMS region which 'manages' that treatment provider or secure setting establishment
- an identifier (1 to 6 alphanumeric characters) which uniquely identifies that treatment provider within the region

This guideline will ensure uniqueness of the agency code on a national basis.

Examples of agency codes include L0043, W1000, U0001 etc. Dataset Inclusion: SA,SY.

4.5 Consent for NDTMS – CONSENT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No client has not consented		SA,SY	1
Y	Yes client has consented		SA,SY	2

4.6 DAT of residence – DAT

A list of the partnership and DAT codes currently used for NDTMS is given in the NDTMS Geographic Information document: www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Dataset Inclusion: SA,SY.

4.7 Postcode mappings – PC

Postcode mappings are used to establish/validate the geographic areas in which a client is resident.

CDS O addition: Default post code for clients with No fixed abode is ZZ99 3VZ. Dataset Inclusion: SA,SY.

4.8 Transferred from – PRISON

Only applicable to the secure settings dataset.

Please note, this list will change periodically as secure settings are recommissioned.

Please contact your local NDTMS team for an up to date list.

Dataset Inclusion: SA,SY.

4.9 Sexual orientation codes – SEXUALO

Code	Text	Comments	Dataset Inclusion	Sort order
1	Heterosexual or Straight		SA	1
2	Gay or Lesbian		SA	2
3	Bisexual		SA	3
U	Person asked and does not know or is not sure		SA	4
Z	Not stated	Person asked but declined to provide a response	SA	5
4	Other sexual orientation not listed		SA	6
9	Not known	Not recorded – service unable to obtain information	SA	7

4.10 Religion codes – RELIGION

Code	Text	Comments	Dataset Inclusion	Sort order
A	Baha'i		SA	1
B	Buddhist		SA	2
C	Christian		SA	3
D	Hindu		SA	4
E	Jain		SA	5
F	Jewish		SA	6
G	Muslim		SA	7
H	Pagan		SA	8
I	Sikh		SA	9
J	Zoroastrian		SA	10
K	Other		SA	11
L	None		SA	12

M	Declines to disclose		SA	13
N	Unknown		SA	14

4.11 Disability codes (Disability No 1, No 2, No 3) – DISABLE1, DISABLE2, DISABLE3

Code	Text	Comments	Dataset Inclusion	Sort order
1	Behaviour and emotional	Should be used where the client has times when they lack control over their feelings or actions.	SA	1
2	Hearing	Should be used where the client has difficulty hearing, or need hearing aids, or need to lip-read what people say.	SA	2
3	Manual dexterity	Should be used where the client experiences difficulty performing tasks with their hands.	SA	3
4	Learning disability	Should be used where the client has difficulty with memory or ability to concentrate, learn or understand which began before the age of 18.	SA	4
5	Mobility and gross motor	Should be used where the client has difficulty getting around physically without assistance or needs aids like wheelchairs or walking frames; or where the client has difficulty controlling how their arms, legs or head move.	SA	5
6	Perception of physical danger	Should be used where the client has difficulty understanding that some things, places or situations can be dangerous and could lead to a risk of injury or harm.	SA	6
7	Personal, self-care and continence	Should be used where the client has difficulty keeping clean and dressing the way they would like to.	SA	7
8	Progressive conditions and physical health	Should be used where the client has any illness which affects what they can do, or which is making them more ill, which is getting worse, and which is going to continue getting worse (such as HIV, cancer, multiple sclerosis, fits etc.).	SA	8
9	Sight	Should be used where the client has difficulty seeing signs or things printed on paper, or seeing things at a distance.	SA	9
10	Speech	Should be used where the client has difficulty speaking or using language to communicate or make their needs known.	SA	10
XX	Other	Should be used where the client has any other important health issue including dementia or autism.	SA	11
NN	No disability		SA	12

ZZ	Not stated	Client asked but declined to provide a response	SA	13
----	------------	---	----	----

4.12 Time since last paid employment – TSLPE

Code	Text	Comments	Dataset Inclusion	Sort order
0	Less than 1 year	Less than 1 year since paid employment	SA	1
1	1-2 years	Between 1 and 2 years since last paid employment	SA	2
2	2-3 years	Between 2 and 3 years since last paid employment	SA	3
<i>n</i> *	<i>n</i> years since paid employment	<i>n</i> is defined as an integer between 3 and 75. Number of years should be rounded down, for example if a person was last in employment 3.6 years ago enter 3.	SA	4
97	Never employed	Client has never been in paid employment	SA	5
98	Currently employed		SA	6
99	Client declined to answer		SA	7

4.13 Pregnant codes – PREGNANT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No		SA,SY	1
Y	Yes	Only expected for female clients	SA,SY	2

4.14 Parental status codes – PRNTSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
11	All the children live with the client		SA,SY	1
12	Some of the children live with the client		SA,SY	2
13	None of the children live with the client		SA,SY	3
14	Not a parent		SA,SY	4
15	Client declined to answer		SA,SY	5

4.15 Children living with client – CHILDWTH

Code	Text	Comments	Dataset Inclusion	Sort order
0	No children living with client		SA,SY	1
1	1 child living with client		SA,SY	2
2	2 children living with client		SA,SY	3
<i>n</i> *	<i>n</i> children living with client	<i>n</i> is defined as an integer between 0 and 30	SA,SY	4
98	Client declined to answer		SA,SY	5
99	Undisclosed number		SA,SY	6

4.16 Are the client’s children (biological, step, foster, adoptive, guardian) or any of the children living with the client receiving early help or are they in contact with children’s social care? – EHCSC

Code	Text	Comments	Dataset Inclusion	Sort order
1	Early Help	Early Help - The needs of the child and family have been assessed and they are receiving targeted early help services as defined by Working Together to Safeguard Children 2015 (HM Govt.)	SA,SY	1
2	Child in need	Child in need – the needs of the child and family have been assessed by a social worker and services are being provided by the local authority under Section 17 of the Children Act 1989.	SA,SY	2
3	Has a child protection plan	Has a child protection plan - social worker has led enquiries under Section 47 of the Children Act 1989. A child protection conference has determined that the child remains at continuing risk of ‘significant harm’ and a multi-agency child protection plan has been formulated to protect the child.	SA,SY	3
4	Looked after child	Looked after child - arrangements for the child have been determined following statutory intervention and care proceedings under the Children Act 1989. Looked after children may be placed with parents, foster carers (including relatives and friends), in children's homes, in secure accommodation or with prospective adopters	SA,SY	4
5	No	Children are not receiving early help nor are they in contact with children’s services.	SA,SY	5
99	Client declined		SA,SY	6

	to answer			
--	-----------	--	--	--

4.17 Drug list (problem substance No 1, No 2, No 3) – DRUG1, DRUG2, DRUG3

This is controlled by PHE. Details (groups, names and codes) are given in Appendix A. Two items in this list (drug-free and alcohol-free) are no longer actively used by NDTMS, and their use in the extracts should be discontinued for clients presenting after 1st April 2006.

These values will remain in the table, but ‘struck through’ to indicate that they are no longer to be used for new presentations.

Dataset Inclusion: SA,SY

4.18 Injecting status – INJSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
P	Previously injected (but not currently)		SA,SY	1
C	Currently injecting		SA,SY	2
N	Never injected		SA,SY	3
Z	Client declined to answer		SA,SY	4

4.19 Drinking days – ALCDDAYS

Code	Text	Comments	Dataset Inclusion	Sort order
0-28	Number of days in the 28 days prior to initial assessment that the client consumed alcohol		SA,SY	

4.20 Units of Alcohol – ALCUNITS

Code	Text	Comments	Dataset Inclusion	Sort order
0-200	Typical number of units consumed on a drinking day in the 28 days prior to initial assessment.		SA,SY	

4.21 Alcohol Audit Score – AUDIT

Permissible response	Comments	Dataset Inclusion	Sort Order
----------------------	----------	-------------------	------------

Between 0 and 40 or 99	99 = NA. Use NA only if information is not disclosed or not answered	SA,SY	
------------------------	--	-------	--

4.22 Dual diagnosis – DUALDIAG

Code	Text	Comments	Dataset Inclusion	Sort order
N	No		SA,SY	1
Y	Yes		SA,SY	2

4.23 Hep B intervention status codes – HEPBSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
A	Offered and accepted	Adult drug only	SA	1
B	Offered and refused	Adult drug and YP clients only	SA,SY	2
C	Immunised already	Adult drug and YP clients only	SA,SY	3
D	Not offered	Adult drug and YP clients only	SA,SY	4
F	Assessed as not appropriate to offer	Adult drug and YP clients only	SA,SY	5
G	Offered and accepted – not yet had any vaccinations	Applicable to YP only	SY	6
H	Offered and accepted – started having vaccinations	Applicable to YP only	SY	7
I	Offered and accepted – completed vaccination course	Applicable to YP only	SY	8
J	Offered and accepted but refused at a later date	Adult drug and YP clients only	SA,SY	9
K	Deferred due to clinical reasons	Adult drug and YP clients only	SA,SY	10

4.24 Hep B vaccination count codes – HEPBVAC

Code	Text	Comments	Dataset Inclusion	Sort order
1	One vaccination		SA	1
2	Two vaccinations		SA	2
3	Three vaccinations		SA	3
C	Course completed		SA	4

4.25 Hep C intervention status – HEPSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
A	Offered and accepted		SA	1
B	Offered and refused		SA,SY	2
D	Not offered		SA,SY	3
F	Assessed as not appropriate to offer		SA,SY	4
G	Offered and accepted – not yet had a test		SY	5
H	Offered and accepted – had a Hep C test		SY	6
J	Offered and accepted but refused at a later date		SA,SY	7
K	Deferred due to clinical reasons		SA,SY	8

4.26 Hep C tested – HEPCTD

Code	Text	Comments	Dataset Inclusion	Sort order
1	No		SA	1
2	Yes		SA	2
99	Not asked	Not asked, information not known or client declined to answer	SA	3

4.27 Discharge Reason codes – DISRSN

Code	Text	Comments	Dataset Inclusion	Sort order
80	Treatment completed – drug-free		SA,SY	1
81	Treatment completed – alcohol-free		SA	2
82	Treatment completed – occasional user (not opiates or crack)		SA,SY	3
83	Transferred – not in custody		SA,SY	4
84	Transferred – in custody		SA,SY	5
71	Incomplete - onward referral offered and refused		SA,SY	6

85	Incomplete – dropped out		SA,SY	7
86	Incomplete – treatment withdrawn by provider		SA,SY	8
88	Incomplete – treatment commencement declined by client		SA,SY	9
98	Incomplete - deported		SA,SY	10
99	Incomplete – released from court		SA,SY	11
89	Incomplete – client died		SA,SY	12

4.28 Sentenced – SENTENCED

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		SA	1
1	Yes		SA	2

4.29 Take home Naloxone and training information – THNALOX

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		SA	1
1	Yes		SA	2

4.30 Referred to Hep C treatment – REFHEPCTX

Code	Text	Comments	Dataset Inclusion	Sort order
2	No	Completed on release/transfer.	SA	1
1	Yes	Completed on release/transfer.	SA	2

4.31 Secure setting exit reason codes – EXITRSN

Code	Text	Comments	Dataset Inclusion	Sort order
R	Released		SA,SY	1
T	Transferred		SA,SY	2
D	Died		SA,SY	3

A	Absconded		SA,SY	4
---	-----------	--	-------	---

4.32 Secure setting exit destination – EXITDEST

Permissible responses: See the NDTMS Geographic Information document for a list of DAT codes:

www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Please note, the secure setting list will change periodically as secure settings are recommissioned. Please contact your local NDTMS team for an up to date list.

Dataset Inclusion: SA,SY

4.33 Referral on release status – RTOAGNCY

Code	Text	Comments	Dataset Inclusion	Sort order
7	Referred to recovery support services		SA	1
8	Referred to structured treatment provider		SA,SY	2
9	Referred to structured treatment provider and recovery support		SA	3
5	Referred to YOT and treatment provider		SY	4
6	Referred to YOT		SY	5
4	No onward referral		SA,SY	6

4.34 Treatment intervention codes – MODAL

Code	Text	Comments	Dataset Inclusion	Sort order
103	Benzodiazepines detoxification	Structured intervention. Applicable to drug clients only	SA	1
104	Lofexidine	Structured intervention. Applicable to drug clients only	SA	2
105	Naltrexone pre-release	Structured intervention. Applicable to drug clients only	SA	3
106	Opioid re-induction	Structured intervention. Applicable to drug clients only	SA	4
107	Opioid reduction – methadone	Structured intervention. Applicable to drug clients only	SA	5
108	Opioid reduction – buprenorphine	Structured intervention. Applicable to drug clients only	SA	6
109	Opioid maintenance – methadone	Structured intervention. Applicable to drug clients only	SA	7

110	Opioid maintenance – buprenorphine	Structured intervention. Applicable to drug clients only	SA	8
84	Psychosocial intervention mental disorder	Structured intervention. Applicable to both drug and alcohol clients	SA	9
85	Other structured psychosocial intervention	Structured intervention. Applicable to both drug and alcohol clients	SA	10
5	Structured day programme	Structured intervention. Applicable to both drug and alcohol clients	SA	11
12	Other structured intervention	Structured intervention. Applicable to both drug and alcohol clients	SA	12
77	ALC – prescribing	Structured intervention. Applicable to alcohol clients only	SA	13
76	ALC – brief intervention	Non-structured intervention. Applicable to both drug and alcohol clients	SA	16
52	YP harm reduction (specialist)	Structured intervention.	SY	17
56	YP specialist pharmacological intervention	Structured intervention.	SY	18
63	YP psychosocial – counselling	Structured intervention.	SY	19
64	YP psychosocial – cognitive behavioural therapy	Structured intervention.	SY	20
65	YP psychosocial – motivational interviewing	Structured intervention.	SY	21
66	YP psychosocial – relapse prevention	Structured intervention.	SY	22
67	YP psychosocial – family work	Structured intervention.	SY	23

4.35 Intervention exit status – MODEXIT

Code	Text	Comments	Dataset Inclusion	Sort order
A	Mutually agreed planned exit	Intervention exit mutually agreed by the client and the provider	SA,SY	1
B	Clients unilateral unplanned exit	Client exits intervention in an unplanned manner, ie without the agreement of the provider. This should also be used when the client dies	SA,SY	2
C	Intervention withdrawn	The intervention has been withdrawn by the provider. Note: this is to be used in exceptional circumstances, eg due to exclusions from premises due to violent behaviour	SA,SY	3

D	Released from court	Client has been released from court without completing their treatment intervention	SA,SY	4
---	---------------------	---	-------	---

5. Outcomes Profiles

5.1 Treatment Outcomes Profile (TOP)

The TOP (Treatment Outcomes Profile) was developed as a clinical outcome monitoring tool to measure change and progress in key areas of the lives of people being treated in drug and alcohol services. It contains 20 questions referring to clients substance use, injecting behaviour, crime, health and quality of life to be collected at start, review, exit and post treatment exit.

These items should be completed for all adult clients receiving structured treatment , for community services who only treat alcohol clients the AOR can be completed instead. For young people’s services the YPOR should be completed.

Where (TOP) is shown for items on the YPOR, this denotes a shared CSV file header with the same question on the TOP form.

TOP treatment stage – TRSTAGE

Code	Text	Comments	Sort Order
A	Treatment Start		1
B	Review		2
C	Treatment Exit		3
D	Post-Treatment Exit		4

TOP section 1: substance use

TOP Substance Use Questions	Permissible Responses	Comments
Alcohol ALCUSE	0-28 days or 99	99= NA Not answered/not disclosed.
Consumption (alcohol) CONSMP	0-200 units or 999	999 = Not answered/not disclosed. Note NA value 999 for CDS-L and later.
Opiates/opioids (illicit) OPIUSE	0-28 days or 99	99= NA Not answered/not disclosed Includes street heroin and any non-prescribed opioid, such as methadone or buprenorphine.
Crack CRAUSE	0-28 days or 99	99= NA Not answered/not disclosed.

Cocaine COCAUSE	0-28 days or 99	99= NA Not answered/not disclosed.
Amphetamines AMPHUSE	0-28 days or 99	99= NA Not answered/not disclosed.
Cannabis CANNUSE	0-28 days or 99	99= NA Not answered/not disclosed.
Other Problem Substance? OTDRGUSE	0-28 days or 99	99= NA Not answered/not disclosed.
Tobacco use TOBUSE	0-28 days or 99	99= NA Not answered/not disclosed.

TOP section 2: injecting risk behaviour

TOP Injecting risk Questions	Permissible Responses	Comments
Injected IVDRGUSE	0-28 days or 99	99= NA Not answered/not disclosed.
<i>Special Note:</i> The following header SHARING consists of 2 separate field elements, which both contribute to what is captured under the header SHARING. Please ensure that you read the comments below:		
1) Injected with a needle or syringe used by somebody else	SHARING	Y, N Or 99
2) Injected using a spoon, water or filter used by somebody else		
		Y=Yes, N=No and 99= Not answered/not disclosed. 1) If YES is given as a response in any field, SHARING should be Y = YES 2) If NA is the response for all fields, SHARING should be 99 = NA 3) If fields contain a combination of the responses NA and NO, SHARING should be 99 = NA 4) If NO is given as a response in all fields, SHARING should be N = NO

TOP section 3: crime questions

TOP Crime Questions	Permissible Responses	Comments
Shoplifting SHOTHEFT	0-28 days or 99	99= NA Not answered/not disclosed.
Selling drugs DRGSELL	0-28 days or 99	99= NA Not answered/not disclosed.
<i>Special Note:</i> The following header OTHTHEFT consists of three separate field elements, which contribute to what is captured under the header OTHTHEFT. Please ensure that you read the comments below:		

(1) Theft from or of vehicle	OTHTHEFT	Y, N Or 99	Y=Yes, N=No and 99= Not answered/not disclosed. 1) If YES is given, as a response in any field, OTHTHEFT should be Y =YES. 2) If NA is given as a response for all fields, OTHTHEFT should be 99 = NA 3) If both fields contain a combination of the responses NA and NO, OTHTHEFT should be 99 = NA 4) If No is given as a response in all fields, OTHTHEFT should be NO
(2) Other property theft or burglary			
(3) Fraud, forgery or handling stolen goods			
Committing assault or violence ASSAULT		Y, N Or 99	Y=Yes, N=No and 99= Not answered/not disclosed.

TOP section 4: health & social functioning questions

TOP Health & Social Functioning Questions	Permissible Responses	Comments
Clients rating of psychological health PSYHSTAT	0-20 or 99	0=Poor up to 20=Good. 99= NA Not answered/not disclosed.
Days in paid work PWORK	0-28 days or 99	99= NA Not answered/not disclosed.
Days in volunteering DAYSVOLN	0-28 days or 99	99= NA Not answered/not disclosed.
Days in unpaid structured work placement UPDWORK	0-28 days or 99	99= NA Not answered/not disclosed.
Days attended college or school EDUCAT	0-28 days or 99	99= NA Not answered/not disclosed.
Clients rating of physical health PHSTAT	0-20 or 99	0=Poor up to 20=Good. 99= NA Not answered/not disclosed.
Acute housing problem ACUTHPBM	Y, N Or 99	Y=Yes, N=No and 99= Not answered/not disclosed.
Unsuitable housing UNSTHSE	Y, N Or 99	Y=Yes, N=No and 99= Not answered/not disclosed.
At risk of eviction HRISK	Y, N Or 99	Y=Yes, N=No and 99= Not answered/not disclosed.
Clients rating of overall quality of life QUALLIFE	0-20 or 99	0=Poor up to 20=Good. 99= NA Not answered/not disclosed.

5.2 Young People’s Outcomes Record (YPOR)

The YPOR (Young People’s Outcomes Record) was developed to assess changes to drug and alcohol use and wellbeing over the period of engagement with specialist services.

These items should be completed for all young people receiving specialist substance misuse interventions. They should be collected once at the start of treatment and once again at the end. Should localities choose to complete this form at care plan reviews as well to monitor progress, this is acceptable but is not mandatory.

Where (TOP) is shown for items on the YPOR, this denotes a shared CSV file header with the same question on the TOP form.

YPOR treatment stage – TRSTAGE

Code	Text	Comments	Sort Order
A	Treatment Start		1
B	Review	Review optional for YPs	2
C	Treatment Exit		3
D	Post-Treatment Exit		4

YPOR section 1: substance use

Days used	Permissible response	Comments
Cannabis use CANNUSE (TOP)	0-28 days or 99	99= Not answered/not disclosed.
Cannabis average use per day CAUSPD	0-14 grams or 99	99= Not answered/not disclosed.
Alcohol use ALCUSE (TOP)	0-28 days or 99	99= Not answered/not disclosed.
Consumption (alcohol) CONSMP (TOP)	0-200 units or 999	999= Not answered/not disclosed.
Tobacco/nicotine TOANIC	0-28 days or 99	99= Not answered/not disclosed.
Opiate use (illicit) OPIUSE (TOP)	0-28 days or 99	99= Not answered/not disclosed.
Crack use CRAUSE (TOP)	0-28 days or 99	99= Not answered/not disclosed.

Cocaine use COCAUSE (TOP)	0-28 days or 99	99= Not answered/not disclosed.
Ecstasy use ECSTSYYP	0-28 days or 99	99= Not answered/not disclosed.
Amphetamines use AMPHUSE (TOP)	0-28 days or 99	99= Not answered/not disclosed.
Solvents use SOLVYP	0-28 days or 99	99= Not answered/not disclosed.
Ketamine use KETAMNYP	0-28 days or 99	99= Not answered/not disclosed.
GHB use GHBYP	0-28 days or 99	99= Not answered/not disclosed.
New psychoactive substances (NPS) LEHIGSYP	0-28 days or 99	99= Not answered/not disclosed.
Tranquilisers (including benzodiazepines) use TRANYP	0-28 days or 99	99= Not answered/not disclosed.
Other substance use OTDRGUSE (TOP)	0-28 days or 99	99= Not answered/not disclosed.
Other substance use 2 OTHR2YP	0-28 days or 99	99= Not answered/not disclosed.
Other substance use 3 OTHR3YP	0-28 days or 99	99= Not answered/not disclosed.

YPOR section 2: substance age of first use (to be recorded at treatment start only)

Age first used:	Permissible response	Comments
Cannabis AFUCAN	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Alcohol AFUALC	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Tobacco/nicotine AFUTOBN	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Opiates (illicit) AFUOOL	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Crack AFUCRACK	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Cocaine AFUCOC	Between 0 and 75 years or 99	99= Not answered/not disclosed.

Ecstasy AFUEST	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Amphetamines AFUAMP	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Solvents AFUSLV	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Ketamine AFUKET	Between 0 and 75 years or 99	99= Not answered/not disclosed.
GHB AFUGHB	Between 0 and 75 years or 99	99= Not answered/not disclosed.
New psychoactive substances (NPS) AFULHU	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Tranquilisers (including benzodiazepines) AFUTQL	Between 0 and 75 years or 99	99= Not answered/not disclosed.

YPOR section 3: substance specific risk behaviour

Alcohol use: in the past 28 days/ 28 days prior to custody has YP drunk more than 8 units (male) or more than 6 units (female) during a single drinking episode – AAUSFWK

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

Ever injected: in your life have you ever injected a substance – LINSTUS

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

Injecting: if yes to 'Ever injected' LINSTUS, have you injected a substance in the past 28 days/ 28 days prior to custody – YPIVDRGU

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

YPOR section 4: patterns of use

In the previous 28 days/ 28 days prior to custody, has the YP consumed alcohol:

On a weekday during the daytime – PTEDAWDD

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekday during the evening – PTEDAWDE

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekend during the daytime – PTEDAWED

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekend during the evening – PTEDAWEE

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On their own – PTEDOYO

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

In the previous 28 days/ 28 days prior to custody, has the YP used other substances except tobacco:

On a weekday during the daytime – PTEUSWDD

Code	Text	Comments	Sort order
------	------	----------	------------

2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekday during the evening – PTEUSWDE

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekend during the daytime – PTEUSWED

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekend during the evening – PTEUSWEE

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On their own – PTEUSOYO

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

YPOR section 5: health and wellbeing

YPOR health and wellbeing	Permissible response	Comments
How satisfied YP is with life today? LISREDYS	0-10 or 99	0=not at all satisfied up to 10=completely satisfied. 99= NA Not answered/not disclosed.
To what extent YP feels that things they do in life are worthwhile LWWAS	0-10 or 99	0=not at all worthwhile up to 10=completely worthwhile. 99= NA Not answered/not disclosed.
How anxious did YP feel yesterday? ANSTS	0-10 or 99	0=not at all anxious up to 10=completely anxious. 99= NA Not answered/not disclosed.
How happy did YP feel yesterday? HAPSTYS	0-10 or 99	0=not at all happy up to 10=completely happy. 99= NA Not answered/not disclosed.
How well does YP get on with family/friends? FMCRCOH	0-10 or 99	0=not at all well up to 10=completely well. 99= NA Not answered/not disclosed.
Unsuitable housing UNSTHSE	Y, N or 99	Y=Yes, N=No and 99= NA Not answered/not disclosed.

5.3 Alcohol Outcomes Record (AOR)

The AOR (Alcohol Outcomes Record) was developed after consultation with the alcohol treatment field as minimum dataset for measuring outcomes for primary alcohol clients in alcohol only treatment services. All items on the AOR should be completed for primary alcohol clients at both treatment start and exit. If the AOR is being completed the remaining TOP fields must be populated with NA to satisfy system validations.

Localities may also complete outcomes information at care plan review to monitor progress if they wish. All of the items on the AOR are also included on the TOP and should localities wish to complete TOP for primary alcohol clients this will be accepted in place of an AOR.

Where (TOP) is shown for items on the AOR, this denotes a shared CSV file header with the same question on the TOP form.

AOR (TOP) treatment stage – TRSTAGE

Code	Text	Comments	Sort Order
A	Treatment Start		1
B	Review		2
C	Treatment Exit		3
D	Post-Treatment Exit		4

AOR section 1: substance use

AOR	Permissible response	Comments
Alcohol ALCUSE (TOP)	0-28 days or 99	99 = Not answered/not disclosed.
Consumption (Alcohol units) CONSMP (TOP)	0-200 Units or 999	999 = Not answered/not disclosed.
Tobacco use TOBUSE (TOP)	0-28 days or 99	99 = Not answered/not disclosed
Clients rating of psychological health PSYHSTAT (TOP)	0-20 or 99	0=Poor up to 20=Good. 99= Not answered/not disclosed.
Clients rating of physical health PHSTAT (TOP)	0-20 or 99	0=Poor up to 20=Good. 99= Not answered/not disclosed.

Appendix A – Drug codes and names

Individuals presenting to adult alcohol and drug treatment services are categorised by the substances they cite as problematic at the start of treatment. They are categorised by the following hierarchal criteria:

- any mention of opiate use in any episode would result in the client being categorised as an OPIATE client (irrespective of what other substances are cited)
- clients who present with non-opiate substances (and not opiates or alcohol) will be classified as NON-OPIATE ONLY
- clients who present with a non-opiate substance *and* alcohol (but not opiates) recorded in any drug in any episode in their treatment journeys will be classified as NON-OPIATE AND ALCOHOL
- clients who present with alcohol and no other substances will be categorised as ALCOHOL ONLY

Group code	Group	Drug code	Drug	Drug group for NDTMS reports
1	Heroin	1101	Heroin illicit	Opiate
		1102	Diamorphine	Opiate
		1120	Diamorphine Hydrochloride elixir	Opiate
		1121	Diamorphine Hydrochloride amps	Opiate
		1125	Diamorphine Hydrochloride reefers	Opiate
2	Methadone	1105	Methadone unspecified	Opiate
		1106	Methadone mixture	Opiate
		1107	Methadone linctus	Opiate
		1108	Methadone tablets	Opiate
		1109	Methadone amps	Opiate
		1110	Methadone suppositories	Opiate
3	Other Opiates	1000	Opiates unspecified	Opiate
		1103	Morphine sulphate	Opiate
		1104	Opium	Opiate
		1111	Dihydrocodeine	Opiate
		1112	Dextromoramide	Opiate
		1113	Dipipanone	Opiate
		1114	Pethidine	Opiate
		1130	Morphine sulphate amps	Opiate
		1151	Hydromorphone	Opiate
		1152	Oxymorphone	Opiate
		1153	Hydrocodone	Opiate
	1154	Oxycodone	Opiate	
	1155	Levorphanol	Opiate	
	1156	Phenazocine	Opiate	

		1157	Piritramide	Opiate
		1201	Codeine tablets	Opiate
		1202	Dextropropoxyphene	Opiate
		1203	Pentazocine	Opiate
		1204	Buprenorphine	Opiate
		1205	Codeine unspecified	Opiate
		1206	Opiate Compound Analgesics	Opiate
		1251	Nalbuphine	Opiate
		1252	Alphaprodine	Opiate
		1253	Anileridine	Opiate
		1254	Ethoheptazine	Opiate
		1255	Fentanyl	Opiate
		1256	Phenoperidine	Opiate
		1257	Meptazinol	Opiate
		1258	Papaveretum	Opiate
		1259	Tramadol Hydrochloride	Opiate
		1300	Opiate containing mixture	Opiate
		1301	Codeine linctus	Opiate
		1302	Gee's linctus	Opiate
		1303	Collis-brown	Opiate
		1304	Phensedyl	Opiate
		1305	Dextromethorphan (Actifed dry coughs etc)	Opiate
		1310	Kaolin and Morphine	Opiate
		1401	Other Opiates	Opiate
4	Benzodiazepines	2200	Benzodiazepines unspecified	Non-opiate
		2201	Diazepam	Non-opiate
		2202	Chlordiazepoxide	Non-opiate
		2203	Nitrazepam	Non-opiate
		2204	Lorazepam	Non-opiate
		2251	Clobazam	Non-opiate
		2252	Clorazepate	Non-opiate
		2253	Ketazolam	Non-opiate
		2254	Medazepam	Non-opiate
		2255	Oxazepam	Non-opiate
		2256	Flurazepam	Non-opiate
		2257	Temazepam	Non-opiate
		2258	Triazolam	Non-opiate
		2259	Lormetazepam	Non-opiate
		2260	Prazepam	Non-opiate
		2261	Bromazepam	Non-opiate
		2262	Flunitrazepam	Non-opiate
		2263	Chlormezanone	Non-opiate
		2264	Loprazolam	Non-opiate
		2265	Alprazolam	Non-opiate
		2266	Clonazepam	Non-opiate
		2267	Midazolam	Non-opiate
5	Amphetamines (excluding Ecstasy)	3100	Amphetamines unspecified	Non-opiate
		3101	Amphetamine sulphate	Non-opiate

		3102	Amphetamine (pharmaceutical)	Non-opiate
		3103	Methamphetamine	Non-opiate
		3104	Dexamphetamine (Dexadrine)	Non-opiate
		3110	Dexamphetamine linctus/syrup	Non-opiate
		3111	Dexamphetamine reefers	Non-opiate
		3112	Methamphetamine amps	Non-opiate
		3113	Methylone	Non-opiate
		3114	Mephedrone	Non-opiate
6	Cocaine (excluding Crack)	3200 3200	Cocaine unspecified	Non-opiate
		3202	Cocaine Hydrochloride	Non-opiate
7	Crack	3201	Cocaine Freebase (crack)	Non-opiate
8	Hallucinogens	4000	Hallucinogens unspecified	Non-opiate
		4001	Mescaline	Non-opiate
		4002	Psilocybin	Non-opiate
		4003	Lysergide (LSD)	Non-opiate
		4004	Phencyclidine	Non-opiate
		4005	Ketamine	Non-opiate
		4006	Dimethyltryptamine	Non-opiate
		4007	Bromodimethoxyphenethylamine	Non-opiate
9	Ecstasy	3406	MDMA	Non-opiate
		3407	Methylenedioxyamphetamine	Non-opiate
10	Cannabis	5000	Cannabis unspecified	Non-opiate
		5001	Cannabis herbal	Non-opiate
		5002	Cannabis resin	Non-opiate
		5003	Cannabis oil	Non-opiate
		5004	Cannabis herbal (Skunk)	Non-opiate
11	Solvents	6000	Solvents unspecified	Non-opiate
		6001	Glue	Non-opiate
		6002	Gas (butane/propane)	Non-opiate
		6003	Volatile Nitrate (such as Amyl Nitrate)	Non-opiate
		6004	Acetone	Non-opiate
		6005	Hydro-Fluorocarbons	Non-opiate
		6006	Trichloroethylene	Non-opiate
		6007	Aerosols	Non-opiate
		6008	Nitrous oxide	Non-opiate
		6009	Petrol	Non-opiate
12	Barbiturates	2100	Barbiturates unspecified	Non-opiate
		2101	Amylobarbitone	Non-opiate
		2102	Pentobarbitone	Non-opiate
		2103	Quinalbarbitone	Non-opiate
		2104	Phenobarbitone	Non-opiate
		2151	Butobarbitone	Non-opiate
		2152	Heptobarbitone	Non-opiate
		2153	Cyclobarbitone	Non-opiate
		2154	Hexobarbitone	Non-opiate
		2155	Barbitone unbranded	Non-opiate
		2156	Methylphenobarbitone	Non-opiate
13	Major Tranquillisers	8200	Major Tranquillisers unspecified	Non-opiate
		8201	Chlorpromazine (Largactyl)	Non-opiate

14	Anti-depressants	8300	Anti-depressants	Non-opiate
		8301	Fluoxetine	Non-opiate
		8302	Amitriptyline	Non-opiate
		8303	Dothiepin Hydrochloride	Non-opiate
		8304	Lofepramine	Non-opiate
		8305	Paroxetine	Non-opiate
15	Alcohol	7000	Alcohol unspecified	Alcohol
		7001	Beer or Cider	Alcohol
		7002	Wines and fortified wines	Alcohol
		7003	Spirits	Alcohol
		7004	Mixture of alcohol	Alcohol
16	Other Drugs	2000	Sedatives unspecified	Non-opiate
		2300	Anti-histamines unspecified	Non-opiate
		2301	Hydroxyzine	Non-opiate
		2302	Cyclizine	Non-opiate
		2303	Promethazine	Non-opiate
		2400	Non-barb/benzo sedatives unspecified	Non-opiate
		2401	Methaqualone	Non-opiate
		2402	Chlormethiazole	Non-opiate
		2403	Meprobamate	Non-opiate
		2404	Zopiclone	Non-opiate
		2405	Zolpidem Tartrate	Non-opiate
		2451	Propranolol	Non-opiate
		2452	Chloral derivatives	Non-opiate
		2453	Glutethimide	Non-opiate
		2454	Mephenesin	Non-opiate
		2455	Methylpentylol	Non-opiate
		2456	Methylprylon	Non-opiate
		2457	Oxyprenolol Hydrochloride	Non-opiate
		2501	Other sedatives	Non-opiate
		3000	Stimulants unspecified	Non-opiate
		3151	Drinamyl	Non-opiate
		3300	Appetite suppressant	Non-opiate
		3301	Diethylpropion	Non-opiate
		3302	Phenmetrazine	Non-opiate
		3303	Fenfluramine	Non-opiate
		3304	Mazindol	Non-opiate
		3305	Phentermine	Non-opiate
		3400	Other stimulants	Non-opiate
		3401	Methylphenidate	Non-opiate
		3402	Pemoline	Non-opiate
		3403	Prolintane	Non-opiate
		3404	Fencamfamin	Non-opiate
		3405	Caffeine	Misuse free
		3408	Khat	Non-opiate
		3409	Nicotine	Misuse free
		8000	Other psychoactive drugs unspecified	Non-opiate
		8001	Procyldine Hydrochloride	Non-opiate
		8002	GHB/GBL	Non-opiate
		8100	Minor Analgesics	Non-opiate
		8400	Anti-diarrhoea/Anti-emetic	Non-opiate
		8501	Naltrexone	Non-opiate

		8502	Antabuse	Non-opiate
		8503	Clonidine	Non-opiate
		8504	Lofexidine	Non-opiate
		8600	Steroids unspecified	Non-opiate
		8601	Nandrolone	Non-opiate
		8602	Stanozolol	Non-opiate
		8603	Testosterone and Esters	Non-opiate
		8604	Tetracosactrin	Non-opiate
		8700	Antipsychotic unspecified	Non-opiate
		8701	Depixol	Non-opiate
		8702	Thioridazine	Non-opiate
		8703	Trifluoperazine	Non-opiate
		8704	Pregabalin	Non-opiate
		8705	Gabapentin	Non-opiate
		8706	Areca nut (betel, paan)	Non-opiate
		8799	Drug – not otherwise specified	Non-opiate
18	Prescription Drugs	9001	Diamorphine prescription	Opiate
		9002	Methadone prescription	Opiate
		9003	Buprenorphine prescription	Opiate
		9004	Codeine prescription	Opiate
		9005	Other prescribed drugs	Non-opiate
19	Novel Psychoactive Substances	8800	NPS – predominantly stimulant	Non-opiate
		8801	NPS – predominantly hallucinogenic	Non-opiate
		8802	NPS – predominantly dissociative	Non-opiate
		8803	NPS – predominantly sedative or opioid	Non-opiate
		8804	NPS – predominantly cannabis	Non-opiate
		8805	NPS Other – effects different to available classifications or not stated	Non-opiate
99	Misuse free	9996	No second drug	Misuse free
		9997	No third drug	Misuse free
		9998	Alcohol free	Misuse free
		9999	Drug free	Misuse free

Appendix B – List of reference data owners

The majority of reference data items in the NDTMS dataset are owned by NDTMS. A minority come from external sources. Reference data items that are not owned by PHE are listed below along with their owner, all other reference data is PHE owned.

Reference item	Owner	Comments	Owner contact details
Ethnicity	ONS	Office of National Statistics	Customer Contact Centre Room 1.015 Office for National Statistics Cardiff Road Newport NP10 8XG Tel: 0845 601 3034 info@statistics.gov.uk
Local Authority	ONS via ODS	Office of National Statistics/ Organisation Data Service	
Postcode	ONS via ODS	Office of National Statistics/ Organisation Data Service	
Nationality	ISO	International Standard http://www.iso.org/iso/country_codes	ISO 3166 Maintenance Agency c/o International Organization for Standardization Chemin de Blandonnet 8 CP 401 1214 Vernier, Geneva Switzerland Tel: +41 22 749 01 11 customerservice@iso.org
DAT of residence	HO	Home Office	
Sexual orientation	NHS Data Dictionary	http://www.datadictionary.nhs.uk/	information.standards@nhs.net
Religion			
Disability			
Employment status	EMCDDA 5	http://www.emcdda.europa.eu/index.cfm?fuseaction=public.Content&nNodeID=7680&sLanguageISO=EN	European Monitoring Centre for Drugs and Drug Addition (EMCDDA) Rua da Cruz de Santa Apolónia 23-25 PT-1149-045 Lisbon Tel: (+351) 21 811 3000 info@emcdda.europa.eu
Early help/ children in contact with children's social care	Department for Education	https://www.gov.uk/government/publications/working-together-to-safeguard-children--2	www.education.gov.uk/contactus Tel: 0370 000 2288
AUDIT score	WHO	World Health Organisation	World Health Organization

SADQ score		www.who.int/substance_abuse/activities/sbi/en	Department of Mental Health and Substance Abuse Management of Substance Abuse Team (NMH/MSD/MSB) 20, Avenue Appia CH-1211 Geneva 27 Switzerland Tel: +41 22 791 3494 msb@who.int
------------	--	--	--

For PHE owned reference items please contact: Steve Casson
 Consultant in Public Health Medicine (NDR PH Informatics) Lead for the National Drug Treatment Monitoring System
 Public Health England, 2nd Floor, Skipton House, 80 London Road, London, SE1 6LH
NDTMS.admin@phe.gov.uk
www.nta.nhs.uk