

Remote Health Advice Syndromic Surveillance System Bulletin (England) 2024 Week 13

Key messages

Data reported to: 31 March

Total NHS 111 calls and online assessments increased over the Easter bank holiday weekend (Friday 29 March to Monday 1 April) in line expected heightened activity during a public holiday. Activity and trends should therefore be interpreted with some caution during week 13.

Please note that recent updates to the NHS Pathways clinical system used by NHS 111 has affected levels of certain syndromic indicators including cold/flu and cough calls (which should currently be interpreted with caution). NHS Pathways changes have also affected online assessments for fever and difficulty breathing indicators (which have been temporarily removed from this report to avoid misinterpretation). Please see 'Notes and Caveats' for further information.

Syndromic indicators at a glance

Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.

| Indicator | Trend ¹ | Level |
|---|-----------------------|-----------------------------|
| Total NHS 111 calls (Figure 1) | Increasing | No baseline |
| Total NHS 111 online (Figure 2) | Increasing | No baseline |
| Cold/flu NHS 111 calls (Figure 3) | No trend ² | Below baseline ² |
| Cold/flu NHS 111 online (Figure 4) | Increasing | Above baseline |
| Fever NHS 111 calls (Figure 5) | No trend | Below baseline |
| Cough NHS 111 calls (Figure 6) | No trend ² | Above baseline ² |
| Cough NHS 111 online (Figure 7) | No trend | Above baseline |
| Sore throat NHS 111 calls (Figure 8) | Increasing | Above baseline |
| Sore throat NHS 111 online (Figure 9) | No trend | Above baseline |
| Potential COVID-19 NHS 111 calls (Figure 10) | No trend | No baseline |
| Potential COVID-19 NHS 111 online (Figure 11) | No trend | No baseline |
| Diarrhoea NHS 111 calls (Figure 12) | No trend | Similar to baseline |
| Diarrhoea NHS 111 online (Figure 13) | No trend | Above baseline |
| Vomiting NHS 111 calls (Figure 14) | No trend | Similar to baseline |
| Vomiting NHS 111 online (Figure 15) | No trend | Similar to baseline |
| Eye problems NHS 111 calls (Figure 16) | Increasing | Above baseline |
| Eye problems NHS 111 online (Figure 17) | No trend | Similar to baseline |

¹ trend reports on the trend seen over most recent and earlier weeks

² see Notes and Caveats for information about changes to cold/flu and cough calls

Contents

| Key messages | 2 |
|--|----|
| Syndromic indicators at a glance | 2 |
| Contents | 3 |
| About this syndromic surveillance system | 4 |
| Total contacts | 5 |
| NHS 111 calls | 5 |
| NHS 111 online | 7 |
| Respiratory conditions | 9 |
| Cold/flu NHS 111 calls | 9 |
| Cold/flu NHS 111 online | 11 |
| Fever NHS 111 calls | 13 |
| Cough NHS 111 calls | 15 |
| Cough NHS 111 online | 17 |
| Sore throat NHS 111 calls | 19 |
| Sore throat NHS 111 online | 21 |
| Potential COVID-19 NHS 111 calls | 23 |
| Potential COVID-19 NHS 111 online | 25 |
| Gastrointestinal conditions | 27 |
| Diarrhoea NHS 111 calls | 27 |
| Diarrhoea NHS 111 online | 29 |
| Vomiting NHS 111 calls | 31 |
| Vomiting NHS 111 online | 33 |
| Seasonal environmental conditions | 35 |
| Eye problems NHS 111 calls | 36 |
| Eye problems NHS 111 online | 38 |
| Notes and caveats | 40 |
| COVID-19 syndromic surveillance | 41 |
| Acknowledgements | 42 |
| About the UK Health Security Agency | 43 |

About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) remote health advice syndromic surveillance system.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see Notes and caveats)
- compare levels between age groups/areas

Fully anonymised, daily NHS 111 call and NHS 111 online assessment data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as cold/flu, fever and diarrhoea
- syndromic indicators are based on:
 - symptoms (known as the Symptom Group or Pathway) identified from both NHS 111 calls and NHS 111 online assessments respectively
 - the potential COVID-19 syndromic indicator is based on the Symptom Group in NHS 111 calls and the outcome (known as the Disposition), in NHS 111 online (rather than the Pathway)
- **Key messages** describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in Table 1
- charts are provided for each syndromic indicator on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
 - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
 - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the **Notes and caveats** section.

Previous weekly bulletins from this system are available <u>here</u>.

Data quality issues of note this week


Please see the <u>Notes and Caveats</u> section about the current impact of newly released NHS Pathways system updates (NHS Pathways Release 41 and 42) on syndromic data reporting. NHS 111 online assessments for fever and difficulty breathing have temporarily been removed from the report due to the ongoing impact of these changes.

Total contacts

NHS 111 calls

20000

Figure 1: Daily number of NHS 111 calls (with 7-day moving average adjusted for bank holidays) recorded in this syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.




Oct 23

Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.

Feb 24


Dec 23

(b)



Aug 23

Jun 23







Table 2: The number of NHS 111 calls in England recorded each day in the most recent week.

| Date | Number of calls |
|---------------|-----------------|
| 25 March 2024 | 51,366 |
| 26 March 2024 | 46,530 |
| 27 March 2024 | 45,705 |
| 28 March 2024 | 47,243 |
| 29 March 2024 | 82,952 |
| 30 March 2024 | 84,184 |
| 31 March 2024 | 67,501 |


NHS 111 online

Figure 2: Daily number of completed NHS 111 online assessments (with 7-day moving average adjusted for bank holidays) recorded in this syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) NHS 111 online: total assessments 03/04/2023 to 01/04/2024



Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.






Table 3: The number of completed NHS 111 online assessments in England recorded each day in the most recent week.


| Date | Number of completed assessments |
|---------------|---------------------------------|
| 25 March 2024 | 29,178 |
| 26 March 2024 | 24,816 |
| 27 March 2024 | 23,860 |
| 28 March 2024 | 25,743 |
| 29 March 2024 | 34,818 |
| 30 March 2024 | 37,841 |
| 31 March 2024 | 28,865 |


Respiratory conditions


Cold/flu NHS 111 calls

Figure 3: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for cold/flu, England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) NHS 111 calls: cold or flu 03/04/2023 to 01/04/2024








Cold/flu NHS 111 online

Figure 4: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for cold/flu, England (a) nationally, (b) by age and (c) by UKHSA Region.



Oct 23

Aug 23


Jun 23


Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.

Feb 24

Apr 24

Dec 23







Fever NHS 111 calls


Figure 5: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for fever, England (a) nationally, (b) by age and (c) by UKHSA Region.

(a)

NHS 111 calls: fever 03/04/2023 to 01/04/2024










Cough NHS 111 calls

Figure 6: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for cough, England (a) nationally, (b) by age and (c) by UKHSA Region.








Jun 23


Cough NHS 111 online


1000

Figure 7: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for cough, England (a) nationally, (b) by age and (c) by UKHSA Region.




Aug 23 Oct 23 Dec 23 Feb 24 Apr 24 Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.







Sore throat NHS 111 calls

Figure 8: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for sore throat, England (a) nationally, (b) by age and (c) by UKHSA Region.










Sore throat NHS 111 online


Figure 9: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for sore throat, England (a) nationally, (b) by age and (c) by UKHSA Region.





Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.







Potential COVID-19 NHS 111 calls


Figure 10: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for potential COVID-19, England (a) nationally, (b) by age and (c) by UKHSA Region.






Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.








Jun 23

Aug 23

Potential COVID-19 NHS 111 online

Figure 11: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for potential COVID-19, England (a) nationally, (b) by age and (c) by UKHSA Region.




Oct 23


Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.

Feb 24

Apr 24

Dec 23








Gastrointestinal conditions

Diarrhoea NHS 111 calls

Figure 12: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for diarrhoea, England (a) nationally, (b) by age and (c) by UKHSA Region.










Diarrhoea NHS 111 online

Figure 13: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for diarrhoea, England (a) nationally, (b) by age and (c) by UKHSA Region.










Vomiting NHS 111 calls

Figure 14: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for vomiting, England (a) nationally, (b) by age and (c) by UKHSA Region.










Vomiting NHS 111 online

Figure 15: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for vomiting, England (a) nationally, (b) by age and (c) by UKHSA Region.







Seasonal environmental conditions

UKHSA and the Met Office operate a weather-health alert system that includes both heat and cold weather alert periods. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

Cold weather alert period: 1 November to 31 March


Heat-Health Alert period: 1 June to 30 September


Highest weather alert level during the current reporting week:

No alerts issued


Eye problems NHS 111 calls


Figure 16: Daily number of NHS 111 calls (and 7-day moving average adjusted for bank holidays) for eye problems, England (a) nationally, (b) by age and (c) by UKHSA Region.sd






Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.









Eye problems NHS 111 online


Figure 17: Daily number of completed NHS 111 online assessments (and 7-day moving average adjusted for bank holidays) for eye problems, England (a) nationally, (b) by age and (c) by UKHSA Region.






Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.







Notes and caveats

The following additional caveats apply to the UKHSA remote health advice syndromic surveillance system:

- during Jan/Feb/Mar 2024, new NHS Pathways system updates (NHS Pathways Release 41 and 42) have resulted in updates to the clinical triage of certain calls and online assessments. These updates have particularly affected the number of syndromic NHS 111 calls for the cold/flu, cough, difficulty breathing and 'potential COVID-19' indicators
- due to particular challenges interpreting the NHS 111 difficulty breathing call and online indicators and the NHS 111 online fever indicator, these charts have temporarily been removed from this bulletin to avoid misinterpretation. NHS 111 syndromic calls for cold/flu, cough, difficulty breathing and 'potential COVID-19' indicators should be interpreted with caution
- all NHS 111 syndromic trends should be interpreted with caution due to changes in national advice and guidance regarding access to health care services as well as updates and changes to service provision during the COVID-19 pandemic
- data presented should be used to monitor trends rather than numbers of 'cases':
 - commencing week 20 of 2023, NHS 111 calls are monitored using the NHS 111 Intelligent Data Tool, a repository of data on NHS 111 calls used by NHS England, UKHSA and service commissioners. The volume of calls for each syndromic indicator may be different to the call volumes presented in previous syndromic reports. This is because the Intelligent Data Tool records the Symptom Group allocated to each call following triage rather than the NHS Pathway. However, trends remain similar to those previously reported
 - NHS 111 calls data may not include the most urgent calls which are rapidly redirected to ambulance services
 - any user that launches an online assessment may access the service multiple times and can change their answers and follow multiple journeys through the online system: only complete assessments are included here
 - an individual may use both the NHS 111 online and NHS 111 telephony services; counts from the two services cannot be considered as distinct counts of individuals
 - NHS 111 online assessment data does not include children under 5 years of age

baselines:

- were last remodelled January 2024
- are constructed from historical data since January 2018
- represent seasonally expected levels of activity
- take account of any known substantial changes in data collection, population coverage or reporting practices and consequently may vary

slightly from week to week (and will rescale) if there are substantial changes in call/online activity

- the COVID-19 pandemic period is excluded
- as NHS 111 systems evolve to meet service needs, we continue to work with NHS
 111 and NHS England to ensure that:
 - changes impacting on syndromic indicators reported in this bulletin are identified and accounted for as far as possible
 - o changes are described in: Data quality issues of note this week
- further information about NHS 111 can be found <u>here</u>

COVID-19 syndromic surveillance

The 'potential COVID-19' syndromic indicator reported here for all NHS 111 data is based on either the symptom of each call or the outcome of each online assessment (known as the disposition):

- 'potential COVID-19' is the only NHS 111 Online syndromic indicator that is based on disposition
- 'potential COVID-19' online assessments may therefore also appear in other syndromic indicators based on the Pathway of each online assessment
- these data are based on 'potential COVID-19' symptoms reported and are not based on outcomes of tests for coronavirus

Acknowledgements

We are grateful to NHS 111 and to NHS England for their assistance and support in providing the anonymised data that underpin this system.

About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation heath secure.

<u>UKHSA</u> is an executive agency, sponsored by the <u>Department of Health and Social Care</u>.

www.gov.uk/government/organisations/uk-health-security-agency

© Crown copyright 2024

Version: RHA-2

Prepared by: Real-time Syndromic Surveillance Team

For queries relating to this document, please contact: syndromic.surveillan@ukhsa.gov.uk

Published: April 2024



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit <u>OGL</u>. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

