



**Plan View**



**Side Elevation**



**Notes:**

1. Trees to be supplied and planted, in accordance with Planting Schedule.
2. 1000mm, 50mm deep Melcourt 'Ornamental Grade Bark Mulch', as specified, around all trees to be planted.
3. 1200mm tree stakes (600mm above ground) 1 no. 75mm dia. preservative treated stakes to be driven into ground until firm. Tie to tree with 1 no. rubber tree tie and spacer. Stake to be placed on wind-ward side.
4. Centre of tree pit to be marked with timber stake (Minimum 1000mm), prior to tree planting.
5. Topsoil (minimum 300mm depth).
6. Subsoil (minimum 600mm depth).
7. Sides of tree pit to be loosened in accordance with Specification.
8. Base of tree pit to be loosened minimum depth of 600mm, in accordance with the Specification.

**Tree pit excavations:**

Strip topsoil from the area of the pit and set aside for re-use. Excavate sub-soil and stone material to achieve specified width and depth of tree pit and deposit away from site. Any stone, rubble, rubbish and other foreign debris that is exposed in the digging of the tree pits shall be removed from site.

Fork over the base and sides of tree pits to thoroughly loosen the soil and to relieve compaction to a minimum depth of 250mm. All smooth, glazed or compacted sides to tree pits shall be loosened by forking to encourage lateral rooting.

**Subsoil layers around tree pits:**

The contractor is to ensure that subsoil layers are free-draining. Drainage is to be installed at the discretion of the Landscape Contractor in the event of potential ponding or waterlogging in the base of the pits drainage layer to be installed.

**Backfilling of tree pits:**

Tree pit shall be backfilled with 300mm depth site topsoil, ameliorated with compost and/or fertiliser if required.

The backfilling of the upper section of the tree pits shall be in layers using topsoil from site store or imported topsoil in accordance with the specification.

Each backfill layer shall be 150mm deep and shall be lightly consolidated, thoroughly watered to expel air pockets and with due allowance being made for subsequent settlement. No topsoil to be placed above the nursery line.

PL	PL01	11/03/2024	Issued for Planning	
STATUS	REV	DATE	DESCRIPTION	
CLIENT	Stride Treglown			REVISED BY
				ZM
				CHECKED BY
				BK
				ORIGINATOR NO
				156459

CONSULTANT  
**STRIDE TREGLOWN**  
www.stride-treglown.com © Stride Treglown Limited 2024

PROJECT  
Garden Enhancements  
Promenade House  
Bristol  
BS8 3NE

DRAWING TITLE  
Tree Pit Detail

SUITABILITY STATUS	SCALE
PL : Authorized and accepted	1 : 20@A2
DRAWING USAGE: <b>PLANNING ISSUE</b>	
PROJECT - ORIGINATOR - VOLUME - LEVEL - TYPE - ROLE - CLASS - NUMBER	STATUS, REVISION
156459-STL-XX-XX-DR-L-XXXX-09405	PL_PL01