UNITED KINGDOM ATOMIC ENERGY AUTHORITY

DECLASSIFIED FOR PRO

CAUCAL

CLASSIFICATION:

FILE NUMBER OIGH

MARKING:

TITLE RADIOLOGICAL SAFETY

GRAPPLE - TRIALS

GENERIC: CRAPPLE
PERIOD: 1958

THIS FILE MUST BE RETURNED TO
HISTORICAL ARCHIVES WITHOUT DEL'AY

# IN NO CIRCUMSTANCES MAY PAPERS BE REMOVED FROM THIS FILE

## RADIOLOGICAL STATE OF CHRISTHAS ISLAND

As the result of work carried out during 1959, the radiological state
of Christmas Island is non as follows.

# (a) Surface Activity

The remaining activity, which is confined mainly to the aircraft decontamination pad in the airfield DC area, is below the maximum permissible level laid down in Radiological Safety Regulations for Christmas Island (July 1958).

# (b) <u>Underground Activity</u>

Radioactive material is buried in two areas:-

- (1) The burial ground between Buildings B31 and B32 in the airfield DC area.
- (ii) The sumps adjacent to the aircraft decontamination pad in the airfield DC area. These sumps have been filled with uncrushed coral, the lids have been nailed on and covered with 3 inches of sand which has been sealed by tar spray.
- 2. In both the areas noted in 1(b), the active material is at a depth of approximately 6 feet and the radiation dose rate at the surface is not significantly above the natural background. Both areas are marked by signs and wire.
- No restrictions are recessary from the Health Physics point of view on any part of the Island so long as the buried active material remains undisturbed.

19th October, 1959

Copies to:

Internal

External

The Base Commander, Royal Air Force, Christmas Island.

# Radiological Condition of Christmas Island 15th, Jamuary 1959.

- There is no change in the controlled areas as previously notified. . 1,
- The Steam Generator referred to in the last report has now been cleared and 2. returned to the Officer Commanding Technical Wing. I understand that no further equipment is required to be taken from the area

15th. January 1959.

c.c. SSIT, H&C. SIMP

To: - The Base Commander, Royal Air Force, Christmas Island.

Madiological Condition of Christmas Island 15th December 1958.

### 1. General.

The controlled areas as previously reported remain controlled. In all cases the degree of hazard has reduced considerably. Monthly decontamination of the six Mark 3 Ducts in the Airfield DC Area will continue until such time as it is possible to store them with the clean ducts in the Active Hardling Flight Duct Compound.


# 2. Lquiyment.

A request has been made for the release of a Steam Cenerator from the Airfield IC Area. This generator has been decontaminated as far as possible, without complete stripping, but still presents a slight hazard. It is not intended to 'hold' equipment indefinitely, but as long as an unacceptable hazard exists I cannot issue a certificate of release for any item of equipment at present in this controlled area. I would suggest that all ground equipment in the area be re-decontaminated and a further check can be made about mid-Jamuary.

15th December 1958.

SSPP.

the second secon



THE UNDER SECRETARY OF STATE, AIR MINISTRY.

and should quote the reference:-

AIR MINISTRY,

1-6, TAVISTOCK SQUARE.

LONDON, W.C.1.

1 3 OCT 1958

Sir,

# Radiological Safety Precautions Persons Selected for Service at Christmas Island

I am directed to refer to Air Ministry letter C.95567/57/D.D.Av.Med. dated 23rd September, 1958.

- In order that all personnel proceeding to Christmas Island may be covered by this letter the preamble thereto is to be amended from "Medical Examination of Personnel posted to Christmas Island" to read "Medical Examination of Personnel posted or attached to Christmas Island".
- I am to say with reference to paragraph 2 of the above Air Ministry letter that the reservation therein, "provided that they are required to work in the controlled area" has now been clarified and in future the posting or attachment notices of all personnel required to work in this area will be annotated to the effect that they are to be examined in accordance with Air Ministry letter ... C. 95567/57/D.D. Av. Med. dated 23rd September, 1958.
- I am to point out that the above arrangement will cover the cases of service and civilian personnel with the exception of certain flying and ground members of operational squadrons ordered to Christmas Island as units directly from their parent stations. All such personnel will require examination and arrangements for this are to be made at Command level.
- 5. Blood examinations and Chest X-Rays, (where the latter will not be routinely carried out at Personnel Holding Unit when it is known that an individual will not be passing through such a unit) are to be arranged at Service Medical establishments in all possible cases. In cases remote from Service Medical facilities every effort is to be made to ascertain the costs of civilian examination and such costs will only be entertained when the cost of transport to the nearest Service facility plus the pay of the individual concerned (to the nearest day) exceeds them.
- Form Med. 42 is to be raised in respect of all service personnel examined. Air Ministry form 1928 is similarly to be raised for civilians.

Your obedient Servant,

Wing Commander for Director of Hygiene and Research

The Control of the Co

All Principal Medical Officers, At Home and Overseas.

Senior Medical Officer, 90 Group A.H.Q. Malta



Air Log 0, Task Force Grapple (Rear).

13 Opt 160

The Secretary,

London, S.W.1.

Secretary of State, War Office,

Whitehall, S.W.1.

Ministry of Supply,

W.C.2.

A STATE OF THE STA






PUBLIC RECORD OFFICE	
Group/ClassES!	
Piece 648	
2 2 21 50.14 20.1	
0. C. 76 SQUADRON 26. 9. 58.	
26. 1. 0	
RETAINED BY DEP UNDER S 3C4)	
RETAINED OF	
(date) 21/7/97	
(date)21/7/5.7 (Signed)	
(Orgined)	

40	
	***
PUBLIC RECORD	OFFICE
Group/ClassES1.	
Group/Class	
Piece	
	24.9.58
RETAINED BY DEP UN	SOCR S 3(4)
	i.e.
(date)21/3/37	
(Signed).	

.

•



the subject of this letter should be addressed to:THE UNDER SECRETARY OF STATE,
AIR MINISTRY, D.D.Av.Med.
and should quote the reference:C. 95567/57/D.D.Av.Med.

AIR MINISTRY,

1-6 TAVISTOCK SQ. .

LONDON, W.C.1

23 September, 1958

Sir,

Radiological Safety Precautions at Christmas Island - Medical Examination of Personnel posted to Christmas Island from the U.K.

I am directed to state that the question as to whether a medical examination, in accordance with the provisions laid down in the "Factories (Ionising Radiations) Special Regulations", at present in preliminary draft form, should be complied with by the Services in respect of personnel taking part in Operation GRAPPIE and subsequent nuclear tests, has been under discussion within the Service departments.

- 2. It has been decided that, in future, all personnel posted to Christmas Island should be examined in U.K., as in the Regulations Part III Para. 21, provided that they are required to work in the controlled area there.
- 3. I am therefore to ask that arrangements be made for such medical examinations to be carried out.
- 4. The Factories (Ionising Radiations) Special Regulations require:
  - (a) A blood examination which shall include a total red blood measurement and a white cell count, with a differential white cell count; estimation of hacmaglobin in grammes per hundred cubic centimetres of whole blood; and a search for and record of abnormal cells seen.
  - (b) An x-ray examination of the chest, within two months of employment.
  - (c) A medical examination subsequent to the examination referred to in sub-paragraphs (a) and (b).

I am, Sir, Your obedient Servant,



Air Commodore
Director of Hygiene and Research

All Principal Medical Officers, At Home and Overseas.

/Copy to:

G.5483/AS/9/58/50



Copy to:



Air Log O, Task Force Grapple (Rear).



London, S.W.1.

Secretary of State, War Office,

wmitchall, S.W.1.

Ministry of Supply,

St. Giles Court,

Folder G. 10/M. A. 5.



and the second s

g Tarto In Charles are successful fits.

Propagation (Sec.

G. 5483/AS/9/58/50

<u>- : : : : : : : : : : : : : : : : : : :</u>		
	PUBLIC RECORD OFFICE	
	Group/Class ESI Piece	= 1
	F 16.66	
	REF: WG/HP/7006	
	12. 9. 58	
	RETAINED BY DEP UNDER S 3(4)	
	(date)21/7/97 (Signed)	

•

	PUBLIC RECORD OFFICE	
	Group/Class ES / Piece 648	
	LETTER FROM MAJOR W.G. 3. 9.58	
i.	LOWER INTERGRATED.	<u> </u>
	RETAINED BY DEP UNDER S	
	3 (4)	
	(date)21/1/97	
	(Signed)	

T DEC.	
	PUBLIC RECORD OFFICE
	Group/Class ES I Piece 648
	31. 8.58 <u></u>
	CLEAN
	RETAINED BY DEPUNDERS 3(4)
· <u></u>	
	(date)21/7/97 (Signed)

•

•				
	PURUC RE	CORD OFFIC	F	
	Group/Class		, <u>-</u>	
	Piece		•	
		,	(, 9.58	
	GRAPPLE	•	(, , , ,	
	RETAINED BY	DEP UND	ER	
	3 (4)			
			े च 4 4 3	
	(date)21/7/6	77		
	(Signed)			

e de la companya de	
PUBLIC RECORD OFFICE	
Group/Class ESI Piece 648	
9,9.58.	
CONTROL OF SAMPLING  RETAINED BY DEP UNDER  S 3(4)	—
(date)2!/.7./9.7 (Signed)	

.

#1 = 1 = 1 = 1	
PUBLIC RECORD OFFICE	
Group/ClassESI Piece	
READINGS FOR ROUND TWO	
RETAINED BY DEP UNDER S 3(4)	
	<del>***</del> ***
(date)2()7/57 (Signed)	

			a.
0		- <del></del>	
	enterente de la companya de la comp		
	PUBLIC RECORD (	OFFICE	
	Group/Class <u>年</u> .ミ		
		8 9 58	
	AWRE CHRISTMAS ISLAND.	8. 1. 30	1
	211 S.P. S	3(4)	
	RETAINED BY DEP S		
			y
	(date) 21/7/97		
	(date)		
	,		

PUBLIC RECORD OFFICE
up/ClassES\
e 648
8.9.58. SK FORCE COMMANDER
TAINED BY DEP UNDER
5 C 4 /
e)21/7/97 ned)
e c

	PUBLIC RECORD OFFICE	
	Group/Class <u>ESI</u> Piece <u>b</u> 나용	
	6.9.58	
<u></u>	CANBERRA WH 976	
1 :	RETAINED BY DEP UNDER S 3(4)	
	(date)21/7/97	
	(Signed)	÷

		LA GUT
	PUBLIC RECORD OFFICE	
	Group/ClassĔS۱	
	Piece	
	3. 9. <i>5</i> 8	
	TO GROUP LEADER TO GROUP	
	RETAINED BY DEP UNDER	
	S 3(4)	
- ·	(date)21/7/97	
	(Signed)	

