

---

# Technical Note

Project No: ITB11347  
Project Title: Land at Mill Lane and High Pastures  
Title: Updated Information to ECC – Application: UTT/22/1261/FUL  
Ref: ITB11347-010A TN  
Date: 1 June 2023

## SECTION 1 Introduction

1.1 Pelham Structures Limited have submitted an application for residential dwellings and holiday cottages on land off Mill Lane in Hatfield Heath (application ref: UTT/22/1261/FUL). A response to comments raised by Essex County Council (ECC) was produced by i-Transport in November 2022. Following these comments a meeting was held on site (on Mill Lane and on Home Pastures) during the hours 0830 – 0930 between Essex County Council and i-Transport on Monday 6<sup>th</sup> March 2023. It was agreed during the meeting that the following information would be provided as part of the application:

- Further detail on the pedestrian / cycle connection between Mill Lane and Home Pastures;
- Minor updates to the scheme along Mill Lane with a focus on the potential to improve the transition between Stortford Road and Mill Lane for pedestrians;
- An updated Road Safety Audit for the latest scheme; and
- Updated traffic analysis using the previous 2017 trip rates.

1.2 These aspects are all addressed within this technical note.

## SECTION 2 Updated Scheme

### 2.1 Mill Lane Improvements

2.1.1 ECC outlined during the onsite meeting that the following amendments are required to the proposed scheme:

- Detail of the extent of widening along Hatfield Haven considering down pipes.
- Tightening of the south eastern radius at the Mill Lane / Stortford Road junction to bring effective footway into the first section of Mill Lane.

- Removal of different colour surfacing.

2.1.2 Drawing ITB11347-GA-012 Rev D enclosed at the end of this note provides an update to the improvements along Mill Lane incorporating the above points raised by ECC.

2.1.3 In regard to the extent of widening along Hatfield Haven this has been widened to an extent which retains part of the verge between the carriageway and the building which incorporates the down pipes. The retained verge ranges between 0.2m at the southern end of the building and 0.6m at the northern end of the building and therefore will not impact the current building.

2.1.4 The applicant is content for the delivery of the Mill Lane improvement scheme to be secured by Grampian style planning condition.

## 2.2 Pedestrian Connection

2.2.1 ECC requested further detail on the pedestrian and cycle connection between Mill Lane and Home Pastures. A Public Right of Way (PRoW) footpath is currently provided between Mill Lane and Home Pastures, which measures c.1.4m in width which is suitable for pedestrians and is shown in Drawing ITB11347-GA-014 Rev A provided in the drawing section at the end of this note. The drawing illustrates the current PRoW provision and associated visibility. Images 2.1 and 2.2 show the existing provision as recorded on site in May 2023.



2.2.2 This existing PRoW provides a suitable walking connection between Mill Lane and Home Pastures and the applicant is willing to maintain the footpath in its current state (May 2023) so that residents can use the connection all year round.

2.2.3 The applicant controls all rights and interest of Mill Lane and its associated verges and is responsible for the maintenance of the lane and has been undertaking maintenance since purchasing the land.

2.2.4 The improvements to Mill Lane as detailed below will also provide a suitable route and surface for cyclists providing a direct connection from the site to the wider highway network and into the village.

2.2.5 An updated layout for the scheme and the pedestrian connection to Home Pastures using the existing PRow is provided in **Appendix A**.

### 2.3 **Stage 1 Road Safety Audit (RSA)**

2.3.1 A Stage 1 Road Safety Audit has been undertaken on the latest scheme. The Road Safety Audit was undertaken by Grange Transport Consulting in March 2023 and the RSA report is provided in **Appendix B**.

2.3.2 The RSA identified four minor ‘problems,’ which are as follows:

- 1 Level difference between Mill Lane and Home Pastures.
- 2 The bollard arrangement on the Mill Lane and Home Pastures connection.
- 3 Give-way markings at the site access encroach into existing Mill Lane carriageway.
- 4 The clearance between the bollards provided as part of The Hollies and the carriageway.

2.3.3 The Design Team Response to these ‘problems’ is provided in **Appendix C** with the updated proposals included in Drawing ITB11347-GA-012 Rev D in the drawing section at the end of this note to reflect the change to the give-way markings at the site access.

2.3.4 The bollards on Mill Lane at The Hollies were permitted as part of the redevelopment of The Hollies, which informally widened the carriageway, the proposals along Mill Lane are to resurface the existing carriageway rather than widen in this section.

2.3.5 The Road Safety Auditor has confirmed that the Design Team Response to these ‘problems’ adequately deals with the issues raised and that confirmation is in **Appendix C**.

2.3.6 As outlined above, the existing connection between Mill Lane and Home Pastures is considered suitable for pedestrians and the improvements to Mill Lane provide a suitable route for cyclists therefore the ‘problems’ related to the connection between Mill Lane and Home Pastures are no longer relevant as documented in the Design Team Response and agreed by the Auditor in **Appendix C**.

## SECTION 3 Updated Traffic Analysis

### 3.1 Introduction

3.1.1 ECC have requested that the traffic analysis be updated with the trip rates presented in the 2017 Transport Assessment. Therefore, for context and ease of reference, the baseline, completed developments along Mill Lane and the proposed traffic flows have been presented. Growth assumptions have also been updated by a year to provide an up-to-date robust assessment.

### 3.2 Baseline Traffic Flows

#### Flows along Mill Lane

3.2.1 The baseline traffic flows as presented in the Transport Statement for this application have been replicated and are shown in Table 3.1 below. As stated in the Transport Statement, due to the nature of Mill Lane it is unlikely that traffic levels have increased significantly, however, traffic growth has been applied to the 2016 survey data to represent the current year as a robust assessment.

**Table 3.1: Existing peak period traffic flows**

Location	Time Period	Southbound	Northbound	Two-Way
Mill Lane	Morning Peak (0800-0900)	10	16	26
	Evening Peak (1700-1800)	3	5	8

Source: MCC Survey

#### Traffic growth

3.2.2 As outlined above, traffic growth has been applied to produce a robust assessment. The surveyed traffic in the submitted Transport Statement was factored to the current year, therefore as we are now in 2023 the TEMPro growth factors for the Uttlesford MSOA 009 have been expanded from 2016 to 2023 and the resultant growth factors are presented in **Table 3.2**.

**Table 3.2: 2016 – 2023 Traffic Growth**

	AM	PM
2016 - 2023	1.066613	1.065565

3.2.3 The above growth factors have been applied to all movements at the Mill Lane / Stortford Road junction.



### Completed Developments along Mill Lane

3.2.4 Completed development traffic flows were identified in the Transport Statement which supports the application, which used recent TRICS trip rates. The traffic associated with the completed developments along Mill Lane have been updated with the 2017 trip rates and are presented in **Table 3.3**.

**Table 3.3: Additional Traffic along Mill Lane**

	AM			PM		
	Arrivals	Departures	Two-way	Arrivals	Departures	Two-way
2017 Trip Rates	0.181	0.427	0.608	0.414	0.168	0.582
Trip Generation – 3 dwellings	1	1	2	1	1	2

3.2.5 The table demonstrates that the provision of the 3 dwellings along Mill Lane will result in negligible increase in traffic flows. These flows have been applied to the flows at the Stortford Road junction based on existing turning movements and the updated flows are shown in **Table 3.4**.

**Table 3.4: Updated peak period traffic flows on Mill Lane**

Location	Time Period	Southbound	Northbound	Two-Way
Mill Lane	Morning Peak (0800-0900)	11	17	28
	Evening Peak (1700-1800)	4	6	10

### 3.3 **Traffic Impact Methodology and Traffic Impact**

#### Traffic growth

As per the submitted Transport Statement a two year future year has been applied to the existing year and therefore the revised future year is 2025, the resultant TEMPro / NTM growth factors are presented in **Table 3.5** below.

**Table 3.5: 2016 – 2025 Traffic Growth**

	AM	PM
2016 - 2025	1.0785	1.0784

#### Trip Generation

3.3.2 The trip generation for the proposals has been updated with the 2017 trip rates as set out in the Transport Assessment from 2017. The holiday cottage traffic remains consistent with the Transport Statement submitted for this application.

3.3.3 The updated residential trip generation is presented in **Table 3.6**.

**Table 3.6: Trip rates – Houses Privately Owned**

Trip Rate	Morning Peak (08:00-09:00)			Evening Peak (17:00-18:00)		
	In	Out	Total	In	Out	Total
2017 Houses Privately Owned (per dwelling) Trip Rate	0.181	0.427	0.608	0.414	0.168	0.582
Trip Generation – 4 Dwellings	1	2	2	2	1	2

3.3.4 The trip generation associated with the holiday cottages are replicated in **Tables 3.7** and **3.8** for changeover and non-changeover days, respectively.

**Table 3.7: Changeover Day Trip Generation**

Time	Arrival Proportion (%)	Arrival Trip Generation	Departure Proportion (%)	Departure Trip Generation
<b>Morning Period</b>				
0800 – 0900	0%	0	5%	0
0900 – 1000	0%	0	10%	1
1000 - 1100	0%	0	85%	7
<b>Evening Period</b>				
1500 – 1600	60%	5	0%	0
1600 – 1700	20%	2	0%	0
1700 – 1800	10%	1	0%	0

In the evening period the remaining 10% has been assumed to arrive outside the hours shown

**Table 3.8: Non-Changeover Day Trip Generation**

Time	Arrival Proportion (%)	Arrival Trip Generation	Departure Proportion (%)	Departure Trip Generation
<b>Morning Period</b>				
0800 – 0900	0%	0	5%	0
0900 – 1000	0%	0	40%	3
1000 - 1100	0%	0	40%	3
<b>Evening Period</b>				
1500 – 1600	30%	2	0%	0
1600 – 1700	40%	3	0%	0
1700 – 1800	20%	2	0%	0

In the morning period the remaining 15% has been assumed to depart outside the hours shown and in the evening period the remaining 10% has been assumed to arrive outside the hours shown.

3.3.5 The table shows that on a non-changeover day the trip generation associated with the holiday cottages is low with no trips occurring in the morning peak and 2 two-way trips in the evening peak.

### **Total Trip Generation**

3.3.6 The updated total trip generation for the site is presented in **Table 3.9** below and presents the residential and holiday cottage (non-changeover) trip generation for the AM and PM peak hours.

**Table 3.9: Total Trip Generation**

Trip Rate	Morning Peak (08:00-09:00)			Evening Peak (17:00-18:00)		
	In	Out	Total	In	Out	Total
Residential dwellings – 4 dwellings	1	2	2	2	1	2
Holiday Cottage – Non-changeover day	0	0	0	2	0	2
<b>Total Trip Generation</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>4</b>

### **Future Year Assessment**

3.3.7 The updated total development traffic for the residential dwellings and the holiday cottage traffic have been added to the 2025 ‘without development’ scenarios to achieve ‘with development’ scenarios for the revised opening year in the morning and evening peak.

3.3.8 Therefore, the following assessment have been considered at the Mill Lane / Stortford Road junction:

- 2025 Future Year +Mill Lane Completed Development
- 2025 Future Year + Mill Lane Completed Development + Development.

3.3.9 The above scenarios allow the impact of the development to be assessed.

## **3.4 Mill Lane / Stortford Road Junction Capacity Assessment**

3.4.1 The updated 2025 scenarios as presented above have been assessed at the Mill Lane / Stortford Road junction **Table 3.10** presents the summary results with the full JUNCTIONS10 output provided in **Appendix D**.

**Table 3.10: Mill Lane / Stortford Road Junction – Modelling results**

Arm	2025 + Mill Lane Completed Developments				2025 + Mill Lane Completed Developments + Development			
	AM Peak		PM Peak		AM Peak		PM Peak	
	RFC	Q	RFC	Q	RFC	Q	RFC	Q
Mill Lane	0.03	0	0.00	0	0.03	0	0.01	0
Stortford Road (east) - RT	0.05	0	0.01	0	0.05	0	0.02	0

RFC = Ratio to Flow Capacity

Q = Maximum Average Queue

3.4.2 The results show that the junction of Mill Lane and Stortford Road will easily accommodate the proposed development traffic in the morning and evening peak hours without queuing and minimal delay.

### 3.5 Impact on Mill Lane and proposed mitigation

3.5.1 As detailed in **Table 3.9** the proposals will result in an increase of 2 two-way trips in the AM peak hour and 4 two-way trips in PM peak hour between the site access and Stortford Road, which results in maximum of an additional trip once every 15 minutes, therefore having a negligible impact on the operation of Mill Lane.

3.5.2 The proposed improvements to Mill Lane (as shown on drawing ITB11347-GA-012 Rev D) will deliver a very significant enhancement to conditions for all users of Mill Lane which will substantially outweigh the very limited increase in vehicle traffic arising from the development.

3.5.3 The proposed improvements will include:

- Resurfacing the full length of Mill Lane from Stortford Road to the site access – replacing what is a very poor road surface (sunken areas, broken up areas, loose material, poor re-instatement) with a level and consistent surface which on its own will dramatically improve the experience of all road users but in particular for pedestrians and cyclists;
- A longer section of footway into Mill Lane from Stortford Road – providing better facilities for pedestrians; and
- Maintain the existing PRoW connection between Mill Lane and Home Pastures.

## SECTION 4 Summary and Conclusion

### 4.1 Summary

4.1.1 Pelham Structures Limited submitted an application for residential dwellings and holiday cottages on land off Mill Lane in Hatfield Heath (application ref: UTT/22/1261/FUL). A response to comments raised by Essex County Council (ECC) was produced by i-Transport in November 2022 and a meeting was held on site between Essex County Council and i-Transport on Monday 6<sup>th</sup> March 2023. It was agreed during the meeting that the following information would be provided as part of the application:

- Further detail on the pedestrian connection between Mill Lane and Home Pastures;
- Minor updates to the scheme along Mill Lane with a focus on the potential to improve the transition between Stortford Road and Mill Lane for pedestrians;
- An updated Road Safety Audit for the latest scheme; and
- Updated traffic analysis using the previous 2017 trip rates.

4.1.2 These aspects have all been addressed within this technical note.

### 4.2 Conclusion

4.2.1 The applicant has worked hard to address all matters raised in respect of this planning application and is determined to ensure a new use for the camp is found to restore some of the buildings and protect its long-term future.

4.2.2 The site is in an accessible location and complies with local and national transport policies to promote development in sustainable locations. The proposed access arrangements meet design standards and detailed work has been completed to establish the suitability of Mill Lane and its improvement for all road users. In summary, the site can be accessed safely by both car and non-car modes and the very small increase in vehicular trips generated by the development is clearly not severe and the impact is overwhelmingly outweighed by the scheme delivering a very significant enhancement to conditions for all users of Mill Lane.



4.2.3 The proposal is acceptable in transport and highways terms and the proposed development is in line the NPPF, ECC Policies and the UDC Local Plan in respect of transport. Highway safety and efficiency are very important matters and do need to be taken seriously. However, it is clear from the unambiguous NPPF transport test that development should only be prevented from coming forward if there would be a demonstrable, unacceptable and "severe" worsening of highway conditions and this is plainly not the case here as:



- 
- The recent recorded personal injury accident data shows an unblemished accident record on Mill Lane and its junction with the A1060 Stortford Road;
  - The development proposal will not materially impact upon the operation of Mill Lane or its junction with the Stortford Road - modelling in the Transport Statement shows the impact will be de minimis and site visits with ECC show that the lane is quiet, slow speed and an entirely safe place to walk, cycle or indeed hold a meeting;
  - There are no deficiencies in geometric layout or visibility at the site access or in Mill Lane which could give rise to conflict between vehicles, or between vehicles and pedestrians and vehicles and other non-motorised users – it is a slow speed and safe environment where people and vehicles interact in complete safety;
  - A scheme of significant physical improvements for Mill Lane has been designed and tested and has been the subject of a Stage 1 Road Safety Audit with no unresolved issues; and
  - Overall, there will not be any negative, noticeable, let alone severe, residual highway impacts (other than positive ones) and thus there is no highways or transport reason to prevent the development coming forward.

## **DRAWINGS**

SCALE BAR @ 1:500



**KEY:**

- HIGHWAY BOUNDARY
- ADDITIONAL CARRIAGEWAY PROVIDED BY THE HOLLIES DEVELOPMENT

REV	DATE	BY	DESCRIPTION	CHK	APD
D	26.05.23	MM	AMENDMENTS TO PEDESTRIAN/CYCLE CONNECTION	JO	SJ
C	24.05.23	JB	PUBLIC RIGHT OF WAY UPDATED	JO	SJ
B	03.04.23	JB	MINOR EDITS FOLLOWING ROAD SAFETY AUDIT	JO	SJ

STATUS: **FOR PLANNING**



Grove House, Lutyens Close, Chineham Basingstoke, Hampshire, RG24 8AG  
 Tel: 01256 338640 Fax: 01256 338644

TITLE: **CONCEPTUAL TREATMENT OF MILL LANE WIDENING SCHEME**

PROJECT: **LAND WEST OF MILL LANE, HATFIELD HEATH**

CLIENT: **PELHAM STRUCTURES**

SCALE @ A3:	CHECKED:	APPROVED:
1:500	JO	SJ
FILE REF:	DRAWN:	DATE:
ITB11347	JB	19.10.22

DRAWING No: **ITB11347-GA-012**



PROJECT No:	REV:
ITB11347	D

REPRODUCED FROM THE ORDNANCE SURVEY MAP WITH THE PERMISSION OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. LICENCE No. 10004286. © CROWN COPYRIGHT RESERVED.


DRAWING ISSUED FOR FEASIBILITY CONSIDERATION AND PLANNING PURPOSES ONLY. DRAWING NOT TO BE USED FOR CONSTRUCTION. I-TRANSPORT LLP ACCEPT NO RESPONSIBILITY FOR ERRORS MADE BY OTHERS IN SCALING FROM THIS DRAWING. MEASUREMENTS SHOULD BE TAKEN FROM FIGURED DIMENSIONS ONLY. CDM REQUIREMENTS CONSIDERED AT FEASIBILITY STAGE ONLY. FURTHER CONSIDERATION REQUIRED BY DETAILED DESIGN TEAM.

T:\Projects\11000 Series\Project Numbers\11347\ITB Land at Mill Lane and High Pastures, Hatfield Heath\Tech\A3\I-Transport Drawing\Working Drawings\GA\ITB11347-GA-012D.dwg





DRAWING ISSUED FOR FEASIBILITY CONSIDERATION AND PLANNING PURPOSES ONLY. DRAWING NOT TO BE USED FOR CONSTRUCTION. I-TRANSPORT LLP ACCEPTS NO RESPONSIBILITY FOR ERRORS MADE BY OTHERS IN SCALING FROM THIS DRAWING. MEASUREMENTS SHOULD BE TAKEN FROM FIGURED DIMENSIONS ONLY. COM REQUIREMENTS CONSIDERED AT FEASIBILITY STAGE ONLY. FURTHER CONSIDERATION REQUIRED BY DETAILED DESIGN TEAM. © CROWN COPYRIGHT 2022 OS LICENCE No. 100044286.



**KEY:**  
 HIGHWAY BOUNDARY BASED ON OS MAPPING  
 INDICATIVE SITE BOUNDARY



The Square, Basing View,  
 Basingstoke, Hampshire, RG21 4EB  
 Tel: 01256 637940

REV	DATE	BY	DESCRIPTION	CHK	APD
STATUS: FOR INFORMATION					



TITLE: EXISTING PUBLIC RIGHT OF WAY CONNECTION	
PROJECT: LAND WEST OF MILL LANE, HATFIELD HEATH	CLIENT: PELHAM STRUCTURES

DRAWN: JB	CHECKED: JO	APPROVED: SJ
PROJECT No: ITB11347	SCALE @ A3: 1:500	DATE: 23.03.23
DRAWING No: ITB11347-GA-014		REV: -


T:\Projects\11000 Series\Project Number\11347\ITB Land at Mill Lane and High Pastures, Hatfield Heath\Tech\Acad\Transport Drawing\Working Drawings\GA\ITB11347-GA-014.dwg

## **APPENDIX A. SITE LAYOUT**





-  Existing Trees / Planting
-  Proposed Trees



ISSUE	DESCRIPTION	DATE REVISION	BY
C	Amendments	27.10.2022	HLW
D	Amendments to access road	31.03.2023	HLW
E	Amendments to notes	01.06.2023	HLW

*Pelham Structures*  
LIMITED

Unit 3, Brocks Yard, Bulls Green, Clavering, Essex CB11 4RT.  
Tel: 01799 551261, Fax: 01799 551264, Email: info@pelham-structures.co.uk

Project name: Little Heath, Hatfield Heath		
Drawing title: Proposed Site Plan		
Scale: 1:500	Date: 27.04.2022	Drawing no: 571x02 E
Paper: A1 Paper	Drawn: HLW	
Dimensions are in millimeters unless otherwise stated. Do not scale from this drawing. If in doubt, ask.		

# Proposed Site Plan Little Heath, Hatfield Heath



## **APPENDIX B. STAGE 1 ROAD SAFETY AUDIT**



MILL LANE,  
HATFIELD HEATH,  
ESSEX

Stage 1 Road Safety Audit  
J190259

i-Transport

30<sup>th</sup> March 2023



Grange Transport Consulting



# Mill Lane, Hatfield Heath, Essex

## Stage 1 Road Safety Audit

J190259

March 2023

Client: i-Transport

Rev	Report Reference	Date	Issue Status	Prepared	Checked
v1.0	230330_J190259_Mill Lane_RSA1.docx	30.03.23	Final	IM	WL

This report has been prepared for the exclusive use of the commissioning party and unless otherwise agreed in writing with Grange Transport Consulting, no other party may make use of, copy, reproduce, distribute, or rely on the content of the report. No Liability is accepted by Grange Transport Consulting for any use of this report, other than for the purpose for which it was originally prepared and provided.

Opinions and information provided in the report are on the basis of Grange Transport Consulting using due skill, care, and diligence in the preparation of the same and no explicit warranty is provided as to their accuracy. It should be noted and is expressly stated that no independent verification of any of the documents or information supplied to Grange Transport Consulting has been made.



## CONTENTS

1.	INTRODUCTION	1
1.1	General	1
1.2	Site Location	1
1.3	Highway description	1
1.4	Scheme proposals	2
1.5	Departures from Standards	3
1.6	Road Safety Audit	3
2.	PROBLEMS IDENTIFIED FROM THIS AUDIT	4
2.1	Home Pastures	4
2.2	Mill Lane	6
3.	AUDIT TEAM STATEMENT	8
	APPENDIX A SITE LOCATION PLAN	
	APPENDIX B DOCUMENTS PROVIDED FOR AUDIT	
	APPENDIX C PROBLEM LOCATION PLAN	





## 1. Introduction

### 1.1 General

1.1.1 This report results from a Stage 1 Road Safety Audit (RSA) carried out on Thursday 30 March 2023. The audit was undertaken on behalf of i-Transport.

1.1.2 The audit has been carried out in response to an Audit Brief supplied by Jonathan Orton of i-Transport and agreed with the audit team.

1.1.3 The Road Safety Audit team comprised of the following individuals:

Wing Lee      BEng(Hons), PGCert, HE CoC, MCIHT, MIHE  
**Audit Team Leader**

Ian Medd      MCIHT, FSoRSA  
**Audit Team Member**

1.1.4 A site visit was undertaken by the Audit Team on Tuesday 28 March 2023, between the hours of 13:30 and 14:30. The weather was raining and cold, and the road surface was wet. Traffic was minimal and the level of pedestrians passing the site was minimal. No cyclists were observed during the visit.

### 1.2 Site Location

1.2.1 The site comprises of wooded land, including disused prefabricated buildings. It is situated to the north and west of Mill Lane, Hatfield Heath.

1.2.2 The site is bounded to the southwest and southeast by residential dwellings, whilst commercial properties are located at the northeast of the site.

### 1.3 Highway description

1.3.1 Mill Lane is a cul-de-sac of varying width and is subject to a 30mph speed limit. It has a meandering alignment, but runs generally in a north-south direction. No footways or street lighting is provided on Mill Lane.

1.3.2 The northern section (to the east of the site access) is a private road and hedges and trees are present along both sides of the lane. This serves commercial businesses.



- 1.3.3 The southern extent of Mill Lane has no kerbing, verges of varying widths, and serves residential properties.
- 1.3.4 The horizontal alignment in the vicinity of the site access has a sharp right-hand bend in the northbound direction. The vertical alignment is generally level.
- 1.3.5 To the south Mill Lane connects with the A1060 Stortford Road to form a priority controlled T-junction. To the north, Stortford Road routes under the M1 motorway and continues to Bishops Stortford. To the east, Stortford Road passes the centre of Hatfield Heath and continues towards Chelmsford.
- 1.3.6 In the vicinity of Mill Lane, Stortford Road is subject to a 30mph speed limit. This increases to 40mph approximately 80 metres west of the Mill Lane junction. Stortford Road has a footway of varying widths along its northern side. It serves as a two-way bus route.
- 1.3.7 Home Pastures is a cul-de-sac to the southeast of Mill Lane. It connects with Broomfields to link with the A1060 Stortford Road. A footway is provided on the southern side of Home Pastures.
- 1.3.8 Collision history data has been provided to the audit team, which indicates that a total of eight collisions were recorded along Stortford Road in the past 5-year period between 2016 and 2021. These include one fatal, one serious and six slight severity collisions.
- 1.3.9 Of these only one slight severity collision occurred in the vicinity of Mill Lane, at the Stortford Road / Sawbridgeworth Road junction. This collision occurred in October 2019 and involved 2 cars. The cars were approaching the junction and the following car collided with the car in front.

## 1.4 Scheme proposals

- 1.4.1 The proposals submitted for this Stage 1 Road Safety Audit relate only to the improvement scheme, including localised carriageway widening, resurfacing and road markings on Mill Lane, and pedestrian/cycle connection to Home Pastures in association with the residential and self-catering development.



## 1.5 Departures from Standards

1.5.1 The Audit Team has not been informed of any departures from standards relating to the designs submitted for audit.

## 1.6 Road Safety Audit

1.6.1 The Road Safety Audit has been carried out in accordance with the principals of the National Highways document, as described in the Design Manuals for Roads and Bridges (DMRB) standard - GG119 Road Safety Audit.

1.6.2 The Audit Team has examined and reported only on the road safety implications of the scheme as presented by i-Transport, and has not examined or verified the compliance of the designs to any other criteria. However, to clearly explain a safety problem or the recommendation to resolve a problem the Audit Team may, on occasion, have referred to design standards without touching on technical audit.

1.6.3 The Road Safety Audit includes a desktop study where all documents provided by the Design Team are reviewed. A list of the documents and drawings submitted for this Stage 1 Road Safety Audit can be found at **Appendix B**.


1.6.4 The submitted design drawings have been annotated to show the location of problems identified during this Stage 1 Road Safety Audit. These plans are shown at **Appendix C**.

1.6.5 The recommendations offered within this report should not be regarded as prescriptive. Whilst recommendations have been made with this report, there may be equally satisfactory or superior alternative solutions to the identified problems. The Audit Team will be pleased to consider any alternatives if required.

## 2. Problems identified from this audit

### 2.1 Home Pastures

2.1.1 The following provides details of the problems identified during this Stage 1 Road Safety Audit.

Problem 1	
Location	Home Pastures – cycle link
Summary	Level difference between Home Pastures and Mill Lane
 <p>Site observations reveal a significant difference in the levels between Mill Lane and Home Pastures, which may result in a steep gradient on the pedestrian/cycle connection. This may result in users tripping or falling whilst negotiating the path.</p>	
Recommendation	Amend the alignment of the path to reduce the gradient necessary.





Problem 2	
Location	Home Pastures – cycle link
Summary	Severe bend and bollards
<p>The arrangement of the cycle connection includes a tight turn and closely spaced bollards. It is likely that cyclists using the path will be unable to negotiate the bend and collide with the bollard arrangement, especially in dark conditions.</p>	
Recommendation	Amend bollard arrangement.



## 2.2 Mill Lane

2.2.1 The following provides details of the problems identified during this Stage 1 Road Safety Audit.

Problem 3	
Location	Site access
Summary	Narrowing of existing bend
 <p>A give-way marking is proposed to delineate the extent of the site access, at a bend in Mill Lane. It appears that this give-way line is south of the existing carriageway edge and may reduce the width at the bend. Any large vehicle associated with the businesses to the north of the site may not be able to negotiate the new bend alignment and may overrun the give-way line, causing a collision with waiting vehicles.</p>	
Recommendation	Produce swept path analysis to confirm vehicles can safely negotiate the bend and amend site access design if necessary.

Problem 4	
Location	South of The Hollies
Summary	Lack of clearance to bollards
	
<p>It is proposed to widen the carriageway in the vicinity of The Hollies. There are existing bollards in this location, which are positioned close to the kerbing. There will be insufficient clearance between the new kerb and the bollards. This may result in vehicles colliding with the bollards.</p>	
Recommendation	Remove or relocate bollards a sufficient distance from the kerb.




### 3. Audit Team Statement

3.1.1 We certify that the drawings listed at **Appendix B** have been examined, and that this Audit has been carried out in accordance with the principles and requirements of GG119, with the sole purpose of identifying road safety matters to be addressed in order to improve the safety of the scheme.

#### Road Safety Audit Team Leader

Signed:




Name: Wing Lee

Date: 30.03.23

#### Road Safety Audit Team Member

Signed:




Name:

Date: 30.03.23



## Appendix A Site Location Plan






## Appendix B Documents provided for Audit

- Site location plan
- ITB11347-GA-012-A Conceptual Treatment of Mill Lane Widening Scheme
- ITB11347-GA-014 Proposed Pedestrian and Cycle Connection
- ITB11347-GA-003-G Mill Lane Forward Visibility Curve
- Highway Boundary
- PRowS
- Traffic speeds (2017)
- Collision data
- Traffic Flows (2016)
- Traffic Forecasts
- Capacity Assessment
- Previous RSA1 (March 2017)
- ITB11347-009 TN Road Safety Audit Brief (23/03/23)

# Appendix C Problem Location Plan





**APPENDIX C.** STAGE 1 ROAD SAFETY AUDIT  
DESIGN TEAM RESPONSE &  
AUDITOR CONFIRMATION

## Design Team Response to Stage 1 Road Safety Audit

Project No: ITB11347  
Project Title: Land at Mill Lane and High Pastures  
Date: 25 May 2023

### Mill Lane Improvement



Problem Ref	Location	Problem	Recommendation	Design Team Response
1	Home Pastures – Cycle Link	Site observations reveal a significant difference in the levels between Mill Lane and Home Pastures, which may result in a steep gradient on the pedestrian/cycle connection. This may result in users tripping or falling whilst negotiating the path.	Amend the alignment of the path to reduce the gradient necessary.	The proposed pedestrian / cycle link between Mill Lane and Home Pastures has been removed from the proposals and therefore this 'problem' is no longer relevant.
2		The arrangement of the cycle connection includes a tight turn and closely spaced bollards. It is likely that cyclists using the path will be unable to negotiate the bend and collide with the bollard arrangement, especially in dark conditions.	Amend bollard arrangement	

Problem Ref	Location	Problem	Recommendation	Design Team Response
3	Site Access	A give-way marking is proposed to delineate the extent of the site access, at a bend in Mill Lane. It appears that this give-way line is south of the existing carriageway edge and may reduce the width at the bend. Any large vehicle associated with the businesses to the north of the site may not be able to negotiate the new bend alignment and may overrun the give-way line, causing a collision with waiting vehicles.	Produce swept path analysis to confirm vehicles can safely negotiate the bend and amend site access design if necessary.	<p>Recommendation accepted. The site access design has been amended to ensure the give-way marking do not encroach into the existing carriageway and that the existing width for access to the north is retained as existing.</p> <p>Drawing ITB11347-GA-012 Rev D provided in <b>Appendix A</b> illustrates the revised give-way markings which are set back from the current road edge.</p>
4	South of The Hollies	It is proposed to widen the carriageway in the vicinity of The Hollies. There are existing bollards in this location, which are positioned close to the kerbing. There will be insufficient clearance between the new kerb and the bollards. This may result in vehicles colliding with the bollards.	Remove or relocate bollards a sufficient distance from the kerb.	Recommended accepted. Bollards are located within the adopted highway and were sited there as part of The Hollies development. The proposals under this application are to just resurface this area rather than widen the carriageway.

# Appendix A Drawing ITB11347-GA-012 Rev D



SCALE BAR @ 1:500



**KEY:**

- HIGHWAY BOUNDARY
- ADDITIONAL CARRIAGEWAY PROVIDED BY THE HOLLIES DEVELOPMENT

REV	DATE	BY	DESCRIPTION	CHK	APD
D	26.05.23	MM	AMENDMENTS TO PEDESTRIAN/CYCLE CONNECTION	JO	SJ
C	24.05.23	JB	PUBLIC RIGHT OF WAY UPDATED	JO	SJ
B	03.04.23	JB	MINOR EDITS FOLLOWING ROAD SAFETY AUDIT	JO	SJ

STATUS: **FOR PLANNING**



Grove House, Lutyens Close, Chineham Basingstoke, Hampshire, RG24 8AG  
 Tel: 01256 338640 Fax: 01256 338644

TITLE: **CONCEPTUAL TREATMENT OF MILL LANE WIDENING SCHEME**

PROJECT: **LAND WEST OF MILL LANE, HATFIELD HEATH**

CLIENT: **PELHAM STRUCTURES**

SCALE @ A3:	CHECKED:	APPROVED:
1:500	JO	SJ
FILE REF:	DRAWN:	DATE:
ITB11347	JB	19.10.22

DRAWING No: **ITB11347-GA-012**

PROJECT No:	REV:
ITB11347	D

REPRODUCED FROM THE ORDNANCE SURVEY MAP WITH THE PERMISSION OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. LICENCE No. 10004286. © CROWN COPYRIGHT RESERVED.

DRAWING ISSUED FOR FEASIBILITY CONSIDERATION AND PLANNING PURPOSES ONLY. DRAWING NOT TO BE USED FOR CONSTRUCTION. I-TRANSPORT LLP ACCEPT NO RESPONSIBILITY FOR ERRORS MADE BY OTHERS IN SCALING FROM THIS DRAWING. MEASUREMENTS SHOULD BE TAKEN FROM FIGURED DIMENSIONS ONLY. CDM REQUIREMENTS CONSIDERED AT FEASIBILITY STAGE ONLY. FURTHER CONSIDERATION REQUIRED BY DETAILED DESIGN TEAM.

T:\Projects\11000 Series\Project Numbers\11347\ITB Land at Mill Lane and High Pastures, Hatfield Heath\11347-ITB Land at Mill Lane and High Pastures, Hatfield Heath\11347-GA-012D.dwg

## Jonathan Orton

---

**From:** Wing Lee [REDACTED]  
**Sent:** 25 May 2023 15:00  
**To:** Jonathan Orton  
**Cc:** [REDACTED]  
**Subject:** Re: Stage 1 RSA - Hatfield Heath, Essex

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

**CAUTION:** This message originated outside of i-Transport. Use caution when opening attachments, clicking links or responding to requests for information.


Hello Jon,

Thank you for sending over your latest widening scheme layout plan (ITB11347-GA-012C) and the amended Designer's Response (ITB11347-011A – Stage 1 RSA DTR), in response to our RSA1 report (230330\_J190259\_Mill Lane\_RSA1).

We are satisfied that the content of your response is acceptable to overcome the problems raised in our report.

Kind regards

**Wing Lee** BEng (hons), PGCert, HE CoC, MCIHT, MIHE  
Director



---

**From:** Jonathan Orton <[REDACTED]>  
**Date:** Thursday, 25 May 2023 at 09:30  
**To:** Wing Lee [REDACTED]  
**Cc:** [REDACTED]  
**Subject:** RE: Stage 1 RSA - Hatfield Heath, Essex

Hello Wing,

You may recall the Stage 1 RSA you undertook for us earlier this year at Mill Lane, Hatfield Heath.

The proposals have been amended slightly to remove the new connection between Mill Lane and Home Pastures but to continue to retain the existing PRow. Please see attached drawing.

As your RSA outlined a couple of 'problems' with this connection we have updated the design team response (see attached) to reflect the change of scheme in order to be consistent with the documents being submitted with the application.

Please could you confirm that the design team response is suitable to deal with the 'problems' outlined with the RSA with the revised scheme.

Regards

Jon



**Jonathan Orton**  
Associate  
for i-Transport LLP



i-Transport is the trading name of i-Transport LLP, which is a limited liability partnership registered in England under number OC311185. Registered Office: 3rd Floor, One London Square, Cross Lanes, Guildford, Surrey, GU1 1UN. A list of members is available upon request.

We use the word "partner" to refer to a member of i-Transport LLP or an employee or consultant with equivalent standing and qualifications.

Please note that the information in this e-mail is confidential and unless you are (or authorised to receive it for) the intended recipient, you must not disclose, copy, circulate or in any way use the information it contains. If you have received this e-mail in error please inform us and immediately delete all copies from your system. Whilst it is believed that this e-mail and any attachments are free of any virus or other defect, it is your responsibility to ensure that your computer or IT system are not affected and we accept no responsibility for any loss or damage arising.

---

**From:** Wing Lee [redacted]  
**Sent:** Wednesday, April 12, 2023 5:02 PM  
**To:** Jonathan Orton [redacted]  
**Cc:** [redacted]  
**Subject:** Re: Stage 1 RSA - Hatfield Heath, Essex

**CAUTION:** This message originated outside of i-Transport. Use caution when opening attachments, clicking links or responding to requests for information.

Hi Jon,

No worries.  
Speak to you soon

**Grange Transport Consulting**  
[redacted]

---

**From:** Jonathan Orton [redacted]  
**Sent:** Wednesday, April 12, 2023 16:42  
**To:** Wing Lee <[redacted]>  
**Subject:** RE: Stage 1 RSA - Hatfield Heath, Essex

Hello Wing,

Thank you for the confirmation, much appreciated.

Kind Regard

Jon



**Jonathan Orton**

Associate  
for i-Transport LLP



To mark International Women's Day 2023, we are proud to become a Corporate Partner of **Women for Women International** and will be sponsoring a woman survivor of war throughout the coming year. For more information please visit their [website](#).

i-Transport is the trading name of i-Transport LLP, which is a limited liability partnership registered in England under number OC311185. Registered Office: 3rd Floor, One London Square, Cross Lanes, Guildford, Surrey, GU1 1UN. A list of members is available upon request.

We use the word "partner" to refer to a member of i-Transport LLP or an employee or consultant with equivalent standing and qualifications.

Please note that the information in this e-mail is confidential and unless you are (or authorised to receive it for) the intended recipient, you must not disclose, copy, circulate or in any way use the information it contains. If you have received this e-mail in error please inform us and immediately delete all copies from your system. Whilst it is believed that this e-mail and any attachments are free of any virus or other defect, it is your responsibility to ensure that your computer or IT system are not affected and we accept no responsibility for any loss or damage arising.

**From:** Wing Lee [redacted]  
**Sent:** Wednesday, April 12, 2023 10:45 AM  
**To:** Jonathan Orton [redacted] >  
**Cc:** [redacted]  
**Subject:** Re: Stage 1 RSA - Hatfield Heath, Essex

**CAUTION:** This message originated outside of i-Transport. Use caution when opening attachments, clicking links or responding to requests for information.

Morning Jon,

I hope you had a good Easter break.

Thank you for sending over the Designer's Response (ITB11347-011-Stage 1 RSA DTR) and latest plan (ITB11347-GA-012B). We are satisfied that the content of the DTR and latest plan are acceptable to overcome the problems raised in the RSA1 report (230330\_J190259\_Mill Lane\_RSA1).

I trust that this is satisfactory for your purposes.

Kind regards

**Wing Lee** BEng (hons), PGCert, HE CoC, MCIHT, MIHE  
Director

Grange Transport Consulting

**From:** Jonathan Orton [REDACTED]

**Date:** Tuesday, 11 April 2023 at 15:49

**To:** Wing Lee [REDACTED]  
[REDACTED]

**Subject:** Stage 1 RSA - Hatfield Heath, Essex

Hello Wing,

Thank you for the Stage 1 RSA, we have reviewed the comments raised and produced a design team response (attached) and updated the scheme drawing (Drawing ITB11347-GA-012 Rev B - attached) where appropriate.

Please could you confirm that the Design Team Response and updated drawing are sufficient to address the comments raised within the RSA at this stage?

Kind Regards

Jon

**Jonathan Orton**

Associate  
for i-Transport LLP



To mark International Women's Day 2023, we are proud to become a Corporate Partner survivor of war throughout the coming year. For more information please visit their [we](#)



---

i-Transport is the trading name of i-Transport LLP, which is a limited liability partnership registered in England under number OC311185. Registered Office: 3rd Floor, One London Square, Cross Lanes, Guildford  
We use the word "partner" to refer to a member of i-Transport LLP or an employee or consultant with equivalent standing and qualifications.

Please note that the information in this e-mail is confidential and unless you are (or authorised to receive it for) the intended recipient, you must not disclose, copy, circulate or in any way use the information it contains. If you have received this e-mail in error, please notify the sender immediately. Whilst it is believed that this e-mail and any attachments are free of any virus or other defect, it is your responsibility to ensure that your computer or IT system are not affected and we accept no responsibility for any damage or loss of data.

**APPENDIX D. MILL LANE / STORTFORD ROAD  
JUNCTIONS10 OUTPUT**

<b>Junctions 10</b>
<b>PICADY 10 - Priority Intersection Module</b>
Version: 10.0.4.1693 © Copyright TRL Software Limited, 2021
For sales and distribution information, program advice and maintenance, contact TRL Software: +44 (0)1344 379777 software@trl.co.uk trlsoftware.com
The users of this computer program for the solution of an engineering problem are in no way relieved of their responsibility for the correctness of the solution

**Filename:** Mill Lane\_Stortford Road.j10  
**Path:** B:\Projects\11000 Series Project Numbers\11347ITB Land at Mill Lane and High Pastures, Hatfield Heath\Tech\Assessments\Picady\2022  
**Report generation date:** 05/04/2023 00:05:39

- »2025 + Completed Developments, AM
- »2025 + Completed Developments, PM
- »2025 + Completed Developments + Development, AM
- »2025 + Completed Developments + Development, PM

**Summary of junction performance**

	AM					PM				
	Set ID	Queue (Veh)	Delay (s)	RFC	LOS	Set ID	Queue (Veh)	Delay (s)	RFC	LOS
<b>2025 + Completed Developments</b>										
Stream B-AC	D3	0.0	10.81	0.03	B	D4	0.0	0.00	0.00	A
Stream C-AB		0.1	5.01	0.05	A		0.0	4.61	0.01	A
<b>2025 + Completed Developments + Development</b>										
Stream B-AC	D5	0.0	10.73	0.03	B	D6	0.0	9.89	0.01	A
Stream C-AB		0.1	5.01	0.05	A		0.0	4.63	0.02	A

Values shown are the highest values encountered over all time segments. Delay is the maximum value of average delay per arriving vehicle.

**File summary**

**File Description**

Title	
Location	Mill Lane / Stortford Road
Site number	
Date	23/08/2021
Version	
Status	(new file)
Identifier	
Client	
Jobnumber	ITB11347
Enumerator	I-TRANSPORT\jonathanorton
Description	

**Units**

Distance units	Speed units	Traffic units input	Traffic units results	Flow units	Average delay units	Total delay units	Rate of delay units
m	kph	Veh	Veh	perHour	s	-Min	perMin

### Analysis Options

Vehicle length (m)	Calculate Queue Percentiles	Calculate detailed queueing delay	Show lane queues in feet / metres	Show all PICADY stream intercepts	Calculate residual capacity	RFC Threshold	Average Delay threshold (s)	Queue threshold (PCU)	Use iterations with HCM roundabouts	Max number of iterations for roundabouts
5.75						0.85	36.00	20.00		500

### Demand Set Summary

ID	Scenario name	Time Period name	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Run automatically
D1	2023 + Completed Developments	AM	ONE HOUR	07:45	09:15	15	
D2	2023 + Completed Developments	PM	ONE HOUR	16:45	18:15	15	
D3	2025 + Completed Developments	AM	ONE HOUR	07:45	09:15	15	✓
D4	2025 + Completed Developments	PM	ONE HOUR	16:45	18:15	15	✓
D5	2025 + Completed Developments + Development	AM	ONE HOUR	07:45	09:15	15	✓
D6	2025 + Completed Developments + Development	PM	ONE HOUR	16:45	18:15	15	✓

### Analysis Set Details

ID	Include in report	Network flow scaling factor (%)	Network capacity scaling factor (%)
A1	✓	100.000	100.000



# 2025 + Completed Developments, AM

## Data Errors and Warnings

No errors or warnings

## Junction Network

### Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	Mill Lane / Stortford Road	T-Junction	Two-way	Two-way	Two-way		0.31	A

### Junction Network

Driving side	Lighting	Network delay (s)	Network LOS
Left	Normal/unknown	0.31	A

## Arms

### Arms

Arm	Name	Description	Arm type
A	Stortford Road (west)		Major
B	Mill Lane		Minor
C	Stortford Road (east)		Major

### Major Arm Geometry

Arm	Width of carriageway (m)	Has kerbed central reserve	Has right-turn storage	Visibility for right turn (m)	Blocks?	Blocking queue (PCU)
C	6.65			200.0	✓	0.00

Geometries for Arm C are measured opposite Arm B. Geometries for Arm A (if relevant) are measured opposite Arm D.

### Minor Arm Geometry

Arm	Minor arm type	Lane width (m)	Visibility to left (m)	Visibility to right (m)
B	One lane	3.04	59	13

## Slope / Intercept / Capacity

### Priority Intersection Slopes and Intercepts

Stream	Intercept (Veh/hr)	Slope for A-B	Slope for A-C	Slope for C-A	Slope for C-B
B-A	505	0.089	0.226	0.142	0.323
B-C	635	0.095	0.239	-	-
C-B	690	0.260	0.260	-	-

The slopes and intercepts shown above include custom intercept adjustments only.

Streams may be combined, in which case capacity will be adjusted.

Values are shown for the first time segment only; they may differ for subsequent time segments.

## Traffic Demand

### Demand Set Details

ID	Scenario name	Time Period name	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Run automatically
D3	2025 + Completed Developments	AM	ONE HOUR	07:45	09:15	15	✓

Vehicle mix varies over turn	Vehicle mix varies over entry	Vehicle mix source	PCU Factor for a HV (PCU)
✓	✓	HV Percentages	2.00

### Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/hr)	Scaling Factor (%)
A		ONE HOUR	✓	509	100.000
B		ONE HOUR	✓	10	100.000
C		ONE HOUR	✓	492	100.000

## Origin-Destination Data

### Demand (Veh/hr)

	To			
	A	B	C	
From	A	0	3	506
	B	4	0	6
	C	477	15	0

## Vehicle Mix

### Heavy Vehicle Percentages

	To			
	A	B	C	
From	A	0	33	1
	B	0	0	29
	C	2	23	0

## Results

### Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max LOS	Average Demand (Veh/hr)	Total Junction Arrivals (Veh)
B-AC	0.03	10.81	0.0	B	9	14
C-AB	0.05	5.01	0.1	A	32	48
C-A					419	629
A-B					3	4
A-C					464	696

### Main Results for each time segment

#### 07:45 - 08:00

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	8	2	395	0.019	7	0.0	0.0	9.295	A
C-AB	22	5	741	0.030	22	0.0	0.0	5.008	A
C-A	348	87			348				
A-B	2	0.56			2				
A-C	381	95			381				

#### 08:00 - 08:15

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	9	2	374	0.024	9	0.0	0.0	9.869	A
C-AB	30	8	780	0.039	30	0.0	0.1	4.829	A
C-A	412	103			412				
A-B	3	0.67			3				
A-C	455	114			455				

#### 08:15 - 08:30

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	11	3	344	0.032	11	0.0	0.0	10.804	B
C-AB	45	11	835	0.053	45	0.1	0.1	4.582	A
C-A	497	124			497				
A-B	3	1			3				
A-C	557	139			557				

#### 08:30 - 08:45

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	11	3	344	0.032	11	0.0	0.0	10.806	B
C-AB	45	11	835	0.054	45	0.1	0.1	4.555	A
C-A	497	124			497				
A-B	3	1			3				
A-C	557	139			557				

#### 08:45 - 09:00

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	9	2	374	0.024	9	0.0	0.0	9.873	A
C-AB	30	8	780	0.039	30	0.1	0.1	4.759	A
C-A	412	103			412				
A-B	3	0.67			3				
A-C	455	114			455				

#### 09:00 - 09:15

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	8	2	395	0.019	8	0.0	0.0	9.301	A
C-AB	22	6	741	0.030	22	0.1	0.0	4.973	A
C-A	348	87			348				
A-B	2	0.56			2				
A-C	381	95			381				

# 2025 + Completed Developments, PM

## Data Errors and Warnings

No errors or warnings

## Junction Network

### Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	Mill Lane / Stortford Road	T-Junction	Two-way	Two-way	Two-way		0.05	A

### Junction Network

Driving side	Lighting	Network delay (s)	Network LOS
Left	Normal/unknown	0.05	A

## Traffic Demand

### Demand Set Details

ID	Scenario name	Time Period name	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Run automatically
D4	2025 + Completed Developments	PM	ONE HOUR	16:45	18:15	15	✓

Vehicle mix varies over turn	Vehicle mix varies over entry	Vehicle mix source	PCU Factor for a HV (PCU)
✓	✓	HV Percentages	2.00

### Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/hr)	Scaling Factor (%)
A		ONE HOUR	✓	497	100.000
B		ONE HOUR	✓	4	100.000
C		ONE HOUR	✓	396	100.000

## Origin-Destination Data

### Demand (Veh/hr)

		To		
		A	B	C
From	A	0	1	496
	B	3	0	1
	C	391	5	0

## Vehicle Mix

### Heavy Vehicle Percentages

		To		
		A	B	C
From	A	0	0	2
	B	0	0	0
	C	1	0	0



## Results

### Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max LOS	Average Demand (Veh/hr)	Total Junction Arrivals (Veh)
B-AC	0.00	0.00	0.0	A	0	0
C-AB	0.01	4.61	0.0	A	8	13
C-A					355	532
A-B					0.92	1
A-C					455	683

### Main Results for each time segment

#### 16:45 - 17:00

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0	0	444	0.000	0	0.0	0.0	0.000	A
C-AB	6	2	787	0.008	6	0.0	0.0	4.606	A
C-A	292	73			292				
A-B	0.75	0.19			0.75				
A-C	373	93			373				

#### 17:00 - 17:15

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0	0	420	0.000	0	0.0	0.0	0.000	A
C-AB	8	2	810	0.010	8	0.0	0.0	4.485	A
C-A	348	87			348				
A-B	0.90	0.22			0.90				
A-C	446	111			446				

#### 17:15 - 17:30

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0	0	387	0.000	0	0.0	0.0	0.000	A
C-AB	11	3	844	0.013	11	0.0	0.0	4.322	A
C-A	425	106			425				
A-B	1	0.28			1				
A-C	546	137			546				

#### 17:30 - 17:45

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0	0	387	0.000	0	0.0	0.0	0.000	A
C-AB	11	3	844	0.013	11	0.0	0.0	4.325	A
C-A	425	106			425				
A-B	1	0.28			1				
A-C	546	137			546				

17:45 - 18:00

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0	0	420	0.000	0	0.0	0.0	0.000	A
C-AB	8	2	810	0.010	8	0.0	0.0	4.490	A
C-A	348	87			348				
A-B	0.90	0.22			0.90				
A-C	446	111			446				

18:00 - 18:15

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	0	0	444	0.000	0	0.0	0.0	0.000	A
C-AB	6	2	787	0.008	6	0.0	0.0	4.608	A
C-A	292	73			292				
A-B	0.75	0.19			0.75				
A-C	373	93			373				

# 2025 + Completed Developments + Development, AM

## Data Errors and Warnings

No errors or warnings

## Junction Network

### Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	Mill Lane / Stortford Road	T-Junction	Two-way	Two-way	Two-way		0.32	A

### Junction Network

Driving side	Lighting	Network delay (s)	Network LOS
Left	Normal/unknown	0.32	A

## Traffic Demand

### Demand Set Details

ID	Scenario name	Time Period name	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Run automatically
D5	2025 + Completed Developments + Development	AM	ONE HOUR	07:45	09:15	15	✓

Vehicle mix varies over turn	Vehicle mix varies over entry	Vehicle mix source	PCU Factor for a HV (PCU)
✓	✓	HV Percentages	2.00

### Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/hr)	Scaling Factor (%)
A		ONE HOUR	✓	509	100.000
B		ONE HOUR	✓	11	100.000
C		ONE HOUR	✓	492	100.000

## Origin-Destination Data

### Demand (Veh/hr)

		To		
		A	B	C
From	A	0	3	506
	B	4	0	7
	C	477	15	0

## Vehicle Mix

### Heavy Vehicle Percentages

		To		
		A	B	C
From	A	0	33	1
	B	0	0	29
	C	2	23	0

## Results

### Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max LOS	Average Demand (Veh/hr)	Total Junction Arrivals (Veh)
B-AC	0.03	10.73	0.0	B	10	15
C-AB	0.05	5.01	0.1	A	32	48
C-A					419	629
A-B					3	4
A-C					464	696

### Main Results for each time segment

#### 07:45 - 08:00

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	8	2	397	0.021	8	0.0	0.0	9.261	A
C-AB	22	5	741	0.030	22	0.0	0.0	5.008	A
C-A	348	87			348				
A-B	2	0.56			2				
A-C	381	95			381				

#### 08:00 - 08:15

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	10	2	377	0.026	10	0.0	0.0	9.819	A
C-AB	30	8	780	0.039	30	0.0	0.1	4.829	A
C-A	412	103			412				
A-B	3	0.67			3				
A-C	455	114			455				

#### 08:15 - 08:30

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	12	3	348	0.035	12	0.0	0.0	10.725	B
C-AB	45	11	835	0.053	45	0.1	0.1	4.582	A
C-A	497	124			497				
A-B	3	1			3				
A-C	557	139			557				

#### 08:30 - 08:45

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	12	3	348	0.035	12	0.0	0.0	10.728	B
C-AB	45	11	835	0.054	45	0.1	0.1	4.555	A
C-A	497	124			497				
A-B	3	1			3				
A-C	557	139			557				

**08:45 - 09:00**

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	10	2	376	0.026	10	0.0	0.0	9.821	A
C-AB	30	8	780	0.039	30	0.1	0.1	4.759	A
C-A	412	103			412				
A-B	3	0.67			3				
A-C	455	114			455				

**09:00 - 09:15**

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	8	2	397	0.021	8	0.0	0.0	9.266	A
C-AB	22	6	741	0.030	22	0.1	0.0	4.973	A
C-A	348	87			348				
A-B	2	0.56			2				
A-C	381	95			381				



# 2025 + Completed Developments + Development, PM

## Data Errors and Warnings

No errors or warnings

## Junction Network

### Junctions

Junction	Name	Junction type	Arm A Direction	Arm B Direction	Arm C Direction	Use circulating lanes	Junction Delay (s)	Junction LOS
1	Mill Lane / Stortford Road	T-Junction	Two-way	Two-way	Two-way		0.13	A

### Junction Network

Driving side	Lighting	Network delay (s)	Network LOS
Left	Normal/unknown	0.13	A

## Traffic Demand

### Demand Set Details

ID	Scenario name	Time Period name	Traffic profile type	Start time (HH:mm)	Finish time (HH:mm)	Time segment length (min)	Run automatically
D6	2025 + Completed Developments + Development	PM	ONE HOUR	16:45	18:15	15	✓

Vehicle mix varies over turn	Vehicle mix varies over entry	Vehicle mix source	PCU Factor for a HV (PCU)
✓	✓	HV Percentages	2.00

### Demand overview (Traffic)

Arm	Linked arm	Profile type	Use O-D data	Average Demand (Veh/hr)	Scaling Factor (%)
A		ONE HOUR	✓	498	100.000
B		ONE HOUR	✓	5	100.000
C		ONE HOUR	✓	399	100.000

## Origin-Destination Data

### Demand (Veh/hr)

		To		
		A	B	C
From	A	0	2	496
	B	3	0	2
	C	391	8	0

## Vehicle Mix

### Heavy Vehicle Percentages

		To		
		A	B	C
From	A	0	0	2
	B	0	0	0
	C	1	0	0

## Results

### Results Summary for whole modelled period

Stream	Max RFC	Max Delay (s)	Max Queue (Veh)	Max LOS	Average Demand (Veh/hr)	Total Junction Arrivals (Veh)
B-AC	0.01	9.89	0.0	A	5	7
C-AB	0.02	4.63	0.0	A	13	20
C-A					353	529
A-B					2	3
A-C					455	683

### Main Results for each time segment

#### 16:45 - 17:00

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	4	0.94	428	0.009	4	0.0	0.0	8.490	A
C-AB	10	2	787	0.012	10	0.0	0.0	4.628	A
C-A	291	73			291				
A-B	2	0.38			2				
A-C	373	93			373				

#### 17:00 - 17:15

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	4	1	403	0.011	4	0.0	0.0	9.023	A
C-AB	13	3	810	0.016	13	0.0	0.0	4.513	A
C-A	346	86			346				
A-B	2	0.45			2				
A-C	446	111			446				

#### 17:15 - 17:30

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	6	1	369	0.015	5	0.0	0.0	9.891	A
C-AB	18	5	844	0.021	18	0.0	0.0	4.359	A
C-A	421	105			421				
A-B	2	0.55			2				
A-C	546	137			546				

#### 17:30 - 17:45

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	6	1	369	0.015	6	0.0	0.0	9.892	A
C-AB	18	5	844	0.021	18	0.0	0.0	4.360	A
C-A	421	105			421				
A-B	2	0.55			2				
A-C	546	137			546				

17:45 - 18:00

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	4	1	403	0.011	5	0.0	0.0	9.025	A
C-AB	13	3	810	0.016	13	0.0	0.0	4.518	A
C-A	346	86			346				
A-B	2	0.45			2				
A-C	446	111			446				

18:00 - 18:15

Stream	Total Demand (Veh/hr)	Junction Arrivals (Veh)	Capacity (Veh/hr)	RFC	Throughput (Veh/hr)	Start queue (Veh)	End queue (Veh)	Delay (s)	Unsignalised level of service
B-AC	4	0.94	428	0.009	4	0.0	0.0	8.490	A
C-AB	10	2	787	0.012	10	0.0	0.0	4.630	A
C-A	291	73			291				
A-B	2	0.38			2				
A-C	373	93			373				