
## **Publication withdrawn**

This form was withdrawn in April 2024.

For up-to-date information about the National Drug Treatment Monitoring System (NDTMS), see core data set documentation on the NDTMS website.



## A FEW THINGS TO REMEMBER

I. At risk of eviction

- the red shaded boxes are the only information that gets sent to PHE
- · week 4 is the most recent week; week 1 is the least recent

Housing situation that is likely to have a negative impact on health and wellbeing and / or on the likelihood of achieving recovery

J. Client's rating overall quality of life

(For example, able to enjoy life, gets on with family and partner)

• the Treatment Start TOP should always capture pre-treatment drug use, so it is important that the recall period is the 28 days before the treatment start date. Not doing this will skew outcomes as there is likely to be a lower baseline.

Yes

10

Nο

18 19 20

Y/N

0-20

## Alcohol units converter

Drink	%ABV	Units
Pint ordinary strength lager, beer or cider	3.5	2
Pint strong lager, beer or cider	5	3
440ml can ordinary strength lager	3.5	1.5
440ml can strong lager, beer or cider	5	2
440ml can super strength lager or cider	9	4
1 litre bottle ordinary strength cider	5	5
1 litre bottle strong cider	9	9

Drink	%ABV	Units
Glass of wine (175ml)	12	2
Large glass of wine (250ml)	12	3
Bottle of wine (750ml)	12	10
Single measure of spirits (25ml)	40	1
Bottle of spirits (750ml)	40	30
275ml bottle alcopops	5	1.5

			ADULT	COMBINE	ED RE	VIEW	FORM	CLIEN	IT INFORM	IATIO	N REVIEW (	CIR)
P	ubl	ic Health	CLIENT RE	<b></b> F	CIR	DATE	1 1	s	TAGE: PARTIA	AL	FULL (6 monthly	·) [
E	ngla	and	Can be co	mpleted wh	 nen anv	of the	answers o	change (i	partial), and a	at least	every 6 months	full:
	BBV	Hep B intervent	tion status <sup>^</sup>	Offered & acc Offered & refu Immunised alr Not offered Not appropriat Deferred-clinic	epted: No ised ready te to offer cal reason epted: ised	t yet had			arted vaccination	is	Completed course	
		Latest hep C test Hep C test resu Hep C test resu Client referred	lt antibody It for PCR (	RNA) status	Positive Positive Yes		Negative Never infection	ted Cl	Unknown eared by treatme	nt	Unknown	
		HIV positive			Yes		No		Unknown		Declined to answe	r
				To I	be com	pleted	at least ev	ery 6 mo	onths			
,	HEALTH	Referred for inv disease in the la Latest health ca	ast 6 month	ıs? <sup>^</sup>	elated liv	er	Yes		No		Unknown	
ALOXONE	NALOXONE	Has the client be in the last 6 mo  Has the client be naloxone to rev	nths? een admini	stered with	Yes: No: Yes	Alread	naloxone y in possessi quate naloxo No	on A	ijectable naloxon ssessed as not ppropriate Unknown		Nasal and injectable Service does not provide naloxone  Declined to answer	
		overdose in the Pregnant?					Yes		No			
		Parental respon	scibility for	a child agod	under 19	2 voare			No		Declined to answe	.r
		Do any of these	_			years	Some		None		Declined to answe	$\sqsubseteq$
	RDING	How many child house as the cl	dren under			same	Some	0-30 Uı	ndisclosed numb	er	Declined to answe	
	SAFEGUARDING	What help are to client's children living to client receiving (record up to 3)	n/ with the ? options)	Early help Child in need CPP Looked after cl None receiving Declined to ans	any help							
		Does client hav	e a mental l	health treatm	ent need	d? <sup>^</sup>	Yes		No		Declined to answe	r 🗀
	MENTAL HEALTH	Is client receiving treatment for the mental health in (If yes, tick most significant intervention)	ng neir need? st	Community me Improved Acce Receiving men Receiving NICI Has space in h Treatment nee	ess to Psyonal tal health E recommon	chologica treatmen ended in ed place	t from GP tervention of safety for c	rises				
				Client declined								
A												

indicates that field completion is required if completing a 'full' CIR.



## **ADULT COMBINED REVIEW FORM - SUB INTERVENTION REVIEW (SIR)**

		SIR DATE	 7	7
CLIENT REF				

To be completed at 6 monthly review and exit by the keyworker (client doesn't need to be present)

Tick all sub interventions delivered and record current daily dose if applicable

	Drug	Purpose		Drug	Purpose			
		Opioid assessment &		Diag	Benzodiazepine			
	Methadone	stabilisation		<u>.                                    </u>	maintenance			
	(oral solution)*	Opioid withdrawal		Benzodiazepine	Stimulant withdrawal			
		Opioid maintenance			GHB/GBL withdrawal	$\Box$		
	Current daily dose of lid medication (ml)*	quid oral methadone	ml	Stimulant (such as dexamphetamine)	Stimulant withdrawal			
	Buprenorphine (tablet / wafer) <sup>#</sup>	Opioid assessment & stabilisation		Pregabalin	Gabapentinoid withdrawal			
		Opioid withdrawal Opioid maintenance		Gabapentin	Gabapentinoid withdrawal			
٩٢		Opioid assessment &		1	Opioid relapse prevention			
PHARMACOLOGICAL	Buprenorphine (tablet / wafer) with naloxone <sup>#</sup>	stabilisation Opioid withdrawal Opioid maintenance		Naltrexone (oral)	Alcohol relapse prevention/consumption reduction			
MAC	Current daily dose of o	ral hunrenorphine		Chlordiazepoxide	Alcohol withdrawal			
HAR	medication (mg) <sup>#</sup>	rai bapienorphine	mg	Diazepam	Alcohol withdrawal			
4	Is consumption of OST supervised?	medication currently		Carbamazepine	Alcohol withdrawal			
		or all clients where OST icated with * or #)		Other prescribed medication for alcohol withdrawal	Alcohol withdrawal			
	Buprenorphine depot injection (rods or fluid)	Opioid withdrawal		Acamprosate	Alcohol relapse prevention			
		Opioid maintenance		Disulfiram	Alcohol relapse prevention			
	Diamorphine injection	Opioid assessment & stabilisation/withdrawal/ maintenance		Vitamin B and C supplement	Prevent/treat Wernicke's encephalopathy/Wernicke-Korsakoffs			
	Methadone injection	Opioid assessment and stabilisation/withdrawal/maintenance		Other medication	Any other medication for the treatment of drug or alcohol misuse / dependence / withdrawal / associated symptoms			
AL	Motivational intervention	ons		Psychodynamic therap	ру			
SOCI	Contingency managem	nent		12-step work				
Ж	Family and social netw	ork		Counselling (BACP ac	credited)			
PSYCHOSOCIAL	Psychosocial for co-existing mental health			Cognitive and behavio				
	Peer support involvement	ent		Recovery check-ups	Recovery check-ups			
RT	Facilitated access to m	utual aid		Behavioural based rela	Behavioural based relapse prevention			
PPO	Family support			Complementary therap	Complementary therapies			
r su	Parenting support			Mental health focussed	Mental health focussed interventions			
VER	Housing support			Smoking cessation				
RECOVERY SUPPORT	Employment support			Domestic abuse/violen	ice support			
RE	Education and training	support		Client provided with pr	escribing for relance			
	Supported work projects			prevention (post struct	ured treatment only)			