

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045 Scale: 1:5125 (When plotted at A4) 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks.
6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach

2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies

this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.





IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

25 12.5 metres

Dig Sites Area:

The quality and accuracy of any print will depend on your printer, your computer and its print settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

This plan must be used with the

attached 'Symbols' document. Date Requested: 28/06/2024

Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849 Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4) 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies

this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.
 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.
 7. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowenteworks.co.uk.
- 3. Subject to paragraph 2 UK Power Networks has no lability to you in contract, in tort (including negingence), for presend statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economic loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.
 4. This plan has been provided to vou on the basis of the terms of use set out in the covering letter that accompanies
- 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.


IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP
BEFORE
YOU START WORK
Refer to HSE Guidance
note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database rights 2023. All rights reserved. Ordnance Survey Licence numbers 100019826, 100019826, 100019826. Joan d 100019450. Data has been added to the Ordnance Survey base map; all proprietary rights in such additional data are and shall remain the exclusive property of © London Power Networks plc or Eastern Power Networks plc or South Eastern Power Networks plc each being a distribution licensee under section 6(1)(c) of the Electricity Act 1989 for the relevant distribution services area as that term is defined in such licensee's distribution licence. All rights in such data reserved. Plans generated by DigSAFE Pro* 5 oftware provided by LinesearchbeforeUpig.



Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any expension to loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of which loss for loss of the provided without limitation loss of profit, loss of opportunity, loss of savings, loss of sopportunity. of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.




IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.








ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



25 12.5 metres

Date Requested: 28/06/2024

Site Location: 546442 222849

Scale: 1:500 (When plotted at A4)

Job Reference: 33898480

Your Scheme/Reference:

Requested by:

S62A/2024/0045

Dig Sites Area: [] Line: -

points on the ground. 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

The quality and accuracy of any print will depend on your printer, your computer and its print

settings. Measurements scaled from this plan may not match measurements between the same

1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed. This plan must be used with the attached 'Symbols' document.

2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.

 Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location. 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern

Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury
- to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss

of use) or any special or consequential loss or damage whatsoever.

4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.





Dig Sites Area:

The quality and accuracy of any print will depend on your printer, your computer and its print settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024

Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any expension to loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of which loss for loss of the provided without limitation loss of profit, loss of opportunity, loss of savings, loss of sopportunity. of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






Power

IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849 Requested by:

Your Scheme/Reference:

S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.
 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849 Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.
- Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location. 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern
- Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any expension to loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of which loss for loss of the provided without limitation loss of profit, loss of opportunity, loss of savings, loss of sopportunity. of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as




IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage : cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.



IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.





Dig Sites Area:

The quality and accuracy of any print will depend on your printer, your computer and its print settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480

Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.



IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



Power

Networks

ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

25 12.5 metres This plan must be used with the attached 'Symbols' document.

TL4723SWA

Dig Sites Area: [] Line: ----

settings. Measurements scaled from this plan may not match measurements between the same points on the ground. 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

The quality and accuracy of any print will depend on your printer, your computer and its print

2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach

2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any expension to loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of which loss for loss of the provided without limitation loss of profit, loss of opportunity, loss of savings, loss of sopportunity. of use) or any special or consequential loss or damage whatsoever.

4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies

this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.





IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

Date Requested: 28/06/2024

Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045


Scale: 1:500 (When plotted at A4)

1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed. 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior

to excavation using suitable hand tools. 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign, 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.

 Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location. 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.



This plan must be used with the

Site Location: 546442 222849

Scale: 1:500 (When plotted at A4)

Your Scheme/Reference:

Requested by:

S62A/2024/0045

metres

1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed. attached 'Symbols' document. 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior

to excavation using suitable hand tools. 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined. Date Requested: 28/06/2024 4. It must be assumed that there is a service cable into each property, lamp column and street sign, Job Reference: 33898480

5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.

 Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location. 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

settings. Measurements scaled from this plan may not match measurements between the same

points on the ground.

2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury

to a person.

3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies

this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.





IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage cable or line 0800 783 8838 (24hrs) URGENTLY




ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

3739 3·535ha 8·74

11.4723SWA



The quality and accuracy of any print will depend on your printer, your computer and its print settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Legation: 546442 222849

Site Location: 546442 222849

Requested by:

Your Scheme/Reference: 562A/2024/0045

Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
 It is executed that the suitable hand tools.
- It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- It must be assumed that there is a service cable into each property, lamp column and street sign, etc.
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.
 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.
 7. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowenteworks.co.uk.

- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.
 Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
 - 3. Subject to paragraph 2 UK Power Networks has no lability to you in contract, in tort (including negigence), for press of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economic loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.
 4. This plan has been provided to vou on the basis of the terms of use set out in the covering letter that accompanies
- 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some case all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

Reproduced by permission of Ordnance Survey on behalf of HMSD. © Crown copyright and database rights 2023. All rights reserved. Ordnance Survey Licence numbers 100019256, 100019826, and 100019450. Data has been added to the Ordnance Survey base map; all proprietary rights in such additional data are and shall remain the exclusive property of © London Power Networks plc or Eastern Power Networks plc or South Eastern Power N



metres

1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

The quality and accuracy of any print will depend on your printer, your computer and its print

settings. Measurements scaled from this plan may not match measurements between the same

points on the ground.

- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury
- to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach 2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any exponential cost of profits of the state of the provided whether for physical damage to proporting to so for any excommon class (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss loss (including avings, loss of profits of the p
- of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.



IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



Power

Networks

ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480

Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4) 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.

2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks 5. All cables must be dealed as being five times proved duriewise by the Power Networks.
6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.





Dig Sites Area:

___ Line: ---

The quality and accuracy of any print will depend on your printer, your computer and its print settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480

Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- A. It must be assumed that there is a service cable into each property, lamp column and street sign, etc.
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.
 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.
 7. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ulpowernetworks.co.u.
- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.
 Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 3. Subject to paragraph 2 UK Power Networks has no lability to you in contract, in tort (including neighnee), for breach of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharp arry may suffer or incur as a result of using the information provided whether for physical damage to property or for any economic loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of positions, of use) or any special or consequential loss or damage whatsoever.
 4. This blan has been provided to vou on the basis of the terms of use set out in the covering letter that accompanies
- 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some case all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database rights 2023. All rights reserved. Ordnance Survey Licence numbers 100019826, 100019826, 100019826. Joan d 100019450. Data has been added to the Ordnance Survey base map; all proprietary rights in such additional data are and shall remain the exclusive property of © London Power Networks plc or Eastern Power Networks plc or South Eastern Power Networks plc each being a distribution licensee under section 6(1)(c) of the Electricity Act 1989 for the relevant distribution services area as that term is defined in such licensee's distribution licence. All rights in such data reserved. Plans generated by DigSAFE Pro* 5 oftware provided by LinesearchbeforeUpig.



This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.
 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.



0800 783 8838 (24hrs)

URGENTLY






Networks

ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



18

settings. Measurements scaled from this plan may not match measurements between the same points on the ground. 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

The quality and accuracy of any print will depend on your printer, your computer and its print

2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach

2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss

of use) or any special or consequential loss or damage whatsoever.

4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.





IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

attached 'Symbols' document. Date Requested: 28/06/2024


Job Reference: 33898480 Site Location: 546442 222849 Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 5. All cables must be dealed as being five times proved duriewise by the Power Networks.
 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.



metres

1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed. 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

points on the ground.

2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury

to a person.

3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss

of use) or any special or consequential loss or damage whatsoever.

4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.





IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849 Requested by

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)


to excavation using suitable hand tools. 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks 5. All cables must be dealed as being five times proved duriewise by the Power Networks.
6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database rights 2023. All rights reserved. Ordnance Survey Licence numbers 100019826 and 100019826 and 100019826 and 100019826 and 90019826 and 100019826 a of © London Power Networks pic or Eastern Power Networks pic or South Eastern Power Networks pic or So Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



metres

points on the ground.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed. 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior
- to excavation using suitable hand tools. 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
 - 2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any exponential cost of profits of the state of the provided whether for physical damage to proporting to so for any excommon class (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss loss (including avings, loss of profits of the p of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






Power

IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: 562A/2024/0045

- until the exact location of all the cables have been determined.

 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.

 7. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowenetworks.co.uk.
- 3. Subject to paragraph 2 UK Power Networks has no lability to you in contract, in tort (including negligence), for press, of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economic loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.
 4. This Jolan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.


IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



BEFORE
YOU START WORK
Refer to HSE Guidance
note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database rights 2023. All rights reserved. Ordnance Survey Licence numbers 100019826, 100019826, 100019826. Joan d 100019450. Data has been added to the Ordnance Survey base map; all proprietary rights in such additional data are and shall remain the exclusive property of © London Power Networks plc or Eastern Power Networks plc or South Eastern Power Networks plc each being a distribution licensee under section 6(1)(c) of the Electricity Act 1989 for the relevant distribution services area as that term is defined in such licensee's distribution licence. All rights in such data reserved. Plans generated by DigSAFE Pro* 5 oftware provided by LinesearchbeforeUpig.



The quality and accuracy of any print will depend on your printer, your computer and its print settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any exponential cost of profits of the state of the provided whether for physical damage to proporting to so for any excommon class (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss loss (including avings, loss of profits of the p
- of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.



IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



Power

ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.





This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024

Site Location: 546442 222849

Scale: 1:500 (When plotted at A4)

Job Reference: 33898480

Your Scheme/Reference:

Requested by:

S62A/2024/0045

Dig Sites Area: 🧧 Line: -

1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

The quality and accuracy of any print will depend on your printer, your computer and its print

settings. Measurements scaled from this plan may not match measurements between the same

points on the ground.

1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed. 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to excavation using suitable hand tools. to a person.

3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

of use) or any special or consequential loss or damage whatsoever.

4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.

2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss




Power Networks

IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.


 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.

IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849 Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4) 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies

this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.




IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



0 12.5 25 Dig Sites Area:

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024

Site Location: 546442 222849

Scale: 1:500 (When plotted at A4)

Job Reference: 33898480

Your Scheme/Reference:

Requested by:

S62A/2024/0045

The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.

points on the ground.

1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

The quality and accuracy of any print will depend on your printer, your computer and its print

settings. Measurements scaled from this plan may not match measurements between the same

 The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

to excavation using suitable hand tools.

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.

7. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ulpowernetworks.co.u.

- risk.

 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury
- to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
 of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may
 suffer or incur as a result of using the information provided whether for physical damage to property or for any economic
 loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of whises, loss
 of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to vou on the basis of the terms of use set out in the covering letter that accompanies
- 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Network assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:7500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

Reproduced by permission of Ordnance Survey on behalf of HM50. © Crown copyright and database rights 2023. All rights reserved. Ordnance Survey Licence numbers 100019826, and 100019450. Data has been added to the Ordnance Survey base map; all proprietary rights in such additional data are and shall remain the exclusive property of © London Power Networks plc or Eastern Power Networks plc or South Eastern Power Networks plc



Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4) 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies

this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.




IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies

this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.

5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.

6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.




IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Date Requested: 28/06/2024 Job Reference: 33898480

Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.





IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.





Dig Sites Area:

The quality and accuracy of any print will depend on your printer, your computer and its print settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024

Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed. 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior
- to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.



IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY




Networks

ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

TL4723SWB 37

TL4722NWA



Dig Sites Area:

The quality and accuracy of any print will depend on your printer, your computer and its print settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480

Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045

- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Provision team directly via plans@ukpowernetworks.co.uk. Scale: 1:500 (When plotted at A4)
- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
 - Region via this service, if you require records on the location of these please contact our Plan

- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
 - 2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any exponential cost of profits of the state of the provided whether for physical damage to proporting to so for any excommon class (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss loss (including avings, loss of profits of the p of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Requested by: Mr

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)


- 5. All cables must be dealed as being five times proved duriewise by the Power Networks.
 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.
- Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location. 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern
- Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.

Phone 0800 783 8838 (24hrs) URGENTLY



note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Date Requested: 28/06/2024

Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.




IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.





Dig Sites Area: Line: ——

1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.

settings. Measurements scaled from this plan may not match measurements between the same points on the ground.

The quality and accuracy of any print will depend on your printer, your computer and its print

This plan must be used with the attached 'Symbols' document.

Scale: 1:500 (When plotted at A4)

The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

 It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

Date Requested: 28/06/2024

Job Reference: 33898480

3. It is essential that trial holes are until the exact location of all the c

4. It must be assumed that there is a service cable into each property, lamp column and street sign, etc.
5. All cables must be treated as being live unless proved otherwise by UK Power Networks.
6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes.

Site Location: 546442 222849 Requested by:

S62A/2024/0045

7. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
Your Scheme/Reference:
8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.
 Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2. Subject to paragraph a UN FOWER NEWFORMS has no LIBBOTT by ON IT CONTROLLING, the Controlling negligence), for breach of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any through party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economic loss (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use or any special or consequential loss or damage whatsoever.
 4. This plan has been provided to vou on the basis of the terms of use set out in the covering letter that accompanies
- ... ins puan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
 this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use
 the plan and must return it to the sender of the letter.
- You are responsible for the security of the information provided to you. It must not be given, sold or made available
 upon payment of a fee to a third party.
 A please Note: The Consistence of the control o
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.






IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.

Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database rights 2023. All rights reserved. Ordnance Survey Licence numbers 100019626, 100019826 and 100019450. Data has been added to the Ordnance Survey base map; all proprietary rights in such additional data are and shall remain the exclusive property of © London Power Networks plc or Eastern Power Networks plc or South Eastern Power Networks plc each being a distribution licensee under section 6(1)(c) of the Electricity Act 1989 for the relevant distribution services area as that term is defined in such licensee's distribution licence. All rights in such data reserved. Plans generated by [InjectAF Pro*] software provided by LinesearchbeforeUping.



This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.




IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line 0800 783 8838 (24hrs) URGENTLY



Networks

ALWAYS LOOK UP BEFORE YOU START WORK Refer to HSE Guidance note GSA

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



12.5 metres

This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024

Site Location: 546442 222849

Scale: 1:500 (When plotted at A4)

Job Reference: 33898480

Your Scheme/Reference:

Requested by:

S62A/2024/0045

Dig Sites Area: [] Line: ----

1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own

The quality and accuracy of any print will depend on your printer, your computer and its print

settings. Measurements scaled from this plan may not match measurements between the same

points on the ground.

1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed. 2. The exact position of the apparatus should be verified - use approved cable avoidance tools prior to excavation using suitable hand tools.

3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.

4. It must be assumed that there is a service cable into each property, lamp column and street sign,

5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.

8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury
- to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 soughet to paragraph to the rower networks has no labeling to you in contact, in one tractioning negative, in or beauting of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any tharty may suffer or incur as a result of using the information provided whether for physical damage to proporting to any exponential cost of profits of the state of the provided whether for physical damage to proporting to so for any excommon class (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss loss (including avings, loss of profits of the p of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as




IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



Power

ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference: S62A/2024/0045

Scale: 1:500 (When plotted at A4)

- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks.

 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.




0800 056 5866 EMERGENCY - If you damage : cable or line Phone 0800 783 8838 (24hrs) URGENTLY



BEFORE YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.



This plan must be used with the attached 'Symbols' document.

Date Requested: 28/06/2024 Job Reference: 33898480 Site Location: 546442 222849

Requested by:

Your Scheme/Reference:

S62A/2024/0045 Scale: 1:500 (When plotted at A4)

- 1. The position of the apparatus shown on this drawing is believed to be correct but the original landmarks may have been altered since the apparatus was installed.
- 2. The exact position of the apparatus should be verified use approved cable avoidance tools prior to excavation using suitable hand tools.
- 3. It is essential that trial holes are carefully made avoiding the use of mechanical tools or picks until the exact location of all the cables have been determined.
- 4. It must be assumed that there is a service cable into each property, lamp column and street sign,
- 5. All cables must be treated as being live unless proved otherwise by UK Power Networks 6. The information proved must be given to all people working near UK Power Networks plant and equipment. Do not use plans more than 3 months after the issue date for excavation purposes. Please be aware that electric cables/lines belonging to other owners of licensed electricity distribution systems may be present and it is your responsibility to identify their location.
- 8. Please be aware the Low Voltage Overhead power lines are not currently displayed for the Eastern Region via this service, if you require records on the location of these please contact our Plan Provision team directly via plans@ukpowernetworks.co.uk.

- 1. UK Power Networks does not warrant that the information provided to you is correct. You rely upon it at your own
- 2. UK Power Networks does not exclude or limit its liability if it causes the death of any persons or causes personal injury to a person.

 3. Subject to paragraph 2 UK Power Networks has no liability to you in contract, in tort (including negligence), for breach
- 2 studgets to planting this CNF offers necessarily to the control of statutory duty or otherwise for any loss, damage, cost, claims, demands, or expenses that you or any third party may suffer or incur as a result of using the information provided whether for physical damage to property or for any economics (including without limitation loss of profit, loss of opportunity, loss of savings, loss of goodwill, loss of business, loss of use) or any special or consequential loss or damage whatsoever.

 4. This plan has been provided to you on the basis of the terms of use set out in the covering letter that accompanies
- this plan. If you do not accept and/or do not understand the terms of use set out in the covering letter you must not use the plan and must return it to the sender of the letter.
- 5. You are responsible for the security of the information provided to you. It must not be given, sold or made available upon payment of a fee to a third party.
- 6. Please Note: The Overview map does not display UK Power Networks electricity network and should not be used for the location of UK Power Networks assets. For detail of the electricity network please view the relevant page as highlighted in the Overview map.



IF IN DOUBT - ASK! PHONE 0800 056 5866 EMERGENCY - If you damage a cable or line Phone 0800 783 8838 (24hrs) URGENTLY



ALWAYS LOOK UP YOU START WORK Refer to HSE Guidance note GS6

Maps produced at 1:2500 scale are Geo-Schematics which show LV mains cables and overhead lines (in some cases all voltages). Prior to carrying out excavations you must refer to the 1:500 records to determine the location of all known underground plant and equipment.





UK Power Networks Feedback Tool

Please help UK Power Networks improve the accuracy of their network records and help make it safer for all those working around them in future.

All you need to do is:

- 1. Use your phone camera to scan the QR code:
- 2. Provide feedback on what you have found on site (good or bad)
- 3. Upload a photo if needed



Thank you for making the area a safer place to dig.

UK Power Networks, working with LSBUD