

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
1GP_fatigue	Any DASOR where human fatigue has been a factor.	Accommodation,CRP,Crew Duty,Crew Rest,Crew Rest Period,Drowsy,Fatigue,ORM ,Operational Risk Matrix,Shift Pattern,Sleep,Tired,Tiredness	Global
3rd_party_animals	Any occurrence where an animal or animals have been startled resulting in an injury or potential injury to a 3rd party.	bolt,bolted,charge,cow,dog,pig,sheep,spooked,stampede ,startled	Global
3rd_party_horse	Any occurrence where a horse or horse rider has been startled resulting in injury or potential injury to a 3rd party. Any occurrence where a horse rider has been affected by the operation of an aircraft.	bolt,bolt,bolted,canter,charge,colt,equestrian,equine,equine,equistrian,fall,filly,foal,horse,horse racing,horseman,horsewoman,horsey,jockey,jockey,jump,mare,mare,rear up,rider,riding,riding school,spooked,stables,stallion,stampede,stampede,startle,startled,trot	Global
3rd_party_people	Any occurrence where a person or people have been startled resulting in an incident injury or potential injury to a 3rd party.	bolt,bolted,charge,humans,individuals,people,run,spooked,stampede,startled	Global
4worlds_aircrew	4 worlds approach to reporting involving aircrew and aircraft operators in the delivery of defence aviation capability.	aircrew,operating,operators	Global
4worlds_airspace_ATM	4 worlds approach to reporting involving air traffic managers/controllers and battle space managers in the delivery of defence aviation capability.	ABM,ATM,air traffic manager,airspace,battle space management,battle space manager	Global
4worlds_maintainers	4 worlds approach to reporting involving engineers, technicians and maintainers in the delivery of defence aviation capability.	engineer,maintainer,maintenance,technical,technician	Global
4worlds_support_staff	4 worlds approach to reporting involving ground handlers, movers and all other support staff operators in the delivery of defence aviation capability.	handlers,movers,support staff	Global
56SQN_crew	Any DASOR relating involving 56Sqn personnel or with a direct and important link to 56Sqn	Airseeker,E-3D,E7,MQ-9,MQ-9B,P-8A,Poseidon,Protector,RA2375,RJ,Reaper,Sentry,Shadow,T&E,Task,Trial,Wedgetail,sUAS	Global
AAR	Air to Air refuelling operations	AAR,basket,diversion,drogue,probe,refuelling,tanker,tanking,turbulence	Global
ACAWS	Advisory Caution and Warning System	Alerts ,Attention Getting System ,Emergency,Warnings Cautions	Global
AC_damage	Any DASOR where damage to an as is an outcome	Damage,unserviceable	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AEA	Aircrew Equipment Assembly - Clothing and Equipment worn by Aircrew	AEA,FACs,LSJ,NSN,WESS,aircraft,boots,flying clothing,flying suit,gloves,helmet,immersion suit,overalls,rollneck,socks,stores,thermals,visor	Global
AFOA	Articles Falling Off Aircraft	Articles ,Degraded Airframe,Departed,FOD,Falling Off ,Fell,Left,Loose,dropped,lost	Global
ALM	All occurrences involving Paveway (all variants), Brimstone (all variants), Stormshadow, ASRAAM, AMRAAM, Meteor and Mauser 27mm.	27mm,AMRAAM,ASRAAM,Brimstone,Mauser,Meteor,Paveway,Stormshadow	Global
ASP	Any DASOR issue which takes place on the ASP	ASP,pan	Global
ASWC_DHF	Any occurrence that involves the Duty Holder Facing organisations of the ASWC. Includes JADTEU, 744 NAS	#ASWC,#ATEC,#T&E,#Test & Evaluation,#flight trial,#trial	Global
ASWC_FgDiv	Any occurrence that involves the Flying Division of ASWC. Includes but not limited to 17 Sqn, 41 Sqn, 56 Sqn, 206 Sqn, RWTES, PTT.	#ASWC,#ATEC,#T&E,#Test & Evaluation,#flight trial,#trial	Global
ASWC_T&E	Any occurrence during formal ASWC or ATEC T&E activity, including associated engineering and planning activities but excluding routine CT.	#ASWC,#ATEC,#T&E,#Test & Evaluation,#flight trial,#trial	Global
ATC	Air Traffic Control	ATC,circuits,clearance,confliction,emergency landing,host nation,incursion,take-off,taxiing	Global
ATC Console Overload	Any DASOR where there has been the need to open an overload console or when it has not been possible due to console capacity and set up.	#Bank,#Capacity,#Overload Deps,#Overload SRA,#Overload Sup,#TATCC Sup	Global
ATC Hub_Satellite Co-Op	Any DASOR where the co-operation between TATCC/Hub and Satellite Aerodromes has contributed to a safety occurrence	#Airspace Confliction,#Bank,#Capacity,#Comms,#Confliction,#Liaison,#SA,#Satellite,#TATCC,#TATCC Sup,#Twr,#VCR Sup	Global
ATC Sup Overload	Any DASOR relating to ATC Supervisors reaching capacity or becoming overloaded.	#ATC Sup,#Airspace Complexity,#Complexity,#Console availability,#Controller Overload,#High Traffic Workload,#Manning,#Reduced SA,#Resource,#Runway Direction,#Sup Capacity,#Sup Overload,#TATCC,#Training Supervision,#Workforce	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC equip	Air traffic Control Equipment failures. Loss of a surveillance, navigation or communication facilities, with no backup system available.	ATC equipment, HF, MSSR, MTI, PAR, PSR, SRE failure, SSR, SSR u/s, UHF, VHF, Watchman, airfield lighting, channel, comms, failure, loss of ATC systems, loss of PSR, loss of SSR, power, power failure, primary radar unservicable, radar, rader failure, radio, stud, traffic light failure, transmit	Global
ATC_info	Any internal or external information used or broadcast by ATC. Includes weather, Flight Information Code Letter (FICL) or warnings	ATIS, FICL, Flight Log, NOTAM, weather info	Global
ATC_procedures	An incident where an aircraft is in breach of airfield procedures or ATC manoeuvre an aircraft not iaw published procedures.	clearance, land, runway	Global
ATGL	Worldwide Navigational Database	Navigation, RNAV, database, procedural, procedures, separation, waypoint	Global
ATM_regs	Any occurrence where military or civil ATM procedures are breached.		Global
Aircraft Stall	Any DASOR relating to an event where an aircraft stalled or where the stall warning system was activated.	#audible alarm, #incipient, #stall, #stall protect, #stall warner	Global
Albion	Embarked in HMS Albion	HMS Albion, LPD	Global
Arctic_Challenge	Any DASOR relating to Coningsby typhoons, brize deploying in support of Ex Arctic Challenge, Draken aircraft, operational, tactical manoeuvres	#arctic_challenge	Global
Argus	Embarked in RFA Argus	PCRS, RFA Argus	Global
BALCS	Any issue relating to BALCS.	AEA, BALCS	Global
BOLTHOLE	Any DASOR relating to BOLTHOLE due to BZZ Airfield rectification work	#BHX, #BOLTHOLE, #Lossiemouth, #STN, #WADDINGTON	Global
Bay_Class	Embarked in Bay_Class	Bay Class, LSD(A), RAF Cardigan Bay, RAF Lyme Bay, RFA Mounts Bay	Global
C17_AG17	C17 DASORs related to training.	Auth, Authorisation, SQEP, Supervision, Train	Global
CFIT	Controlled Flight Into Terrain	CFIT, approach, engine, flight into terrain, fuel, low level, starvation, terrain	Global
CFS_exam_wing	Any DASOR where a CFS examiner is part of the crew.	CFS, Central Flying School, Exam Wing, Examiner	Global
CHT	Cylinder Head Temperature out of limits	CHT, Cold, Cold soaked, Cooling, Cylinder Head Temperature, Hot, Out of Limits, Overheat	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
COBRA_WARRIOR	Any DASOR relating to Ex COBRA WARRIOR (large scale UK based multi domain Ex involving RAF, Army and RN assets)	COBRA WARRIOR,EX COBRA WARRIOR,EX CW	Global
COVID-19	Any DASOR relating to an event where COVID-19 or Op RESCRIPT measures are considered to have had a cause or effect.	COVID-19,CV-19,Virus ,lock down	Global
CSAT	Crew Situational Awareness Tool.	Awareness,CSAT,Crew,SA,Situational,Tool	Global
DAS	Defensive Aid Suite	CHAFF,Defensive Aids ,Defensive Systems ,EW ,Electronic Warfare ,Flares ,IRCM ,LAIRCM ,LIRCM ,MAWS	Global
DATA	Aircraft Electronic DATA.	DCRs,DMC,RDIT,software	Global
DDHTopEvent	Any DASOR relating to DDH or ODH's Top risks and events.	DDHTopRisk,ODHTopEvent,ODHTopRisk	Global
DDHTopRisk	Any DASOR relating to DDH or ODH's Top risks and events.	DDHTopEvent,ODHTopEvent,ODHTopRisk	Global
DESERT KHANJAR	Any DASOR relating to flying whilst on Ex DESERT KHANJAR/PINION OMAN, Oman.	#DESERT,#DESERTKHANJAR,#Oman,#PINIONOMAN	Global
DMC	Issue relating to Data Management Cells.	DMC,ESS,F700,MWO,docs	Global
EFB	Any DASOR relating to Electronic Flight Bags or where an EFB would have mitigated the issue.	Booklet,Charts,Document,EFB,Flight bag,Maps,Paperless,TAP,Tablet,iPad	Global
EFCS	electronic flight control system	EFCS,FCC,WAP,control,reset,warning	Global
ESA	All occurrences within the physical boundaries of an ESA or during transportation of OME by ESA personnel.	ESA,OME	Global
EVCS	Any DASOR relating to the use of or serviceability of EVCS	EVCS,Frequencies,GFX,Network,Stby Radios	Global
EI Centro			Global
ExRIMPAC24	Any report referring to exercise Rim of the Pacific 2024, used for collation of any Flight Safety issues occurring during the RIMPAC exercise, Hawaii.	#Hawaii,#Hickam,#Kaneohe,#P8A,#Pacific,#Poseidon,#RIMPAC	Global
F15	Any DASOR relating to F15 activity or USAFE activity	F-15,F15	Global
F2FP_ATC_Cognisance	An occurrence relating Air Traffic Control failing to follow procedure as a result of cognisance failure.	ATC Error,Cognisance,Error,F2FP,Failure,Procedure,SOP's	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
F2FP_Aircrew/ATC	An Aircrew/ATC associated Incident/Hazard Observation or Accident attributed/caused to/by Human Mistake, Error or Violation	F2FP,aircrew procedure,aircrew procedures,aircrew process,aircrew processes,failure to follow procedure,failure to follow process,procedure,procedures,process,processes	Global
F2FP_Aircrew/ATC_Process	Any occurrence relating to failure to follow procedure Air (F2FP (A)) as a result of processing error	Error,F2FP,FTFP,Process	Global
F2FP_Aircrew_ATC_Cognisance	Any occurrence relating to Failure to follow procedure Air (F2FP (A)) as a result of cognisance failure	Cognisance,F2FP,FTFP	Global
F2FP_Aircrew_ATC_Resource	Any occurrence relating to Failure to follow procedure Air (F2FP (A)) as a result of a resource issue	F2FP,FTFP,Resource	Global
F2FP_Aircrew_Cognisance	An occurrence relating Aircrew failing to follow procedure as a result of cognisance failure.	Aircrew Error,Cognisance,Error,F2FP,Failure,Procedure,SOP's	Global
F2FP_Groundcrew	A Ground associated Incident/Hazard Observation or Accident attributed/caused to/by Human Mistake, Error or Violation	F2FP,failure to follow procedure,failure to follow process,ground procedure,ground procedures,groundcrew procedure,groundcrew procedures,groundcrew process,groundcrew processes,procedure,procedures,process,processes	Global
F2FP_Groundcrew_Cognisance	Any occurrence relating to Failure to follow procedure Air (F2FP (G)) as a result of cognisance failure	Cognisance,F2FP,FTFP,Groundcrew	Global
F2FP_Groundcrew_Process	Any occurrence relating to Failure to follow procedure Air (F2FP (G)) as a result of processing error	Error,F2FP,FTFP,Groundcrew,Process	Global
F2FP_Groundcrew_Resource	Any occurrence relating to Failure to follow procedure Air (F2FP (G)) as a result of a resource issue.	F2FP,FTFP,Groundcrew,Resource	Global
F2FP_Maintenance	A Engineering associated Incident/Hazard Observation or Accident attributed/caused to/by Human Mistake, Error or Violation	F2FP,engineering procedure,engineering procedures,engineering process,engineering processes,maintenance procedure,maintenance procedures,maintenance process,maintenance processes,procedure	Global
F2FP_Maintenance_Cognisance	Any occurrence relating to Failure to follow procedure Air (F2FP (M)) as a result of cognisance failure	Cognisance,F2FP,FTFP	Global
F2FP_Maintenance_Process	Any occurrence relating to Failure to follow procedure Air (F2FP (M)) as a result of processing error	Error,F2FP,FTFP,Process	Global
F2FP_Maintenance_Resource	Any DASOR relating to Failure to follow procedure Air (F2FP (M)) as a result of a resource issue	F2FP,FTFP,Resource	Global
FADEC	Malfunction in Fully Automated Digital Engine Controller	Engine,FADEC,fadec,warnings_caution	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
FCM	All Flare and Chaff Counter Measure occurrences.	chaff,counter measure,flare	Global
FDM	Flight Data Monitoring - Used when aircraft data should be requested from the RAF FDM Cell in order to support the investigation into the DASOR.	Data Exploitation,Exceedance,FDA,FDM,Flight Data Analysis,Flight Data Monitoring,Flight Envelope,RTS,SOP,exceedance,over-rotation,overspeed,overstress,under speed	Global
FDR_evidence	An event where the presence of a FDR would be able to provide important information to help mitigate future occurrences.	Exceedance,Heavy Landing,Limitation,Overspeed,RTS	Global
FLIM	Flight Line Inspection Manual	A/F,B/F,Pre-flight	Global
FOD	Foreign object debris causing hazard	AS,Air System,Casing,Casings,FOD,FOD,FOD Form,Foreign Object Damage,HLS,Helicopter Landing Site,Helipad,Inspection,Link,Litter,Round,Rounds,Rubbish,article in flight,bin stowages,debris,flying controls,foreign object,grass,ice guard,intake blocked,loose article,loose article,restricted visibility	Global
Fort_Victoria	Embarked in RFA Fort Victoria	AOR,Fort Victoria	Global
GEF	Issue relating to Ground Engineering Trade.	GEF,GPU,RHAG,arrestor,steps,workshops	Global
GOLDesp	Any data integrity issues with GOLDesp Any occurrence were the use of GOLD ESP or the associate data integrity have affected the outcome of the event.	GOLDesp,code,data,data integrity,electronic data,error,gold,incorrect,locate,out of date,overflown,seg code,serviceable,task codes,transfer,unserviceable	Global
GPS	For occurrences involving the aircraft GPS.	Aerials,GPS,Pins,Signal,fix,interference,position,space weather	Global
GSE	Ground Servicing Equipment	Ground Equipment,Ground Power	Global
GoPro	Any DASOR relating to the Camera within a case	GoPro,camera	Global
HIFR	Any occurrences involving helicopter in flight refuelling.	HIFR,aircrewman,fuel,fuel farm,helicopter,hose,in flight, in flight refuelling,maintainers,pressure,refuelling,selection,spillage,switch,winch	Global
HLS_sterile_area	Any DASOR relating to the HLS Sterile Area	Barrier,Crew change,Engine running,FOD,HLS,Helicopter Landing Site,MOP,Markings,Member of the public,Overhang,Road Markings,Rotary,Vehicle,Weapon change	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Helicopter_Landing_Site	Any occurrence that occurs at or near a helicopter landing site or other remote landing site or issues with any support services as detailed within the HLS Directory or overseas equivalent.	HLS,helicopter,landing,landing site,remote,rogue	Global
IFRP	In flight refuel probe.	ADT,basket,flow,probe,retract	Global
IT_systems	Any occurrences where an IT system or database affected the safe execution of an activity, where the IT did not function as designed, or the IT is not fit for purpose.	ASIMS,GOLDesp,IT,MJDI,STARS,computer,database,electrical,email,laptop,office,system	Global
In-Form	For all DASORs originally raised as In-Forms	In-Form,Inform	Global
Incorrect Mode/Configuration	Any event relating to an incorrectly configured AV Mode for Landing or Take Off during STOV operations	#STOVL,#Short take off,#VL,#mode 4 selection	Global
Incorrect Muting	Any DASOR where a UK RPAS was incorrectly muted resulting in a Lost Link Situation	#FSST,#LL,#Lost Link,#mute,#muted,#muting	Global
Instrument_Landing_System	For occurrences involving the Instrument Landing System, either a fault with ground based system or the equipment on a receiving aircraft.	ILS,ILS Glideslope,ILS Hawk,ILS Localizer	Global
JAC_AEA3P	Aircraft Emissions Affecting Third Party - An event which has resulted in Third Party persons or property being endangered or hurt/damaged by the operation of the aircraft.	Blown Over,Downwash,Fallen,Fell,Horse,Moved,People,Rider,Startled	Global
JAC_CFIT/O	Controlled Flight Into Terrain/Obstacle - Any DASOR relating to CFIT/O.	CFIT,Charted,DVE,Flight-Into Terrain,IMC,Low Level,Mapping MSC,Obstacle,RADALT,Terrain,Uncharted,Unchartered,Under- Wires-Crossing,VFR,VMC	Global
JAC_F2FP	Failure to Follow Procedure - Any DASOR relating to Failure to follow Procedure.	Aircrew Procedure,Aircrew Procedures,Aircrew Process,Aircrew Processes,CFIT,F2FP,FRCs,Failure-To-Follow-Procedure,Failure-To-Follow-Process,Groundcrew Procedures,Groundcrew Process,Groundcrew Processes,Logbook,MRCs,Procedure,Procedures,Process,TRF	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_FAIP	Fallen Article Impacts Persons - Any DASOR relating to an object that falls from an Air System.	AFOA,Airframe,Ammunition,Articles ,Degraded ,Departed,Despatch,Dropped,FOD,Falling Off,Fastener,Fell,HUSLE,Harness,Impact,Incorrect Lashing,Jettison,Karabinier,Left,Loose,Lost,Low-Level-Despatch,Release,Rope,Stores,Strop,TIES,Trooping,US L,Un-Commanded-Release,Unsecure Panels,Weapon,Winching,Wirelock,Working at Height	Global
JAC_HF	Any DASOR relating to an incident or hazard/observation due to a personnel related issue.	Violation,Conspicuity,Crew-Rest-Period,Culture ,Dangerous,Defiant,Deliberate,Engaged,Error,FRCs,Fatigue,HF,Hidden,Honest,Human,Intended,Just,Learning,Logbook,MRCs,Manifest,Mistake,Negligent,Open,PAX,Pressure,Procedure Purpose,Questioning,Reckless,Reporting Tired,TRF,Winching,Winching	Global
JAC_INFRA	Any DASOR relating to physical and organizational structures and facilities to support aviation.	Accommodation,Airfield,Area,Base Support ,Briefing Room,Building,Construction,Contractors,Crewroom,DIO,Electrical,Exercise,Facilities,Falling Object,Floor Plate,Hangar,Hierarchy,IT,Incursion ,Infestation,Infrastructure,Lighting,Mess,Office,Ops,PATA ,Quarters,ROC,Range Danger Area,Roof,Runway,SENTA,SLA,SPTA,SSS,SSSA,STAN TA,Sqn,Stores,Training,Vermin,WSF,Water,Weapon Danger Area	Global
JAC_MAC	Mid Air Collison ? Any DASOR relating to a perceived loss of safe separation with another Air System.	Airprox,Airspace,Alert,Approach,CSAT,Clearance,Conflict,Dragon Light,FDM,Formation,Glider,IMC,MSC,Mapping,NDV,Navigation,Near Miss,Reversionary,Separation,TCAS,VFR,VMC	Global
JAC_MAPPING	Any DASOR relating to an event involving map overlays	Antenna,CADS,Charter,Crane,Height,Mapping,Marked,Mast,NOTAM,Obstacle,Obstruction,Pylon,Uncharted,Unmarked,Vertical,Wires	Global
JAC_PERSONNEL	Any DASOR relating to resources or human factors	Actual,Administration,Aircrew,External,Flypro,Groundcrew,Manpower,Medical,Organisational,Panic,Perceived,Personnel,Pressure,Resource,STARS,Self,Stores,Stress,Tasking,Work Force,Working-at-Height	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_PG_MARSHALL	Any DASOR relating to Programme MARSHALL (Project MARSHALL previously) or ATC systems.	ATC,Approach,PSR,Power,Primary,RADAR,SSR,Secondary,Service Feed,Surveillance Provision	Global
JAC_TECHNICAL	Any DASOR relating to technical failure or issue.	F700, Special Technical Instruction,Caution,Documentation,Engineer,Failure,Faulty,GOLDesp,Instruction,Instruction,Maintainer,Maintenance,Routine Technical,SI,SI(T),Tech ,Technical ,Technical Instruction,Technician,Tools,Unserviceable UTI,Urgent,Warning	Global
JAC_TIES	Any DASOR relating activities using Troop Insertion and Extraction Systems	Abseil,BUI,Beam,Descent,Dispatcher,Equipment,Extract,Extraction,Fast Roping,Gloves,Harness,Inserting,Insertion,JADTEU,Karabinier,LTES,RTES,Rope,Roping,Strop,System,TIES,Tangle,Troop,Uncontrolled,Winching	Global
JAC_UFIT/O	Any DASOR relating to Uncontrolled impact with Terrain or Obstacle.	Caution,Impact,Maintenance,Terrain,Uncontrolled,Warning	Global
JDA	Operating with Marine Nationale (French Navy)	dixmude,french,marine nationale,mistral,mistral-class,tonnerre	Global
LII_CAMO	Lightning F35 Delivery Team Name		Global
LII_Training	Lightning F35 Delivery Team Name	LII Training	Global
LOCI	Any DASOR issue that resulted in LOCI/would most likely result in LOCI if all barriers failed	LOCI,control,failure,technical	Global
LOS	Any loss of separation / deconfliction minima is to be reported. Any occurrence where there is a loss of separation between 2 aircraft in flight that concerns either the operator(s) within the aircraft or the ATC but does not meet the criterion of an AIRPROX.	Avoiding action,LOS,distance,height,near miss,separation,seperation,traffic information	Global
Low_Flying_Booking_Cell	Any DASOR relating to Low Flying Booking Cell	LFBC,LowFlyingBookingCell	Global
MAC	Mid Air Collision	MAC,airprox,airspace,clearance,confliction,mid air collision,near miss,separation	Global
MK_10_helmet	Any DASOR relating to Technical failures of MK 10 helmet.	Communication,Helmet,Intercom,MK,MK10	Global
MOG	Any DASOR relating to a break in maximum number of Movements On Ground being handled or requested.	MOG,Movement on ground	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
MOR	CAA Mandatory Occurrence Report	civil,civilian	Global
Marked Masts	Any DASOR relating to Marked Obstructions/Masts, where a conflict or potential conflict occurred.	#Mistake,#Publications,#Uncharted Masts,#Uncharted Obstruction,#data,#mission_planning_systems	Global
Marked Obstructions	Any DASOR relating to Marked Obstructions/Masts, where a conflict or potential conflict occurred.	#Mistake,#Publications,#Uncharted Masts,#Uncharted Obstruction,#data,#mission_planning_systems	Global
Mars_Class	Embarked in Mars Class	AO,Tideforce,Tiderace,Tidespring,Tidesurge	Global
NFF	No Fault Found – Unable to recreate reported fault, standard diagnostics tests find nothing unusual.	CIETP,Diagnostics,no fault,unable to recreate	Global
NVD	Any DASOR relating to Incidents relating to NVD or Monocle.	Monocle,NVD	Global
NVG	Night Vision Goggles	NVD,NVG,Night Vision Device,Night Vision Goggles,compatibility with ac systems	Global
ODHTopEvent	Any DASOR relating to DDH or ODH's Top risks and events.	DDHTopEvent,DDHTopRisk,ODHTopRisk	Global
ODHTopRisk	Any DASOR relating to DDH or ODH's Top risks and events.	DDHTopEvent,DDHTopRisk,ODHTopEvent	Global
ODI-Landing_Lamps	Any DASOR relating to Landing lamp failure or malfunction	DMLL,Landing Lamps	Global
ODI_Water_Ingress	All Chinook AS suffer water ingress issues	Avionics,CAP,Crew,Downleads,Electronics,Helmet,Ingress,Instruments,Intercom,Malfunction,Water	Global
OPFORTIS21	Operation Fortis 2021.	CSG,Defender,Diamond,F35,Fort Victoria,Fortis,Kent,QEC,Queen Elizabeth,Richmond,Support Group,Task Group,Tidespring,UKCSG	Global
OP_FIREDRAKE	Any DASOR relating to OP FIREDRAKE activity	CSG 23,FIREDRAKE,OP FD,OP FIREDRAKE,TASK GROUP,TG 319.01	Global
OP_PITTING	Any DASOR relating to Op PITTING.	Afghanistan,HKIA,Kabul,Op Pitting,Pitting	Global
Op_CHAMBRAY	Any DASOR relating to ongoing Operations in support of 903 EAW	903 EAW,CHAMBRAY,Operation	Global
PAR	Precision Approach Radar	Az Only,PAR,Talkdown	Global
PFL	Precautionary/Practise Forced Landing	Practice Forced Landing,Precautionary Forced Landing,RPFL,Radar PFL	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
PPE	Personal Protective Equipment - Articles used to prevent harm to it's user	COSHH,MSDS,PPE,absorbed,bump cap,cranial,gloves,goggles,hard hat,hazard,ingested,inhaled,injected,personal protective equipment,protection,safety equipment	Global
PSR	Primary Search Radar	PSR,Primary Radar,SRE,W'man,Watchman	Global
QE_Class	Embarked in QE Class	CVF,Carrier,Prince of Wales,Queen Elizabeth	Global
RA4947.1.a	Any DASOR relating to Develop and control an Aircraft Maintenance Programme, support any applicable reliability programme and propose amendments and additions to the Maintenance schedule to the Type Airworthiness Authority (TAA).	AMP,Aircraft Maintenance programme,F765,Propose amendments,RCM,Reliability	Global
RA4947.1.b	Any DASOR relating to Management and the embodiment of Modifications and repairs.	Embodiment,ISDC,Mod,Modification,NL,No limit,OOL,Out of limit,Repair,SM	Global
RA4947.1.c	Any DASOR relating Ensuring that all Maintenance is carried out to the required quality and in accordance with (iaw) the Aircraft Maintenance Programme, and correctly released.	Acceptance,Approved data,Delivery,Quality of Maintenance,Release	Global
RA4947.1.d	Any DASOR relating Ensuring that all applicable Special Instructions (Technical) (SI(T)) are applied.	Backstop,CD,CTI,Overflown,Overfly,RTI,SI(T),Satisfaction,Technical Instruction,UTI	Global
RA4947.1.e	Any DASOR relating Ensuring that Military Maintenance Organizations (MMOs) or MRP Part 145 Approved Maintenance Organizations (AMOs) correctly manage Faults reported, or discovered during scheduled Maintenance.	ADF,Cumulative risk,Deferred,Fault,LIM,Limitation,Out of limits,UFCM,Uncommanded	Global
RA4947.1.f	Any DASOR relating Co-ordinating scheduled Maintenance, the application of SI(T) and the replacement of service life limited parts.	Annual,Biennial,Concessions,Deferments,Fleet management ,LLP,Latitudes ,Major,Minor,Scheduled Maintenance	Global
RADHAZ	Radiation Hazard Any occurrence where a radio frequency may have operated outside the limited that are safe for exposure for a human. This can include airfield radars, aircraft equipment or ship's equipment or operating masts (HIRTA)	EMC,HIRTA,RADHAZ,armements,danger,frequency,fuelling,mobile phone,radar,radiation,radio,transmission,triangles	Global
RFFS	Rescue Fire Fighting Service	Crash Cat,Crash Category,Emergency response,Fire,ICAO,RFFS,Rescue	Global
RHAG	Rotary Hydraulic Arrestor Gear.	Arrestor,Cable,Wire	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RIAT	Any DASOR relating to RIAT event.	AirDisplay,Flypast,RIAT,Royal International Air Tattoo	Global
RPAS_airspace_management	Any DASORs submitted resulting in airspace management and deconfliction.	Airspace,ROZ,air incursion,airprox,cold,deconfliction,hot,safe separation	Global
RPAS_equipment_issues	Any DASORs submitted pertinent to system deficiencies or faults.	battery,FSK,Falcon Tracker,GCS,UA,camera,centre section,generator,gloves,hand controller,laptop,motor,payload,pele case,rail launcher,springs,toolbox	Global
RPAS_failed_launch	Any DASORs submitted that has resulted in a failed launch.	elevator,failed launch,fingers,impact,incursion,launch,loss of separation ground,props,stabilator,tree	Global
RPAS_failed_recovery	Any DASORs submitted resulting in an unplanned recovery.	Failed landing,elevator,impact with ground,line of site,propulsion ,recovery,recovery,safe separation,stabilator,tree	Global
RPAS_processes_policies_and_documents	Any DASORs submitted relating to processes, policies and documentation.	ADS,FASP,out of date,qualifications,signatures,tool control	Global
RPAS_uplink_downlink_GPS	Any DASORs submitted that has uplink, downlink and GPS issues.	GPS,comms box,downlink,line of site,loss of link,uplink	Global
RTS	Release to Service - references the limitation, operating envelope and safety cases relevant to a specific aircraft type	AWFL,CLE,OEC,RTS,exceeded,inadvertent,limits,policy, procedure,role specific,safety,systems	Global
S2RPAS_Authorisation	Any DASOR where authorisation has played a factor.		Global
S2RPAS_CFIT	Any DASOR relating to RPAS CFIT.		Global
S2RPAS_Communication	Any DASOR relating to any failings, issues or breakdowns in communication.		Global
S2RPAS_Currency	Any DASOR relating to Currency including, but not limited to lapses in Live or Sim Currency.		Global
S2RPAS_DAFAIR_error	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Error.		Global
S2RPAS_DAFAIR_mistake	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Mistake.		Global
S2RPAS_DAFAIR_sabotage	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Sabotage.		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
S2RPAS_DAFAIR_violation	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Violation.		Global
S2RPAS_Equipment_Issues	Any DASOR relating to equipment issues.		Global
S2RPAS_F2FP	Any DASOR relating to Failure to follow Procedure.		Global
S2RPAS_F2FP_DAC	Any DASOR relating to F2FP within the Defence aviation community		Global
S2RPAS_Fatigue	Any DASOR relating to Fatigue of personnel.		Global
S2RPAS_GCS	Any DASOR relating to a ground control station		Global
S2RPAS_GPS	Any DASOR relating to RPAS GPS issues.		Global
S2RPAS_Human_Factors	Any DASOR in which human factors has been a factor.		Global
S2RPAS_Processes_Policies_Documents	Any DASOR relating to processes policies and documents.		Global
S2RPAS_RPAS_incorrect_system_data	Any DASOR relating to incorrect system data.		Global
S2RPAS_Simulation	Any DASOR relating to flying simulation.		Global
S2RPAS_Supervision	Any DASOR relating to any failings or issues within the supervisory chain.		Global
S2RPAS_Training	Any DASOR relating to training be it either lack of training or training insufficient.		Global
S2RPAS_UFIT	Any DASOR relating to UFIT.		Global
S2RPAS_ageing	Any DASOR relating to Ageing.		Global
S2RPAS_airprox	Any DASOR relating to Airprox.		Global
S2RPAS_airspace_excursion	Any DASOR relating to an RPAS Airspace Excursion.		Global
S2RPAS_airspace_incursion	Any DASOR relating to an Incursion into RPAS airspace.		Global
S2RPAS_airspace_management	Any DASOR relating to Airspace management.		Global
S2RPAS_autopilot	Any DASOR relating to Autopilot.		Global
S2RPAS_battery	Any DASOR relating to a Battery.		Global
S2RPAS_bowtie_1.1	Any DASOR relating to Bowtie_1.1		Global
S2RPAS_bowtie_2.6	Any DASOR relating to Bowtie_2.6		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
S2RPAS_bowtie_2.7	Any DASOR relating to Bowtie_2.7		Global
S2RPAS_bowtie_3.1	Any DASOR relating to Bowtie_3.1		Global
S2RPAS_bowtie_3.1.2	Any DASOR relating to Bowtie_3.1.2		Global
S2RPAS_bowtie_3.1.3	Any DASOR relating to Bowtie_3.1.3		Global
S2RPAS_bowtie_3.1.4	Any DASOR relating to Bowtie_3.1.4		Global
S2RPAS_corrosion	Any DASOR relating to Corrosion.		Global
S2RPAS_electrical_fault	Any DASOR relating to Electrical Fault.		Global
S2RPAS_electromagnetic_interference	Any DASOR relating to Electromagnetic interference.		Global
S2RPAS_environment_altitude	Any DASOR relating to the Environment Altitude.		Global
S2RPAS_environment_cold	Any DASOR relating to Environment cold.		Global
S2RPAS_environment_heat	Any DASOR relating to Environment heat.		Global
S2RPAS_environment_wet	Any DASOR relating to Environment wet		Global
S2RPAS_erratic_flight_profile	Any DASOR relating to Erratic flight profile.		Global
S2RPAS_failed_launch	Any DASOR relating to a Failed launch.		Global
S2RPAS_ground_power	Any DASOR relating to Ground Power.		Global
S2RPAS_launcher	Any DASOR relating to a Launcher.		Global
S2RPAS_loss_of_safe_separation_with_personnel	Any DASOR relating to Loss of safe separation with personnel.		Global
S2RPAS_lost_link	Any DASOR relating to Lost Link.		Global
S2RPAS_maint_error	Any DASOR relating to a Maint Error.		Global
S2RPAS_meteorological_limits	Any DASOR relating to Meteorological Limits.		Global
S2RPAS_mobile_operations	Any DASOR relating to Mobile Operations.		Global
S2RPAS_not_determined	Any DASOR relating to a fault/cause that was Not determined		Global
S2RPAS_operator_error	Any DASOR relating to Operator error.		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
S2RPAS_organisational_pressure	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Organisational Pressure.		Global
S2RPAS_payload	Any DASOR relating to an RPAS payload.		Global
S2RPAS_propulsion	Any DASOR relating to Propulsion.		Global
S2RPAS_recovery_accuracy	Any DASOR relating to RPAS Recovery accuracy.		Global
S2RPAS_role_fit	Any DASOR relating to Role Fit		Global
S2RPAS_servo	Any DASOR relating to a Servo.		Global
S2RPAS_snap_screws	Any DASOR relating to Snap Screws.		Global
S2RPAS_software	Any DASOR relating to Software.		Global
S2RPAS_stabilator	Any DASOR relating to Stabilator.		Global
S2RPAS_structural_failure	Any DASOR relating to Structural Failure.		Global
S2RPAS_tech_info	Any DASOR relating to Tech Info.		Global
S2RPAS_torn_ripped	Any DASOR relating to a damage to the RPAS skin/surface.		Global
S2RPAS_uncommanded_flight_profile	Any DASOR relating to uncommanded flight profile.		Global
S2RPAS_vehicle_assisted_launch	Any DASOR relating to Vehicle assisted launch.		Global
S2RPAS_water_ingress	Any DASOR relating to Water Ingress.		Global
S2RPAS_wing_damage	Any DASOR relating to Wing Damage		Global
SAPPHO/Scarecrow	All incidents relating to bird scaring operations.	SAPPHO,Scarecrow,bird scaring	Global
SAR	Search and rescue	CAL,CASEVAC,search and rescue,winching	Global
SDA	Any DASOR relating to Infringement of the Surface Danger Area	Buckthorne,Farmer,Foul,Furuno,Infringement,Livestock,MOP,Marine,Member of the public,SDA,Safety trace,Seal,Surface Danger Area,Target,Vehicle,Vessel	Global
SEF	Issue relating to Safety Equipment Trade.	AEA,HMSS,PLB,SEF,beacon,chute,helmet,mask,squipp er	Global
SID/STAR	Standard Instrument Procedures	SID,STAR,Standard Instrument Arrival,Standard Instrument Departure	Global
SOP	Any DASOR relating to issues with Standard Operating Procedures	SOP,proceedure,standard	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SQEP	Any occurrence that may have been affected by the competency or availability of suitably qualified and experienced personnel.	SQEP,competence,competency,competent,experience,experienced,qualified,suitable,suitably qualified	Global
SRA	Surveillance Radar Approach	MAP,Missed Approach Point,SAR	Global
SSR	Secondary Search Radar	MSSR,SSR,WAM,squawk	Global
STARS	Squadron training achievements recording system Any occurrence with the IT database STARS has affected the sortie.	STARS,database,insufficient,not working,shutdown,unserviceable	Global
STAR_NG	Any DASOR that is related to STAR NG	Network,PSR,STAR,Star NG	Global
STEADFAST DEFENDER	Any DASOR relating to flying whilst on Ex STEADFAST DEFENDER	#EXSTDF,#STEADFASTDEFENDER	Global
SmArms	All occurrences associated with small arms weapons up to and including 0.500? / 12.7mm calibre.	12.7mm,small arms	Global
T23	Embarked in HMS T23	Argyll,Duke Class,Frigate,Iron Duke,Kent,Lancaster,Monmouth,Montrose,Northumberland,Portland,Richmond,Somerset,St Albans,Sutherland,T23,Type 23,Westminster	Global
T45	Embarked in HMS T45	Daring,Dauntless,Defender,Destroyer,Diamond,Dragon,Duncan,T45,Type 45	Global
TACAN	TACAN		Global
TAC_C2	Any DASOR relating to issues with TAC C2	TAC C2,clearance,confliction	Global
TCAS	Traffic Collision Avoidance System - Any TCAS event	MAC,RA,TA,TCAS,airprox,confliction	Global
TIES	Troop insertion/extraction systems	LTES,RTES,abseil,abseiling,extraction system,fall,fast,fast roping,fastrope,hoist,insertion system,ladder,rope,winch,winching	Global
TISHFWG	The Typhoon In Service Human Factors Working Group.	TISHFWG,awareness,capacity,factors,fatigue,human,lookout	Global
TLZ	Any DASOR relating to a Tactical Landing Zone	A400,C130,Land rover,Load,Markers,Pallet,RIB,Sand,Sea,TLZ,Tactical Landing Zone,Tide,Wave,Waves	Global
Traffic_Avoidance_System (TAS)	Any DASOR where Traffic Avoidance System has been a factor, either as a barrier in preventing a more serious outcome or when it has: a. Provided spurious or incorrect information b. Failed	ACAS,AIRPROX,Aircraft Collision Avoidance ,TAS,TCAS,Traffic Avoidance System,Traffic Collision Avoidance	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
UFCM	Issues relating to Undemanded Flying Control Movement Any occurrence where the pilot experiences an uncommanded flying control movement.	collective,cyclic,down,escessive,flying control,jerk,left,nose,oscillation,pitch,right,roll,sudden,uncommanded,uncommanded,undemanded,unintended,up,violent,yaw,yaw pedals	Global
UKCSG	UK Carrier Strike Group.	CSG, Carrier, Defender, Diamond, F35, Fort Victoria, Kent, OPFORTIS, QEC, QNLZ, Queen Elizabeth, Richmond, Support Group, Task Group, Tidespring	Global
USAFE	Any DASOR relating to United States Air Force or United States Marine Corp in order to assist in tracking the amount of DASORs they are involved in. Due to USAFE not having access to ASIMS it is vital to aid accurate Trend Analysis.	USAF, USAFE, USMC	Global
USL	Under Slung Load Operations	EMCRU, HULSE, HUSTLE, SACRU, Sling Load, Strop, Strops, USL, USL training, Under Slung Loads, aft, centre, double, fore, hook, load, loads, single, tandem, triple	Global
VCCS	Any DASOR relating to reduced Voice Command and Control System (VCCS) within ATC under Project Marshall.	ATC, VCCS, project marshall, voice command	Global
VF_cabin_crew	Any DASOR that Voyager Force cabin crew have raised.	CC, Cabin, Cabin Crew, Crew, Force, Purser, Voyager	Global
WAM	Any DASOR related to the function of WAM. Including False associations and instances where transponder information is lost as a result of ac being Non-SIFF equipt or Non-ICAO compliant.	False Association, Mode S, Network, SIFF, TATCC, Transponder, WAM	Global
WESS	Weapons and Escape Systems Services	AEA, Canopy	Global
WSCONUS	DASORs relating to JAC operations in WSCONUS	EI Centro, Miramar, NAFEC, North Island, Pendleton, WSCONUS, Yuma	Global
WTC	All aspects of weapons training	training, weapons, weapons training	Global
_AIRFINC_ATC_alert	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of ATC prevention barriers, such as observation from the ATC tower and effective aircraft and vehicle movements control.	approach, crossing, incursion, taxi, taxiing, tower, vehicle	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_AIRFINC_ATC_avoid	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of ATC mitigation barriers, such as observation from the ATC tower and effective aircraft and vehicle movements control.	go around,overshoot	Global
_AIRFINC_FOD	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in FOD prevention and management.	FOD,plod,sweeper	Global
_AIRFINC_airfield_design	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of airfield design, including lighting and enhanced visibility.	airfield,design,lighting	Global
_AIRFINC_airfield_training	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in airfield awareness training.	driver,driving,incursion,vehicle	Global
_AIRFINC_equipment_conspicuity	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure to observe ground support equipment.	gpu,platform,set,starter,steps,trolley	Global
_AIRFINC_gnd_handling	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in the management and control of ground support equipment.	gse	Global
_AIRFINC_ground_marshallling	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure to effectively ground marshal air systems.	marshaller,marshalling	Global
_AIRFINC_pedestrian_control	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in pedestrian control measures, such as signs and fencing.	pedestrian	Global
_AIRFINC_phys_conspicuity	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure to ensure that an air system can be readily seen on the ground.	colour,visual	Global
_AIRFINC_physical_intervention	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in physical intervention by authorised personnel on the airfield to prevent the collision of an air system with an obstruction.	stopped,waved	Global
_AIRFINC_planning	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in planning and coordination measures.	planning	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_AIRFINC_regulations	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in the regulatory framework.	regulations	Global
_AIRFINC_security	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of effective airfield security, including security patrols and challenges made by authorised airfield users.	patrol,security	Global
_AIRFINC_supervision	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in effective supervision.	supervision	Global
_AIRFINC_traffic_control	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in effective traffic control measures, such as traffic lights and barriers	atc,barrier,tower,traffic	Global
_AIRFINC_training_currency	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in aircrew training, currency or competency.	currency,training	Global
_AIRFINC_visual_alert	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure to visually detect obstructions in the manoeuvring area.	spotted,visual	Global
_AIRFINC_visual_avoid	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of the aircrew to visually avoid obstructions in the manoeuvring area.	avoid,spotted,turned,visual	Global
_AIRFINC_wildlife_control	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of effective wildlife control measures.	camel,deer,dog,fox,hare,rabbit	Global
_ALL_crashworthiness	Any DASOR that indicates the failure of the crashworthiness barrier in ANY BowTie	crashworthiness,restraint,seat	Global
_ALL_ejection	Any DASOR that indicates the failure of the ejection barrier in ANY BowTie	ejection	Global
_ALL_emergency_diversion	Any DASOR that indicates a failure in the ability to reduce the risk to life by returning to base, or the nearest suitable airfield.	BDA,RTB,battle,diversion,divert,emergency,recovery	Global
_ALL_survival	Any DASOR that indicates the failure of the survival equipment barrier in ANY BowTie	AEA,EPLB,PLB,dinghy,liferaft	Global
_CFIT_ATC_alert	Any DASOR that indicates the failure of the ATC services prevention barrier in a CFIT BowTie	SALT	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_CFIT_ATC_avoid	Any DASOR that indicates the failure of the ATC services recovery barrier in a CFIT BowTie	PAR	Global
_CFIT_GPWS_alert	Any DASOR that indicates the failure of the sense and avoid prevention barrier in a CFIT BowTie	RADALT	Global
_CFIT_GPWS_avoid	Any DASOR that indicates the failure of the sense and avoid recovery barrier in a CFIT BowTie	GCAS,GPWS	Global
_CFIT_SA_systems	Any DASOR that indicates the failure of the situational awareness systems barrier in a CFIT BowTie	navigation,radar	Global
_CFIT_airspace	Any DASOR that indicates the failure of the airspace structure and charts barrier in a CFIT BowTie	LFS,low-flying,low-level	Global
_CFIT_planning	Any DASOR that indicates the failure of the planning barrier in a CFIT BowTie	NOTAM,mountain	Global
_CFIT_regulations	Any DASOR that indicates the failure of the regulations barrier in a CFIT BowTie	regulations	Global
_CFIT_supervision	Any DASOR that indicates the failure of the supervision and authorisation barrier in a CFIT BowTie	authorisation,supervision	Global
_CFIT_training_currency	Ability to reduce the risk of CFIT through training, maintaining currency and gaining competency.	currency,training	Global
_CFIT_visual_alert	Any DASOR that indicates the failure of the see and avoid prevention barrier in a CFIT BowTie	terrain	Global
_CFIT_visual_avoid	Any DASOR that indicates the failure of the see and avoid recovery barrier in a CFIT BowTie	CFIT	Global
_FIRE_auto_protection	Any DASOR that indicates a failure in the ability to reduce the risk of fire through the use of automatic protection or limitation systems, such as circuit breakers.	breaker,circuit	Global
_FIRE_detection_systems	Any DASOR that indicates a failure in the ability to reduce the risk of fire through the use of fire detection systems.	detector,fire,firewire,heat,smoke	Global
_FIRE_fighting_equipment	Any DASOR that indicates a failure in the ability to mitigate the risk of fire through the use of firefighting equipment.	axe,extinguisher,fire,firefighting,hand-held,smoke	Global
_FIRE_human_detection	Any DASOR that indicates a failure in the ability to mitigate the risk of fire through the use of human senses to detect smoke or fire.	burning,fire,fuel,smell,smoke	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_FIRE_human_warning	Any DASOR that indicates a failure in the ability to reduce the risk of fire through the use of human senses to detect fuel vapour or overheating components.	acid, burning, smell	Global
_FIRE_husbandry	Any DASOR that indicates a failure in the ability to reduce the risk of fire through good husbandry.	galley, oven, spillage, tidy	Global
_FIRE_life_support	Any DASOR that indicates a failure in the ability to mitigate the risk of fire through the use of life support systems, including oxygen.	goggles, oxygen, portable, smoke, walk-around, walkaround	Global
_FIRE_passenger_screening	Any DASOR that indicates a failure in the ability to reduce the risk of fire through security checking of passengers for ignition or fuel sources.	passenger, phone, screening, x-ray	Global
_FIRE_planning	Any DASOR that indicates a failure in the ability to reduce the risk of fire through effective planning.	lightening, storm, thunder	Global
_FIRE_regulations	Any DASOR that indicates a failure in the ability to reduce the risk of fire through a regulatory framework.	passenger, regulations	Global
_FIRE_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of fire through effective supervision.	loadmaster, passenger, phone	Global
_FIRE_suppression_systems	Any DASOR that indicates a failure in the ability to mitigate the risk of fire through the use of fire suppressant systems.	extinguisher, suppressant, suppression	Global
_FIRE_system_warnings	Any DASOR that indicates a failure in the ability to reduce the risk of fire through the use of system warnings associated with fire, such as high temperature indications.	fire, overheat, temperature	Global
_FIRE_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of fire through training.	currency, emergency, training	Global
_HOSTILE_SA_avoidance	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of onboard sensors and information.	ESM, PNT, datalink, sensor	Global
_HOSTILE_SA_detection	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of onboard sensors and information.	ESM, PNT, datalink, sensor	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_HOSTILE_battlespace_management	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of Battlespace Management.	C2,JTAC	Global
_HOSTILE_defensive_aids	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of defensive aids.	DAS,IRCM,counter-measures,countermeasures,decoy,flares	Global
_HOSTILE_electromagnetic_activities	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of Cyber & Electro-Magnetic Activities (CEMA).	CEMA,electo-magnetic,electromagnetic,ew	Global
_HOSTILE_evasion	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of evasive manoeuvres.	RHWR,RWR,evasion	Global
_HOSTILE_physical_protection	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of physical protection.	ballistic,jamming,laser,protection,spoof	Global
_HOSTILE_planning	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through prior planning.	ATO,SPINS,configuration,intelligence	Global
_HOSTILE_platform_design	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through air system design and performance.	CEMA,canopy,cross-section,targeted	Global
_HOSTILE_regulations	Ability to reduce the risk of an air system being targeted by a hostile actor through a regulatory framework.	AOD,SyOPs,directive,targeting	Global
_HOSTILE_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through effective supervision.	authorisation,authoriser,supervision	Global
_HOSTILE_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through training, maintaining currency and gaining competency.	currency,theatre	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_HOSTILE_weapons	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor by a hostile actor through the use of weapons.	ROE	Global
_LOCI_CRM	Effective CRM to reduce the likelihood of a pilot making an unsafe control input or mis-managing an aircraft system.	CRM,crew	Global
_LOCI_FOD	Effective FOD prevention and loose article check policy to reduce the likelihood of aircraft damage or flying control restriction due to foreign objects.	FOD	Global
_LOCI_G-LOC_AEA	Systems and aircrew equipment assemblies in place to reduce the likelihood of G-LOC.	G-LOC,GLOC	Global
_LOCI_G-LOC_awareness	Instrumentation monitoring and the ability to anticipate the early signs of G-LOC, prior to grey-out.	G-LOC,GLOC	Global
_LOCI_O2_failure_detection	Ability to pre-emptively reduce the likelihood of hypoxia with effective O2 or conditioning system failure detection systems.	depressurisation,oxygen	Global
_LOCI_auto-recovery	Ability of the pilot to regain control of the air system using automatic or semi-automatic systems which provide aircraft stabilisation.	DRF,autorecovery,disorientation	Global
_LOCI_avionics_warning	Aircraft systems designed to detect and warn of an avionics system failure, including FCS, instrumentation and navigation equipment.	HUD,avionics,fcs,navigation	Global
_LOCI_back-up_systems	Ability of the pilot to regain control of the air system through back-up systems.	backup	Global
_LOCI_bird_avoid	Ability to avoid or reduce the likelihood of LOCI from a bird-strike through avoidance.	bird,birdstrike	Global
_LOCI_bird_warning	Ability to avoid or reduce the likelihood of LOCI through bird activity warnings while airborne.	bird-radar	Global
_LOCI_cargo_inflight	Ability to avoid or reduce the likelihood of LOCI through in-flight management of stores, cargo and passengers.	load-restraint	Global
_LOCI_cargo_loading	Ability to avoid or reduce the likelihood of LOCI through the correct loading, securing and storage of cargo and passengers.	loading	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_LOCI_control_obstructions	Robustly enacted policy in place to ensure that equipment or personnel do not cause an unintended flying control movement or restriction.	control restriction,passenger	Global
_LOCI_control_warning	Aircraft systems designed to detect and warn of a control system degradation or failure.	UFCM,aileron,controls,flaps,hydraulics,rudder	Global
_LOCI_cooperating_aircraft	Ability to avoid or reduce the likelihood of LOCI through component or system failure observation, or other assistance provided, by a cooperating aircraft.	cooperating,formation	Global
_LOCI_emergency_O2	Ability to reduce the likelihood of hypoxia with the use of emergency oxygen systems.	emergency,oxygen	Global
_LOCI_engine_monitoring	Pilot or crew instrumentation and gauge scan to maintain awareness of propulsion system performance.	engine,warning	Global
_LOCI_engine_warning	Aircraft systems designed to detect and warn of engine and gearbox malfunctions or performance limitations.	engine,warning	Global
_LOCI_envelope_auto-return	System in place to automatically adjust the aircraft configuration to within the flight envelope parameters. This includes systems which automatically avoid stall conditions prior to a loss of control event.	stall,stick-pusher	Global
_LOCI_envelope_limiter	System in place to ensure the pilot cannot exceed the flight envelope parameters.	flight-envelope,limiter	Global
_LOCI_envelope_warning	System in place to warn the pilot that flight envelope parameters have been, or are about to be, exceeded.	flight-envelope,warning	Global
_LOCI_fuel_management	Ability to avoid or reduce the likelihood of LOCI through effective fuel management.	fuel	Global
_LOCI_fuel_warning	Aircraft systems designed to detect and warn of fuel quantity and fuel contamination issues.	fuel,warning	Global
_LOCI_handling_check	Procedure used to minimise the risk of LOCI by checking the performance of the aircraft in a safe environment prior to landing, following an event that may have compromised the propulsion or flying control systems.	birdstrike,handling,low-speed	Global
_LOCI_hypoxia_ATC	Ability to reduce the likelihood of hypoxia in pilots with effective awareness training and procedures for ATC personnel.	hypoxia	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_LOCI_hypoxia_CRM	Ability to reduce the likelihood of hypoxia in others with effective physiological awareness training.	hypoxia	Global
_LOCI_hypoxia_descent	Ability to reduce the likelihood of hypoxia through a descent below 10,000'.	hypoxia	Global
_LOCI_hypoxia_symptoms	Ability to reduce the likelihood of hypoxia through effective physiological awareness training.	hypoxia	Global
_LOCI_icing_systems	Ability to avoid or reduce the likelihood of LOCI through the use of anti-icing systems to avoid ice accretion.	anti-icing,icing	Global
_LOCI_laser_observation	Ability to reduce the risk of a laser incident through pilot adherence to TTPs on observing a laser.	#laser,#observation,#observe	Global
_LOCI_laser_protection	Ability to reduce the risk of a laser incident through the use of protective equipment.	#glasses,#goggles,#laser,#protection	Global
_LOCI_laser_warning	Ability to reduce the risk of a laser incident through pre-emptively warning the pilot of laser activity in a particular area.	#LWR,#laser,#warings	Global
_LOCI_planning	Ability to avoid or reduce the likelihood of LOCI through prior planning.	planning	Global
_LOCI_regulations	Ability to reduce the risk of LOCI through a regulatory framework.	regulations	Global
_LOCI_self_recovery	Ability of the pilot to manually regain control of the air system, having previously experienced a loss of control event.	disorientation	Global
_LOCI_supervision	Ability to pre-emptively reduce the likelihood of HF errors associated with a LOCI event by ensuring that the pilot/crew's currency, planning, experience and fitness for flight is appropriate for the task.	supervision	Global
_LOCI_training_currency	Ability to reduce the risk of LOCI through training, maintaining currency and gaining competency.	currency,training	Global
_LOCI_weather_SA_systems	Ability to avoid or reduce the likelihood of LOCI through the use of SA systems to avoid adverse weather conditions.	cb,lightning,met,weather	Global
_LOCI_weather_avoid	Ability to avoid or reduce likelihood of LOCI associated with adverse environmental conditions through weather avoidance.	cb,lightning,met,weather	Global
_LOCI_weather_warning	Ability to avoid or reduce the likelihood of LOCI through weather warnings.	cb,lightning,met,weather	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_LOCI_weight_warning	Ability to avoid or reduce the likelihood of LOCI through weight and balance warning systems.	moment,weight	Global
_LOCI_wildlife	Ability to reduce risk of LOCI through an effective wildlife control policy and programme.	bird,birdstrike,wildlife	Global
_MAC_ATC_alert	Any DASOR that indicates the failure of the ATC services prevention barrier in a MAC BowTie	C2,deconfliction,radar	Global
_MAC_ATC_avoid	Any DASOR that indicates the failure of the ATC services recovery barrier in a MAC BowTie	C2,avoiding,conflicting	Global
_MAC_CWS_alert	Any DASOR that indicates the failure of the sense and avoid prevention barrier in a MAC BowTie	CWS,ECAS,FLARM,TCAS-TA	Global
_MAC_CWS_avoid	Any DASOR that indicates the failure of the sense and avoid recovery barrier in a MAC BowTie	TCAS,TCAS-RA	Global
_MAC_SA_systems	Any DASOR that indicates the failure of the situational awareness systems barrier in a MAC BowTie	ADSB,MIDS,radar	Global
_MAC_air2air_comms	Any DASOR that indicates the failure of the inter-aircraft communications barrier in a MAC BowTie	air-to-air,air2air,inter-aircraft	Global
_MAC_airspace	Any DASOR that indicates the failure of the airspace structure and charts barrier in a MAC BowTie	airspace,charts	Global
_MAC_elec_conspicuity	Any DASOR that indicates the failure of the conspicuity of aircraft (electronic) barrier in a MAC BowTie	IFF,L16,MIDS,squawk,transponder	Global
_MAC_phys_conspicuity	Any DASOR that indicates the failure of the conspicuity of aircraft (physical) barrier in a MAC BowTie	hidden,stroke	Global
_MAC_planning	Any DASOR that indicates the failure of the planning barrier in a MAC BowTie	ATO,CADS,NOTAM,planning	Global
_MAC_regulations	Any DASOR that indicates the failure of the regulations barrier in a MAC BowTie	CAA,GASO,MAA,regulation	Global
_MAC_supervision	Any DASOR that indicates the failure of the supervision and authorisation barrier in a MAC BowTie	authorisation,supervision	Global
_MAC_training_currency	Ability to reduce the risk of MAC through training, maintaining currency and gaining competency.	currency,training	Global
_MAC_visual_alert	Any DASOR that indicates the failure of the see and avoid prevention barrier in a MAC BowTie	tally	Global
_MAC_visual_avoid	Any DASOR that indicates the failure of the see and avoid recovery barrier in a MAC BowTie	airprox,avoidance,separation	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_RUNEX_CRM	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through effective CRM to reduce the likelihood of a pilot making an unsafe control input or mis-managing an aircraft system.	crew,crm	Global
_RUNEX_SA_systems	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of systems that enhance and improve situational awareness.	HUD,approach,head-up,unstable	Global
_RUNEX_airfield_retardation	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of an airfield retardation system.	barrier,cable,hook,over-run,overrun,rag,rhag	Global
_RUNEX_back-up_systems	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion using back-up directional control and retardation systems.	back-up,brakes,secondary	Global
_RUNEX_control_augmentation	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of control augmentation systems such as auto-land and directional stability control systems.	auto-land,autoland	Global
_RUNEX_control_obstructions	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion by ensuring that equipment or personnel do not cause an unintended flying control movement or restriction.	restriction,rudder,steering	Global
_RUNEX_control_warning_systems	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through warning systems to indicate equipment mismanagement.	over-run,overrun,overun	Global
_RUNEX_failure_warning_systems	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through warning systems that indicate equipment failures.	nosewheel,reverse	Global
_RUNEX_planning	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through prior planning.	blacktop,friction	Global
_RUNEX_regulations	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through a regulatory framework.	MADS,regulations	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_RUNEX_runway_conditions	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion by ensuring that the runway is well maintained, lit and retains adequate surface friction.	runway	Global
_RUNEX_self_recovery	Any DASOR that indicates a failure in the ability of the pilot to manually regain control of the air system, having previously started to deviate beyond the bounds of the manoeuvring area.	steered	Global
_RUNEX_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion by ensuring that the pilot/crew's currency, planning, experience and fitness for flight is appropriate for the task.	authorisation,supervision	Global
_RUNEX_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through training, maintaining currency and gaining competency.	currency,training	Global
_RUNEX_visibility_protection	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of systems to remove rain and other precipitation from the windscreen.	demist,wipers	Global
_RUNEX_visual_indications	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of visual indications, such as airfield lighting and distance marker boards.	lighting,markers,markings,signals	Global
_RUNEX_weather_SA_systems	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of SA systems to mitigate adverse weather conditions.	crosswind,radar,windshear	Global
_RUNEX_weather_info	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of weather information.	ATIS,TAFs,braking,crosswind,slippery,wet	Global
_UNAIRW_aircraft_configuration	Any DASOR that indicates a failure to ensure correct aircraft configuration in the Operation of an Unairworthy Air System BowTie.	configuration	Global
_UNAIRW_aircrew_observation	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through fault monitoring by the air system aircrew.	fault	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_UNAIRW_atc_observation	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through the reporting of a fault by ATC or other support personnel.	observed,undercarriage	Global
_UNAIRW_cooperating_observation	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through fault observation by the crew of a cooperating aircraft.	cooperating	Global
_UNAIRW_design_data	Any DASOR that indicates a failure in maintenance of type design and approved data in the Operation of an Unairworthy Air System BowTie.	approved,data,design	Global
_UNAIRW_eng_assurance	Any DASOR that indicates a failure of the engineering assurance system in the Operation of an Unairworthy Air System BowTie.	assurance	Global
_UNAIRW_eng_standards	Any DASOR that indicates a failure to adhere to authorised standards and practices in the Operation of an Unairworthy Air System BowTie.	practices,standards,unauthorised	Global
_UNAIRW_gnd_handling	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through careful ground handling of aircraft and ground support equipment.	gpu,impact,towing	Global
_UNAIRW_loading	Any DASOR that indicates a failure in the safe loading of stores, equipment, passengers and cargo in the Operation of an Unairworthy Air System BowTie.	loading,stores,weapons	Global
_UNAIRW_maintenance	Any DASOR that indicates a failure of preventative and corrective maintenance in the Operation of an Unairworthy Air System BowTie.	maintenance,repair	Global
_UNAIRW_recall	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through the recall of an aircraft.	recall	Global
_UNAIRW_regulations	Any DASOR that indicates a failure to adhere to regulations in the Operation of an Unairworthy Air System BowTie.	regs,regulations	Global
_UNAIRW_release_documentation	Any DASOR that indicates a failure in the aircraft release process, including electronic or hard-copy documentation, in the Operation of an Unairworthy Air System BowTie.	F700,release,signed	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_UNAIRW_resource_management	Any DASOR that indicates a failure in effective task to resource management in the Operation of an Unairworthy Air System BowTie.	fatigued,manning,overstretch	Global
_UNAIRW_see-off	Any DASOR that indicates a failure in pre-flight fault recognition and rectification during the see-off procedure in the Operation of an Unairworthy Air System BowTie.	departure,see-off	Global
_UNAIRW_supervision	Any DASOR that indicates a failure of effective supervision in the Operation of an Unairworthy Air System BowTie.	oversight,supervision	Global
_UNAIRW_training_currency	Any DASOR that indicates a failure of engineering training, currency and competency in the Operation of an Unairworthy Air System BowTie.	competence,x-annotation	Global
_UNAIRW_warning_systems	Any DASOR that indicates a failure in the ability to reduce risk of the operation of an unairworthy air system through aircraft warning systems.	alert,caution,warning	Global
_UNEXLOSS_CRM	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the intervention of another crew member.	crew,pilot	Global
_UNEXLOSS_aircrew_observation	Any DASOR that indicates a failure in the ability to reduce risk of unexpected loss of an item through visual monitoring by the air system aircrew.	hanging,observed,spotted	Global
_UNEXLOSS_atc_observation	Any DASOR that indicates a failure in the ability to reduce risk of the operation of an unairworthy air system through the recognition of a fault by ATC or other support personnel.	ATC,tower	Global
_UNEXLOSS_cockpit_items	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the control of cockpit items.	bag,pressed,snagged,torch	Global
_UNEXLOSS_cooperating_observation	Any DASOR that indicates a failure in the ability to reduce risk of unexpected loss of an item through observation by a cooperating aircraft crew.	wingman	Global
_UNEXLOSS_emergency_procedures	Any DASOR that indicates a failure in the ability to reduce the risk of unintended release of an item through the use of emergency procedures.	emergency,jettison,range	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_UNEXLOSS_planning	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through effective planning.	planning	Global
_UNEXLOSS_regulations	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through a regulatory framework.	GASOs,orders,regulations	Global
_UNEXLOSS_release_checks	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the use of release checklists.	check	Global
_UNEXLOSS_release_protection	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the use of release protection measures.	MASS,guard,interlock,release,selection,selector	Global
_UNEXLOSS_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through effective supervision.	authorised,authoriser,supervision	Global
_UNEXLOSS_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected release of an item through training.	currency,current,training	Global
_UNEXLOSS_warning_systems	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the use of air platform warning systems.	DWP,caution,warning,weapon	Global
_WPNS_ASD	Any DASOR that indicates a failure in the ability to reduce the consequence of unintended weapons or stores event through effective ASD procedures.	#ASD,#manoeuvre	Global
_WPNS_CRM	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through the intervention of another crew member.	#crew,#formation,#pilot,#wingman	Global
_WPNS_EOD	Any DASOR that indicates a failure in the ability to reduce the consequence of an unintended weapons or stores event through the use of EOD intervention procedures.	#EOD,#demolition	Global
_WPNS_SOPs	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons event through the use of intervention procedures.	#SOPs,#procedures	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_WPNS_aircraft_stores_system	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective stores system design and release.	#design,#hung,#logic,#standards	Global
_WPNS_armament_regs	Any DASOR that indicates a failure in the ability to reduce the consequence of an unintended weapons or stores event through a regulatory framework.	#DSA,#GASOs,#MAM-P,#orders,#regulations	Global
_WPNS_collateral_implications	Any DASOR that indicates a failure in the ability to reduce the consequence of unintended weapons or stores event through effective planning.	#collateral,#planning	Global
_WPNS_emergency_handling	Any DASOR that indicates a failure in the ability to reduce the consequence of an unintended weapons or stores event through recovering the aircraft to a suitable airfield.	#diversion,#recovery	Global
_WPNS_load_planning	Any DASOR that indicates a failure in the ability to reduce the risk of unintended weapons or stores event through management of weapon life or loadout plans.	#loadout,#pylon,#station	Global
_WPNS_planning	Any DASOR that indicates a failure in the ability to reduce the risk of unintended weapons or stores event through effective planning.	#planning,#ranges	Global
_WPNS_procedures	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective in-flight handling or release procedures.	#SPOs,#checklists	Global
_WPNS_regulations	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through a regulatory framework.	#DSA,#GASOs,#orders,#regulations	Global
_WPNS_release_protection	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through the use of release protection measures.	#interlock,#MASS,#guard,#release,#selection,#selector	Global
_WPNS_safety_features	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through the use of weapon safety features.	#arming,#fusing	Global
_WPNS_store_design	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective store system design and integration.	#integration,#launcher,#store	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_WPNS_store_maintenance	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through preventative and corrective maintenance.	#configuration, #industry,#depth	Global
_WPNS_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective supervision.	#authorised,#authoriser,#supervision	Global
_WPNS_system_alerts	Any DASOR that indicates a failure in the ability to reduce the risk unintended weapons or stores event through the use of warning systems that indicate errors pre-release.	#GPS,#POD,#stores	Global
_WPNS_system_design	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective system design or HMI.	#HMI,#integration,#logic,#software	Global
_WPNS_training_area	Any DASOR that indicates a failure in the ability to reduce the consequence of unintended weapons or stores event through the use of sanitised training areas.	#clearance,#ranges,#sanitised	Global
_WPNS_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through training.	#currency,#current,#synthetic,#training	Global
_WPNS_warning_systems	Any DASOR that indicates a failure in the ability to reduce the consequence of unintended weapons or stores event through the use of air platform warning systems.	#DWP,#GPS,#caution,#counting,#warning	Global
_barrier_effective	Any DASOR that indicates that a BowTie barrier was effective in preventing a consequence from occurring	A,and,effective,in,or,prevented,the	Global
_barrier_effective_sec	Any DASOR that indicates that a BowTie barrier was effective in preventing a consequence from occurring (secondary barrier).	a,and,avoided,effective,in,near,or,prevented,the	Global
_barrier_effective_ter	Any DASOR that indicates that a BowTie barrier was effective in preventing a consequence from occurring (tertiary barrier).	a,and,avoided,effective,in,near,or,prevented,the	Global
abort	Any DASOR relating to an aborted or rejected take-off.	RTO,abandoned,abort,aborted,reject,rejected	Global
air_movements	Any DASOR relating to Air Movements duties	AMS,AMW,Cargo,DG,Freight,Passengers,Pax,Trim,dangerous goods,movements,offload,onload,pallets	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
air_system	Any DASOR relating to Infringement of the Air Danger Area	A400,ADA,AS,Air Danger Area,Air Display,Air System,Airship,Apache,B1,B2,B52,Balloon,Blackhawk,C 130,Captain,Chinook,Drone,F15,F16,F18,F35,GA,GAT, GR4,General Air Transport,General Aviation,Glider,Growler,HH60,Hornet,Infringement,Juno,J upiter,Lightening,Merlin,Microlight,OAT,Operational Air Transport,P8,Pilot,Poseidon,Prefect,Protector,Puma,Ran ge transit,Reaper,Seahawk,Squirrel,Tornado,Tutor,Typhoon, UAV,Wildcat	Global
aircraft_documentation	All documentation relating to the maintenance, care and operation of an aircraft Any occurrence where anomalies were found with the accuracy of recording maintenance or shortfalls in the type of documentation mandated	34,ADF,ADS,CSTO,DASH,ERC,ESS,F700,F731,FRC,M F700A,MF700C,MF724,MWO,RTS,acceptable deferred fault,accuracy,checklist,data,documentation,engineering,f light servicing certificate,limitation,map,paperwork,policy,procedure,rec ording,signatures	Global
aircrew_carry_on equipme nt	Any DASOR relating to aircrew carry on equipment.	AirDisplay,Display,Flight Deck equipment,Flying Display,Flypast,Mission Crew equipment ,Operational flying ,Pilot Equipment,Rear-crew Equipment ,RoleDemo,Routine flying,Synthetic flying	Global
aircrew_equipment_assem blies	Survival Equipment & AEA	G-Suit,G-suit,flying clothing,g suit,g-suit,helmet,survival equipment	Global
airfield_incident	Airfield incidents that don't result in a runway incursion.	Aerodrome,Aerodrome Incursion,Airfield,Incursion,Manoeuvring Area	Global
airfield_operations	Any occurrence involving issues associated with the operation of an MoD airfield or civilian airfield as detailed within the BINA or overseas equivalent.	BINA,airfield,bower,bowser,civilian,contractor,foreign,fuel ling,unknown	Global
airfield_services	Any occurrence involving issues associated with the support services provided by an MoD airfield or civilian airfield as detailed within the BINA or overseas equivalent.	BINA,airfield,bird control,bomb dump,civilian,emergency services,fuelling,services,support,tower,weapons	Global
airframe	The body of an aircraft as distinct from its engine.	Fault,Maintenance ,integral,stress,structure,support	Global
airmove_message	Any discrepancies in the data/information provided on an airmove message.	airmove,arrival,data,departure,email,information,messag e,signal,telephone	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
airspace	Airspace is the portion of the atmosphere controlled by a country above its territory	ATC,Excursion,MAC,RPS,SPS,Separation,airprox,airspace,altimeter,altitude,diviation,foreign aircraft,incursion,level bust,territory	Global
airspace_infringement	The penetration by an aircraft into a portion of airspace without prior permission of the appropriate authorities, when such prior permission is required (EUROCONTROL HEIDI).	ATZ,CAS,CTA,CTR,CTZ,Controlled Airspace,EGD,MATZ,RLLC,area,car,cyclist,danger,danger area,entry,incursion,infringement,person,range,surface,unauthorised,vehicle	Global
anomalous_occurrence	Any DASOR relating to any Anomalous Occurrence	Accidental,Anomalous,Consequence,Hang up,Hang-up,Inadvertent,Irregular,Jettison,Release,Switches,Unintended,Unintentional,Unobserved	Global
armament	Any DASOR involving weapons/weapon systems	Weapons,bomb,gun,missile	Global
armbays	All occurrence reports originating within any armament support bay e.g. pylons, release units, ejection seat.	ejection seat,pylons,release units	Global
authorisations	Permission to conduct an activity Any occurrences where a flight was not authorised, non authorised correctly, or the sortie was flown outside the scope of what was authorised.	authorisation,authorisations,authorised,authoriser,brief,competencies,competent,documentation,endorsement,non authorised,not authorised,paperwork,permission,sanction,sortie,unauthorised,unauthorised	Global
autopilot	System used to control the aircraft without hands on - autopilot systems and associated switches.	AP,AP1,AP2,attentive,auto pilot,autopilot,autopilot,channel,disengage,drop out,engage,failure to engage,holds,hover,interference,limits,mode,procedure	Global
autorotation	Any occurrences where there were issues with conducting practise autorotations or the aircraft was forced to conduct an autorotation due to an aircraft emergency.	aerodynamic,autorotation,decent,emergency,exercise,freewheel,practise,rapid	Global
aviation_facilities_embarked	Any issues associated with aviation facilities provided on ships. For airfield use Airfield_Services	FDO helmet,GPI,comms,facilities,fire fighting equipment,flight deck,flight deck nets,fuelling,hangar,hangar door,hangar lighting,hangar sprays,harpoon grid,horizon bar,hydrant,lashing points,lashings,mag loop,ramp,ship,telebrief,water,weapons	Global
awareness	Knowledge or perception of a situation or fact.	Attention,Consciousness,Knowledge,Mindfulness>Note,Notice,Observe,Perceive,Situation	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
bandboxing	Any DASOR relating to the Bandboxing or splitting out of control positions in ATM.	Band box,Band boxed,Band boxing,Band-box,Band-boxed,Band-boxing,Bandbox,Bandboxed,Bandboxing,Combinded,Control position,Multiple frequencies,Overload,Roster,Splitting out	Global
brake_chute	Any DASOR relating to Brake chute issues	brake chute,brakechute,chute	Global
brakes	Any DASOR relating to braking, brake issues, brake failures and/or fires	brake failure,brake fire,brake overheat,braking,hot brakes	Global
breach	A breach of Airworthiness limitation on a development (non-RTS) aircraft	AWFL,Exceedance ,RTS	Global
canopy	A transparent enclosure over the cockpit of the Air System that provides a controlled environment for the aircraft's occupants.	canopy,cockpit canopy	Global
chaff	Any DASOR relating to Chaff	Air Picture,Chaff,Flare,Radar,Radar,Switches	Global
circuits	Any occurrence within an airfield's visual circuit	landing,take off	Global
civilians	Any occurrences that involve of affect 3rd party civilians, with the exception of civilians formally contracted to the MoD.	3rd party,civilian,civilians,contractor,driving permit,hours,incursion,routine,third party	Global
cognitive_error	Error which occurs due to an unexpected deviation from the norm Any occurrence where an individual conducted an unintentional action or decision.	checks,distracton,error,human factors,lapse,misjudgment,procedure,skill based,slip,unintentional	Global
communications	Way of sending and receiving information	CASS box,CASS box flashing,anti-collision,colour,communicated,communication,crew communication,excellent,frequency,frequency,good,hand signals,lack,landing,marshal signals,net,occult,poor,radio,radio ,raise,signal,understanding,understood,unworkable	Global
complacency	A state of self-satisfaction with one's own performance coupled with an unawareness of danger, trouble, or controversy.	Assumption,Complacence,Complacent,Self-satisfaction	Global
composites	Material made from two or more materials	airframe,engineering,gas cylinder,structure	Global
config_control	Any DASOR involving ac component lifing, electronic documentation or RTS limits	ESS,Lifing,RTI,RTS	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
connectivity	Any issues associated with the ability to operate any IT system as necessary due to difficulties with connectivity.	IT system,MODNET ,STARS,black spot,circuit,comms,communication,computer,connectivity ,laptop,signal,wires	Global
contamination	unwanted pollution of something by another substance Any occurrences were water, FLAP, aircraft systems or GSE have been contaminated with the incorrect substance	chemical,compwash,contaminated,contamination,corrosion,cross contaminated,different,fluids,freshwater,impurity,inflam,juniper,label,mixed,mixing,oil,oils,pollution,quarantine,rig,risbridger,skin,tin,water	Global
continuing_airworthiness_AMP	Any DASOR relating to RA4947 Requirements to manage the Aircraft Maintenance Programme, including those that may affect any reliability programme or proposed changes to the AMP.	Capability,Extension,Fleet Plan,Reliability	Global
continuing_airworthiness_SI(T)	Any DASOR relating to RA4947 requirements to ensure that applicable SI(T)s are applied.	AD,CAMI,CD,CN,CTI,Embodiment,Overfly,RTI,SI(T),Special Instruction,UTI	Global
continuing_airworthiness_airworthiness_records	Any DASOR relating to RA4947 requirements to manage and archive all Continuing Airworthiness records, including Information Management Systems.	ASIMS,ASSC,CAMR,Defence STARS,ERC,ESS,Engineering Authorisations,F731,Form 765 (F765),Log Cards,MARC,Resolve,Safety Meetings,System Enquiry	Global
continuing_airworthiness_fault_management	"Any DASOR relating to RA4947 requirements to manage Faults reported, or discovered during Scheduled Maintenance"	ADF,ADM,Asset Deviation ,Authorised Personnel,Concession,Control Restrictions,DHAN,Damage,Deviation,Emergent Work,LIM,Limitation,No Limit Fault,Out of Limit Fault,ROAN,SQEP,UFCM,Waiver	Global
continuing_airworthiness_maintenance_quality	Any DASOR relating to RA4947 requirements to ensure maintenance is carried out to the correct quality.	ADS,Aircraft Allocation,Aircraft Allotment,Aircraft Release,Approved Data,Component Release,Deferral,Deviation,Engineering Authorisation,Input Standard,Limitation,Maintenance Error,Maintenance issue,Output Standard,QOR,Quality Audit,Technical Information (TI)	Global
continuing_airworthiness_modifications_and_repairs	Any DASOR relating to RA4947 requirements to manage the embodiment of Modifications and Repairs.	71 Sqn,ADOM,DO Mod,Embodiment Strategy,ISDC,Modification,RI,Repair,Repair Manual,Service Modification (SM)	Global
continuing_airworthiness_weight_and_moment	Any DASOR relating to RA 4947 requirements to assure that the weight and moment statement reflects the current status of the Air System.	Aircraft Weight,Centre of Gravity,Moment,Upload Mass Property (UMP),Weight	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
contractors	Effect of additional contractors on site Any occurrences involving civilian contractors, including but not limited to contractors embedded within a maintenance organisation, contractor working parties, equipment/aircraft manufacturers, contractor provided airfield services, civilian equipment maintenance organisations, civilian logistics organisations.	Contractor FOD, Contractor incursion, contractor, driving permit, equipment maintenance, hours, incursion, logistics, routine	Global
control_restriction	Any occurrence where there is a restriction with the flying controls. This includes during flight, functional testing and ground runs.	collective, control rod, cyclic, flight, flying controls, functional, functional testing, ground run, ground runs, loose article, mixing, restriction, rig, rigging, functional check, stuck, yaw	Global
controller_overload	This will depend upon the experience and currency of the controller.	Fatigue, refuse, workload	Global
controller_report	When a civilian MOR or DASOR has been filled against a military controller.		Global
corrosion	The process of corroding a material Any occurrence where corrosion is found on the aircraft, equipment, ship or airfield services/buildings.	chemical, contamination, corrosion, damage, decay, delamination, erosion, oxidation, pitting, rust, salt, wear	Global
crack	A line on the surface of something along which it has split without breaking apart.	break, crack, split, split partially	Global
currency	Any occurrence where a lack of currency (either mandatory or recommended) is highlighted as a contributing factor.	STARS, aircrew, aircrewman, authorisations, currency, currency, current, day, drills, flying hours, flying log, mandated, mandatory, medical, night	Global
damaged	The past tense for an article having been altered from its designed state Any damage noted to aircraft, equipment, tools, building, airfield services and buildings and ship.	bent, break, broken, chaffed, corroded, crack, crazed, damage, damaged, dent, failed, holed, impact, ingested, misaligned, misaligned, nick, perished, punctured, ripped, routing, scratched, smashed, snagged, split, stress, torn, wiring, worn	Global
dangerous_goods	An instance involving the carriage of Dangerous goods & associated paperwork	DAC, DG, IATA, dangerous air cargo, dangerous goods	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
data_integrity	Accuracy and consistency of data Any issues with the accuracy of data supporting aviation, including but not limited to aircraft maintenance records, aircrew currency records, equipment running logs, maintenance scheduling, personnel records	ALIS,GOLDesp,Information,Integrity,PAIRs,checks,correct,currency records,data,database,entry,error,inaccuracy,life,lifing details,maintenance,maintenance records	Global
deck_landing	Landing on the deck of a ship	FOD,deck landing,heavy landing,unsuitable weather	Global
defensive_systems	Defensive Systems	CHAFF,DAS ,Defensive Aids ,EW ,Electronic Warfare ,Flares ,IRCM ,LAIRCM ,LIRCM ,MAWS	Global
depth	An occurrence that is related depth maintenance activity	3rd line,4th line,C1,C2,depth,fourth line,maint,maintenance,survey,third line,work package	Global
discomfort	Any occurrences where personnel involved with activity are suffering from physical discomfort that has affected the ability to conduct their role safely.	ache,cold,cramp,discomfort,dry,hot,loose,numb,pain,physical,sweat,tight,wet	Global
display	Any DASOR originating from a flying display issue	Display	Global
distraction	Prevention of concentrating on task that prevents someone from concentrating on something else.	Confusion,Disturb,Noise,airprox,checks,cognitive error,fatigue,human factors,laser	Global
door_gunnery	Any occurrence that involved an airborne gunnery serial.	airborne,arc,barrel,basket,bullets,chute,door,door latch,gun,gunnery,hang up,links,magazine,misfire,security,stoppage,stowage,trigger	Global
downwash	Any incident or potential incident due to the downwash of a hovering helicopter in proximity to other aircraft, personnel or infrastructure. Any occurrence where the downwash of an aircraft affected a 3rd party, terrain, buildings, wildlife or ship.	blade sail,blow,downwash,force,marshaller,power,proximity,rigger marshaller,taxiing,wind	Global
dragon_light	Failure of Dragon Light.	Dragon Light,NVD,NVG,Night	Global
drills	Any occurrence were a drill was being conducted by any branch. This includes airborne drills, simulator drills, pool drills and hangar drill such as emergency egress.	MS10,MS5,SE,STASS,abandon,airborne,checks,door,dri ll,dry,dunker,egress,escape,hangar,harbour,immersion suit,ingress,jettison,leak,lever,life jacket,passenger,pool,simulator,survival equipment,underwater escape unit,wet>window	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
drone	Reports where a civilian operated Drone or UAV had presented a Hazard; a ground controlled unmanned aerial vehicle.	BVLOS,Beyond Visual Line Of Sight,Operator,RPAS,RPAV,UAS,UAV,Unmanned Aerial System,Unmanned Aerial Vehicle,VLOS,Visual Line Of Sight,collision,drone	Global
ePLB	Any DASOR relating to issues with an ePLB	EPLB,Locator,beacon	Global
ejection_seat	Ejection seat, Pins errors and command eject selection errors	AAES,ASE,Arm Safe Egress,ESFHSP,arm restraints,arm safe egress,backpad,command eject selector,drop,ejection,ejection handle,ejection seat,firing handle safety pin,forgotten,insecure,leg restraints,parachute,seat,seat pin	Global
embarked_experience	Any occurrences that occur in the embarked environment where personnel involved have little experience operating in the embarked environment.	SQEP,embarked,experience,inexperience,personnel	Global
embarked_operations	Operations that are conducted whilst embarked on a ship or vessel Any occurrence involving the control of aircraft from ATC/AC that are embarked within a ship.	ATC equipment,PAN,circuit,control,currency,deck landing,deck landings,embarked,emergency,finals,flight deck,flyco,landing,maritime operations,runway,support,support,take off,tower	Global
emergency_exit	DASORs relating to emergency exits, or that may affect exit from an air system in an emergency	#Break out,#Door,#Doors,#Egress,#Emergency,#Escape,#Exit,#Exits,#Hatch,#Jettisonable,#Ladder,#Slide,#Window	Global
eng_standards	Performance of ground personnel falling below minimum standard.	authorisation,auths,engineering,factors,human,manning,paperwork,recording,standards,supervision,tools	Global
engine_failure	Any occurrence involving the failure of an aircraft engine in failure in flight or on the ground.	HP,LP,NF,NG,NH,PAN,birdstrike,dipstick,emergency,engine,engine failure,fire,flight,fuel,ground,intake,malfunction,misfire,oil,shut down,stall,start,surge	Global
engineering_maintenance_caption	Any occurrence resulting in a maintenance caption illuminating within the aircraft.	amber,ancillaries,attention,audio,avionics,caption,fuel,green,hydraulics,illuminating,light,maintenance,oil,pressure,red,utility,warning	Global
engineering_paperwork	Engineering Paperwork	Eng ,Engineering Records ,F700 ,Maintenance ,Paperwork	Global
engines	A machine with moving parts that converts power into motion	EGT,F135,F135-600,FOD,components,engine,engine start,flame,idle,inspection,oil,propeller,propulsion,rpm,system,turbines	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
environment	The atmospheric surroundings and location that pilots and maintainers operate in	cold,freezing,heat,hot,temperature,warm	Global
error_management			Global
exceedance	An exceedance of Airworthiness limitations on a development (non-RTS) aircraft	AWFL,Breach,Exceed,RTS,exceedance	Global
exercise_red_flag_nellis	Any DASOR relating to Exercise RED FLAG hosted at NELLIS AFB, USA.	Exercise,NELLIS,NTTR ,Nellis Test and Training Range,Red Flag	Global
falling_article	An object that is Falling from a height	AFOA,FOD,harness,incorrect lashing,unsecure panels,working at height	Global
farmer	Any DASOR relating to Farmers or Farming	4x4,SUV,combine harvester,crop,discovery,herd,landrover,tractor	Global
ferry	Ferry flight to deliver aircraft	Ferry,customer delivery,transit	Global
fire	A process in which substances combine chemically with oxygen from the air and typically give out bright light, heat, and smoke; combustion or burning	burning,components,extinguish,fire,fire station,firefighting,flames,heat,integral,oxygen,smell,smoke,stress,support,suppression	Global
flare	Any DASOR relating to Flares	Chaff,Defensive Aid,Defensive Aids,Flare,High Tide,Release	Global
flare_danger_zone	Flare Danger Zone	Danger Zone,Flare ,Flares ,infringement	Global
flight_deck	Any occurrence involving the flight deck of a ship. This includes RN, RFA, merchant or foreign military.	RFA,RN,bum line,camrex,deck,embarked,flight deck nets,harpoon grid,hatch,markings,merchant,pins,ring bolts,ship,wires	Global
flight_display_systems	Flight Display Systems	HDD,HUD,Head up display,head down display,instruments	Global
flight_folder	Aircraft documentation set	Aquila ,ESS,F700,Flight Folder,IMS,Sapphire	Global
flight_planning	The planning of sorties and other air operations Any occurrences were there was issues associated with the quality of flight planning by aircrew.	aircrew,briefing,checks,fatigue,flight planning,human factors,maps,nav,planning,preparation,sortie	Global
flight_servicing	Maintenance activities that determine the condition of an aircraft post flying and those that prepare it for its next flying period to ensure safety and efficiency Any occurrences were there was an issues associated with the quality of flight servicing or the ability of the flight servicing to be conducted thoroughly.	5B1,AFS,AFS,BF,BFS,TRS,after flight,before flight,bubble,current,engineering,ground run prep,in date,jacket,procedures,quality,routine,servicing,toolbox,turn around	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
flying_controls	Controls relating to the flying and operating of an aircraft	ailerons,air brakes,collective,control column,cylic,elevator,elevons,flying controls,rudder,pedals,stick,tailplane,throttle,trim,yoke	Global
flying_display	All flying display/air show related activity including event flying, practices, role demonstrations, flypasts and transit to and from This hashtag replaces #air_display	Control Committee,Crowd,DA,Display,Display Area,Display Director,Display Flying,Display Pilot,Drone,EO,EO,Event Organiser,Event Organiser,FCC,FDD,Families,Family,Fly Past,Flying Display Director,Flypast practice,Flypasts,MSD,PDA,Role Demo,Role Demonstration,SAG,Second Parties,Second Party Crowd,Special Event,Static,Third parties,air display,air show,airshow,flying display,role demo	Global
folding_spreading	Any occurrences where a helicopter head was spread/folded, the tail spread/folded or fixed wing aircraft where the wings can fold.	automatic,blade poles,fold,folded,head,hydraulics,infringement,lock pins,main rotor blades,obstruction,restraint gear,spectacles,spread,tail,tail rotor,through bars,wings	Global
force_protection	Any DASOR relating to Force Protection, Guard, Security	Guard Force,MPGS,MWD,Military Police,Military Provost Guard Service,Military Working Dogs,Police,RAF Police,RAF Regiment,RAFP,Regiment	Global
foreign_military	Any occurrence were a member of a non-UK military person or asset were involved.	embassy,foreign,non-UK,regulations,rules	Global
frequencies	Any DASOR relating to VHF or UHF Frequencies	BINA,Breakthrough,DOC,Designated Operational Cover,Frequencies,Frequency,ICF,Licence,UHF,VHF	Global
fuel	Fuel caption, Fuel leak or Engine icing / Incidents or hazard/observations related to the fuel state of an aircraft including low fuel, fuel leak or fumes. Any occurrence were there was issues associated with accurately/safety managing aircraft fuel. This includes but not limited to incorrectly refuelling quantities, issues when transferring fuel between tanks, fuel leaks, mismanagement of fuel affecting returning to a ship/station below MLA or having to divert unplanned to refuel.	FUEL P,MLA,asymetry,asymmetry,bladder,bowser,contents unit,defuel,engine icing,filler cap,filter,fuel,fuel fltr,fuel gauge,fuel management,fuel pressure,fumes,heater,high float switch,indication,intermittent,leak,leak,low,minima,pump,r efuel,refuelling,switch,tank,transfer pump,weight	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
fuel_and_lubes			Global
fuelling	To replenish the aircrafts fuel tanks	AVCAT,AVTUR,HIFR,PPE,RADHAZ,bowser,fuel spill,fuel vents	Global
fumes	Fumes in cockpit	fuel,fume,odour,smell,smoke,vapour	Global
ground_collision	Any occurrence where an aircraft impacts another object when the wheels are on the ground. This include when the aircraft is under its own power or being towed.	blades,collision,damage,ground,hangar doors,impact,infrastructure,injury,runway,structure	Global
ground_equipment	Equipment used to support aircraft operation on the ground	ground equipment,hyd rig,juniper rig,power rig,tractor,trailer	Global
ground_moves	Moving something on the ground Any occurrence involving the movement of an aircraft on the ground including ac movements under its own power and ac towed.	brake rating,chocks,communication,crane,driver,driving,ground moves,marshaller,movements,moving,positioned,positioning,ram handler,safety number,safety rating,steering arm,supervisor,towed,towing,tractor,vehicle,vehicles,whistles	Global
ground_ops	Any DASOR issue that resulted in Ground Ops/would most likely result in Ground Ops if all barriers failed	AuW,CofG,Group Ops,all up weight,balance,ice,incursion,mass,person,sand,snow,taxi,undetected,vehicle,wildlife	Global
ground_run	Any occurrence that takes place during a ground run, or where a previous ground run has failed to detect an issue with the airworthiness of the ac.	checks,functional,ground,ground run,maintenance,spill,test	Global
ground_troops	Any DASOR relating to Ground Troops	Battalion,Blank,FOB,FOP,Firing point,Ground troops,Hand held laser,JTAC,JTAC-E,JTAC-I,LTD28A,Laser,Magazine,ND,Police,RASP,Regiment,Round,SA80,Sniper,Target,Weapon	Global
hangar	Any occurrence that takes place in a hangar. This includes on land and on a ship.	FOD,building,cold,crash mats,doors,fall,hangar,hangarage,heating,hot,lighting,power,ship,storage,trip	Global
harness	Set of straps and fittings designed to restrain the crew in the aircraft	Harness,buckle,incorrect fit,restraint,straps,tight harness	Global
hawk	Enable the Hawk specific ASORs to be easily located by Occ Mgrs	Hawk	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
helmet	Protection ancillary. Mandated to be worn when conducting JSAT Parachuting for safety reasons.	G3,chin strap,cracked,fell off,full face,goggles,kiss,mist,open face,protection,thrap hat,vent,visor	Global
hook_open_caption	Any DASOR relating to undemanded hook operation.	Caption,Hook,USL	Global
hostile_action	Incidents due to Hostile Action	blinded,dazzle,high powered torch,hostile,hostile action,laser,lasered	Global
human_factors	Any DASOR relating to Human Factors	EM,HF,HumanFactors,check missed,distracton,environment,error,error management,fatigue,human,human factor,incorrect clearance,misinterpretation,mistake,non tech,potential error by,stress,workload	Global
human_resources	An incident or hazard/observation due to a shortage of personnel.	FTRS,LAE,OC,PVR,QFI,SOM,babcock,engineer,gapped ,gapped JPAN,gapped PID,gapped post,lack of man power,leave,manning,manning,manpower,personnel,retir e,sick,student,undermanned,vacant	Global
hums	Any occurrence where an issue with the aircraft is discovered by an indication or interrogation from the health and usage monitoring system (HUMS).	chip detector,filter,health,magplug,magwipe,monitor,monitorin g,oil,sensor,usage,vibration,wiring	Global
in_flight_catering	Any DASOR relating to in-flight catering	In flight,Meals,Rations,catering	Global
incorrect_ac_flow	Any occurrence where the aircrew have operated a different aircraft to either the aircraft that was briefed or MF700 that was signed for.	MF700,MF700C,board,brief,dispersal,incorrect,line,side number,spot,walk out,wrong	Global
incorrect_assembly	Any occurrence where any part of the aircraft system, role equipment or survival equipment was assembled incorrect in accordance with the ADS.	ADS,assembled,bolt,damaged,incorrect,incorrect,loose, missing,nut,over torqued,overtightened,split pin,tight,under torqued,washer,wirelocking,wrong,wrong	Global
incorrect_pob	Any occurrence were the incorrect number and details of personnel were recorded within an operating aircraft. (incorrect personnel on board)	STARS,incorrect,message,number,passed,passengers,p ersonnel,signal,wrong	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
incursion	<p>Airfield Incursion: The incorrect or unauthorised presence of an aircraft, vehicle, person, animal, or object within the boundary of an aerodrome or para-drop site that has the potential to affect safety, security, disrupt operations, or incur the protected area of a surface designated for the landing and take-off of aircraft.</p> <p>Runway Incursion: Any occurrence at an aerodrome involving the incorrect presence of an aircraft, vehicle, or person on the protected area of a surface designated for the landing and take-off of aircraft.</p>	ATC,ATC regulations,Driving regulations,SMRE,airfield,contractor,crossing,cyclist,dog, failed to stop,hounds,incursion,loose on airfield,pedestrian,personnel,runway,runway,taxiway,unauthorised,vehicle	Global
independent_inspections	Any occurrence that either occurred during an maintenance independent inspection, where an independent inspection was not completed correctly or where an independent inspection failed to detect an issue with the assembly, locking and function of an aircraft flight critical system.	707 IND,assembly,check,critical,flight,functional check,incorrect,independence,independent,inspection,maintenance,missed,safety,supervision,system	Global
infrastructure	Physical and organizational structures and facilities to support aviation	DIO,Ops,ROC,SSS,Sqn,WSF,airfield,base support,briefing room,building,construction,contractors,electrical,facilities, falling object,floor plate,hangar,hangar,heirachy,infrastructure,lighting,office ,roof,runway,stores,water	Global
injury	<p>A wound or harm caused to the body</p> <p>Any occurrence were 1st/2nd/3rd party were injured regardless of the level of injury.</p>	asphyxia,blind,break,broken,bruise,burn,concuss,cut,dislocation,electric shock,fracture,harm,hurt,hypothermia,ingestion,inhalation,injured,personal,personnel,poison,split,sprain,unconscious,wound	Global
instruments	Any DASOR relating to instrument failure or inaccuracy	AI,ASI,Compass,EHSI,Turn and Slip	Global
internal_loading	Any DASOR relating to aircraft damage or cargo damage when loading cargo or loading equipment.	cargo,damage,internal,load,vehicle	Global
knowledge	Lack of on-the-job experience and specific knowledge can lead workers into misjudging situations and making unsafe decisions.	Decisions,Experience,Situation,Unsafe	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
landing_gear	Occurrence relating to an aircraft's landing gear. Equipment that supports the aircraft while on the ground	go around,hyd pressure,in flight,inadventant selection,landing gear,tires,tyres,undercarriage,wave off,wheels,wheels up landing	Global
level_bust	A deviation of 300 feet or more from the assigned level (CAA SRG).	CAS,GH,airspace incursion,general handling,infringement,lack of safe separation	Global
lightning_strike	Aircraft struck by lightning	emergency landing,poor visibility,unsuitable weather	Global
line	Issue relating to Flight Line ops.	AF,AMM,ASP,BF,SMRE,TR,chocks,line,liney,ramp,super visor,taxiing,walker	Global
line_operations	Handling and launching of aircraft Any occurrence during line operations. This includes any operational environment including remote operating sites and flight decks.	chockmen,deck,emergency procedures,firefighting,flight,ground run,line sup,marshalling,refuelling,rigger marshalling,towing arm,weapon loading	Global
line_over	Malfunction type. Line over canopy.	involuntary turn,mal,malformed,rotation,spiral	Global
link_16	Any DASOR relating to issues with Link 16 and Zeus	air picture,link 16,peripherals,zues	Global
living_accommodation	Any occurrence where issues associated with living accommodation have contributed to the occurrence.	SLAM,accommodation,beds,block,cold,doors,food,freezing,hot,living,mattress,noise,shower,warm,windows	Global
load_lifting	Moving stores by helicopter	FOD,SACRU,VERTREP,downwash,load lifting,static build up	Global
local_control_ATC	Any occurrences involving ATC personnel controlling aircraft locally.	ATC,control,local,locally	Global
logistics	Any occurrences where issues associated with logistic support was a contributing factor. This includes a lack of logistics support or slow logistics support.	MF 731,MF 760,MJDI,RDD,adrift,crate,damaged,date,det,late,logistic ,logistics,missing,planning,provsion,routine demand,state demand,stowage,support,time	Global
lookout	Maintaining situational awareness by using visual means, primarily looking out of the cockpit	CRM,clearance,distracton,situational awareness,tunnel vision,turning,visual scan	Global
loose_article	Uncontrolled item loose inside aircraft	FOD,article,detached,flying controls,foreign object,loose,loose article,lost,tool control	Global
lost_article	An item that is missing in or in the vicinity of aviation	FOD,detached,grounding,loose article,lost,manpower,missing,search	Global
low_level	Below 2000ft AGL FW or Below 500ft AGL RW and Light Aircraft.	AGL,CADS,LFA,Low Flying Area,Low Flying System,UKLFS,low,low flying	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
maintenance	Process of engineering and support to maintain a set state	communication,critical,engineering,independent inspections,independents,maintained,maintenance,non standard,orientation,oriented,policy,practice,practices,procedural,procedure,procedures,process,routine,work cards	Global
maintenance_activity		Mechanical,mechanical	Global
maintenance_overflow	Any occurrence where an aircraft has operated in flight outside the maintenance regime within the ADS and the RTS. This includes component lifing, scheduled maintenance, configuration and flight envelope.	GOLDesp,PT,calendar,date,days,flexops,forecase,hours,maintenance,months,outside,outside maintenance,overflown,pt2,pt3,scheduled,scheduled,years	Global
maintenance_scheduling	Any occurrence where issues with the scheduling of maintenance has resulted in the aircraft operating outside the ADS/RTS or where a maintenance organisation has had difficulty scheduling maintenance due to operation pressures, lack of resources or lack of manpower.	ADS,GOLDesp,PT,RTS,calendar,date,days,forecast,hours,maintenance,months,pt2,pt3,schedule,scheduling,years	Global
malfunction	Malformed canopy requiring the operation of the Reserve parachute	CUT AWAY,Cut-away,Cutaway,Entanglement,MAL,Mal,Reserve Deployment,Reserve deployment,Self entanglement	Global
maritime	Any DASOR relating to operating in Maritime environment		Global
marshalling	Ground crew directing an aircraft during taxiing Any occurrences involving aircraft being marshalled on the ground or flight deck.	day,gloves,high vis,ignored,line operations,marshalled,marshalling wands,nav lights,night,night flying,signal,signs,spot,start-up,taxing,turn,turning,wands	Global
mass_and_balance	Any DASOR relating to issues concerning the loading and trimming of aircraft.	Mass Balance,Out of trim,Overload,Overweight,Trim	Global
members_of_the_public	Any DASOR relating to Members of the Public	General Public,MOP,MOPs,Member of the Public,Members of the Public	Global
military_javelin	Issue involving Military Javelin Parachute System	Known Factors,Malfunction,Nuisance Factor	Global
mini-pan	Issuesrelated to operating on the Mini-Pan located remote from the main ASP.	ASP,HAS,Pan,line,mini-line,mini-pan	Global
mishandling	Any occurrence where the pilot has handled the aircraft poorly or dangerously either reducing the safety margin or breaching the RTC/flight envelope	RTC,abrupt,control,handled,input,judgement,misappropriate,mishandled,misuse,poor,poorly	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
misident	GA aircraft has misidentified Warton for Blackpool	Blackpool,Misident,Warton	Global
missed_process	Process not carried out when required/directed	CIETP,F2FP,Process,Task not completed,work not carried out	Global
mission_planning_systems	Systems that support the safe planning and conduct of aircraft operations, including the transfer of mission-specific data to and from the aircraft.	AMPA,GMPS,GMSS,MSS,OMPS,OMS,STARS,mapping anomalies,mission planning,mission planning systems,network connectivity,system connectivity,terminal connectivity	Global
mistake	Any occurrence where an individual makes a mistakes, which is a non-deliberate decision-making failure.	accident,complex,equipment,failure,knowledge,misinterpretation,mistake,non-deliberate,organisational,presure,rules,stressors,supervision,unintended	Global
mode_5_IFF	Any DASOR relating to Mode 5 IFF transponder, interrogator or control unit on all Platforms.	M5,Mode 5 IFF,SKL,XPDR,interrogator,transponder	Global
navigation	Any occurrence where there have been errors in the navigation of the aircraft in flight or where there the navigation of a ship affects the safe recovery of an aircraft.	AI failure,GPS,HIS,TACAN,aircraft navigation,areas,attitude indicator,compass,direction,gyro,intermittent radio,intermittent radio,loss of communication,maps,nav,navigation,poor comms,radio failure,radio u/s,route,standby,truncate,unreliable TACAN	Global
no_process	Work required that does not have a process laid down for its completion	CIETP,F2FP,Process,Unable	Global
non-aviation_duties	Any occurrence involving activities that are not directly associated with aviation, but can affect the safe operation of an aircraft.	medical,medics,non-aviation	Global
norm	Workplace practices develop over time, through experience, and often under the influence of a specific workplace culture. These practices can be both, good and bad, safe and unsafe; they are referred to as “the way we do things round here” and become Norms.	Culture,Group,Normalisation,Practice	Global
nr/nf_overspeed	Any occurrence where the engines have oversped due to either a technical cause or mishandling by the pilot.	early,late,nf,nr,observed,oversped,overspeed,rpm,selection,switch	Global
oil	A viscous liquid used for fuel or lubrication / All incidents associated with an aircrafts oil system, indications, temperature and pressure.	coolant,engine oil,gauge,high temp,hydraulic oil,limitations,lubricant,oil,presure,temperature	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
operational_tasking	Any occurrence where the operational tasking has reduce the safety margin of the normal safe operations.	danger,duty holder,operation,operational,operations,paramount,required,risk,tasking	Global
orders	Any occurrence were the quality/content/accuracy/applicability of orders has contributed to the occurrence. This could include where person have breached orders or where they are not suitable.	breach,breached,brevity,clarity,command,direct,disobedience,instruct,instruction,order,orders,supervise,tell	Global
outhouse	Any occurrence where there are anomalies' with the use of outhouse to recover an aircraft safety to a ship.	aircraft safety,mother,outhouse,point of reference,recover,recovery,target	Global
over_speed	Over speed of rotor head	Auto Rotation,EOL,NR,Nr,PFL,Rotor Speed,high Nr,over speed,over-speed	Global
overheat	Any occurrence where an aircraft system or equipment operates beyond safe working temperature.	boiling,extrusion,fire,gauge,grease,heat,hot,indication,pressure,smoke,temperature,whiting	Global
overtorque	A condition in which an engine has produced more torque than the manufacturer recommends, or where the engine torque has exceeded the maximum allowable for a given operating condition or time limit. Overtorque can cause internal damage to an engine or transmissions. Any occurrence where the aircraft systems have been overtorqued. This can include due to human error or a technical cause.	100%,AEOTQ,Constant Rotor Speed,Constant Speed Rotor,Gong,Over Torque,Torque,Tq,angle,figures,length,shar,snap,tight,torque wrench,torquemeter	Global
panel	Item fitted to the internal or external of an Air System.	Panel,cover,cowling	Global
parachuting	Any occurrence involving personnel parachuting or where parachuting has been taking place in the vicinity of an aircraft in flight.	buckle,canopy,chute,deploy,descend,fall,height,jumping,para,parachuting,reserve,snag,strap	Global
passenger_transfer	Any occurrence that includes passenger transfers within the sortie. This includes a SOOTAX and a VIPTAX, but excluded troop carrying as this has a separate hashtag.	VIP,brief,ladders,loading,number,onloading,passenger,steps,transfer	Global
pilot/eng_comms	Communication issues between Aircrew and Ground crew.	comms,headset,hearing,radio	Global
pins	Any DASOR where safety devices are an issue	Pins,canopy,seat,weapon	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
poor_material_state	Any occurrence involving the poor material state of an aircraft, equipment (role/ground), tools, survival equipment, infrastructure or ship.	FOD,bad,condition,crumbling,equipment,handover,infrast ructure,poor,state,tool,tools,unsat equipment	Global
pre_lauch_control_ATC	Any occurrence where the aircraft is controlled by ATC and the aircraft is about to launch.	checks,comms,launch,pre,pre launch,pre-launch,prelaunch,take off	Global
preps_flying_stations	Any occurrence where preparations for flying on a ship have not been conducted correctly.	FDO,FOD plods,SMR,barriers,captain of flight deck,check list,incorrect,lighting checks,prep,preparation,preparations,preps,signs,telebri ef checks,wrong	Global
pressure	Any occurrence where pressure (either actual or perceived) on personnel has contributed	actual,external,organisational,panic,perceived,perceived, personnel,pressure,self,stress	Global
procedure	Sequence of activities or course of action	checks,cognitive errors,distracton,human factors	Global
propulsion_efflux	Where the efflux from a propulsion system (engines and propellers) has an unwanted effect. These effects typically impact other aircraft, vehicles, persons or infrastructure.NOTE Helicopter downwash is a separate tag.	Efflux,blow,exhaust,jetblast,jetwash,propwash	Global
publications	Documents produced by higher authority Any occurrence were the quality/content/accuracy/applicability of publication has contributed to the occurrence. This could include where person have breached a publication, where they are not suitable or where there is not sufficient access to the publication.	AERO,AESO,AR,CIETP,JTD,Joint Technical Data,MAA,SOI,action request,amendment state,briefscan,cockpit,joint technical data,links,publiation,quality,servicing instruction	Global
quality_assurance	Any occurrence where the safety reducing was reduced and discovered during a quality assurance audit or where a quality assurance audit missed a performance shortfall. This includes all types of QA including standards for aircrew/ATC and maintenance airworthiness reviews (MAR)	BMAR,IQA,MAR,MAR,QA,airworthiness review,assurance,audit,audit,checks,external checks,internal checks,performance,quality,trap,visits	Global
radios	any breakdown in external communications	TCAS,channel,comms,communications,failed,intermittent ,radio,radios,receive,transmit,uhf,vhf	Global
rapid_roping	Any occurrences where rapid roping is taking place from an operating aircraft or the drill on land.	abseiling,descent,fall,fast roping,gloves,rapid,rope,roping,snag,weapons	Global
reckless	Any occurrence where an individual shows a deliberate lack of regard for safety	HF,dangerous,defiant,deliberate,intended,negligent,purp ose,reckless,violation	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
regulations	Any occurrence where the quality/content/accuracy/applicability of regulations has contributed to the occurrence. This could include where person have breached regulation, or where they are not suitable.	SYOPS,decree,law,procedure,reg,regs,regulation,rules	Global
resource	Any occurrence where a lack of resources has contributed. This includes any type of resources including the available of personnel.	aircraft,aircrew,availability,equipment,manpower,money,personnel,pubs,resource,supply,tools	Global
role_change	Any occurrence where a role change to the aircraft has affected the outcome.	camera,carriers,change,fuel,guns,mod state,pods,role,seats,tanks,weapons,weight	Global
role_equipment	Equipment that can be swapped around to change the overall role of that aircraft	ADS,CASEVAC,GPMG,M3M cannon,MS10,SACRU,sea tray,sonobuoy carousel,troop seats	Global
rotor-brake	Any DASOR relating to Technical issues with the rotor-brake	Brake,Rotor	Global
rotors_running_crew_change	Any occurrence either during a rotors running crew change or where an original fault occurred during a rotors running crew change that affected the safe operation of the subsequent flight.	change,checks,comms,crew,crew change,handover,missed,rotors,rotors running,running,time	Global
rough_running	An engine not running smoothly or correctly	Backfire,Choke,Cough,Hesitant,Miss,Missfire,Mixture,Rough,Stutter	Global
runway_excursion	Any DASOR issue that resulted in Runway Excursion/would most likely result in Runway Excursion if all barriers failed	departure,excursion,landing,lateral,overrun,runway,take-off	Global
runway_incursion	Any DASOR issue that resulted in Runway Incursion/would most likely result in Runway Incursion if all barriers failed	animal,incursion,person,runway,truck,vehical,wildlife	Global
safety_culture	6FTS safety, If the proposed safety culture has been proven / challenged or there appears to be lack of a safety culture of the unit. learning, appropriate culture.	culture,learning,safety	Global
sea_conditions	Any occurrence affected by sea conditions. This is applicable to any aircraft operating over the sea or very large lake not solely those embarked within a ship.	conditions,downwash,embarked,goffer,out of limits,pitch,roll,rough,salt,sea,spray,swell,turbulent,waves ,wind	Global
seal	Any DASOR relating to Seals	Beach,Breeding,Bull,Herd,Pup,Seal,Seals	Global
seat_bay	Ejection seat bay		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
servicing_overfly	Any DASOR relating to Maintenance Servicing of Aircraft or Aircraft components that have overflown dates laid down in Aviation Documents.	Component,Exceeded,F700,Forecast,Maintenance,Overflown,Servicing	Global
ship	Any occurrence where aircraft are operating on or interacting with a ship.	LPD,QE,RFA,T23,T45,carrier,destroyer,embarked,frigate,onboard,ship,transport,vessel	Global
ship_motion	Any occurrence where the motion of a ship affected by sea state or weather has affected the safe operating of the aircraft. This includes all deck operations, winch transfers and HIRF. This excluded occurrence caused by the handling of the ship by its operators.	HIRF,deck,fast,motion,pitch,port,roll,sea,sea state,ship,slow,starboard,weather,winch	Global
signage	Any DASOR relating to Signs or Signage	Barrier,Flag,Flags,Flags,JSP403,Lights,MOP,Member of the public,Quad,Quads,Sign,Signage	Global
signal_flare	All incidents relating to the 40mm Signal Flare	40mm Signal Flare,Blind Fire,Misfire	Global
situational_awareness	Any occurrence where a person loses situational awareness. Situational awareness is the perception of environmental elements and events with respect to time or space, the comprehension of their meaning, and the projection of their status after some variable has changed, such as time, or some other variable, such as a predetermined event.	attentive,awareness,awareness,danger,emergency,focused attention,observation,perception,saturation,situational,situational awareness,vigilant	Global
smoke_fumes_burning	Any occurrence where there is smoke/fumes/burning from any cause either within the aircraft or from an external source.	arcing,blacken,burn,burning,burning,combust,exhaust,fire,flame,fumes,melt,scorch,smell,smoke,smoulder	Global
snagging	Any occurrence where an individual is prevented from conducting their activity due to a physical restriction including clothing. This applies to any branch in any circumstance.	catching,caught,impeded,obstructed,restriction,snagged,snagging	Global
sonar_operations	Any occurrence where an active or passive sonar is being operated as a part of a sortie.	active,carousel,chute,dip,field,passive,search,sonar,sonobouy,sow	Global
soundproofing	Any Dasor relating to Soundproofing failure or loose article relating to soundproofing.	Soundproofing,loose article	Global
spillage	Any occurrence where any fluid has spilt.	dropped,fluid,leak,overflow,fill,overflow,seepage,spill,spillage,spilt,spilt	Global
spray_shop	Spray Shop		Global
start_shutdown	Any occurrence that occurs during the start or shut down of an aircraft.	FRC's,checks,engines,indications,leaks,shutdown,start,start checks	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
starting	Any DASOR relating to problems during engine start	Fire,Flames,Ignition,Mixture,Over Priming,Priming,RPM,Run down,Smoke,Stop	Global
stress	The feeling of being overwhelmed or unable to cope with mental or emotional pressure.	fatigue,pressure,strain,stress,tension	Global
supervision	The act of supervising a task or individual	experience,knowledge,level of supervision,outcome,trust	Global
supervisor	Issue relating to the supervision of air and ground personnel.	auth,authorisation,supervisor	Global
supply	Issue relating to logistics Support Section.	LS,PEP,spares,supply	Global
survival_equipment	Any occurrence where issues with aircrew or deck crew survival equipment has been identified.	MS10,MS5,PSTASS,STASS,boots,damaged,ear pieces,equipment,flying overalls,gloves,helmet,immersion suit,lifejacket,rip,seal,survival,torn,visor,zips	Global
system_unreliable	Any occurrence where any aircraft or aviation facility system is unreliable.	spurious,unreliable,unsat,unsat equipment,untrustworthy	Global
taxi_incident	Occurrence during aircraft taxiing Any occurrence that occurs when the aircraft is taxiing within an airfield.	brakes,brakes,dispersal,incursion,locks,movements,poor signage,runway,runway incursion,strike,structure,taxi,taxiing,tyres,wheels	Global
teamwork	In aviation many tasks and operations are team affairs; no single person (or organisation) can be responsible for the safe outcomes of all tasks. However, if someone is not contributing to the team effort, this can lead to unsafe outcomes.	Collaboration,Cooperation,Coordination,Group	Global
tech	Any DASOR relating to a technical failure	Technical,Unserviceable	Global
test_flight	Any occurrence that occurs during a flight test. This includes partial test flights, maintenance test flights and experimental test flights.	5M,MTF,MTP,PTF,experimental,flight test,maintenance,test flight,test-flight,testflight,testing,vibration	Global
tobaccofree	Any DASOR relating to the Tobacco free policy.	ban,cessation,health,navyfit,no smoking,smoking,tobacco,tobaccofree,tobaccofree,vaping,wellbeing	Global
tooling	Working with and utilising tools to achieve a task Any occurrences were issues with the accounting of tools occurs.	broken,broken,damaged,design,handover,issue centre,issue centre rating,line toolbox,loose article,loose article,lost tool,main toolbox,missing,missing tool,signature,tool control,tool control log,tooling,tools,u/s,unavailable	Global
tools			Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
topsky	Any DASOR related to function of any TopSky Equipment	EVCS,HRDF,Network,Radar Replay,SIS,STAR NG,TATCC,VCCS,WAM	Global
tornado	Enable the Tornado specific ASORs to be easily located by Occ Mgrs	Tornado	Global
tower	Any DASOR relating to the ATC Tower	Air Conditioning,Assistant,BSO,Barriers,Bees,Bomb Score Operator,Comms Equipment,Control Tower,Duty AWRC,Duty Air Weapons Range Contro,Furuno Radar,Generator,Landline,Leak,MASCOT,MTA,Main Tower Assistant,Manpower,Project Marshall,Reflection,SAWRC,Sand,Sea,Senior Air Weapons Range Cont,Sun,Temperature,Tinting,Tower,UHF,VCR,VHF,Visibility,Water,Wind dial,Window	Global
towing	The process of pulling an aircraft in order to move it from one location to another	brake rating,chock rating,fitting,marshallers,supervision,towing arm,tractor	Global
traffic_reporting	Has there been issues with traffic density within the local area.	ATZ,MATZ,airspace,danger areas,traffic	Global
training	A method of ensuring everyone is competent in their job as a result of practice and training Any occurrences that have been affected by the training of an individual involved or occurs during a training activity.	ACC,LRQC,burden,currencies,education,learn,lectures,organisation,phase 2,qualify,seminars,shortfalls,study,train,training,training activity,training risk,training sortie	Global
transit_control_atc	Any occurrence where ATC are advising an aircraft through a transit.	ATC control,comms,control,frequency,information,pass,passing,radio,transit	Global
transmission	The mechanism by which power is transmitted from an engine to the main rotor head of a helicopter or lift fan of a vertical take-off/landing fast jet.	chip detector,drive,engine,gauge,lift fan,lubrication,main rotor,oli coolant,rotor,rotor head,tail rotor,trans,transmission,xmxn	Global
troop_carrying	Any occurrence involving troop carrying. This excludes normal passenger transfers and VIPTAXs.	fall,guns,helmets,number,passenger,personnel,trip,troop,troop carrying,troops	Global
typhoon	Enable the Typhoon specific ASORs to be easily located by Occ Mgrs	Typhoon	Global
unauthorised_flight	Any flight that occurs but has not been authorised.	authoriser,briefing,checks,missed,non authorised,non-authorised,not authorised,unauthorised	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
uncharted_masts	Any occurrence where the aircrew detect a mast on the ground that is not recorded on a chart used to navigate the aircraft.	masts,pylon,telephone mast,uncharted	Global
uncharted_obstruction	Obstruction not found on map, chart or DVOF.	AIDU,DGC,DVOF,Mast,Obstruction	Global
undercarriage	Any undercarriage event	MLG,brakes,failure to lower,failure to raise,fault with undercarriage,gear,gear,incorrect use of undercarriage,landing gear,main,nose,overstress of undercarriage,steer,steering,undercarriage,wheel,wheels	Global
unsecured_panel	Panel left unsecured	FOD,panel open in flight,walkaround	Global
vehicle	Any DASOR relating to Vehicles	4x4,Ambulance,Car,Coastguard,Combine Harvester,FFV,Fire Fighting Vehicle,HGV,JCB,Lorry,Moped,Motorbike,Police car,Quad Bike,SUV,Tractor,Transit,Vehicle	Global
vibration	Engine Vibration/Airframe Vibration / An aircraft vibrating significantly more than the expected normal. Any occurrence where vibration outside normal parameters is experienced. This included ground runs and flights.	airframe,airframe vibration,engine vibration,excessive,oscillation,pulsating,rattling,resonance,shaking,vib,vibration,violent	Global
violation	Any occurrence where an individual deliberately does something wrong or against regulations.	deliberate,illegal,meant,misuse,on purpose,organisation,rule breaking,selfish,situational,violate,violation	Global
warnings_cautions	Any occurrence where the aircrew experience an advisory caption or flight critical warning in flight or on the ground.	CWP,advisory panel,amber,attention getter,audio,caption,caution,caution,green,red,warning	Global
weapon_loading	Any occurrence where weapons loading is taking place. This includes small arms weapons.	caught,dropped,fingers,flags,guns,inadvertent,loading,pins,snag,trapped,trigger,trolley,weapon,weapons	Global
weapon_system	Any DASOR relating to Weapons Systems	.388,12.7mm,27mm,30mm,7.62mm,Barrel,Bullet,Cannon,Casing,Chamber,Crew served weapon,Flchette,High drag,Hot,Integrated weapon,Live,Loft,Low drag,Magazine,Misfire,No spot,Pod,Retarded,Ripple,Rocket,Round,Salvo,Slick,Spot,Switch,Switches,Toss,WDZ,Weapon Danger Zone,Weapons system,e-HIAT	Global
weapons	Armaments used by aircraft	GBU,GSMS,MCM,SMS,armed,drill,hellfire,mass switch,operational warshot,practice,weapon,weapon loading,weapons	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
weapons_release	Any occurrence that occurs as a weapon is being released. This excludes small arms fire.	hang-up, held, inadvertent, jettison, loose, misfire, release, released, weapon	Global
weather	For occurrences involving Met information, both internally and externally produced / An incident or hazard/observation as a cause or directly related to actual or forecast weather; for example hail damage or lightening strike.	METAR, MOMIDS, Met, TAF, Weather, ash, clouds, conjunction, downpour, drizzle, forecast, gusts, hail, hurricane, ice, interference, lightning, meteorological, rain, sand, sleet, snow, snow, solar, space, storm, strong wind, sun, thunder, thunder, tornado, torrential, visibility, wind	Global
wildlife	The native fauna and flora of a region	animals, birds, coyote, deer, duck, geese, goose, habitat, herd, nature, seal, snake, wildlife	Global
winching	Exercise utilising the aircraft's winch Any occurrence where winching is taking place.	CALS, button, cable, comms, drum, hi-line, hook, jam, secondary roles, snag, snagging hazard, stretcher, switch, winch, winch, wire, wrapped	Global
wind	Amount of wind.	gusty, knots, limits, strong, weak	Global
windscreen	Glass screen at front or side of the Air System.	side window, window, windscreen	Global
windscreen_wiper	Failure of windscreen wiper.	windscreen wiper, windscreen, wiper	Global
windsock	All incidents relating to airfield windsocks	Windsock, dayglow, shackle, sleeve	Global
wires	An incident or near miss with domestic wires, powerlines or cables.	WSPS, Wirestrike, cable, powerlines, wire	Global
wirestrike	Any DASOR relating to a collision with Wires, Powerlines or Suspended Wires	Powerlines, Suspended, Wires	Global
work_place_emergency	Any occurrence that occurs within a building support aviation. This includes Sqn building/hangar/tower/support buildings/workshops or ship and includes but not limited to fire, flooding caused by burst pipes, medical emergencies and total loss of power,	blown down, broken, building, electrical fire, emergency, fire, flood, hangar, leak, leaking, lighting, pipes, power outage, power surge, roof, support, unsat equipment, wind	Global
working_at_height	Any occurrence involving personnel working at height.	clipped, crash mats, dropped, engine bay doors, fall, fell, footsteps, harness, height, hemlet, karibiner, misplace, platform, slipped, trip	Global
wpons	Any DASOR issue that resulted in Wpons/would most likely result in Wpons if all barriers failed	BRU, GBU, HF, MCM, MTS, SMS, guide, hellfire, laser, pylon, uncommanded, weapon, weapons	Global
3rd_party_aircraft_operations	Any DASOR relating to other aircraft operations having an impact on 2 FTS	#Cessna, #Civilian, #Club, #Drone, #Glider, #Helicopter, #Microlight, #Parachute, #Piper, #Sport, #UAV	2 FTS - RAF
Aerotow gliding	Any DASOR during aerotow gliding operations	#Robin, #tow	2 FTS - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Battery	Any DASOR relating to a battery issue such as drain or incorrect fitment.	#Battery,#discharge	2 FTS - RAF
Launch failure	Any DASOR where a Launch Failure was flown	#Launch,#failure,#winch	2 FTS - RAF
Ridge Soaring	Any DASOR relating to ridge soaring.	#Ridge,#Soaring	2 FTS - RAF
Thermal Soaring	Any DASOR relating to thermal soaring	#Thermal,#soaring	2 FTS - RAF
Trainee_gliding	Any DASOR relating to non-cadet trainee gliding	#JSAT,#Student	2 FTS - RAF
Wave Soaring	Any DASOR relating to wave soaring.	#Wave,#soaring	2 FTS - RAF
cadet_gliding	Any DASOR relating to the actions of a cadet or involving a cadet.	#Paperwork,#Cadet,#GIF	2 FTS - RAF
glider_ballast_weight	Any DASOR relating to operation of a glider with incorrect ballast weight configuration.	#Ballast,#C of G,#Weight	2 FTS - RAF
glider_winning	Any DASOR relating to winches or the winching operation of gliders	#Power loss,#Cable,#Caption,#Disengagement,#Drum,#Skylaunch,#Strop,#Weak link.,#Winch	2 FTS - RAF
EHSI	Any DASOR relating to fault or failure with the EHSI	De-synchronised,EHSI,Erecting,Error,HSI,Lag,Lagging,Rotating,Spinning,Wandering	3 FTS
UFIT	Uncontrolled flight into terrain (UFIT) Impact with ground	impact,terrain,uncontrolled	32 Regt RA
autopilot(RPAS)	Erratic flight, UA failed launch	RPAS,UA,auto pilot,auto-pilot,autopilot,erratic,failed launch,launch	32 Regt RA
erratic_flight_profile	UA height fluctuation, Flight path	erratic,flight path,flight profile,fluctuation,profile	32 Regt RA
lost_link(RPAS)	Loss of Ulink/Downlink, stay on mission loss of link	communication,downlink,ulink	32 Regt RA
3rd_party_aircraft_operations	Any DASOR relating to other aircraft operations having an impact on 6 FTS.	Airliner,Cessna,Civilian,Club,Drone,Glider,Helicopter,Microlight,Parachute,Piper,Prefect,Rocket,Sport,UAV	6 FTS
AEF	Issue relating to Armament Engineering Section. Any DASOR relating to AEF flying or passengers.	AEF,Air ,Cadet,Experience ,Flight,LGB,PAX,WTC,arm,bomb,cannon,flare,gun,missile,passenger,seat,weapons	6 FTS
EHSI	Any DASOR relating to fault or failure with the EHSI	De-synchronised,EHSI,Erecting,Error,HSI,Lag,Lagging,Rotating,Spinning,Wandering	6 FTS
LoSS_during_ground_Maneuvres	Has un-safe practices occurred on the ground which has or could lead to the top level event, whilst the aircraft is moving.	Airfield ,Airfield clearance,clearance	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
LoSS_of_Safe_Aircraft_Control	Was the control of the air system lost, even if it was for a few seconds.	aircraft system failure,controls,engineering	6 FTS
LoSS_with_other_Air_users	Has potential for an Airprox or an Airprox has occurred regardless of the outcome.	Airspace infringement,airprox	6 FTS
LoSS_with_the_ground	Has un-safe practices occurred on the ground which has or could lead to the top level event, whilst the aircraft is static.	buildings,vehicle	6 FTS
Tutor_Airworthiness_eng	Is there any issues with the Tutor airworthiness which has been sign off by Eng.	Aircraft release,Engineering	6 FTS
Tutor_FRCs	Any DASOR relating to Tutor FRCs. Including missed checks and suggestions for improvements.	Action,Cards,Check,Drill,Emergency,FRC,Flight,IA,Immediate,Reference,SOP	6 FTS
VAMPS	Any DASOR relating to VAMPS issues	Ears,VAMPS	6 FTS
aircrew	Has aircrew seen and located an issue, and been able to resolve it.	aircrew,pilot	6 FTS
aircrew_lookout	Have the aircrew spotted something which could lead to a top level event.	visual	6 FTS
airfield_procedure	Has airfield procedure been broken or has the airfield procedure stopped an un-safe practice from occurring.	Excursion,Incursion,runway,rwy	6 FTS
area_ATC_service	Any DASOR relating to ATC services provided outside the ATZ/MATZ.	ATC,Air,Airspace,Assistant,Basic,Comms,Communications,Control,Controller,Deconfliction,FLARM,LARS,RADAR,Radios,SATCO,Service,Squawk,TAS,TCAS,TS,Tower,Traffic,UHF,VHF	6 FTS
competencies	Are the personnel conducting their duties competent to carry out their specific role.	Fit to fly,in date	6 FTS
conspicuity	Is the HF procedure which is currently in place working.	conspicuity	6 FTS
culture	Any DASOR relating to pilot culture across 6 FTS.	Culture,Error,Fatigue,HF,Hidden,Honest,Human,Just,Learning,Mistake,Open,Pressure,Procedure,Questioning,Reporting,Tired,Violation	6 FTS
deconfliction	Have aircrew noticed any issues with deconfliction or have other units not deconflicted correctly.	CADS,IT,NOTAMS,Visual	6 FTS
fitness_to_fly	Are all flying personnel medically and personally fit to fly.	crew in,crew out,fitness,medical	6 FTS
fuel_gauge	Instrument used to indicate the level of fuel contained in a tank. Any DASOR relating to fuel gauging issues	Imbalance,LH,Ltrs,RH,failure of gauge,fuel,fuel gauge,gauge,oscillation of contents	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
incorrect_aircraft	Any DASOR relating to signing for/taxiing/flying the wrong aircraft	Aircraft,Incorrect,Recall,Signed,Tag,Wrong	6 FTS
local_ATC_service	Any DASOR relating to ATC services provided inside the ATZ/MATZ.	ATC,Air,Airspace,Assistant,Basic,Comms,Communications,Control,Controller,Deconfliction,FLARM,LARS,RADAR,Radios,SATCO,Service,Squawk,TAS,TCAS,TS,Tower,Traffic,Traffic ,UHF,VHF,Visual	6 FTS
magnetos	Any DASOR relating to magnetos/ignition left live	Both,Ignition,Left ,Magneto,Mags,Right	6 FTS
medical_cover	Any DASOR relating to medical cover across 6 FTS.	A&E,ARFF,Ambulance,CFMO,CFS,Crash Cat,Doctor,Fire,Glasses,Hospital,Med ,Medic,Medical,NHS,Nurse,Paramedic,RAFCAM,Specs,Spectacles	6 FTS
nosewheel_shimmy	Any DASOR relating to signing for/taxiing/flying the wrong aircraft	Nose ,Nose-wheel,Shimmy,Vibration,Wheel	6 FTS
tda	Has there been issues with traffic density within the local area.	ATZ,MATZ,airspace,danger areas,traffic	6 FTS
technical	Any DASOR relating to technical issues across 6 FTS.	Battery,Bolt,CO,CSU,CWP,Canopy,Cockpit,Crack,Damage,Detector,Electric,Engine,FOD,Flap,Fuel,Fumes,Gauge,Generator,Leak,Live,Magnetos,Mags,Oil,Pin,Prop,RPM ,Radio,Shimmy,Spillage,Tail,Tyre,Wheel,Wing	6 FTS
AOTE_3.10	Loss of safe separation with the ground	Low,Ground,Kite,Low Height,MSD,RADALT ,mast,obstacle,obstruction,wires	Akrotiri - RAF
AOTE_3.11	Loss of Control in Flight (Flying)	Authority,Control,Divergence,Jam,Kite,Restriction,UFCM,Undemanded	Akrotiri - RAF
AOTE_3.2	Person / Articles Falling off Aircraft	HUSLE,Hook,Insecure,Insecure,Load,Loadpole,Net,Oscillations,Passenger,Pax,SARCRU,Strop,Swing,Troop,Unstrapped,Unstrapped,abseil,fastrope,hoist,parachute,winch	Akrotiri - RAF
AOTE_3.3	Aircraft Fire or Explosion	Burning,Emergency Response,Fire,Flames,Fumes,Smell,Smoke,Spark,Static	Akrotiri - RAF
AOTE_3.5	Loss of Safe Separation between an Aircraft's Emissions and an Object (Flying)	Chaff,Dud,Fault,Flare,GPMG,Jam,discharge,hang up,misfire,pyro,stoppage	Akrotiri - RAF
AOTE_3.6	Approach, take-off, Landing incident	Approach,DVE,Go around,Hover,Landing,Lift,Overshoot,Transition,brownout ,dust	Akrotiri - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AOTE_3.7	Aircraft Deviating Beyond the Bounds of the Manoeuvring Area	Approach,DVE,Go around,Hover,Landing,Lift,Overshoot,Transition,brownout ,dust	Akrotiri - RAF
AOTE_3.9	Loss of Safe Separation with Other Air Users (Flying)	Airprox,Close,Confliction,Converging,Lookout,Lost Sight,Not Visual,TAS,TCAS,Traffic	Akrotiri - RAF
AOTE_5.1	Aircraft Occupants Exposed to the Post-Crash Environment	AEA,BALCS,Crash,Emergency Response,FACS,Heavy landing,Impact,PSTASS,STASS,extinguisher,liferaft,stole	Akrotiri - RAF
BEN_human_factors_man	Human Factors Management Barrier / Ben Stds Initiative	CRM,Cognitive Failure,Control,Crew,Decision Process,Failure to Follow Process,Handling,Operation,Option,Procedure,Situational Awareness,TRM,Use,fatigue,operating	Akrotiri - RAF
GOTE_2.1	Loss of Separation between a Parked Aircraft, or an Aircraft being Manoeuvred, and an Object	Auth,Procedure,Supervisor,Tow,Tower,Towing,marshalled,marshaller	Akrotiri - RAF
GOTE_2.3	Refuelling Fire or Explosion	Burning,Burning,Fire,Fire,Flames,Flames,Fumes,Fumes,Smell,Smell,Smoke,Smoke,Spark,Static	Akrotiri - RAF
GOTE_3.1	Release of unairworthy aircraft	Airworthiness,CAMO,Engineers,Independent Inspections,Indy,MAR,Mil-AR,Overdue,Overflown,Supervision,Unserviceable,Walk Around	Akrotiri - RAF
TE_4.2	Aircraft Activities (Troop Insertion/Extraction)	Abseil,Commander,Communication,Dispatcher,Equipment,Extraction,Fast Roping,Gloves,Lock-Off,Passenger,Rope,Strop,System,TIES,Troop,Uncontrolled	Akrotiri - RAF
TE_4.4	Aircraft Activities (Underslung Load)	105 Gun,Bambi Bucket,Bucket,Communication,Firefighting,HLS,Hooker,Husle,Land Rover,Load,Load Lifting,Load Park,Marshaller,Net,Netted,Role Equipment,SWL,Stores,Strop,Trailer,USL,Underslung	Akrotiri - RAF
TE_4.8	Aircraft Activities (Winching)	Bosun,Cable,Chair,Comms,Communication,Cut,Drum,Gloves,Hand,Handhold,Hoist,Hydraulics,Light,Medic,Operator,Signal,Stop,Stretcher,Strop,Titan,Weight,Weight,Winch,Winchman	Akrotiri - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
WETE_1.1	Failure to Follow Procedure	Control,CRM,Cognitive Failure,Crew,Decision Process,Failure to Follow ,Fatigue,Handling,Operation,Option,Procedure,Situational Awareness,TRM,Use,operating	Akrotiri - RAF
realised_hazard	Any DASOR where the hazard has been realised.		ASWC - BZN
ATC_infrastructure	Failure of Air Traffic Control infrastructure buildings or equipment; VCR Windows, Air Conditioning etc.	ATC,ATC building,PSR,RHAG,Radar,air conditioning,radio,runway,runway surface,rwy surface,sink holes,smre,ssr,sweeper,taxiway,tower,watchman,windows	ASWC - CON
AV	Issue relating to Avionics Trade.	AV,LRI	ASWC - CON
arm	Issue relating to Weapons Trade.	LGB,arm,bomb,cannon,flare,gun,missile,seat,weapons	ASWC - CON
mech	Issue relating to Mechanical Trade.	fuselage,hydraulic,mech,structure,undercarriage	ASWC - CON
panels	Any occurrence of an aircraft panel not being fitted, fitted incorrectly or becoming detached in flight.	detached,insecure,missing,open,panel,panels	ASWC - CON
realised_hazard	Any DASOR where the hazard has been realised.		ASWC - CON
waterfront	Vehicular access road transiting through Aircraft movement area.	Waterfront,collision,lights	ASWC - CON
crimson_warrior	Any DASOR relating to Ex Crimson Warrior related activity	ASWC,CW,Crimson Warrior,Ex CW,Ex Crimson Warrior	ASWC - WAD
AHDA	Advanced Hawk Development Aircraft	AHDA,Advanced Hawk,HNDA,development	BAES WAR
FTI	Flight Test Instrumentation ? Agency or Equipment issues	DART,FSR,Testing,Trial,flight test,instrument,instrumentation,test	BAES WAR
telemetry	Flight test radio data link	FTI,data link,flight test,radio data,telemetry	BAES WAR
22sqn_tactics	Any report that comments on tactics training conducted by 22 Sqn.	helicopter,tactics,tactics training,tactics trg	Benson - RAF
22sqn_trials	Any report that comments on helicopter air trials conducted by 22 Sqn.	OEU,T&E,air trials,helicopter,operational trials,trials,trials and evaluation	Benson - RAF
AOTE_3.10	Loss of safe separation with the ground	Low,Ground,Kite,Low Height,MSD,RADALT,mast,obstacle,obstruction,wires	Benson - RAF
AOTE_3.11	Loss of Control in Flight (Flying)	Authority,Control,Divergence,Jam,Kite,Restriction,UFCM,Undemanded	Benson - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AOTE_3.2	Person / Articles Falling off Aircraft	HUSLE,Hook,Insecure,Insecure,Load,Loadpole,Net,Oscillations,Passenger,Pax,SARCRU,Strop,Swing,Troop,Unstrapped,Unstrapped,abseil,fastrope,hoist,parachute,winch	Benson - RAF
AOTE_3.3	Aircraft Fire or Explosion	Burning,Emergency Response,Fire,Flames,Fumes,Smell,Smoke,Spark,Static	Benson - RAF
AOTE_3.5	Loss of Safe Separation between an Aircraft's Emissions and an Object (Flying)	Chaff,Dud,Fault,Flare,GPMG,Jam,discharge,hang up,misfire,pyro,stoppage	Benson - RAF
AOTE_3.6	Approach, take-off, Landing incident	Approach,DVE,Go around,Hover,Landing,Lift,Overshoot,Transition,brownout,dust	Benson - RAF
AOTE_3.7	Aircraft Deviating Beyond the Bounds of the Manoeuvring Area	Approach,DVE,Go around,Hover,Landing,Lift,Overshoot,Transition,brownout,dust	Benson - RAF
AOTE_3.9	Loss of Safe Separation with Other Air Users (Flying)	Airprox,Close,Conflict,Converging,Lookout,Lost Sight,Not Visual,TAS,TCAS,Traffic	Benson - RAF
AOTE_5.1	Aircraft Occupants Exposed to the Post-Crash Environment	AEA,BALCS,Crash,Emergency Response,FACS,Heavy landing,Impact,PSTASS,STASS,extinguisher,liferaft,stole	Benson - RAF
BEN_aerodrome	Runway Incursion, Excursion ground	CFO,Closed field ops,Emergency Response,Incursion,Runway,Vehicle	Benson - RAF
BEN_human_factors_man	Human Factors Management Barrier / Ben Stds Initiative	CRM,Cognitive Failure,Control,Crew,Decision Process,Failure to Follow Process,Handling,Operation,Option,Procedure,Situational Awareness,TRM,Use,fatigue,operating	Benson - RAF
GOTE_2.1	Loss of Separation between a Parked Aircraft, or an Aircraft being Manoeuvred, and an Object	Auth,Procedure,Supervisor,Tow,Tower,Towing,marshalled,marshaller	Benson - RAF
GOTE_2.3	Refuelling Fire or Explosion	Burning,Burning,Fire,Fire,Flames,Flames,Fumes,Fumes,Smell,Smell,Smoke,Smoke,Spark,Static	Benson - RAF
GOTE_3.1	Release of unairworthy aircraft	Airworthiness,CAMO,Engineers,Independent Inspections,Indy,MAR,Mil-AR,Overdue,Overflown,Supervision,Unserviceable,Walk Around	Benson - RAF
ODI_AC_emissions	Aircraft Emissions affecting 3RD Party.	downwash,horse rider	Benson - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ODI_AFOA	Any DASOR relating to Articles Falling Off the Aircraft (AFOA)	AFOA,Articles ,Falling,Fell,ODI RT3P	Benson - RAF
ODI_CFIT	An event which has resulted in, or has got close to a collision with the ground, or an obstruction.	CFIT,DVE,Terrain,uncharted,unchartered	Benson - RAF
ODI_MAC	A Mid Air Collision (MAC) or near MAC.	Airprox,MAC,TAS,prox	Benson - RAF
ODI_RT3P	An event which has resulted in Third Party persons or property being endangered or hurt/damaged.	party,AFOA,HLS,Third,damage,downwash,horse,rider	Benson - RAF
ODI_RUA	The release or near release of an unairworthy aircraft for flight.	AMIS,GOLDesp,overfly,release,unairworthy	Benson - RAF
ODI_Survivability	Any DASOR relating to Survivability (including BALCS, PSTASS, maritime integration of aircrew equipment and windscreen strength)	BALCS,Drone,Embarked,Intercom,PSTASS,UAS,UAV, Water Ingress,Windscreen	Benson - RAF
ODI_TIES	Any incident or hazard relating to TIES	FR,LTES,RTES,TIES,abseil,fast,hoist,rope,winch	Benson - RAF
TAD_kite_strike	Kite Strike within TORAL AO.	Kite,PCR,String	Benson - RAF
TE_4.2	Aircraft Activities (Troop Insertion/Extraction)	Abseil,Commander,Communication,Dispatcher,Equipment,Extraction,Fast Roping,Gloves,Lock-Off,Passenger,Rope,Strop,System,TIES,Troop,Uncontrolled	Benson - RAF
TE_4.4	Aircraft Activities (Underslung Load)	105 Gun,Bambi Bucket,Bucket,Communication,Firefighting,HLS,Hooker,Husle,Land Rover,Load,Load Lifting,Load Park,Marshaller,Net,Netted,Role Equipment,SWL,Stores,Strop,Trailer,USL,Underslung	Benson - RAF
TE_4.8	Aircraft Activities (Winching)	Bosun,Cable,Chair,Comms,Communication,Cut,Drum,Gloves,Hand,Handhold,Hoist,Hydraulics,Light,Medic,Operator,Signal,Stop,Stretcher,Strop,Titan,Weight,Weight,Winch,Winchman	Benson - RAF
TE_6.0	Reduction In Workforce Due To COVID-19	COVID,COVID-19,Isolation,Orders ,Procedures	Benson - RAF
WETE_1.1	Failure to Follow Procedure	Control,CRM,Cognitive Failure,Crew,Decision Process,Failure to Follow ,Fatigue,Handling,Operation,Option,Procedure,Situational Awareness,TRM,Use,operating	Benson - RAF
cold_weather_ex	Any occurrence that has taken place in cold weather conditions.	Ice,Norway,artic,ex-clockwork,snow	Benson - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
desert_ex	Any occurrence that has taken place in desert conditions.	Jordan,desert,heat,sand	Benson - RAF
kites	Any incidents involving Kite strings in Afghanistan.	entangled,kite,scored,string	Benson - RAF
4B4L_despatchers_helmet	Helmet worn by Despatchers on O2 sorties	4B4L	Brize Norton - RAF
ACP	Airspace Change Proposal	Infringement,Infringement,TA/RA,TCAS,controlled airspace,separation,traffic,zone	Brize Norton - RAF
AFPSU	Any DASOR relating to parachute packing by civilian organisation	Armed Forces Parachute Support,Contracted parachute packing,Packing	Brize Norton - RAF
AI	Artificial Horizon	AI failure,artificial horizon,standby attitude indicator	Brize Norton - RAF
ALFA	Any DASOR relating to Parachutist altimeter	Alti,Parachutist ,Parachutist altimeter,altimeter	Brize Norton - RAF
ALTITRACK	Any DASOR relating to parachuting	ALTITRACK,Alti-Track,Altitrack	Brize Norton - RAF
ATAK	Any DASOR relating to Android Team Awareness Kit	ATAK,Android Team Awareness Kit,Awareness Kit,Nav Aid	Brize Norton - RAF
ATSY	A DASOR involving any aspect of RAF Police Security	#Baggage,#Guard,#Guarding,#Security,#XRAY,#screening	Brize Norton - RAF
AoA_vanes	Angle of Attack Vanes	AoA,SWS,SWS ACAWS,SWS fail	Brize Norton - RAF
BPC	Basic Parachute Course	Basic Parachute Course,Parachute Course,Static Line,Static Line Parachute Course	Brize Norton - RAF
BT380	Parachute Type	ADW,C17 PT AFE,PES,parachute	Brize Norton - RAF
BT533	Parachute Type	ADW,C17 PT AFE,PES,parachute	Brize Norton - RAF
BT533-MTTB	Parachute Type	ADW,C17 PT AFE,PES,parachute	Brize Norton - RAF
BT80FF	Parachute Type	ADW,C17 PT AFE,PES,parachute	Brize Norton - RAF
BT80_SL	Parachute Type	ADW,C17 PT AFE,PES,paracute	Brize Norton - RAF
BZN-1.1_ADE	Aerial Delivery/Loss of Control of Load inside ac	ADE Loss of Control,Bowtie	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_1.1	Operation of Large Fixed wing aircraft (human performance)/Aircraft unintentionally deviates from normal in-flight parameters (aircraft upset)	Bowtie, Loss of Control	Brize Norton - RAF
BZN_1.1_AFE	Military and Display Parachuting / Loss of Control at any point in the despatch or descent	Bowtie, PARA Loss of Control	Brize Norton - RAF
BZN_1.2	Operation of Large Fixed wing aircraft in adverse environmental conditions/Aircraft unintentionally deviates from normal in-flight parameters (aircraft upset)	Bowtie, Loss of Control	Brize Norton - RAF
BZN_1.2_ADE	Aerial Delivery/Loss of Control of Load after despatch	ADE Loss of Control, Bowtie	Brize Norton - RAF
BZN_1.2_AFE	Military or Display Parachuting / Loss of Control of Para equipment inside the AC (parachute deploys or smoke detonates)	Bowtie, PARA Loss of Control	Brize Norton - RAF
BZN_1.3	Operation of Large Fixed wing aircraft experiencing technical failures/Aircraft unintentionally deviates from normal in-flight parameters (aircraft upset)	Bowtie, Loss of Control	Brize Norton - RAF
BZN_10.1	Human Factors / Activities not performed, or not performed to a safe standard	Bowtie, Umbrella	Brize Norton - RAF
BZN_10.1_ADE	Human Factors/Activities not performed, or not performed to a safe standard	ADE Umbrella, Bowtie	Brize Norton - RAF
BZN_10.1_AFE	Human Factors / Activities not performed, or not performed to a safe standard	Bowtie, PARA Umbrella	Brize Norton - RAF
BZN_10.2	Technical Factors / In-service technical equipment does not meet safe standard	Bowtie, Umbrella	Brize Norton - RAF
BZN_10.2_ADE	Technical Factors/In-service technical equipment does not meet safe standard	ADE Umbrella, Bowtie	Brize Norton - RAF
BZN_10.2_AFE	Technical Factors / In-service technical equipment does not meet safe standard	Bowtie, PARA Umbrella	Brize Norton - RAF
BZN_10.3	Environmental Factors / Degraded safety margin	Bowtie, Umbrella	Brize Norton - RAF
BZN_10.3_ADE	Environmental Factors/Degraded safety margin	ADE Umbrella, Bowtie	Brize Norton - RAF
BZN_10.3_AFE	Environmental Factors / Degraded safety margin	Bowtie, PARA Umbrella	Brize Norton - RAF
BZN_11.1	Aircraft Operating over Populated Areas / Item Falls from AC	Bowtie, Items falling airborne	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_11.1_AFE	Parachutist Operating over Populated Areas / Item Falls from Parachutist	Bowtie, PARA Items falling	Brize Norton - RAF
BZN_11.2	Operating in Close Formation / Item Falls From Other Formation AC	Bowtie, Items falling airborne	Brize Norton - RAF
BZN_12.1	Low Level Flying / Inflicting Sudden Noise on 3rd Parties and/or Animals	AC Noise on 3rd parties, Bowtie	Brize Norton - RAF
BZN_13.1	Air Dropping Equipment during Ops and Ex / Load despatched at incorrect release point leading to load landing outside of DZ	Bowtie, MALDROP, Unsafe delivery of load	Brize Norton - RAF
BZN_14.1	Operating from Ageing R/W / Undetected FOD on Aircraft Operating Surface	ASI Runway, Bowtie	Brize Norton - RAF
BZN_14.2	South Atlantic Airbridge / FOD on Operating Surface Comes in Contact with ac	ASI Runway, Bowtie	Brize Norton - RAF
BZN_15.1	Operating at altitudes above 8000ft / Crew or Pax suffer effects of Hypoxia	Bowtie, Hypoxia	Brize Norton - RAF
BZN_15.1_AFE	STATIC LINE PARACHUTING / Parachutist gets hung-up on exit	Bowtie, PARA Static line ops	Brize Norton - RAF
BZN_2.1	Fixed wing aircraft - Landing Operations / Inability to make a stop within the expected landing distance requirement	Bowtie, Runway Excursion	Brize Norton - RAF
BZN_2.2	Fixed wing aircraft - Take-off and Landing Operations / Loss of directional control on the runway	Bowtie, Runway Excursion	Brize Norton - RAF
BZN_2.3	Fixed wing aircraft - Take-off/ Departure Operations / Aircraft does not accelerate or take-off as expected	Bowtie, Runway Excursion	Brize Norton - RAF
BZN_3.1	Fixed wing aircraft - Arrival or departure (general) / Terrain separation deteriorating below normal requirements	Bowtie, CFIT	Brize Norton - RAF
BZN_3.2	Fixed wing aircraft - Non-precision approach (especially in IMC or at night) / Terrain separation deteriorating below normal requirements	Bowtie, CFIT	Brize Norton - RAF
BZN_3.3	Fixed wing aircraft - Precision approach in IMC or at night / Terrain separation deteriorating below normal requirements	Bowtie, CFIT	Brize Norton - RAF
BZN_3.4	Low Level Tactical Flying / Terrain separation deteriorating below normal requirements	Bowtie, CFIT	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_4.1	Aircraft operating on the ground in or close proximity to the protected area of an active runway / Incorrect presence of aircraft on the protected area	Bowtie,runway/manoeuvring incursion	Brize Norton - RAF
BZN_4.2	Vehicles and/or personnel operating in or close to the protected area of an active runway / Incorrect presence of vehicle or person in the protected area	Bowtie,Runway/manoeuvring incursion	Brize Norton - RAF
BZN_4.3	Fixed wing aircraft - Take-off and Landing Operations / Incorrect presence of aircraft on runway	Bowtie,Runway/Manoeuvring Incursion	Brize Norton - RAF
BZN_4.4	Operating Large FW ac from a TLZ / Incorrect presence of vehicle or persons on the TLZ	Bowtie,Runway/Manoeuvring Incursion	Brize Norton - RAF
BZN_5.1	Large AT fixed wing aircraft operations whilst airborne UK Class A airspace / AT aircraft in close proximity with another aircraft that their safety is or may be compromised	Airborne Conflict,Bowtie	Brize Norton - RAF
BZN_5.1_AFE	Military or Display Parachuting / Loss of Safe Separation between Parachutists	Bowtie,PARA Airborne Conflict	Brize Norton - RAF
BZN_5.2	Large AT fixed wing aircraft operations whilst airborne UK Class G airspace / AT aircraft in close proximity with another aircraft that their safety is or may be compromised	Airborne Conflict,Bowtie	Brize Norton - RAF
BZN_5.3	Large CAT Fixed wing aircraft in the circuit area of a procedural (non radar) equipped aerodrome / AT aircraft in close proximity with another aircraft that their safety is or may be compromised	Bowtie	Brize Norton - RAF
BZN_5.4	Operating ac ivo BZN / Loss of Safe Separation	Airborne Conflict,Bowtie	Brize Norton - RAF
BZN_5.5	Flying in Operational Airspace / Loss of Safe Separation	Airborne Conflict,Bowtie	Brize Norton - RAF
BZN_5.6	Tanker/Receiver Conducting Towline or Trail AAR / Loss of Safe Separation	Airborne Conflict,Bowtie	Brize Norton - RAF
BZN_5.7	Low Level Flying / Loss of Safe Separation	Airborne Conflict,Bowtie	Brize Norton - RAF
BZN_6.1	Loading operations for large fixed wing aircraft at UK Aerodromes / Aircraft significantly outside the operational mass and balance envelope	Bowtie,Ground Handling	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_6.2	Ground operations for large fixed wing aircraft at UK Aerodromes / Significant ground damage undetected prior to aircraft commencing take-off	Bowtie,Ground Handling	Brize Norton - RAF
BZN_6.3	Cold weather conditions conducive to large fixed wing aircraft contamination (on the ground) / Aircraft commences take-off with contaminated flying surfaces or engines	Bowtie,Gruond Handling	Brize Norton - RAF
BZN_7.1	Aircraft electrical systems on large fixed wing aircraft / Hidden area fire becomes established	Bowtie,Fire	Brize Norton - RAF
BZN_7.1_ADE	Aerial Delivery/Fuel/vapour leak from ADE leading to fire	ADE Fire,Bowtie	Brize Norton - RAF
BZN_7.2	Combustible materials in the main or cargo compartment on large fixed wing aircraft / Uncontained Hold or Main Compartment Fire	Bowtie,Fire	Brize Norton - RAF
BZN_7.3	Fuel and combustible aircraft components for large fixed wing aircraft - external to the pressurised areas / Fire occurs external to the pressurised areas of the aircraft in-flight	Bowtie,Fire	Brize Norton - RAF
BZN_8.1	Operating in Enemy Threat Band (Air) and Area (Ground) / Attempted Engagement by Enemy	Bowtie,Enemy Action Air&Ground	Brize Norton - RAF
BZN_8.2	Ac Operating in Threat Band / Terrain separation deteriorating below normal requirements during threat avoidance	Bowtie,CFIT,Enemy Action Air&Ground	Brize Norton - RAF
C-17_FEDS_ladder	Any DASOR relating to issues with the C-17 FEDS egress ladder system	Egress,Escape,FEDS,Ladder,Ladders	Brize Norton - RAF
C17_AG1	C17 DASORs related to function and organisation	Management,SQEP,ToR,WP,manpower,workforce	Brize Norton - RAF
C17_AG10	C17 DASORs related to FLAP and gaseous storage and control.	Gaseous,Hazardous,spill,spillage,waste	Brize Norton - RAF
C17_AG11	C17 DASORs related to Organisation operation	ASSC,Briefs ,FLHC,FSCC,Flight,Handovers,Safety	Brize Norton - RAF
C17_AG12	C17 DASORs related to Aircraft Husbandry	Article,Blanks,Bungs,F700,FOD,Found,Loose,earth lead	Brize Norton - RAF
C17_AG13	C17 DASORs related to Equipment standard	Equipment,Fit,Purpose,Role,storage	Brize Norton - RAF
C17_AG14	C17 DASORs related to self-assurance and sustainment activities	Assurance,Quality,Report,communication ,self	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
C17_AG15	C17 DASORs related to contingency planning	Crash,Emergency,Kit,Lockdown,Quarantine,Response	Brize Norton - RAF
C17_AG16	C17 DASORs related to MT.	DI,Driving,Inspection,Speed, van, vehicle	Brize Norton - RAF
C17_AG2	C17 DASORs related to documentation	Cannibalisation,Data,F700,PPMWO,Weight,balance	Brize Norton - RAF
C17_AG3	C17 DASORs related to Publications	AESO,AESP,AP,JSP,Order,TO,Tech	Brize Norton - RAF
C17_AG4	C17 DASORs related to Tool control	Tool,cal,control,etching,kits,tallies	Brize Norton - RAF
C17_AG5	C17 DASORs related to TME & PTT	Elect,Minor,PTT,TME,Tool,cal,crimp	Brize Norton - RAF
C17_AG6	C17 DASORs related to working accommodation and environment	Accommodation,Office,Working,clothing,environment	Brize Norton - RAF
C17_AG7	C17 DASORs related to SHEF	DSE,First,PPE,aid,cut,fire,injury,laceration,safety	Brize Norton - RAF
C17_AG8	C17 DASORs related to GSE and lifting tackle	GSE,MEWP,POMWP,lift tackle	Brize Norton - RAF
C17_AG9	C17 DASORs related to Supply Management	Consumable,PEP,spares	Brize Norton - RAF
C17_CAMO_CAMO_interest	This DASOR is subject to C-17 CAMO interest and may be commented upon further	C17,CAMO,CAMO Interest,interest	Brize Norton - RAF
C17_CAMO_LAC	This DASOR is being tracked by C-17 CAMO as it pertains to loose or found articles.	C17,CAMO,Dropped,Find,LAC,Loose,Loose Articles,Lost,Missing,Not Fitted,UNABLE TO FIND,found,not found	Brize Norton - RAF
C17_CAMO_sub_part_c	This DASOR is being tracked by C-17 CAMO as it may pertain to Sub Part C	AFTO 22,C17,CAMO,Forecast,Forgot,Missed,Mistake,Sub Part C,discrepancy,error,failed,failure,forgotten,incomplete,incorrect,not,not carried out,out of date,overflown,signed for,spotted,unrecorded,unrecorded,wrong	Brize Norton - RAF
CARP	Any DASOR relating to the release of parachutist from an Aircraft	Calculated Air Release Point,Drop Point,Released	Brize Norton - RAF
CBA	Combat Body Armour	Armour,Body,Parachutist,Parachutist Body Armour	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
CPS	US Parachute Company that provides Parachute Training, Complete Parachute Solutions	Complete Parachute Solutions,Parachute Solutions	Brize Norton - RAF
CSPEP	Carrying Straps Personal Equipment Parachutist	CSPEP	Brize Norton - RAF
CYPRES	Any DASOR relating to this Automatic Activation Device fitted to parachutes	Cut Away,Cybernetic Parachute Release,Malfuction,Reserve Deployment	Brize Norton - RAF
CYPRES_fire	Parachuting Automatic Activation Device	AAD,CYPRES,CYPRES FIRE,Cypres,Cypres fire,cypres	Brize Norton - RAF
DG	Dangerous Goods	DAC,IATA,JSP 800,dangerous goods	Brize Norton - RAF
ECHO	L&B Audible Altimeter	Audible Altimeter,Skydiving audible altimeter	Brize Norton - RAF
EGI	EGI Failure	EGI,EGI Fail,EGI Failure	Brize Norton - RAF
EJD	Equipment Jettison device	EJD	Brize Norton - RAF
GAO	Any DASOR relating to Air Mobility movements at GAO in Mali	GAO,Mali,Op NEWCOMBE	Brize Norton - RAF
HAHO	High Altitude High Opening	High Altitude,Jump	Brize Norton - RAF
HALO	High Altitude Low Opening	High descent	Brize Norton - RAF
HAMO	High Altitude Medium Opening	Medium Altitude Descent	Brize Norton - RAF
HAPES	High Altitude Parachute Equipment Straps	HAPES	Brize Norton - RAF
HAPLSS	Any DASOR relating to High Altitude Parachute Life Support System	High Altitude ,Life Support ,Life Support System,Parachute,System	Brize Norton - RAF
HMNO	Any DASOR relating to night descents with night vision goggles.	Head Mounted Night Optics,Night Descents	Brize Norton - RAF
HUPRA	Any DASOR relating to Hung Up Parachutist Release Assembly	Hung Up,Hung up parachutist,Parachutist Release Assembly	Brize Norton - RAF
INU	INU Failure	CNI,INU fail	Brize Norton - RAF
LAIRCM	LAIRCM Failures, spurious firing or dispense	LAIRCM,chaff,dispense,flare	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
LIS	Body of evidence for Logistics Information System: Any occurrence caused by a paper documents system that could have been ameliorated by the use of an Electronic Logistics Information System.	#ELIS,#LIS,#Logistics Information System,703,704,715/1,721B,727,727C,727D,727F,728,728(C17A),728A,728B,728X,Airworthiness,Airworthiness rejection,Backstop,CLR,Calendar,Deferral date,Deferred Until,Digital Aircraft,Due Date,Due Review,ESS,Electronic Logistics,F700 Pt 2,Forecast,Forecast date,Frequency,GOLD,GOLDesp,Incorrect forecasting,Incorrectly Forecast,Information System,LITS,Logistics and Inventory System,Maintenance Log,Missed maintenance,Overflown,Overfly,Part 2,Review,Reviewed,SMR,SOOPMR,Schedule,Scheduled,Scope date,Scoped to,Section 5,Short Forecast,Trilogy,maintenance schedule,re-forecast	Brize Norton - RAF
LLP	Parachute Type	ADW,C17 PT AFE,PES,parachute	Brize Norton - RAF
LPG	Any DASOR relating to Low Profile Goggles	Eye protection,Low Profile ,Parachutists,Parachutists FF goggles,goggles	Brize Norton - RAF
LPS	Parachute Type	ADW,C17 PT AFE,PES,parachute	Brize Norton - RAF
LPS_SO	Any DASOR relating to Student LPS descents	LPS SO,Lightweight Parachute System ,Student	Brize Norton - RAF
MBTR	Multiband Team Radio	Comms,Radio	Brize Norton - RAF
MDS	Maintenance Data Systems	MDS,PMDS,SRP,Tech Log,computer system,data system,mds functionality,overfly	Brize Norton - RAF
MFF	Military Free Fall	Course,FF Course,Free Fall	Brize Norton - RAF
MFFI	Military Free Fall Instructor	Free Fall Instructor,Instructor	Brize Norton - RAF
MJ	Military Javelin	Military Javelin,Parachute Type	Brize Norton - RAF
OMAS	Oxygen Mask Air System	OMAS,Omas	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
OP_REDTOP	Any DASOR relating to OP REDTOP	Redtop	Brize Norton - RAF
OTP	On Time Performance	Delay,Delayed,Distraction,Time,Time Compression	Brize Norton - RAF
Ops_Core_Helmet	Parachuting Ops Core Helmet	OPS Core Fast Ballistic High ,OPS Core Fast Carbon Helmet,Ops core fast ballistic high ,Ops core fast carbon,STORM Helmet,Storm helmet	Brize Norton - RAF
PEL	Parachutist Equipment Load	Eqpt,Failure to Lower Eq ,Failure to lower EQ,Failure to lower Eq,Failure to lower PEL,HAPES,PEL	Brize Norton - RAF
PES	Any DASOR relating to the Military Parachute Maintenance Facility	Maintainer,Maintenance,Parachute Engineering Squadron,Parachute Packer,Parachute Packing	Brize Norton - RAF
PLP	Parachutist Life Preserver	PLP,SFLJ,USLJ	Brize Norton - RAF
PMDS	Portable Maintenance Data System	MDS,PMDS,SRP ,Tech log,portable,transfer	Brize Norton - RAF
POSS	Parachutists Oxygen Supply System	O2,Oxy system,Oxygen Supply,Oxygen Supply System,Parachutists	Brize Norton - RAF
PVSS	Perris Valley Student System	Perris,Student,System,Valley	Brize Norton - RAF
Ruck	Term used by the Americans for a Bergan, Equipment Container	Container,Equipment,Kit	Brize Norton - RAF
SDB&BL	Static Line Bag and Bridle line	SDB&BL	Brize Norton - RAF
SLES	Static Line Extension Strop	Extension Strop,Static Line,Static Line Extension Strop	Brize Norton - RAF
SWS	Stall Warning System	AoA,SWS,SWS ACAWS,SWS fail	Brize Norton - RAF
Sby_AI	Aby AI Failure	Sby AI,Sby AI Fail,Sby AI failure to erect,Sby AI topple,Sby Ai Failure	Brize Norton - RAF
TES	Any DASOR relating to Tailgate Extension Strop for Static Line parachuting	Static Line ,Strop,Tailgate Extension ,parachuting	Brize Norton - RAF
TSDB	Tether Static Line deployment Bag	TSDB	Brize Norton - RAF
V12_O2_Mask	Despatchers mask for O2 sorties	V12 O2 Mask	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
VIRTUS_Helmet	VIRTUS Parachuting Helmet	VIRTUS,Virtus	Brize Norton - RAF
WAP	warning annunciation panel	EFCS,Warning,reset	Brize Norton - RAF
ae_camo_airworthiness	Any DASOR relating to possible airworthiness issues	Break,Cutaway,Failure,Line over,Maintenance,PES,Packing,Wear	Brize Norton - RAF
ae_camo_engineering	Any DASOR relating to for possible engineering issues	Break,Cutaway,Failure,Failure,Wear	Brize Norton - RAF
ae_camo_maintenance	Any DASOR relating to a possible maintenance issue	Cutaway,Line over,Maintenance,PES,Packing	Brize Norton - RAF
audible_altimeter	Any DASOR relating to parachuting	ProTrack,ECHO,ECHO Audible,Echo,Echo Audible,L&B ALPHA,L&B Alpha,L&B ECHO,L&B Echo,OPTIMA,Optima,PROTRACK,Pro-Track,Protrack,VISO II,Viso II	Brize Norton - RAF
bergan	UK Military Personal Equipment Container	Equipment Container,Kit,Pack	Brize Norton - RAF
brake_line	Steering lines and Brakes on a parachute	brakes,steering	Brize Norton - RAF
brake_toggle	Toggle used to initiate the Flare	Brakes,Toggles	Brize Norton - RAF
bridle_line	Attaches the drogue parachute to the main parachute	Bridle Line	Brize Norton - RAF
cobham_oxygen_system	Oxygen system used with the MJ (American)	Cobham Oxygen System,O2 system,Oxygen System	Brize Norton - RAF
cut_away	Emergency procedures for a parachute malfunction	Cut Away	Brize Norton - RAF
dashpot	Attenuation device attached to the Static Line	Attachment to the AC,Static Line	Brize Norton - RAF
despatch_cadence	Time interval between despatching parachutists	Despatching timings	Brize Norton - RAF
despatcher	Parachute Jumping Instructor working onboard the aircraft.	Checker,No1,No2,No3,No4,PJJ	Brize Norton - RAF
despatcher_checks	Final check of parachutist prior to conducting a parachute descent	Checker,Final Checks,PJI	Brize Norton - RAF
despatchers_belt	Anchor point between the Despatcher and the Ac	Anchor point ,Belt,Despatcher	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
digital_altimeter	Digital Altimeter	ALFA,ARES,Alfa,Ares,DIGITAL,Digital	Brize Norton - RAF
driving	Airfield driving incident that breeches ATC Driving Regulations.	Failure to stop,Speeding,failure to give way,lamp signals,parking	Brize Norton - RAF
drogue_set	Tandem Drogue has been set.	Drogue,Dropped Drouge,Failed to set,Set	Brize Norton - RAF
drogue_setter	Despatcher responsible for setting a Tandem Drogue.	Despatcher,PJI,Setter	Brize Norton - RAF
eng_fire_ACAWS	Egine Fire ACAWS	engine fire,spurious eng fire ACAWS	Brize Norton - RAF
entanglement	Any DASOR relating to parachutists colliding with and becoming entangled with another parachutist or parachute	Entangled,Entanglement,snagged	Brize Norton - RAF
evacuation	Evacuation on the ground	Ground evacuation	Brize Norton - RAF
exit_(SL/FF)	The moment the Parachutist leaves the Aircraft	Green Light,Leaving the Aircraft,exit	Brize Norton - RAF
eyeshot	Parachutist's communication system	Comms Eq,Parachutist's,communication,communication system	Brize Norton - RAF
fuel_indicators	Fuel Quantity Management Indications	fuel indicator,system functionality	Brize Norton - RAF
helstar	Any DASOR relating to lights attached to parachutist's helmets	Helstar,Lights on parachutist's helmet,Night descents	Brize Norton - RAF
hydraulics	Hydraulic system failure, System relying on liquid moving in a confined space under pressure.	Utility hydraulic,auxiliary hydraulic,booster hydraulic,brakes,control manifold,failure,flaps,hydraulic oil,nosewheel steering,pressure,system,temperature,undercarriage	Brize Norton - RAF
maintenance_overrun	All Maintenance Overrun	maintenance overrun	Brize Norton - RAF
malfunctions	Parachute Cutaway	BT380,BT533,BT80 FF,BT80 SL,LLF,LPS,cutaway,parachute	Brize Norton - RAF
minor_problems	Parachute nuisance factors on deployment	Brake Line Hanking,End Cell Closure,End Cell Closures,End cell closure,Hanking,High Twists,High twists,Line hanking,Low Twists,Low twists,Twists	Brize Norton - RAF
off_landings	Landing off the DZ/TA	Land Off,Landing Off,Missed DZ,Off Landing,land off,missed DZ,off landing	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
oil_smell	Cockpit/cabin conditioning	APU u/s,dry crank>manual start	Brize Norton - RAF
overbanding	FOD caused by the breaking up of the runway.	FOD,overbanding	Brize Norton - RAF
parachutist_injury	Injury to parachutist	Injured on landing,hard landing,landing injury	Brize Norton - RAF
post_8C_maintenance_check	Any # relate to post 8C check / depth maintenance	8C check,8c,Depth,depth maintenance,heavy ,maintenance check	Brize Norton - RAF
reserve_deployment	Operation of the Reserve Parachute	Reserve deployment	Brize Norton - RAF
secure_comms	All Loss of Secure Communications	secure communications	Brize Norton - RAF
skyvan	Shorts Skyvan Ac	Parachute ,Parachute Training Aircraft,Training Aircraft	Brize Norton - RAF
smoke	Smoke and fumes	cabin conditioning and aircrew,fumes	Brize Norton - RAF
spoofing	Any DASOR relating spoofing / EMI events	EGPWS,EMI,GNSS,GPS interference,GPWS,Spoofing	Brize Norton - RAF
steering_toggles	Handles attached to the Brake Lines to steer the parachute	Brake Lines,Toggles,parachute	Brize Norton - RAF
stiff_pull	Stiff Pull on operating parachute	Stiff Pull,stiff pull	Brize Norton - RAF
top_skin	Top surface of a square parachute	Canopy,square parachute	Brize Norton - RAF
water_descent	Planned parachute descent into water	Water,Water descent,descent	Brize Norton - RAF
weight_belt	Additional weight worn around the waist by parachutists	Belt,Weight Belt,parachutists	Brize Norton - RAF
AOTE_3.10	Loss of safe separation with the ground	Low,Ground,Kite,Low Height,MSD,RADALT ,mast,obstacle,obstruction,wires	Brunei - RAF
AOTE_3.11	Loss of Control in Flight (Flying)	Authority,Control,Divergence,Jam,Kite,Restriction,UFCM, Undemanded	Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AOTE_3.2	Person / Articles Falling off Aircraft	HUSLE,Hook,Insecure,Insecure,Load,Loadpole,Net,Oscillations,Passenger,Pax,SARCRU,Strop,Swing,Troop,Unstrapped,Unstrapped,abseil,fastrope,hoist,parachute,winch	Brunei - RAF
AOTE_3.3	Aircraft Fire or Explosion	Burning,Emergency Response,Fire,Flames,Fumes,Smell,Smoke,Spark,Static	Brunei - RAF
AOTE_3.5	Loss of Safe Separation between an Aircraft's Emissions and an Object (Flying)	Chaff,Dud,Fault,Flare,GPMG,Jam,discharge,hang up,misfire,pyro,stoppage	Brunei - RAF
AOTE_3.6	Approach, take-off, Landing incident	Approach,DVE,Go around,Hover,Landing,Lift,Overshoot,Transition,brownout,dust	Brunei - RAF
AOTE_3.7	Aircraft Deviating Beyond the Bounds of the Manoeuvring Area	Approach,DVE,Go around,Hover,Landing,Lift,Overshoot,Transition,brownout,dust	Brunei - RAF
AOTE_3.9	Loss of Safe Separation with Other Air Users (Flying)	Airprox,Close,Confliction,Converging,Lookout,Lost Sight,Not Visual,TAS,TCAS,Traffic	Brunei - RAF
AOTE_5.1	Aircraft Occupants Exposed to the Post-Crash Environment	AEA,BALCS,Crash,Emergency Response,FACS,Heavy landing,Impact,PSTASS,STASS,extinguisher,liferaft,stole	Brunei - RAF
BEN_human_factors_man	Human Factors Management Barrier / Ben Stds Initiative	CRM,Cognitive Failure,Control,Crew,Decision Process,Failure to Follow Process,Handling,Operation,Option,Procedure,Situational Awareness,TRM,Use,fatigue,operating	Brunei - RAF
GOTE_2.1	Loss of Separation between a Parked Aircraft, or an Aircraft being Manoeuvred, and an Object	Auth,Procedure,Supervisor,Tow,Tower,Towing,marshalled,marshaller	Brunei - RAF
GOTE_2.3	Refuelling Fire or Explosion	Burning,Burning,Fire,Fire,Flames,Flames,Fumes,Fumes,Smell,Smell,Smoke,Smoke,Spark,Static	Brunei - RAF
GOTE_3.1	Release of unairworthy aircraft	Airworthiness,CAMO,Engineers,Independent Inspections,Indy,MAR,MIL-AR,Overdue,Overflown,Supervision,Unserviceable,Walk Around	Brunei - RAF
TE_4.2	Aircraft Activities (Troop Insertion/Extraction)	Abseil,Commander,Communication,Dispatcher,Equipment,Extraction,Fast Roping,Gloves,Lock-Off,Passenger,Rope,Strop,System,TIES,Troop,Uncontrolled	Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
TE_4.4	Aircraft Activities (Underslung Load)	105 Gun,Bambi Bucket,Bucket,Communication,Firefighting,HLS,Hooker, Husle,Land Rover,Load,Load Lifting,Load Park,Marshaller,Net,Netted,Role Equipment,SWL,Stores,Strop,Trailer,USL,Underslung	Brunei - RAF
TE_4.8	Aircraft Activities (Winching)	Bosun,Cable,Chair,Comms,Communication,Cut,Drum,Gl oves,Hand,Handhold,Hoist,Hydraulics,Light,Medic,Opera tor,Signal,Stop,Stretcher,Strop,Titan,Weight,Weight,Win ch,Winchman	Brunei - RAF
WETE_1.1	Failure to Follow Procedure	Control,CRM,Cognitive Failure,Crew,Decision Process,Failure to Follow ,Fatigue,Handling,Operation,Option,Procedure,Situationa l Awareness,TRM,Use,operating	Brunei - RAF
MOB	Any DASORs relating to issues concerning the Main Operating Base (MOB) and its facilities, impacting operations anywhere.	ATC,Engineering,MOB,Supplies,Support,Yeovilton	CHF HQ
arctic	Any DASORs relating to operations, including pre deployment preparations, in extreme cold weather environments.	Bardufoss,Clockwork,Cold,Norway,Snow	CHF HQ
desert	Any DASORs relating to operations, including pre deployment preparations, in desert environments.	Desert,Dust,El Centro,Heat,Hot,Oman,Sand	CHF HQ
detached	Any DASORs relating to operations taking place whilst detached from MOB (Main Operating Base). This includes pre deployment preparations.	Detached,Detachment	CHF HQ
emabarked	Any DASORs relating to operations, including pre deployment preparations, in the embarked / maritime environment .	Deck,Deck Landing,Embarked,Flyco,Ship	CHF HQ
mountains	Any DASORs relating to operations in the mountainous environment, this includes pre deployment preparations.	Bowl,Down Draft,Mountain,Ridge,Torque,Updraft	CHF HQ
ATC_infrastructure	Failure of Air Traffic Control infrastructure buildings or equipment; VCR Windows, Air Conditioning etc.	ATC,ATC building,PSR,RHAG,Radar,air conditioning,radio,runway,runway surface,rwy surface,sink holes,smre,ssr,sweeper,taxiway,tower,watchman>window s	Coningsby - RAF
AV	Issue relating to Avionics Trade.	AV,LRI	Coningsby - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
UTSOSI	Unable to staff Occurrence Safety Investigation	Investigation,Investigators,Occurrence,Safety	Coningsby - RAF
arm	Issue relating to Weapons Trade.	LGB,arm,bomb,cannon,flare,gun,missile,seat,weapons	Coningsby - RAF
mech	Issue relating to Mechanical Trade.	fuselage,hydraulic,mech,structure,undercarriage	Coningsby - RAF
panels	Any occurrence of an aircraft panel not being fitted, fitted incorrectly or becoming detached in flight.	detached,insecure,missing,open,panel,panels	Coningsby - RAF
waterfront	Vehicular access road transiting through Aircraft movement area.	Waterfront,collision,lights	Coningsby - RAF
ATM_mandatory	Any DASOR that was submitted as a mandatory report.	accident,airprox,breach,failure,incident,incursion,level bust,mandatory,regulations,response	Cranwell - RAF
ATM_safety_management	Any DASOR that suggests an issue in the narrative (reporter issues hash tag) or as part of the LI produces an action or recommendation for the Safety Management Team. (OM issues hashtag)	BMFSO,Hazard,Risk,SM,Safety Assessment,Safety Audit	Cranwell - RAF
ATM_standards	Any DASOR that suggests an issue in the narrative (reporter issues hash tag) or as part of the LI produces an action or recommendation for the Standards Team. (OM issues hashtag)	UStanO,policy,procedures,rules,standards	Cranwell - RAF
ATM_training	Any DASOR that suggests an issue in the narrative (reporter issues hash tag) or as part of the LI produces an action or recommendation for the Training Team. (OM issues hashtag)	Training,UTO,ground school,instructor,not taught	Cranwell - RAF
CWL_flight_planning	All airfield Flight Planning related activity	AIRAC,AMPA,CALF,Danger area,ERS,Map,MilEAMS,NOTAM,Royal Flight,SUKADS,TAP charts,UKDNWS,ops brief	Cranwell - RAF
CWL_operations	All airfield Operations related activity	Communications equipment,Emergency states,F400s,Flight Log,Flying Club,HOW/TOW,Log Book,Mil EAMS,OOH Notifications,PDs,PPR,Slot System,Stn ac movements,TAFs and METARs,VIP actions,Visiting ac movements,airways training slots,book of low level system,diversions,flight following,landaways	Cranwell - RAF
CWL_overseas	All airfield Overseas planning related activity	AP1158,Accommodation,Diplomatic Clearance,OTF Requests,Overseas Information Boards,PPR,captain's folder,slot times	Cranwell - RAF
IFR_VFR_integration			Cranwell - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
MFTS_construction_work	Demolition and construction work associated with MFTS project		Cranwell - RAF
MLG_cracks	Any events concerning Main Landing Gear cracks	crack,main landing gear	Cranwell - RAF
ORP_issues	Algae, slipping, incursion, clearance	algae,clearance,incursion,slipping	Cranwell - RAF
PAR_limitations	Transfer of PAR lock from ac to ground return	PAR	Cranwell - RAF
bleed_air_failure	Any events concerning bleed-air failure	bleed air,sense line	Cranwell - RAF
bolt_hole	Visiting Waddington ac due to Waddington resurfacing		Cranwell - RAF
circuit_congestion	Busy circuit, mixed ac types in circuit, different ac speeds in circuit		Cranwell - RAF
congested_local_airspace			Cranwell - RAF
dual_runway_ops	Simultaneous use of both runways		Cranwell - RAF
equipment_issue_effect	Any DASOR that has been submitted to highlight a new or an ongoing issue with broken equipment that effects human performance.	broken,equipment,issue,not fixed,ongoing	Cranwell - RAF
glider_deconfliction	Deconflicting gliding with Tutor flying at weekends	North Airfield Gliding Club	Cranwell - RAF
grass_strip	Use of the parallel grass strip	grass strip	Cranwell - RAF
inform_convert_DASOR	Any InForm that has been converted to a DASOR	In form,LEMSCo,SEMSCo	Cranwell - RAF
landing_gear_unsafe_indication	Any events concerning Landing Gear Unsafe Indication	bulb failure,buld failed,failed to illuminate,gear down annunciator,gear relay cb,gear unsafe	Cranwell - RAF
mixed_circuit_traffic	Different ac types at Cranwell, different ac speeds		Cranwell - RAF
movement_area_incursion			Cranwell - RAF
north_airfield	Proximity of North Airfield to South Airfield		Cranwell - RAF
north_and_south_airfield_simultaneous_ops			Cranwell - RAF
severity_discrepancy	Any DASOR that has a significant discrepancy between the reporter and OM's severity rating.(OM would assign this hashtag)	dangerous,high,low,perceived	Cranwell - RAF
south_airfield			Cranwell - RAF
tower_to_tower	Between Cranwell and Barkston Heath		Cranwell - RAF
AFCS	Aircraft Flying Control System Disengagement or failure of both autopilot systems	AFCS,ASW,CFIT,IF,autopilot,deviation from flight path,system	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AMMC	Aircraft and Mission Management Computer - Merlin Mk II	data,double AMMC reset,failure,initialisation,reset	Culdrose - RNAS
ASW	Anti Submarine Warfare	SU,carousel,doppler hover,sonar,sonobuoy,stingray,submarine	Culdrose - RNAS
ASuW	Anti Surface Warfare	ESM,ISAR,RRP,surface search,targeting,threat avoidance,weapon	Culdrose - RNAS
CALS	Confined Area Landing	FOD,birdstrike,brake failure,dynamic rollover,livestock,tip strike	Culdrose - RNAS
Me2ASaC	Any DASOR relating to Merlin Mk2 fitted with the CROWSNEST Role Equipment	CROWSNEST ,Me2ASaC,Merlin,radar	Culdrose - RNAS
NVD	Night vision device	fatigue,goggles,laser,look out,night flying,night vision,nvd,nvg,unsuitable weather	Culdrose - RNAS
SE	Survival Equipment	MS10,flight helmet,imersion suit,life jacket	Culdrose - RNAS
STASS	Short Term Air Supply System	FOD,ditching,looes articles	Culdrose - RNAS
TMSC	Tactical Mission System Computer - Merlin Mk II	TMSC Flight Plans,failure,initialisation,link loss,loss link,waypoint	Culdrose - RNAS
VERTREP	Vertical replenishment at sea	FOD,SACRU,downwash,load lifting,static build up	Culdrose - RNAS
aircraft_movements	The process of moving and aircraft from the hanger to the flight line	PPE,blades,chockmen,hanger doors,line sup,safety rating,towing arm,tractor	Culdrose - RNAS
anti_icing	system to protect aircraft systems from the hazards associated with icing	anti icing,emergency landing,engine failure,icing,loss of power,unsuitable weather	Culdrose - RNAS
asymmetric	Power related malfunction resulting in asymmetric power settings	emergency landing,engine failure,loss of power	Culdrose - RNAS
bleed_valves/bleed_air	Malfunction of engine bleed valve	bleed,engine failure,illuminated,light,loss of power,valve	Culdrose - RNAS
bodily_fluids	Fluids that come from a Human or animal's body	blood,contamination,excrement,motion sickness	Culdrose - RNAS
cabin	Compartment of aircraft primarily for passenger carrying	communication,compartment,passenger,pressure,seat	Culdrose - RNAS
checks	standard list of procedures for a routine task	cognitive error,distracton,human factors,procedures	Culdrose - RNAS
chips	A system that detects metallic fragments in engine spaces	chip caution,chip detector,engine chip,ferromagnetic,magnetic chip detector	Culdrose - RNAS
cockpit	Compartment of aircraft for the pilot and crew	CRM,CVR,access,comminication,crew,flying controls,instruments	Culdrose - RNAS
concentration	The action or power of focusing all one's attention	energy,fatigue,focus,lapse,procedure	Culdrose - RNAS
controlpanels	area where control or monitoring instruments are displayed	displays,instrument,monitor	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
deferment	The action of delaying or putting something off	deferring,delaying,postponement	Culdrose - RNAS
detached_operations	Operations that are conducted as part of a detachment or away from home base/ship	detachment brief,detachment commander,diversions,foreign support,landaway,logistics,publications,support	Culdrose - RNAS
door	Parts of aircraft that allow crew access Malfunction/discrepancy in aircraft doors	airstair door,cargo door,door,failure to close,jammed door	Culdrose - RNAS
door_hinge	Unservicability of aircraft door	door,opening in flight	Culdrose - RNAS
drugs	A medicine or other substance which has a physiological effect when ingested or otherwise introduced into the body.	downgrade,drowsiness,fatigue,illegal,legal,loss of focus,side effects	Culdrose - RNAS
electrical	Concerned with or utilising electricity	amps,circuit,resistance,systems,voltage,wiring	Culdrose - RNAS
flaps	Occurrence relating to an aircraft's flap system	flapless recovery,inadvertant selection	Culdrose - RNAS
fog	Low-lying moisture of near 100% humidity that reduced visibility to less than 1km	colour code red,low visibility,visual reference	Culdrose - RNAS
formation	Formation Flying	3 ship,Battle,Form,Formation,MAC,Tactical,airshow,fly past,fly past practice,pair	Culdrose - RNAS
fungus	Spore producing organisms feeding on organic matter	mould,mushrooms,wildlife,yeast	Culdrose - RNAS
general_handling	Manoeuvres not related to mission specific tasks that are flown in an aircraft	advanced transitions,autorotation,circuits,downwind,limited power,lookouts,quickstops,sloping ground,transition,wingovers	Culdrose - RNAS
hangar_doors	Doors that allow access to and from the hangar, primarily for aircraft	closing,damage,hangar,opening,procedures,wind limits	Culdrose - RNAS
hydraulics	Hydraulic system failure, System relying on liquid moving in a confined space under pressure.	Utility hydraulic,auxiliary hydraulic,booster hydraulic,brakes,control manifold,failure,flaps,hydraulic oil,nosewheel steering,pressure,system,temperature,undercarriage	Culdrose - RNAS
ice	Water frozen in a solid state	anti-icing,clear ice,freezing rain,hoar frost,icing,rime ice,sub-zero	Culdrose - RNAS
instrument_flying	Flying an aircraft with sole reference to instruments	GCA,IFR,IMC,PAR,SRA	Culdrose - RNAS
jacking	The process of lifting an aircraft up a short height using mechanical process	height,hydraulic,jacks,mechanical,warning	Culdrose - RNAS
lapse	A brief or temporary failure of concentration, memory, or judgement.	character,concentration,fatigue,following procedure,judgement	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
lashing	The process of securing something	chain,deck lashing,lashes,nylon,securing,tipsock	Culdrose - RNAS
lights	Item that provides lighting and illumination	anti-collision,color,colour,flashing,landing,occult,signal	Culdrose - RNAS
limitation	A limiting rule, restriction or circumstance imposed	RTS,caution,circuits,downwind,lookouts,note,operating envelope,quickstops,restriction,sloping ground,transition,warning,wingovers	Culdrose - RNAS
medication	prescribed or unprescribed medicine that can have side effects	downgrade,drowsiness,loss of focus,side effects	Culdrose - RNAS
mission_systems	Systems that assist aircrew and aircraft to perform mission specific tasking and orders	ESM,TMS,TMSC,data,electrical,maps,radar,tactical	Culdrose - RNAS
night	Any activity taking place during the night flying period	NVD,after dark,darkness,fatigue,look out,night,nights,unsuitable weather	Culdrose - RNAS
oil_filler_cap	Cap that can be removed to fill the engine with oil	juniper rig,oil pressure,ox27,risbridger,sight glass	Culdrose - RNAS
order_and_policies	Overarching instruction and commands that dictate procedures	MAA,documentation,duty holder,government,instruction	Culdrose - RNAS
precipitation	Any product of the condensation of the atmosphere that falls under gravity	freezing rain,ice,rain,snow	Culdrose - RNAS
pressurization	Abnormal pressure in a pressurized system	MGB pressure,TGB pressure,engine oil pressure,filler cap,high pressure,hyd pressure,low pressure	Culdrose - RNAS
radar	System used to detect and track aircraft movements in-flight	RADHAZ,active,airprox,airspace,chaff,passive	Culdrose - RNAS
rain	Precipitation that falls as water droplets	cloud,shower,storm,thunderstorm	Culdrose - RNAS
sabotage	deliberately destroy, damage, or obstruct something	conscious,damage,intent,malicious,selfish,substantial,unjustifiable	Culdrose - RNAS
secondary_roles	Roles that can be carried out that are not primary to the aircraft such as winching and load lifting	CALs,CASEVAC,HIRF,LSJ,NSN,SAR,Troop carrying,VERTREP,boots,gloves,helmet,immersion suit,loadlifting,overalls,rollneck,socks,stores,stretchers,thermals,visor,wet winching,winch mals,winching	Culdrose - RNAS
snow	Precipitation that falls as crystalline water ice	snowfall,snowstorm	Culdrose - RNAS
software	Electronic programs written to support the stakeholder	ALIS,CMMS,JTD,loading,update,version	Culdrose - RNAS
standards_and_practice	The levels at which processes and events should adhere to	just culture,policy,procedure	Culdrose - RNAS
time_pressure	A deadline or goal that has Limited flexibility with regards to time	deadline,extended hours,human factors,perceived pressure,stress	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
tractor	A vehicle used primarily to assist in the moving of aircraft	current,direction,driver,driving,speed,towing arm	Culdrose - RNAS
visibility	Measure of the distance at which an object or light can be clearly discerned	fog,haze,kilometers,low vis,meters,mist,poor vis,vision,visual reference	Culdrose - RNAS
wateringress	Water entering a piece of equipment or the aircraft	maritime environment,moisture,rain,seal	Culdrose - RNAS
whiteout	Where visibility and contrast are severely reduced by snow or sand	sandstorm,snow,snowfall,visibility,visual reference	Culdrose - RNAS
wiring	A system of wires providing electric circuits for a device or building	circuits,connecting,electricity,power,voltage,wiring diagram	Culdrose - RNAS
30R00	Any DASOR relating to F35 software state 30R00	DTR,Distribution Tracking Record,ICAW,Integrated Caution And Warning,TCTD	Edwards AFB - USA
30R02.3	F35 Air Vehicle Software version 30R02.3	LDT,Lightning delivery Team,MPTF,Military Permit To Fly,Software,Software upgrade,TCTD ,Time Compliant Technical Direc	Edwards AFB - USA
3FR6.2	Any DASOR relating to F35 software state 3FR6.2	DTR,Distribution Tracking Record,ICAW,Integrated Caution And Warning,Software,TCTD,Time Compliant	Edwards AFB - USA
412th	Edwards AFB unit	412th,Edwards,JOTT	Edwards AFB - USA
ALIS	Automated Logistics Information System		Edwards AFB - USA
AV_airframe	Fault relating to aircraft structure or mechanical system	Clutch,Clutch,Cooling,Cooling,Extension,Extension,FSE, FSE,Fault,Fault,Field service Engineer,Field service Engineer,Function,Function,HRC ,HRC ,Health Reporting Code,Health Reporting Code,Hydraulic,Hydraulic,ICAW ,ICAW,Independent,Independent,Integrated Caution And Warning,Integrated Caution And Warning,Retraction,Retraction	Edwards AFB - USA
AV_avionics	Fault relating to aircraft avionic systems	FSE,Field Service Engineer,HMD,HRC ,Health Reporting Code,Helmet Mounted Display,ICAW,Integrated Caution And Warning,PTMS,Power Thermal Management,VMC ,Vehicle Management Computer	Edwards AFB - USA
BOS	Before Operation Servicing - before flight servicing	BOS,before flight,servicing	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
CFT	Contractor Field Team - a civilian contractor team that maintains aircraft	CFT,LM,Lockheed Martin,contractor,contractor field team,lockheed martin	Edwards AFB - USA
CMMS	An software maintenance program for conducting aircraft maintenance	ALIS,Computerised Maintenance,Maintenance Management System,computerised maintenance,maintenance management system	Edwards AFB - USA
DT-ADS	Lightning F35 Delivery Team Name	DT-ADS	Edwards AFB - USA
DT-ALIS	Lightning F35 Delivery Team Name	DT - ALIS	Edwards AFB - USA
DT-Config	Lightning F35 Delivery Team Name	DT - Config	Edwards AFB - USA
DT-Crew_Systems	Lightning F35 Delivery Team Name	DT - Crew Systems	Edwards AFB - USA
DT-EOSH	Lightning F35 Delivery Team Name	DT - EOSH	Edwards AFB - USA
DT-Eng_Co-Ord	Lightning F35 Delivery Team Name	DT - Eng Co-Ord	Edwards AFB - USA
DT-Flight_Ctrl	Lightning F35 Delivery Team Name	Flight Ctrl	Edwards AFB - USA
DT-Flying_Systems	Lightning F35 Delivery Team Name	DT - Flying Systems	Edwards AFB - USA
DT-JTD	Lightning F35 Delivery Team Name	DT - JTD	Edwards AFB - USA
DT-LISSC	Lightning F35 Delivery Team Name	DT - LISSC	Edwards AFB - USA
DT-Management	Lightning F35 Delivery Team Name	DT - Management	Edwards AFB - USA
DT-Mission_Ops	Lightning F35 Delivery Team Name	DT - Mission Ops	Edwards AFB - USA
DT-Mission_Software	Lightning F35 Delivery Team Name	DT - Mission Software	Edwards AFB - USA
DT-Mission_Support	Lightning F35 Delivery Team Name	DT - Mission Support	Edwards AFB - USA
DT-Mission_Systems	Lightning F35 Delivery Team Name	DT - Mission Systems	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Propulsion	Lightning F35 Delivery Team Name	DT - Propulsion	Edwards AFB - USA
DT-Quality	Lightning F35 Delivery Team Name	DT - Quality	Edwards AFB - USA
DT-RTS	Lightning F35 Delivery Team Name	DT - RTS	Edwards AFB - USA
DT-Safety_Team	Lightning F35 Delivery Team Name	DT - Safety Team	Edwards AFB - USA
DT-Software	Lightning F35 Delivery Team Name	DT - Software	Edwards AFB - USA
DT-SptPol	Lightning F35 Delivery Team Name	DT - SptPol	Edwards AFB - USA
DT-Struct	Lightning F35 Delivery Team Name	DT - Struct	Edwards AFB - USA
DT-Supply	Lightning F35 Delivery Team Name	DT - Supply	Edwards AFB - USA
DT-Support_Equip	Lightning F35 Delivery Team Name	DT - Support Equip	Edwards AFB - USA
DT-Sustainment	Lightning F35 Delivery Team Name	DT - Struct,DT - Sustainment	Edwards AFB - USA
DT-Training_Systems	Lightning F35 Delivery Team Name	Delivery Team,F35 ,LII Training,Lightning	Edwards AFB - USA
DT-US_CPP	Lightning F35 Delivery Team Name	DT - US CPP	Edwards AFB - USA
DT-Utility_&_Sub_Sys	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Edwards AFB - USA
DT-Weapons_Int	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Edwards AFB - USA
DTR	Issues regarding software and data updates of ALIS	ALIS,CLS,Consumer Led Support,DTR,Distribution Tracking Record,JTD,Joint Technical Data,LDT,Lightning delivery Team,PAIR,PAIRS,TCTD,Time Compliant Technical,UFN,Urgent Field Notice	Edwards AFB - USA
EEL	Issues regarding asset Electronic Engineering Logs	Airworthiness,EEL,Lifing,PAIR,TCTD,Tracking,life	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
FTI	Flight Test Instrumentation ? Agency or Equipment issues	DART,FSR, Testing, Trial,flight test,instrument,instrumentation,test	Edwards AFB - USA
HAZMAT	Chemical compounds or substances used to maintain aircraft	chemicals,consumables,grease,hazardous material,lubricants,oil,petrol	Edwards AFB - USA
HMD	A system used to provide hands off information to the aircrew	Head Up Display,Helmet Mounted Displays,head up display,head up display,helmet mounted displays	Edwards AFB - USA
HRC	Health Reporting Code - F-35 code produced by the aircraft to report faults	Health Reporting Code,health reporting code	Edwards AFB - USA
ICAW	A cockpit audio and visual warning system	HRC,Health Reporting Code,caution,health reporting code,warning	Edwards AFB - USA
IOS	Inter Operation Servicing - turnaround servicing	IOS,interim flight,servicing	Edwards AFB - USA
IPP	Integrated Power Pack - auxiliary power unit	APU,IPP	Edwards AFB - USA
JOTT	Joint Operational Test Team - F-35 joint testing organisation	412th,Edwards,JOTT	Edwards AFB - USA
JTD	Joint Technical Directive - F-35 technical manual	AR,JTD,Joint Technical Data,action request,documents,electronic media,joint technical data,publications,servicing instructions,software	Edwards AFB - USA
LO	Low Observability - Aircraft design characteristic that enables low observability in relation to RADAR energy	LO,Low Observability,low observability	Edwards AFB - USA
MVI	A link between the aircraft and electronic workstation	ALIS,JTD,Maintenance Vehicle Interface,Portable Maintenance Aid,maintenance vehicle interface,portable maintenance aid	Edwards AFB - USA
PCD	Panoramic Cockpit Display - in cockpit display for F-35 pilots	PCD,Panoramic Cockpit Display,cockpit,display,panoramic cockpit display	Edwards AFB - USA
PCL	Pilot's Check List - Pilot's quick reference cards	PCL,Pilot's checklist,checks,pilot's checklist	Edwards AFB - USA
PFE	Pilot's flight equipment - Equipment used by F-35 pilots	PFE,Pilots Flying Equipment,flying clothing,helment,pilots flying equipment,survival aids	Edwards AFB - USA
PMA	Electronic Aircraft workstation	ALIS,CMMS,JTD,MVI,Portable Maintenance Aid,portable maintenance aid,software	Edwards AFB - USA
POS	Post Operation Servicing - after flight servicing	POS,after flight,servicing	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
PT	Project Team - manages aircraft through life operations	PT,Project Team,project team	Edwards AFB - USA
PTMS	Issues regarding the Power and Thermal Management System	COOL FAIL,Clutch,Gen,ICAW,I PP,Integrated Power Pack,VMC	Edwards AFB - USA
Pratt_and_Whitney	US engine manufacturer	F135,F135-600,P & W,P&W,Pratt & Whitney,Pratt and Whitney,engine,engine start,pratt & whitney,pratt and whitney	Edwards AFB - USA
RVL	Rolling Vertical Landing - Landing using the aircraft's hover capability while maintaining a slow forward speed	RVL,STOVL,VL,hover,landing,rolling vertical landing	Edwards AFB - USA
STO	Short Take Off - Take off using a short amount of runway	STO	Edwards AFB - USA
TCTD	Issues regarding Time Compliant Technical Directives	Approved,Embodied,Mod ,Scheduled,Tracking	Edwards AFB - USA
assembly	The act of putting something together	assembled,assembly,connected,connection,incorrect,incorrect assembly,installation removal,installed,removed,secured	Edwards AFB - USA
contaminated	Something or someone that has been affected by a foreign body	dirty,polluted,unclean	Edwards AFB - USA
degraded	An article that has lost part of it's functionality	ICAW ,caution,degraded,display,indication,intermittent,software,warning	Edwards AFB - USA
displayfail_nonrecoverable	Failure of aircraft displays which recover in flight	Display,HMD,ICAW ,reset	Edwards AFB - USA
displayfail_recoverable	Failure of aircraft displays which recover in flight	DMC-H ,Display,Display Management Computer,HMD,Helmet Mounted Display,ICAW,Integrated Caution And Warning,NORDO,No Radio ,reset	Edwards AFB - USA
external_aircraft_UK	Aircraft other than that being reported registered to the UK	aircraft	Edwards AFB - USA
external_aircraft_US	Aircraft other than that being reported registered to the US	aircraft	Edwards AFB - USA
external_aircraft_other	Aircraft other than that being reported registered to a country not the UK or US	aircraft	Edwards AFB - USA
failed	Something not functioning properly	failed,failed to operate,failed to function,failure	Edwards AFB - USA
flight_line	The area of an airfield where aircraft are handed from engineers to aircrew	flight line,line,line operations	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
hover	An airbourne state where the aircraft maintains position above the ground	in flight,landing	Edwards AFB - USA
in_flight	While airbourne	airborne,in flight,in-flight,landing,mission,sortie,take off,take-off	Edwards AFB - USA
intermittent	Occurring at irregular intervals	ICAW ,caution,degraded,display,indication,intermittent,software,warning	Edwards AFB - USA
landing	Act of aircraft making contact with the ground for the purpose of remaining.	RVL,STOVL,VL,hover,in flight,landing	Edwards AFB - USA
lifing	The expected time for a component to last	configuration management,forecasting,life cycle,scheduling	Edwards AFB - USA
lockheed_martin	US arms manufacturer	CFT,LM,Lockheed Martin,contractor,lockheed martin	Edwards AFB - USA
lost_tool	A tool that has been misplaced during use	article,blanks,covers,item,lost tool,tooling,tools	Edwards AFB - USA
missing	Something not present when expected to be	FOD,detached,loose article,lost,missing	Edwards AFB - USA
missing_tool	A tool that is not located in it's correct location (not during use)	article,blanks,covers,item,missing tool,tooling,tools	Edwards AFB - USA
not_known	An unknown state	not known,un-known,unknown	Edwards AFB - USA
prop_liftfan	Issues regarding the Lift fan and Transmission	Clutch,Doors,Driveshaft,FADEC,FOD,Gearbox,Lift Fans,Mode,STOVL	Edwards AFB - USA
prop_powerplant	Issues regarding the Engine, Exhaust and Roll posts	3BSM,3BSN,FADEC,FOD,Fuel,Heat,STOVL,Thrust	Edwards AFB - USA
software	Electronic programs written to support the stakeholder	ALIS,CMMS,JTD,loading,update,version	Edwards AFB - USA
support_equipment	Articles used to assist in aircraft operations	SE,loose article,stand,support equipment	Edwards AFB - USA
support_services	Organisations which help to deliver capability	CFT,CLS,LM,P&W,Rolls Royce,civillian,contractor	Edwards AFB - USA
symbology	Figures, letters or numbers displayed to the pilot or maintainer	display,display,displayed,figures,information,symbol,symbolism	Edwards AFB - USA
takeoff	Act of aircraft leaving the ground for intended flight	STO,STOVL,airborne,in flight,takeoff	Edwards AFB - USA
unsecured	Part of an assembly which has not been or potentially not been correctly safeguarded	detached,disconnected,loose	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
air_incursion	ATZ entry	air incursion	Halton - RAF
aircraft_marshallling	Overstress/Stall/Spin	aircraft marshalling,marshalling	Halton - RAF
airfied_conspicuity	Failure to see R/W	airfield	Halton - RAF
bird_activity	When Bird Activity is recorded as being Medium or High. Circuit traffic is restricted to clearances of departures only, straight in arrivals or no further take-offs. Flt Lt Andrew Cornes	activity,bird,nest	Halton - RAF
crew_capacity	Sickness/GLOC	crew capacity	Halton - RAF
downdraught/wind_effect	Rotor streaming etc	downdraught,wind effect	Halton - RAF
forced_landing		forced landing	Halton - RAF
foreign_object_damage		foreign object damage	Halton - RAF
ground_incursion	Vehicles or pedestrian incursion	ground incursion	Halton - RAF
indiscipline	Deliberate breaking of rules	discipline	Halton - RAF
procedual_failuire	Failure to follow procedures	procedual,procedure	Halton - RAF
ridge_flying		ridge flying	Halton - RAF
student_aircrew		student aircrew	Halton - RAF
technical_factor	Engineering or equipment	technical	Halton - RAF
ODI_AFOA	Any DASOR relating to Articles Falling Off the Aircraft (AFOA)	AFOA,Articles ,Falling,Fell,ODI RT3P	Hereford
ODI_CFIT	An event which has resulted in, or has got close to a collision with the ground, or an obstruction.	CFIT,DVE,Terrain,unchartered,unchartered	Hereford
ODI_MAC	A Mid Air Collision (MAC) or near MAC.	Airprox,MAC,TAS,prox	Hereford
ODI_RT3P	An event which has resulted in Third Party persons or property being endangered or hurt/damaged.	party,AFOA,HLS,Third,damage,downwash,horse,rider	Hereford
ODI_RUA	The release or near release of an unairworthy aircraft for flight.	AMIS,GOLDesp,overfly,release,unairworthy	Hereford
ODI_Survivability	Any DASOR relating to Survivability (including BALCS, PSTASS, maritime integration of aircrew equipment and windscreen strength)	BALCS,Drone,Embarked,Intercom,PSTASS,UAS,UAV, Water Ingress,Windscreen	Hereford
ODI_TIES	Any incident or hazard relating to TIES	FR,LTES,RTES,TIES,abseil,fast,hoist,rope,winch	Hereford
AFF	Accelerated Free Fall.	AFF,levels	JSAT
PLA	The area used to land.	landing area,pre planned,safe landing area	JSAT
advanced	Individual who is advanced undertaking JSAT Parachuting.	adv,advanced course,experienced,quantity of jumps	JSAT

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
altimeter	Height. Instrument worn on the parachutist to give indication of altitude.	alpha,analogue,ancil,digital,galaxy,instrument,viso	JSAT
bag_lock	Malfunction type. The canopy is unable to come out of the Parachute bag and the Parachutist will need to conduct reserve drills.	fast speed,mal,malfunction,no canopy,reserve drill required	JSAT
camera	Parachute filming.	camera,camera helmet,chest,go pro,head	JSAT
canopy_handling	Control of Canopy. The method in which a parachute controls the parachute from deployment to landing.	CH1,CH1,CH2,CH2,coach,coach,dangerous,dangerous,good,good,low turn,low turn,poor,poor	JSAT
chief_instructor	Overseeing Parachute activity on DZ.	knowledge,responsible,subject	JSAT
cutaway	Transfer of main to reserve.	fall away,operate,pad	JSAT
end_cell_closure	Nuisance factor.	deflated,depression of brakes,end cells	JSAT
formation_skydiving	Formation Parachuting.	4 People,4 Way,Advanced,FS1,camera,track away	JSAT
freefall	After exit and prior to deployment.	4 way,FF,solo,stable,unstable	JSAT
freefly	Head up flying.	FF,FF1,FF2	JSAT
instructor	Instructing JSAT Parachuting.	AFFI,Ci,CSBI,CSI,Coach,Inst,oversee,tandem	JSAT
landed_off	Missed PLA. The parachutist has not landed in the planned area and outside of the pre-planned landing area.	cloud,distance,injured,not injured,off,spot,wind	JSAT
landing_pattern	Controlling canopy onto PLA.	cross wind,downwind,heights,into wind,left,right	JSAT
parachute	A system that allows a person to descend safely when dropped from an aircraft.	3 ring,RSL,canopy,chest straps,container,cutaway pad,leg straps,lines,main,para,reserve,reserve handle,system,toggle	JSAT
parachute_documentation	Parachute material that provides official information or evidence or that serves a record.	POM,air safety management plan,performance designs	JSAT
premature_break_release	Nuisance factor.	spiral,steering toggle,turn	JSAT
publication	Documentation issued to make something general know.	AP,RN,air publications,document,regulatory article	JSAT
reserve	Used if the main canopy fails to get a person safely to the ground. Operated by pulling the reserve handle.	handle,second canopy	JSAT
slider_high	Slider not coming down the lines.	depression of brakes,high,nuisance factor,stuck	JSAT
static_line	Static line deployed. A method of deploying the main canopy, the anchor point on the aircraft will assist with the deployment of the main canopy.	RAPS,SL,student	JSAT

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
student	Individual who is a student undertaking JSAT Parachuting.	AFF,basic,student,tandem	JSAT
tandem	When a student skydiver is connected to an instructor via a harness.	attached,connected,drogue,harness,instructor,student	JSAT
toggle	Turn Canopy. Pulled to deploy main canopy.	dropped,fell,pulled,released,steering,stiff	JSAT
twists	Nuisance Factor. Twist in the lines that prevent Parachutist taking control.	high twists,minimal twists,nuisance factor	JSAT
wind_loading	Weight under canopy. This is the number indicating the load per unit of surface of a parachute.	Katanna,Navigator,PD,POM,Recommendation,Sabre,Stiletto,Storm,Velocity,tandem	JSAT
wind_tunnel	Indoor skydiving.	VWT,course,door,glass,instructor,student,wall,wind	JSAT
AHRS	For occurrences involving the aircraft AHRS.	AHRS,AI,HSI,erect,toppled	Leeming - RAF
ATC_landline	Any DASOR relating to Direct Dial Landlines that are unserviceable or intermittent.	ATC ,Communications,Landline,Telephone	Leeming - RAF
ATC_staffing	When ATC Manning is below that acceptable for ATC/BM tasking.	ATC,Air Traffic,BM,manning,tasking	Leeming - RAF
MDU	For occurrence involving the aircraft MDU.	MDU,mdu	Leeming - RAF
airfield_equipment	Any occurrence involving Generic Airfield Equipment, which is maintained by Airfield repair services such as Barriers, Arrestors, Traffic Lights, Runway Lights etc.	Approach lights,Arrestor,Barrier,PAPI,Runway Lights,Taxiway Lights,Traffic Lights,VASI	Leeming - RAF
bird_activity	When Bird Activity is recorded as being Medium or High. Circuit traffic is restricted to clearances of departures only, straight in arrivals or no further take-offs. Flt Lt Andrew Cornes	activity,bird,nest	Leeming - RAF
exercise_traffic	For occurrences involving aircraft temporarily based on Stn for exercises.	Ex,Exercise	Leeming - RAF
foreign_aircraft	For occurrences involving non-UK aircraft.	Foreign,overseas	Leeming - RAF
fuel_gauge	Instrument used to indicate the level of fuel contained in a tank. Any DASOR relating to fuel gauging issues	Imbalance,LH,Ltrs,RH,failure of gauge,fuel,fuel gauge,gauge,oscillation of contents	Leeming - RAF
glider	For occurrence involving Gliders/Paragliders/Paramotors/Hangliders	glider,glider site,gliders,handglider,handgliders,paraglider,paragliders,paramotor,paramotors	Leeming - RAF
incorrect_clearance	For occurrences involving an incorrect clearance	Clearance,cleared	Leeming - RAF
visiting_aircraft	For occurrences involving non-Stn based aircraft.	Non-Station,Visiting	Leeming - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
3rd_age_unseen	Those 3rd age reports that were not observed by any other than the crew. This allows differentiation from those 3rd age which are submitted because the event was obvious to others.		Linton-on-Ouse - RAF
DAO	Duty Aircrew Officer involvement in the occurrence	DAO,DI,duty instructor	Linton-on-Ouse - RAF
ECM	Engine Control Malfunction as per the Tucano ADS	EEC,EGT,fluct,fluctuation,gauge,malfunction,overswing,rpm,surge,torque,tq,undemanded	Linton-on-Ouse - RAF
MTF	Maintenance Test Flights	Airtest,Maintenance Test Flight,Test Flight,Unit Test Flight,Unit Test Pilot	Linton-on-Ouse - RAF
PFC	Primary Flying Control faults ie Flaps, Airbrakes or undercarriage (not microswitch)	airbrake,control restriction,flap,flap failure,flap malfunction,undercarriage	Linton-on-Ouse - RAF
formation	Formation Flying	3 ship,Battle,Form,Formation,MAC,Tactical,airshow,fly past,fly past practice,pair	Linton-on-Ouse - RAF
generator_failure	Generator failure	GEN Caption,Gen,generator,generator caption,generator failure	Linton-on-Ouse - RAF
infringement	Airspace/Level infringement by Linton based aircraft	ATZ infringement,ATZ infringement,MATZ incursion,MATZ incursion,airspace incursion,airspace incursion,cleared flight level,cleared flight level,controlled airspace,controlled airspace,dange area incursion,dange area incursion,level bust,level bust,potential level bust,potential level bust,take off without clearance,take off without clearance,wrong runway,wrong runway	Linton-on-Ouse - RAF
intervention	Instructor Intervention insufficient or too late to prevent occurrence	intervene,intervene,take control,take control,taken control,taken control	Linton-on-Ouse - RAF
microswitches	Canopy or Undercarriage microswitch fault	canopy,gear,reds,undercarriage	Linton-on-Ouse - RAF
overstress	Overstress, or suspected/possible overstress of Undercarriage system, Flap or Airframe	airframe,flap,gear,landing gear,overspeed	Linton-on-Ouse - RAF
task_v_resource-GSE/Tools	Any DASOR where unavailability of GSE/Tools has been a causal factor	GSE,Tools	Lossiemouth - RAF
task_v_resource-personnel	Any DASOR where an imbalance between task and personnel (either quantity or SQEP) is a causal factor		Lossiemouth - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
task_v_resource-spares	Any DASOR where a lack of spares is a causal factor	AOG,Aircraft on Ground,Cannibalisation,D State,Rob	Lossiemouth - RAF
task_v_resource-planning	Any DASOR where planning (eg late notice changes/unrealistic expectations) has been a causal factor		Lossiemouth - RAF
DT-ADS	Lightning F35 Delivery Team Name	DT-ADS	Marham - RAF
DT-ALIS	Lightning F35 Delivery Team Name	DT - ALIS	Marham - RAF
DT-Config	Lightning F35 Delivery Team Name	DT - Config	Marham - RAF
DT-Crew_Systems	Lightning F35 Delivery Team Name	DT - Crew Systems	Marham - RAF
DT-EOSH	Lightning F35 Delivery Team Name	DT - EOSH	Marham - RAF
DT-Eng_Co-Ord	Lightning F35 Delivery Team Name	DT - Eng Co-Ord	Marham - RAF
DT-Flight_Ctrl	Lightning F35 Delivery Team Name	Flight Ctrl	Marham - RAF
DT-Flying_Systems	Lightning F35 Delivery Team Name	DT - Flying Systems	Marham - RAF
DT-JTD	Lightning F35 Delivery Team Name	DT - JTD	Marham - RAF
DT-LISSC	Lightning F35 Delivery Team Name	DT - LISSC	Marham - RAF
DT-Management	Lightning F35 Delivery Team Name	DT - Management	Marham - RAF
DT-Mission_Ops	Lightning F35 Delivery Team Name	DT - Mission Ops	Marham - RAF
DT-Mission_Software	Lightning F35 Delivery Team Name	DT - Mission Software	Marham - RAF
DT-Mission_Support	Lightning F35 Delivery Team Name	DT - Mission Support	Marham - RAF
DT-Mission_Systems	Lightning F35 Delivery Team Name	DT - Mission Systems	Marham - RAF
DT-Propulsion	Lightning F35 Delivery Team Name	DT - Propulsion	Marham - RAF
DT-Quality	Lightning F35 Delivery Team Name	DT - Quality	Marham - RAF
DT-RTS	Lightning F35 Delivery Team Name	DT - RTS	Marham - RAF
DT-Safety_Team	Lightning F35 Delivery Team Name	DT - Safety Team	Marham - RAF
DT-Software	Lightning F35 Delivery Team Name	DT - Software	Marham - RAF
DT-SptPol	Lightning F35 Delivery Team Name	DT - SptPol	Marham - RAF
DT-Struct	Lightning F35 Delivery Team Name	DT - Struct	Marham - RAF
DT-Supply	Lightning F35 Delivery Team Name	DT - Supply	Marham - RAF
DT-Support_Equip	Lightning F35 Delivery Team Name	DT - Support Equip	Marham - RAF
DT-Sustainment	Lightning F35 Delivery Team Name	DT - Struct,DT - Sustainment	Marham - RAF
DT-Training_Systems	Lightning F35 Delivery Team Name	Delivery Team,F35 ,LII Training,Lightning	Marham - RAF
DT-US_CPP	Lightning F35 Delivery Team Name	DT - US CPP	Marham - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Utility_&_Sub_Sys	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Marham - RAF
DT-Weapons_Int	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Marham - RAF
DT-ADS	Lightning F35 Delivery Team Name	DT-ADS	MCAS Beaufort - USA
DT-ALIS	Lightning F35 Delivery Team Name	DT - ALIS	MCAS Beaufort - USA
DT-Config	Lightning F35 Delivery Team Name	DT - Config	MCAS Beaufort - USA
DT-Crew_Systems	Lightning F35 Delivery Team Name	DT - Crew Systems	MCAS Beaufort - USA
DT-EOSH	Lightning F35 Delivery Team Name	DT - EOSH	MCAS Beaufort - USA
DT-Eng_Co-Ord	Lightning F35 Delivery Team Name	DT - Eng Co-Ord	MCAS Beaufort - USA
DT-Flight_Ctrl	Lightning F35 Delivery Team Name	Flight Ctrl	MCAS Beaufort - USA
DT-Flying_Systems	Lightning F35 Delivery Team Name	DT - Flying Systems	MCAS Beaufort - USA
DT-JTD	Lightning F35 Delivery Team Name	DT - JTD	MCAS Beaufort - USA
DT-LISSC	Lightning F35 Delivery Team Name	DT - LISSC	MCAS Beaufort - USA
DT-Management	Lightning F35 Delivery Team Name	DT - Management	MCAS Beaufort - USA
DT-Mission_Ops	Lightning F35 Delivery Team Name	DT - Mission Ops	MCAS Beaufort - USA
DT-Mission_Software	Lightning F35 Delivery Team Name	DT - Mission Software	MCAS Beaufort - USA
DT-Mission_Support	Lightning F35 Delivery Team Name	DT - Mission Support	MCAS Beaufort - USA
DT-Mission_Systems	Lightning F35 Delivery Team Name	DT - Mission Systems	MCAS Beaufort - USA
DT-Propulsion	Lightning F35 Delivery Team Name	DT - Propulsion	MCAS Beaufort - USA
DT-Quality	Lightning F35 Delivery Team Name	DT - Quality	MCAS Beaufort - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-RTS	Lightning F35 Delivery Team Name	DT - RTS	MCAS Beaufort - USA
DT-Safety_Team	Lightning F35 Delivery Team Name	DT - Safety Team	MCAS Beaufort - USA
DT-Software	Lightning F35 Delivery Team Name	DT - Software	MCAS Beaufort - USA
DT-SptPol	Lightning F35 Delivery Team Name	DT - SptPol	MCAS Beaufort - USA
DT-Struct	Lightning F35 Delivery Team Name	DT - Struct	MCAS Beaufort - USA
DT-Supply	Lightning F35 Delivery Team Name	DT - Supply	MCAS Beaufort - USA
DT-Support_Equip	Lightning F35 Delivery Team Name	DT - Support Equip	MCAS Beaufort - USA
DT-Sustainment	Lightning F35 Delivery Team Name	DT - Struct,DT - Sustainment	MCAS Beaufort - USA
DT-Training_Systems	Lightning F35 Delivery Team Name	Delivery Team,F35 ,LII Training,Lightning	MCAS Beaufort - USA
DT-US_CPP	Lightning F35 Delivery Team Name	DT - US CPP	MCAS Beaufort - USA
DT-Utility_&_Sub_Sys	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	MCAS Beaufort - USA
DT-Weapons_Int	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	MCAS Beaufort - USA
RA1166	Allow identification of reports raised by RWTES crews flying QinetiQ aircraft under RA1166		MOD Boscombe Down
airfield_FOD	FOD on the aircraft operating areas.	Airfield ,Apron,FOD,Litter,Runway,Taxi	MOD Boscombe Down
contractor_control	Issues with contractors working on the airfield.	Airfield works,Contractor,EMCOR,Infringement,Parking,Safeguarding,Works Services	MOD Boscombe Down
realised_hazard	Any DASOR where the hazard has been realised.		MOD Boscombe Down
solar_farm	Activities relating to the local solar farm	Solar farm,infringement,solar farm	MOD Boscombe Down

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
stud_2_&_3_comms	Issues with airfield radio communications	aerials,aquilla,comms,jotron radio,stud 2,stud 3	MOD Boscombe Down
wildlife_damage	Wildlife damage	badgers,chafer beetle,crows,deer,grass strip,gulls,moles,pheasants,rabbits,topping out,undermining	MOD Boscombe Down
ODI-Refuel_Fire_or_Explosion	Any DASOR relating to Fire, explosion or refuelling operations.	Explosion,Fire,RRRF	Odiham - RAF
ODI-Bird_Strike	Any AS that is struck by a bird in flight	Bird,Impact,Wildlife	Odiham - RAF
ODI-CGI	Any DASOR relating to CGI Exceedance or overstress of airframe.	Airframe,CGI,Exceedance,Limits,Overstress	Odiham - RAF
ODI-FDAD	Any DASOR relating to Loss of control of a role activity.	Control,FDAD,Loss,Role Activity	Odiham - RAF
ODI-Fatigue	Fatigue by any service personnel	Exhaustion,Sleep,Tired,Tiredness	Odiham - RAF
ODI-Lag_Dampers	Any DASOR relating to Lag Damper failure or malfunction	Lag Dampers	Odiham - RAF
ODI-Laser	Any AS that is illuminated by a laser in flight	Distraction,Eyes,Laser,Lazer,Optical	Odiham - RAF
ODI-Loss_of_Control	Any DASOR relating to Loss of control in flight or loss of control on the ground.	Control,Flight,Loss	Odiham - RAF
ODI-MCT	Any DASOR relating to Maritime Counter Terrorism incident.	Counter Terrorism,Maritime	Odiham - RAF
ODI-OP-R1	Any DASOR Relating to ODI R1 activities.	OOA A,R1	Odiham - RAF
ODI-Water_Ingress	Any DASOR relating to Water Ingress into the Ac or equipment	Water Ingress	Odiham - RAF
ODI_AC_emissions	Aircraft Emissions affecting 3RD Party.	downwash,horse rider	Odiham - RAF
ODI_AFOA	Any DASOR relating to Articles Falling Off the Aircraft (AFOA)	AFOA,Articles ,Falling,Fell,ODI RT3P	Odiham - RAF
ODI_AFOA_TE	Any Odiham DDH DASOR relating an AFOA Top Event occurrence	AFOA,Top Event	Odiham - RAF
ODI_CFIT	An event which has resulted in, or has got close to a collision with the ground, or an obstruction.	CFIT,DVE,Terrain,uncharted,unchartered	Odiham - RAF
ODI_MAC	A Mid Air Collision (MAC) or near MAC.	Airprox,MAC,TAS,prox	Odiham - RAF
ODI_Op_PELEDA	Any DASOR reported by Sqns deployed on Op PELEDA	Estonia,Op PELEDA,OpPELEDA,PELEDA	Odiham - RAF
ODI_RT3P	An event which has resulted in Third Party persons or property being endangered or hurt/damaged.	party,AFOA,HLS,Third,damage,downwash,horse,rider	Odiham - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ODI_RUA	The release or near release of an unairworthy aircraft for flight.	AMIS,GOLDesp,overfly,release,unairworthy	Odiham - RAF
ODI_Survivability	Any DASOR relating to Survivability (including BALCS, PSTASS, maritime integration of aircrew equipment and windscreen strength)	BALCS,Drone,Embarked,Intercom,PSTASS,UAS,UAV, Water Ingress,Windscreen	Odiham - RAF
ODI_TIES	Any incident or hazard relating to TIES	FR,LTES,RTES,TIES,abseil,fast,hoist,rope,winch	Odiham - RAF
ODI_UFIT/O	Uncontrolled impact with Terrain or Obstacle.	Maintenance,caution ,damaged,warning	Odiham - RAF
ODI_families_day	Relevant Lessons Identified for planning of future families' day events	Families,Families Day	Odiham - RAF
WCONUS	Any DASOR relating to ongoing Operations in support of JAC deployed aircraft to Western USA.	Chinook,DVE,EQ,EI Centro,Mountain Home,Yuma	Odiham - RAF
ODI_AC_emissions	Aircraft Emissions affecting 3RD Party.	downwash,horse rider	OOA A Block
ODI_AFOA	Any DASOR relating to Articles Falling Off the Aircraft (AFOA)	AFOA,Articles ,Falling,Fell,ODI RT3P	OOA A Block
ODI_CFIT	An event which has resulted in, or has got close to a collision with the ground, or an obstruction.	CFIT,DVE,Terrain,uncharted,unchartered	OOA A Block
ODI_MAC	A Mid Air Collision (MAC) or near MAC.	Airprox,MAC,TAS,prox	OOA A Block
ODI_OP_PITTING	Any DASOR relating to OOA A Block.	Chinook,OOA A,OOA A Block	OOA A Block
ODI_RT3P	An event which has resulted in Third Party persons or property being endangered or hurt/damaged.	party,AFOA,HLS,Third,damage,downwash,horse,rider	OOA A Block
ODI_RUA	The release or near release of an unairworthy aircraft for flight.	AMIS,GOLDesp,overfly,release,unairworthy	OOA A Block
ODI_Survivability	Any DASOR relating to Survivability (including BALCS, PSTASS, maritime integration of aircrew equipment and windscreen strength)	BALCS,Drone,Embarked,Intercom,PSTASS,UAS,UAV, Water Ingress,Windscreen	OOA A Block
ODI_TIES	Any incident or hazard relating to TIES	FR,LTES,RTES,TIES,abseil,fast,hoist,rope,winch	OOA A Block
DT-ADS	Lightning F35 Delivery Team Name	DT-ADS	OOA Akrotiri
DT-ALIS	Lightning F35 Delivery Team Name	DT - ALIS	OOA Akrotiri
DT-Config	Lightning F35 Delivery Team Name	DT - Config	OOA Akrotiri
DT-Crew_Systems	Lightning F35 Delivery Team Name	DT - Crew Systems	OOA Akrotiri
DT-EOSH	Lightning F35 Delivery Team Name	DT - EOSH	OOA Akrotiri
DT-Eng_Co-Ord	Lightning F35 Delivery Team Name	DT - Eng Co-Ord	OOA Akrotiri
DT-Flight_Ctrl	Lightning F35 Delivery Team Name	Flight Ctrl	OOA Akrotiri
DT-Flying_Systems	Lightning F35 Delivery Team Name	DT - Flying Systems	OOA Akrotiri

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-JTD	Lightning F35 Delivery Team Name	DT - JTD	OOA Akrotiri
DT-LISSC	Lightning F35 Delivery Team Name	DT - LISSC	OOA Akrotiri
DT-Management	Lightning F35 Delivery Team Name	DT - Management	OOA Akrotiri
DT-Mission_Ops	Lightning F35 Delivery Team Name	DT - Mission Ops	OOA Akrotiri
DT-Mission_Software	Lightning F35 Delivery Team Name	DT - Mission Software	OOA Akrotiri
DT-Mission_Support	Lightning F35 Delivery Team Name	DT - Mission Support	OOA Akrotiri
DT-Mission_Systems	Lightning F35 Delivery Team Name	DT - Mission Systems	OOA Akrotiri
DT-Propulsion	Lightning F35 Delivery Team Name	DT - Propulsion	OOA Akrotiri
DT-Quality	Lightning F35 Delivery Team Name	DT - Quality	OOA Akrotiri
DT-RTS	Lightning F35 Delivery Team Name	DT - RTS	OOA Akrotiri
DT-Safety_Team	Lightning F35 Delivery Team Name	DT - Safety Team	OOA Akrotiri
DT-Software	Lightning F35 Delivery Team Name	DT - Software	OOA Akrotiri
DT-SptPol	Lightning F35 Delivery Team Name	DT - SptPol	OOA Akrotiri
DT-Struct	Lightning F35 Delivery Team Name	DT - Struct	OOA Akrotiri
DT-Supply	Lightning F35 Delivery Team Name	DT - Supply	OOA Akrotiri
DT-Support_Equip	Lightning F35 Delivery Team Name	DT - Support Equip	OOA Akrotiri
DT-Sustainment	Lightning F35 Delivery Team Name	DT - Struct,DT - Sustainment	OOA Akrotiri
DT-Training_Systems	Lightning F35 Delivery Team Name	Delivery Team,F35 ,LII Training,Lightning	OOA Akrotiri
DT-US_CPP	Lightning F35 Delivery Team Name	DT - US CPP	OOA Akrotiri
DT-Utility_&_Sub_Sys	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	OOA Akrotiri
DT-Weapons_Int	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	OOA Akrotiri
2404	Any DASOR relating to the platforms operating software	2404,software	OOA Iraq
2407	Any DASOR relating to the platforms operating software	2407,software	OOA Iraq
2409	Any DASOR relating to the platforms operating software	2409,software	OOA Iraq
ACU	Any DASOR relating to issues with GCS air conditioning for equipment cooling	Air conditioning,trip	OOA Iraq
AoA_sensor	Any DASOR relating to issues with the AoA Sensor	potentiometer,AoA,stall	OOA Iraq
DFCS	Any DASOR relating to issues with the Flight Control System	DFCS,UARB,autopilot,hold mode,servo	OOA Iraq

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
F700	Any DASOR relating to issues with the F700 and support processes	ADF,F700,SNOW,Skynet,documentation	OOA Iraq
F781	Any DASOR relating to issues with the F781 and support processes	ADF,F777H,F781,SNOW,Skynet,documentation	OOA Iraq
FSST	Any DASOR relating to issues with the FSST	FSST,lost link,relay,satellite	OOA Iraq
GCS_power	Any DASOR relating to issues with GCS power supplies	GCU,PSU,UPS,battery,breaker,line,mains power,trip	OOA Iraq
LRE	Any DASOR relating to issues with the LRE	CLRE,Det Cdr,DetCo,LRE,handback,handover,landing,recovery,tak e-off	OOA Iraq
MASS	Any DASOR relating to issues with the MASS	MASS,arm,consent,master,red pen,trigger	OOA Iraq
MCE	Any DASOR relating to issues with MCE	MCE	OOA Iraq
MIC_stn	Any DASOR relating to issues with the MIC Station	MIC,Tacit,Tacitview,VLC,freeze,video	OOA Iraq
MJAT	Any DASOR relating to issues with MJAT	MJAT,sim,simulator	OOA Iraq
MQ9Airspace		TAC C2,clearance,confliction	OOA Iraq
MTS	Any DASOR relating to issues with Multi Spectral Targeting Pod	GIMDIS,MTS,camera,feed,multi,pod,video	OOA Iraq
checklist	Checklist discipline, missed or misread items, incorrect read-back of settings.	discipline,misread,omitted	OOA Iraq
datalinks	Any DASOR relating to issues with datalinks	AV TX1,AV TX2,GDT,Omni,SATCOM,directional,dish,interference,lo st link,satellite	OOA Iraq
deconflictor	Any DASOR relating to issues with the deconflictor and supporting processes	aircraft status,deconflictor,frequencies,peripheral	OOA Iraq
flight_controls	Any DASOR relating to the GCS flight controls	Flight stick,condition,controls,lever,rudder,speed,throttle,trim,ya w	OOA Iraq
handover	Any DASOR relating to issues with Handover between LRE-MCE and MCE-MCE	FSST,Gaining,Handover,Losing	OOA Iraq
headset	Any DASOR relating to issues with the GCS intercom system and headsets	headset,intercom	OOA Iraq
lost_link	Lost link event	Em Msn,FSST,PPSL,data link,datalink,frequency,lost link,mission,reaper,signal,space	OOA Iraq
rack_lock_up	Any DASOR relating to issues with Rack Lock Ups	PCL,blank screen,freeze,lock up,point,rack	OOA Iraq

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
secure_chat	Any DASOR relating to issues with mIRC	mIRC,peripherals,secure chat	OOA Iraq
technical_failure	Any DASOR relating to failure of aircraft or gcs equipment	caution,failure,technical,warning	OOA Iraq
theatre_documentation	Any DASOR relating to issues with Theatre documentation	ACM,ACO,SPINs,air picture,measure,updates	OOA Iraq
wildlife_strike	Any DASOR relating to Wildlife strikes	hit,impact,strike,wildlife	OOA Iraq
AOTE_3.10	Loss of safe separation with the ground	Low,Ground,Kite,Low Height,MSD,RADALT,mast,obstacle,obstruction,wires	OOA Kabul
AOTE_3.11	Loss of Control in Flight (Flying)	Authority,Control,Divergence,Jam,Kite,Restriction,UFCM,Undemanded	OOA Kabul
AOTE_3.2	Person / Articles Falling off Aircraft	HUSLE,Hook,Insecure,Insecure,Load,Loadpole,Net,Oscillations,Passenger,Pax,SARCRU,Strop,Swing,Troop,Unstrapped,Unstrapped,abseil,fastrope,hoist,parachute,winch	OOA Kabul
AOTE_3.3	Aircraft Fire or Explosion	Burning,Emergency Response,Fire,Flames,Fumes,Smell,Smoke,Spark,Static	OOA Kabul
AOTE_3.5	Loss of Safe Separation between an Aircraft's Emissions and an Object (Flying)	Chaff,Dud,Fault,Flare,GPMG,Jam,discharge,hang up,misfire,pyro,stoppage	OOA Kabul
AOTE_3.6	Approach, take-off, Landing incident	Approach,DVE,Go around,Hover,Landing,Lift,Overshoot,Transition,brownout,dust	OOA Kabul
AOTE_3.7	Aircraft Deviating Beyond the Bounds of the Manoeuvring Area	Approach,DVE,Go around,Hover,Landing,Lift,Overshoot,Transition,brownout,dust	OOA Kabul
AOTE_3.9	Loss of Safe Separation with Other Air Users (Flying)	Airprox,Close,Conflicion,Converging,Lookout,Lost Sight,Not Visual,TAS,TCAS,Traffic	OOA Kabul
AOTE_5.1	Aircraft Occupants Exposed to the Post-Crash Environment	AEA,BALCS,Crash,Emergency Response,FACS,Heavy landing,Impact,PSTASS,STASS,extinguisher,liferaft,stole	OOA Kabul
BEN_aerodrome	Runway Incursion, Excursion ground	CFO,Closed field ops,Emergency Response,Incursion,Runway,Vehicle	OOA Kabul

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BEN_human_factors_man	Human Factors Management Barrier / Ben Stds Initiative	CRM,Cognitive Failure,Control,Crew,Decision Process,Failure to Follow Process,Handling,Operation,Option,Procedure,Situational Awareness,TRM,Use,fatigue,operating	OOA Kabul
GOTE_2.1	Loss of Separation between a Parked Aircraft, or an Aircraft being Manoeuvred, and an Object	Auth,Procedure,Supervisor,Tow,Tower,Towing,marshalled,marshaller	OOA Kabul
GOTE_2.3	Refuelling Fire or Explosion	Burning,Burning,Fire,Fire,Flames,Flames,Fumes,Fumes,Smell,Smell,Smoke,Smoke,Spark,Static	OOA Kabul
GOTE_3.1	Release of unairworthy aircraft	Airworthiness,CAMO,Engineers,Independent Inspections,Indy,MAR,MIL-AR,Overdue,Overflown,Supervision,Unserviceable,Walk Around	OOA Kabul
TAD_kite_strike	Kite Strike within TORAL AO.	Kite,PCR,String	OOA Kabul
WETE_1.1	Failure to Follow Procedure	Control,CRM,Cognitive Failure,Crew,Decision Process,Failure to Follow ,Fatigue,Handling,Operation,Option,Procedure,Situational Awareness,TRM,Use,operating	OOA Kabul
906EAW	Any DASOR relating to Minhad, UAE.	Minhad,OOA,UAE	OOA Minhad
ODI_AC_emissions	Aircraft Emissions affecting 3RD Party.	downwash,horse rider	OOA Newcombe
ODI_AFOA	Any DASOR relating to Articles Falling Off the Aircraft (AFOA)	AFOA,Articles ,Falling,Fell,ODI RT3P	OOA Newcombe
ODI_CFIT	An event which has resulted in, or has got close to a collision with the ground, or an obstruction.	CFIT,DVE,Terrain,uncharted,unchartered	OOA Newcombe
ODI_MAC	A Mid Air Collision (MAC) or near MAC.	Airprox,MAC,TAS,prox	OOA Newcombe
ODI_RT3P	An event which has resulted in Third Party persons or property being endangered or hurt/damaged.	party,AFOA,HLS,Third,damage,downwash,horse,rider	OOA Newcombe
ODI_RUA	The release or near release of an unairworthy aircraft for flight.	AMIS,GOLDesp,overfly,release,unairworthy	OOA Newcombe
ODI_Survivability	Any DASOR relating to Survivability (including BALCS, PSTASS, maritime integration of aircrew equipment and windscreen strength)	BALCS,Drone,Embarked,Intercom,PSTASS,UAS,UAV, Water Ingress,Windscreen	OOA Newcombe
ODI_TIES	Any incident or hazard relating to TIES	FR,LTES,RTES,TIES,abseil,fast,hoist,rope,winch	OOA Newcombe
DT-ADS	Lightning F35 Delivery Team Name	DT-ADS	Prince of Wales - HMS
DT-ALIS	Lightning F35 Delivery Team Name	DT - ALIS	Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Config	Lightning F35 Delivery Team Name	DT - Config	Prince of Wales - HMS
DT-Crew_Systems	Lightning F35 Delivery Team Name	DT - Crew Systems	Prince of Wales - HMS
DT-EOSH	Lightning F35 Delivery Team Name	DT - EOSH	Prince of Wales - HMS
DT-Eng_Co-Ord	Lightning F35 Delivery Team Name	DT - Eng Co-Ord	Prince of Wales - HMS
DT-Flight_Ctrl	Lightning F35 Delivery Team Name	Flight Ctrl	Prince of Wales - HMS
DT-Flying_Systems	Lightning F35 Delivery Team Name	DT - Flying Systems	Prince of Wales - HMS
DT-JTD	Lightning F35 Delivery Team Name	DT - JTD	Prince of Wales - HMS
DT-LISSC	Lightning F35 Delivery Team Name	DT - LISSC	Prince of Wales - HMS
DT-Management	Lightning F35 Delivery Team Name	DT - Management	Prince of Wales - HMS
DT-Mission_Ops	Lightning F35 Delivery Team Name	DT - Mission Ops	Prince of Wales - HMS
DT-Mission_Software	Lightning F35 Delivery Team Name	DT - Mission Software	Prince of Wales - HMS
DT-Mission_Support	Lightning F35 Delivery Team Name	DT - Mission Support	Prince of Wales - HMS
DT-Mission_Systems	Lightning F35 Delivery Team Name	DT - Mission Systems	Prince of Wales - HMS
DT-Propulsion	Lightning F35 Delivery Team Name	DT - Propulsion	Prince of Wales - HMS
DT-Quality	Lightning F35 Delivery Team Name	DT - Quality	Prince of Wales - HMS
DT-RTS	Lightning F35 Delivery Team Name	DT - RTS	Prince of Wales - HMS
DT-Safety_Team	Lightning F35 Delivery Team Name	DT - Safety Team	Prince of Wales - HMS
DT-Software	Lightning F35 Delivery Team Name	DT - Software	Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-SptPol	Lightning F35 Delivery Team Name	DT - SptPol	Prince of Wales - HMS
DT-Struct	Lightning F35 Delivery Team Name	DT - Struct	Prince of Wales - HMS
DT-Supply	Lightning F35 Delivery Team Name	DT - Supply	Prince of Wales - HMS
DT-Support_Equip	Lightning F35 Delivery Team Name	DT - Support Equip	Prince of Wales - HMS
DT-Sustainment	Lightning F35 Delivery Team Name	DT - Struct,DT - Sustainment	Prince of Wales - HMS
DT-Training_Systems	Lightning F35 Delivery Team Name	Delivery Team,F35 ,LII Training,Lightning	Prince of Wales - HMS
DT-US_CPP	Lightning F35 Delivery Team Name	DT - US CPP	Prince of Wales - HMS
DT-Utility_&_Sub_Sys	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Prince of Wales - HMS
DT-Weapons_Int	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Prince of Wales - HMS
RWTES	Allow identification of reports raised by RWTES crews when flying QCFO aircraft.	QCFO,RWTES	QinetiQ Civil Flying Org
TAS	Traffic Alert System	ATSOCAS,ATZ,Airprox,CAS,Conflict,FLARM,RADAR Service,TAS,TCAS,near miss	QinetiQ Civil Flying Org
multi_typing	Any DASOR where multi typing could have been a causal factor	Different aircraft,cognitive,mishandling,mistake	QinetiQ Civil Flying Org
stud_2_&_3_comms	Issues with airfield radio communications	aerials,aquilla,comms,jotron radio,stud 2,stud 3	QinetiQ Civil Flying Org
DT-ADS	Lightning F35 Delivery Team Name	DT-ADS	Queen Elizabeth - HMS
DT-ALIS	Lightning F35 Delivery Team Name	DT - ALIS	Queen Elizabeth - HMS
DT-Config	Lightning F35 Delivery Team Name	DT - Config	Queen Elizabeth - HMS
DT-Crew_Systems	Lightning F35 Delivery Team Name	DT - Crew Systems	Queen Elizabeth - HMS
DT-EOSH	Lightning F35 Delivery Team Name	DT - EOSH	Queen Elizabeth - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Eng_Co-Ord	Lightning F35 Delivery Team Name	DT - Eng Co-Ord	Queen Elizabeth - HMS
DT-Flight_Ctrl	Lightning F35 Delivery Team Name	Flight Ctrl	Queen Elizabeth - HMS
DT-Flying_Systems	Lightning F35 Delivery Team Name	DT - Flying Systems	Queen Elizabeth - HMS
DT-JTD	Lightning F35 Delivery Team Name	DT - JTD	Queen Elizabeth - HMS
DT-LISSC	Lightning F35 Delivery Team Name	DT - LISSC	Queen Elizabeth - HMS
DT-Management	Lightning F35 Delivery Team Name	DT - Management	Queen Elizabeth - HMS
DT-Mission_Ops	Lightning F35 Delivery Team Name	DT - Mission Ops	Queen Elizabeth - HMS
DT-Mission_Software	Lightning F35 Delivery Team Name	DT - Mission Software	Queen Elizabeth - HMS
DT-Mission_Support	Lightning F35 Delivery Team Name	DT - Mission Support	Queen Elizabeth - HMS
DT-Mission_Systems	Lightning F35 Delivery Team Name	DT - Mission Systems	Queen Elizabeth - HMS
DT-Propulsion	Lightning F35 Delivery Team Name	DT - Propulsion	Queen Elizabeth - HMS
DT-Quality	Lightning F35 Delivery Team Name	DT - Quality	Queen Elizabeth - HMS
DT-RTS	Lightning F35 Delivery Team Name	DT - RTS	Queen Elizabeth - HMS
DT-Safety_Team	Lightning F35 Delivery Team Name	DT - Safety Team	Queen Elizabeth - HMS
DT-Software	Lightning F35 Delivery Team Name	DT - Software	Queen Elizabeth - HMS
DT-SptPol	Lightning F35 Delivery Team Name	DT - SptPol	Queen Elizabeth - HMS
DT-Struct	Lightning F35 Delivery Team Name	DT - Struct	Queen Elizabeth - HMS
DT-Supply	Lightning F35 Delivery Team Name	DT - Supply	Queen Elizabeth - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Support_Equip	Lightning F35 Delivery Team Name	DT - Support Equip	Queen Elizabeth - HMS
DT-Sustainment	Lightning F35 Delivery Team Name	DT - Struct,DT - Sustainment	Queen Elizabeth - HMS
DT-Training_Systems	Lightning F35 Delivery Team Name	Delivery Team,F35 ,LII Training,Lightning	Queen Elizabeth - HMS
DT-US_CPP	Lightning F35 Delivery Team Name	DT - US CPP	Queen Elizabeth - HMS
DT-Utility_&_Sub_Sys	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Queen Elizabeth - HMS
DT-Weapons_Int	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Queen Elizabeth - HMS
SDA_infringement	A vehicle, person or animal has entered the range without approval	area,car,cyclist,danger,incursion,infringement,person,surface,vehicle	Ranges - 2 Gp
maritime_infringement	A vehicle, person or animal has entered the range without approval.	area,car,cyclist,danger,incursion,infringement,person,surface,vehicle	Ranges - 2 Gp
ACAS	A hazard/observation or occurrence related to the ACAS collision avoidance system fitted to the Juno and Jupiter aircraft. Malfunction/discrepancy in airborne collision avoidance system	ACAS,audio,avoidance,collision,traffic,volume	Shawbury - RAF
AFCS	Aircraft Flying Control System Disengagement or failure of both autopilot systems	AFCS,ASW,CFIT,IF,autopilot,deviation from flight path,system	Shawbury - RAF
AMC	Malfunction/discrepancy in aircraft management system operation	AMC,management	Shawbury - RAF
CA	Confined Area	CA,confined area	Shawbury - RAF
CBOX	Combining Gearbox	c-box,cbox,combining gearbox	Shawbury - RAF
CEP	CEP Ear protection device	CEP,Ears,IECD	Shawbury - RAF
CoG	Referring to the Centre of Gravity of an aircraft.	all up weight,mass moment,planning,tech log	Shawbury - RAF
EOL	A helicopter practise engine off landing.	EOL,engine off,engine off landing	Shawbury - RAF
EOL_strip	Area designated for engine-off landing activities.	area,eol,strip	Shawbury - RAF
EPU	EPU malfunction or EPU door open	EPU,Epu,door,epu	Shawbury - RAF
FACS	Future Aircrew Clothing System	clothing,flying suit,kneepads,two piece	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
FADEC_sensor	Malfunction/discrepancy in FADEC monitoring sensors	FADEC,sensor	Shawbury - RAF
FLI	Malfunction/discrepancy with Flight Limit Indicator	FLI,Fli,fli	Shawbury - RAF
FLIPS	All electronic or hardcopy aircraft planning documentation.	charts,documents,maps,publications,reference	Shawbury - RAF
FND	Malfunction/discrepancy in flight navigation display operation	FND,Nav,navigation	Shawbury - RAF
GTN	Malfunction/discrepancy in Garmin operation	GTN,garmin	Shawbury - RAF
IESI	Malfunction/discrepancy in Integrated Electronic Standby Instrument	IESI,integrated	Shawbury - RAF
IF_box	Designated airspace applicable to Shawbury based aircraft in LFA 9 for instrument flying.	IF,alpha,box,brave,charlie,delta	Shawbury - RAF
IMC	Flight in Instrument Metrological Conditions	AI,EHSI,HSI,IFR,IMC,Icing,cloud	Shawbury - RAF
MFD	Malfunction/discrepancy in multi-function display operation	MFD	Shawbury - RAF
MFTS	Incidents or hazard/observations involving Juno and Jupiter aircraft at RAF Shawbury/Valley as part of UK Military Flying Training System.	AHUK,Airbus,Juno,Jupiter,RWFT	Shawbury - RAF
MMI	Failure or limit exceeded of the Mass Moment Indicator present on Juno and Jupiter aircraft. Malfunction/discrepancy in mast moment indication	MMI,indicator,mass moment indicator,mast,moment,sloping ground	Shawbury - RAF
MOA_incursion	Operating area incursion	runway incursion,taxiing,taxiway incursion	Shawbury - RAF
NVD	Night vision device	fatigue,goggles,laser,look out,night flying,night vision,nvd,nvg,unsuitable weather	Shawbury - RAF
RRRF	Incidents occurring during rotors running refuelling.	bowser,refuel,rotors,running	Shawbury - RAF
RadAlt	Radar Altimeter Malfunction/discrepancy in radio altimeter operation	RADALT,Radalt,altimeter,rad-alt	Shawbury - RAF
TAS	Traffic Alert System	ATSOCAS,ATZ,Airprox,CAS,Conflict,FLARM,RADAR Service,TAS,TCAS,near miss	Shawbury - RAF
TAWS	Malfunction/discrepancy in engine monitoring sensors	TAWS,eng,engine,monitoring	Shawbury - RAF
Tern_Hill		RLG,runway,triangle	Shawbury - RAF
Tilstock	A free-fall parachuting site in the vicinity of Shawbury.	freefall,para,paradropping	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
VMS	Malfunction/discrepancy in vehicle monitoring system operation	VMS,monitoring	Shawbury - RAF
WSPS	Wire strike protection system	WSPS,wire cutter,wire strike	Shawbury - RAF
airfield_driving	An incident involving an unauthorised vehicle driving on the airfield or a authorised vehicle in breach of procedures or accepted practise.	ADP,car,driving,permit,vehicle	Shawbury - RAF
airfield_markers	Physical objects/boards on airfield used for marking areas and conveying information.	boards,eol,markers,strip,triangle	Shawbury - RAF
ap_actuator	Malfunction/discrepancy in auto pilot actuators	AP,actuator	Shawbury - RAF
ap_control	Failure or partial failure of the autopilot control panel	AP,Control	Shawbury - RAF
ap_trim	Malfunction/discrepancy in autopilot trim actuator	AP,Trim	Shawbury - RAF
arms_range	Firing range for various weaponry.	live,range,red	Shawbury - RAF
avionics	Aircraft avionics exclusive of engine indications.	Avionics,MFD,moving map,sentinel	Shawbury - RAF
back_up_SAS	Failure of back up SAS	SAS,back up	Shawbury - RAF
battery	Malfunction/discrepancy in battery	Battery,charge	Shawbury - RAF
battery_overheat	Battery temp above 70 degrees	Battery,overheat	Shawbury - RAF
beep_trim	Malfunction/failure in beep trim system for ap	Beep,system,trim	Shawbury - RAF
bleed_valves/bleed_air	Malfunction of engine bleed valve	bleed,engine failure,illuminated,light,loss of power,valve	Shawbury - RAF
building_work	An incident or hazard/observation regarding contractual or building work taking place in vicinity of aviation.	proximity,workmen	Shawbury - RAF
caption	A cockpit warning indication either spurious or real.	captions,chips,master caution,warning	Shawbury - RAF
cargo_hook	Malfunction/discrepancy in cargo hook operation	Cargo,hook,load,loads	Shawbury - RAF
chetwynd	A helicopter landing field used by DHFS.	RLG,centreline,landing direction	Shawbury - RAF
chips_caption	A cockpit warning indication relaying information from gearbox and engine chip detectors.	caption,chips,engine chips	Shawbury - RAF
collective	Malfunction/discrepancy in collective operation	Collective,flying control	Shawbury - RAF
cyclic	Malfunction/discrepancy in cyclic operation	Cyclic,flying control	Shawbury - RAF
data_card	Malfunction/discrepancy in data transfer card	DTC,data,transfer	Shawbury - RAF
decks	Rescue Hoist Operations over boats	SAR,SMIT,Winchng,decks,winchman,winchop	Shawbury - RAF
ditching	Emergency landing on water	Ditch,ditching,water landing	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
door	Parts of aircraft that allow crew access Malfunction/discrepancy in aircraft doors	airstair door,cargo door,door,failure to close,jammed door	Shawbury - RAF
doors_cabin	Any observation or incident regarding the cabin doors of an aircraft.	cabin doors,cockpit doors,doors,exit,handle,hinge,lock	Shawbury - RAF
doors_cockpit	Any observation or incident regarding the cockpit doors of an aircraft.	cabin doors,cockpit doors,doors,exit,handle,hinge,lock	Shawbury - RAF
double_engine_failure	Both engine n1 below threshold values	Double,engine,failure	Shawbury - RAF
elec_overlimit	Electrical system supply outside threshold values	Electric,Electrics,elec,power,supply	Shawbury - RAF
emerg_shed_bus	Emergency shed busbar malfunction/operation	Emergency,busbar,emerg	Shawbury - RAF
eng_chip	Metal particles detected in engine oil	Engine,chip,detector,oil	Shawbury - RAF
eng_fuel_filter	Engine fuel filter contaminated	Engine,eng,filter,fuel	Shawbury - RAF
eng_oil_press	Low pressure in engine oil system	Engine,eng,high,low,oil,pressure	Shawbury - RAF
eng_sensor	Malfunction/discrepancy in engine monitoring sensors	Engine,eng,sensor	Shawbury - RAF
eng_starter	Engine starter malfunction	Engine,eng,starter	Shawbury - RAF
eng_training_mode	Malfunction in engine training mode	Engine,eng,mode,training,trg	Shawbury - RAF
engine_gauge	In-aircraft indications of engine performance including faulty gauges or indications of engine degradation.	engine,gauge,reading,zero	Shawbury - RAF
engine_overspeed	Rise in torque, n1 and tot on affected engine. Reverse in non-affected engine	Engine,over speed,overspeed,torque	Shawbury - RAF
fire_cockpit/cabin	Fire/smoke/fumes in cockpit or cabin	Fire,cabin,cockpit,fumes,smoke	Shawbury - RAF
fire_electrical	Odour of burning insulation/acrid smoke	Smell,electrics,flames,fumes,smoke	Shawbury - RAF
fire_engine_bay_in_flight	Over temperature in engine compartment in flight	Engine bay,fire,flight	Shawbury - RAF
fire_engine_bay_on_ground	Over temperature in engine compartment on ground	Engine bay,fire,ground	Shawbury - RAF
fire_post_shutdown	Tot rises markedly after shutdown	Fire,shutdown	Shawbury - RAF
flight_instruments	In-aircraft indications of flight including faulty instruments or incidents involving incorrect use or interpretation.	QFE,QNH,altimeter,altitude,horizon,pressure,setting	Shawbury - RAF
flot	Malfunction/discrepancy in flotation system	FLOT,flotation	Shawbury - RAF
fluctuations	Uncommanded but predictable oscillations of an aircraft due to engines, autopilot systems or flying controls.	datum,fluctuations,hunt	Shawbury - RAF
fuel_cap	A cap sealing the refuel point of an aircraft.	filler cap,fuel cap,fuel filler,fumes,lid,pump	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
fuel_indication	Malfunction/discrepancy in fuel sensing system	Fuel,gauge,indication	Shawbury - RAF
fuel_low	Respective supply tank contents below threshold value	low,Fuel,fuel tanks	Shawbury - RAF
fuel_press	Malfunction in engine fuel supply system	press,Fuel,high,low,pressure	Shawbury - RAF
fuel_pump	Malfunction in airframe fuel supply system	Fuel,pump	Shawbury - RAF
generator	All systems and indications relating to the conversion of mechanical to electrical power in an aircraft.	amps,discharge,voltage	Shawbury - RAF
generator_failure	Generator failure	GEN Caption,Gen,generator,generator caption,generator failure	Shawbury - RAF
glider	For occurrence involving Gliders/Paragliders/Paramotors/Hangliders	glider,glider site,gliders,handglider,handgliders,paraglider,paragliders,paramotor,paramotors	Shawbury - RAF
grappling	Rescue Hoist Operations	Drums,Grappling,SAR,WinchOp,Winching,Winchman	Shawbury - RAF
ground_resonance	The regular vibration of increasing amplitude of an aircraft position on the ground.	ground resonance,oscillation,regular vibration	Shawbury - RAF
handler_save	A potential incident prevented by a diligent ground handler during a post-start walk around or during refuelling.	disc,handler,leak,start check	Shawbury - RAF
heating	Malfunction/discrepancy in heating system	Heat,Heating	Shawbury - RAF
heavy_landing	A landing perceived to impact the ground with greater force than is necessary or warranted.	abnormal,bounce,hard,heavy,landing	Shawbury - RAF
hoist	Malfunction/discrepancy in hoist operation	Hoist,load	Shawbury - RAF
hot_start	Incident where engine temperature limits are exceeded upon start.	T4,hot,starting,temperature	Shawbury - RAF
hyds_out	Hydraulic out running landing	Hyds out,hydraulic out running landing,running landing	Shawbury - RAF
illumination (DO NOT USE, select LASER/HP ILLUMINATION additional report)	This hashtag should not be used, illumination reports should be identified by selecting the LASER/HP ILLUMINATION additional report. A deliberate direct or indirect illumination of an aircraft by a ground-based high intensity light source.	bright,laser,light,night,nvd	Shawbury - RAF
intercom	Malfunction/discrepancy in intercom operation	Intercom,comms	Shawbury - RAF
knee_protection	Issues with crewman knee protection	Knee,kneepads,pads,protection	Shawbury - RAF
leak	Fluid leaking from an aircraft.	dripping,fluid,fuel,leaking,oil	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
local_avoid	An aircraft infringes a published local avoid or sensitive area, unknowingly, due to insufficient planning, navigational error, miscommunication or weather.	brief,operations,sensitive area	Shawbury - RAF
longlead	Malfunction/discrepancy in crewman long intercom lead operation	Longlead,intercom,lead,long	Shawbury - RAF
lowlevel_corridor	Airspace used to transit Manchester and Liverpool airspace.	corridor,liverpool,manchester	Shawbury - RAF
mgb_chip	Metal particles detected in tail rotor gearbox oil system	Gearbox,chip,oil,tail rotor,tailrotor	Shawbury - RAF
mgb_high_temp	Main gearbox oil temperature above 105 degrees	MGB,high,mgb,temp,temperature	Shawbury - RAF
mgb_oil_press	Main gearbox oil pressure below minimum	Gearbox,G'box,MRGB,high,low,oil,pressure	Shawbury - RAF
mgb_overlimit	Main gearbox temperature and/or pressure outside threshold values	MGB,limit,mgb,overlimit,press,pressure	Shawbury - RAF
model_ac	Traditional remote control model aircraft often flown at known sites, not to be confused with drone.	club,model aircraft,montford bridge,peplow,remote,sleap	Shawbury - RAF
night	Any activity taking place during the night flying period	NVD,after dark,darkness,fatigue,look out,night,nights,unsuitable weather	Shawbury - RAF
no_clearance	An aircraft fails to obtain or be in receipt of positive clearance prior to entering an airfield area or a regime of flight.	clearance,radio call,take-off,taxi	Shawbury - RAF
over_torque	Over torque	Tq,over torque,over-torque	Shawbury - RAF
overfly	An incident or potential incident where an aircraft hours exceed scheduled maintenance or checks.	hours,maintenance,overdue,techlog	Shawbury - RAF
p_flt_test	The pre flight test of the autopilot system of the Juno and Jupiter aircraft.	autopilot,pitch,roll	Shawbury - RAF
panels	Any occurrence of an aircraft panel not being fitted, fitted incorrectly or becoming detached in flight.	detached,insecure,missing,open,panel,panels	Shawbury - RAF
pitot_static	Malfunction/discrepancy in pitot static air system	Pitot,static	Shawbury - RAF
power_outage	A power outage resulting in the loss of electrical equipment within aviation support buildings.	electricity,powercut	Shawbury - RAF
pressure_setting	Incorrect pressure setting	FL,ICAO,QFE,QNH,RPS,SPS	Shawbury - RAF
refuel	Any incident involving the refuelling of an aircraft including bowser activity.	bowser,fuel,hose,ppe,refuel	Shawbury - RAF
rescue_hoist	Rescue Hoist Operations	Decks,Grappling,SAR,Sits,WinchOp,Winching,Winchman	Shawbury - RAF
rotor_brake	Rotor Brake	Rotor Brake	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
rotor_rpm	Nr low/high	Nr,rpm	Shawbury - RAF
run_on_landing	Malfunction/discrepancy during run on landing	EOL,running landing	Shawbury - RAF
running_landing	An occurrence during a practice running landing.	run on landing,running landing	Shawbury - RAF
seats	Incidents of observations relating to aircraft seats and harnesses.	buckle,inertia reel,seat,seatbelt,strap	Shawbury - RAF
single_engine_failure	Respective engine n1 below threshold values	Single,engine,failure	Shawbury - RAF
sits	Rescue Hoist Operations over land	Decks,Grappling,Injury,SAR,Sits,WinchOp,Winching,Winchman	Shawbury - RAF
sleap	A general aviation airfield in the vicinity of Shawbury also used as a relief landing ground.	GA,RLG,general aviation	Shawbury - RAF
starter_motor	The electrical motor used to start aircraft engines.	starter,starter motor	Shawbury - RAF
stby_bat	Malfunction/discrepancy in standby battery	Standby,Stby,battery	Shawbury - RAF
stinger_strike	Stinger Srtike	hockey stick,stinger strike,tail strike	Shawbury - RAF
sys_bus_tie	Malfunction/discrepancy in system bus ties	System,bus ,sys	Shawbury - RAF
tailrotor_fail_forward_flight	Failure of tail rotor control/drive in forward flight	Tail rotor,failure,hover,tailrotor	Shawbury - RAF
tailrotor_fail_hover	Failure of tail rotor control/drive in hover	Tail rotor,failure,hover,tailrotor	Shawbury - RAF
throttle	Engine throttles.	throttle	Shawbury - RAF
torque_mismatch	A difference in torque produced by a twin-engine aircraft.	mismatch,torque,tq	Shawbury - RAF
trgb_chip	Metal particles detected in tail rotor gearbox oil system	Gearbox,chip,oil,tail rotor,tailrotor	Shawbury - RAF
trim	Helicopter trim system.	beeper,pitch,pitch actuator,roll actuator,trim	Shawbury - RAF
unexpected_GA	Unexpected interaction with GA traffic either in the air or on the ground, for example a C172 makes an approach to airfield without permission.	GA,civilian aircraft,general aviation,out of hours	Shawbury - RAF
verey_pistol	Use of Verey Pistol	Misfire,SAR,Smokes,winching	Shawbury - RAF
vert_bounce	A phenomenon specific to helicopters in the form of vibration in the vertical plane.	bounce,oscillations,vertical,vibration	Shawbury - RAF
walk_around	An hazard identified during a walkaround or a incident due to a insufficient walkaround	ground inspection,reach around,walk around,walkaround	Shawbury - RAF
window	An incident involving aircraft windows.	crack>window	Shawbury - RAF
windscreen_wiper	Windscreen wiper	windscreen wiper	Shawbury - RAF
wipers	Malfunction/discrepancy in heating system	Wipers,blade,blades,motor,windscreen	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SWK_hazard_1_unnotified_traffic_increase	Any DASOR relating to an un-notified increase or change to traffic levels in the Swanwick Mil AOR	controller overload,controller workload,exercise traffic,overload,traffic increase,traffic levels	Swanwick RAF (U)
SWK_hazard_2_non_transponding_light_aircraft	Any DASOR relating to interaction with a non-transponding light a/c while under the control of Swanwick Mil	Non squawking,Non transponding,Primary only,Primary only contact	Swanwick RAF (U)
SWK_hazard_3_lack_of_dynamic_mapping	Hashtag DefinitionAny DASOR relating to an event involving map overlays on NATS controlling screens	SIS,controller screen,dynamic mapping,dynamic overlay,map overlay,radar map,radar screen	Swanwick RAF (U)
SWK_hazard_NOTAM_AGL_AMSL_conversion	Hashtag DefinitionAny DASOR relating to confusion from NOTAMs using AGL vs. AMSL.	AGL,AMSL	Swanwick RAF (U)
SWK_hazard_Northolt_rwy_07	Any DASOR relating to increased traffic workload while operating on Rwy 07 at RAF Northolt	Northolt,Northolt 07,Northolt Rwy 07,Rwy 07	Swanwick RAF (U)
SWK_hazard_catastrophic_equipment_failure	Any DASOR relating to NATS equipment being affected by a catastrophic fault	Equipment failure,Equipment fault,NATS equipment,NATS hardware	Swanwick RAF (U)
SWK_hazard_controller_fatigue	Any DASOR involving a controller from Swanwick Mil controlling while fatigued	controller fatigue ,fatigue	Swanwick RAF (U)
SWK_hazard_cosford_light_aircraft	Any DASOR relating to non-detection of slow-moving light aircraft operating in the vicinity of RAF Cosford	Cosford ,Cosford Tutuors,RAF Cosford	Swanwick RAF (U)
SWK_hazard_listening_watch_discrepancy	Hashtag DefinitionAny DASOR relating to sorties being controlled by Swanwick Mil controllers requiring a listening watch which was not pre-planned, or aircrew not understanding the service requirement of a listening watch in line with GASOs	listening watch	Swanwick RAF (U)
SWK_hazard_north_7000_squawk	Any DASOR relating to unintended interaction with 7000 squawking aircraft in the Swanwick Mil North AOR	7000,North 7000	Swanwick RAF (U)
SWK_issue_1_task_vs_resource	Any DASOR relating to flying activity exceeding the available manpower at Swanwick	Controller manning,Swanwick manning,Swanwick manpower,manning,manpower	Swanwick RAF (U)
SWK_issue_2_airspace_activity_AOR	Any DASOR relating to Swanwick Mil controllers being unaware of airspace activity in their AOR	AOR,airspace activity	Swanwick RAF (U)
SWK_issue_3_overload_traffic_management	Any DASOR relating to a Swanwick Mil Tac controller becoming overloaded due to capacity or workload, or from poor management by the Planner	Traffic management,controller workload	Swanwick RAF (U)
SWK_issue_CO_SQEP	Any DASOR relating to the CO not being fully SQEP in Safety qualifications due to Covid reducing the opportunity to complete training courses.	CO RAF Swanwick	Swanwick RAF (U)
SWK_issue_D&D_hrdf_infringement	Any DASOR relating to HRDF equipment being infringed by vegetation	HRDF	Swanwick RAF (U)

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SWK_issue_MAMC_experience	Any DASOR relating to incidents involving inexperienced Pers working in MAMC due to staff turnover at RAF Swanwick	MAMC	Swanwick RAF (U)
SWK_issue_Northolt_radar_requirement	Any DASOR relating to an unnotified increase in Northolt Radar traffic OOH when only one radar controller is rostered	Northolt Manning, Northolt Radar	Swanwick RAF (U)
SWK_issue_communication_with_NATS	Any DASOR relating to miscommunication with NATS Swanwick/Prestwick	NATS Preswick, NATS Swanwick	Swanwick RAF (U)
SWK_issue_night_shift_manning	Any DASOR relating to manning over night shift periods where each bank routinely only has one controller.	night shift, night shift manning	Swanwick RAF (U)
SWK_issue_southeast_SUP_endorsement	Any DASOR relating to a lack of Supervisors on Swanwick Mil West Bank due to controllers being required to endorse in Southeast before beginning Sup training	Swanwick Mil West	Swanwick RAF (U)
SWK_issue_swanwick_flight_safety_officer	Any DASOR relating to the unavailability of the RAF Swanwick Flight Safety Officer due to controlling requirements	Swanwick BMFSO, Swanwick FSO, Swanwick Flight Safety Officer	Swanwick RAF (U)
SWK_issue_traffic_regeneration	Any DASOR relating to an increase in civil flying activity following as COVID restrictions are eased	Traffic regeneration, covid	Swanwick RAF (U)
UFIT	Uncontrolled flight into terrain (UFIT) Impact with ground	impact, terrain, uncontrolled	UAS Gp S2
autopilot(RPAS)	Erratic flight, UA failed launch	RPAS, UA, auto pilot, auto-pilot, autopilot, erratic, failed launch, launch	UAS Gp S2
erratic_flight_profile	UA height fluctuation, Flight path	erratic, flight path, flight profile, fluctuation, profile	UAS Gp S2
lost_link(RPAS)	Loss of Ulink/Downlink, stay on mission loss of link	communication, downlink, ulink	UAS Gp S2
ATC_infrastructure	Failure of Air Traffic Control infrastructure buildings or equipment; VCR Windows, Air Conditioning etc.	ATC, ATC building, PSR, RHAG, Radar, air conditioning, radio, runway, runway surface, rwy surface, sink holes, smre, ssr, sweeper, taxiway, tower, watchman, windows	Valley - RAF
Texan_Ejection_Systems	Any DASOR relating to Texan Ejection Seat Systems	Ejection, HPRU, Harness, PIRD, Restraint, Seat, Straps, Texan Ejection, Texan Mk 16B, Texan Seats	Valley - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
airfield_equipment	Any occurrence involving Generic Airfield Equipment, which is maintained by Airfield repair services such as Barriers, Arrestors, Traffic Lights, Runway Lights etc.	Approach lights,Arrestor,Barrier,PAPI,Runway Lights,Taxiway Lights,Traffic Lights,VASI	Valley - RAF
incorrect_switches	Any DASOR relating to incorrect switch configuration, wrong switches selected	Incorrect,Selected,Selection,Switch	Valley - RAF
2404	Any DASOR relating to the platforms operating software	2404,software	Waddington - RAF
2407	Any DASOR relating to the platforms operating software	2407,software	Waddington - RAF
2409	Any DASOR relating to the platforms operating software	2409,software	Waddington - RAF
ACU	Any DASOR relating to issues with GCS air conditioning for equipment cooling	Air conditioning,trip	Waddington - RAF
ATC1.1	Loss of control, human performance & handling (ATC)	atc,handling,human,loss of control,performance	Waddington - RAF
ATC1.2	Loss of Control, adverse environmental conditions (ATC)	environmental,loss of control	Waddington - RAF
ATC1.3	Loss of Control, technical failure (ATC)	atc,failure,loss of control,technical	Waddington - RAF
ATC2.1	Runway excursion, landing operations overrun (ATC)	ATC,excursion,landing,overrun,runway	Waddington - RAF
ATC2.2	Runway excursion, lateral excursion (ATC)	ATC,excursion,lateral,runway	Waddington - RAF
ATC2.3	Takeoff/departures overrun (ATC)	ATC,Takeoff,departures,overrun	Waddington - RAF
ATC3.1	CFIT, general flight (ATC)	ATC,CFIT,flight	Waddington - RAF
ATC3.2	CFIT, non-precision control (ATC)	non-precision ,ATC,CFIT,control	Waddington - RAF
ATC3.3	CFIT, precision approach (ATC)	ATC,CFIT,approach,precision	Waddington - RAF
ATC4.1	Runway incursion, aircraft operating on the ground, within the protected area (ATC)	ATC,Runway,ground,incursion,protected area	Waddington - RAF
ATC4.2	Runway Incursion, aircraft takeoff and landing operations (ATC)	ATC,Incursion,Runway,landing,takeoff	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC5.1	Airborne conflict, civilian airspace (ATC)	ATC,airspace,civilian airspace,conflict	Waddington - RAF
ATC5.2	Airborne conflict, general airspace (ATC)	ATC,airspace,conflict,general airspace	Waddington - RAF
ATC5.3	Airborne conflict, specialist military operating (ATC)	ATC,conflict,specialist	Waddington - RAF
ATC6.1	Ground handling, mass and balance (ATC)	ATC,Ground,handling,mass and balance	Waddington - RAF
ATC6.2	Ground handling, environmental (ATC)	ATC,Ground,environmental,handling	Waddington - RAF
ATC6.3	Ground handling, undetected damage (ATC)	ATC,Ground,damage,handling	Waddington - RAF
ATC6.4	Ground operations, incursion (ATC)	ATC,Ground,incursion,operations	Waddington - RAF
ATC_staffing	When ATC Manning is below that acceptable for ATC/BM tasking.	ATC,Air Traffic,BM,manning,tasking	Waddington - RAF
AoA_sensor	Any DASOR relating to issues with the AoA Sensor	potentiometer,AoA,stall	Waddington - RAF
DFCS	Any DASOR relating to issues with the Flight Control System	DFCS,UARB,autopilot,hold mode,servo	Waddington - RAF
E3D1.1	Loss of control, human performance & handling (Sentry)	Handling,handling	Waddington - RAF
E3D1.2	Loss of control, adverse environmental conditions (Sentry)	birdstrike,ice windshear,turbulence	Waddington - RAF
E3D1.3	Loss of control, technical failure (Sentry)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
E3D2.1	Runway excursion, landing operations overrun (Sentry)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
E3D2.2	Runway excursion, lateral excursion (Sentry)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
E3D2.3	Takeoff/departure operations overrun	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
E3D3.1	CFIT, general flight (Sentry)	controlled flight into terrain,non low level,non-low level	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
E3D3.2	CFIT, non-precision approach (Sentry)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
E3D3.3	CFIT, precision approach (Sentry)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
E3D4.1	Runway incursion, aircraft operating on the ground within the protected area (Sentry)	animal,person,runway incursion,vehicle	Waddington - RAF
E3D4.2	Runway Incursion, aircraft takeoff and landing operations (Sentry)	animal,person,runway incursion,vehicle	Waddington - RAF
E3D5.1	Airborne conflict, civilian controlled airspace (Sentry)	mid air collision,mid-air collision	Waddington - RAF
E3D5.2	Airborne conflict, general uncontrolled airspace (Sentry)	mid air collision,mid-air collision	Waddington - RAF
E3D5.3	Airborne conflict, specialist military operating (Sentry)	co-operating,mid air collision,mid-air collision,non co-operating,non-co-operating	Waddington - RAF
E3D6.1	Ground handling, mass and balance (Sentry)	balance,loading operations,moment,ramp	Waddington - RAF
E3D6.2	Ground handling, environmental (Sentry)	de-icing,ground handling,ramp	Waddington - RAF
E3D6.3	Ground handling, undetected damage (Sentry)	damage,loading operations,ramp	Waddington - RAF
E3D6.4	Ground operations, incursion (Sentry)	ground collision	Waddington - RAF
E3D7.1	Fire, crew accessible zone (Sentry)	fire,technical failure	Waddington - RAF
E3D7.2	Fire, crew inaccessible zone (Sentry)	fire,technical failure	Waddington - RAF
F700	Any DASOR relating to issues with the F700 and support processes	ADF,F700,SNOW,Skynet,documentation	Waddington - RAF
F781	Any DASOR relating to issues with the F781 and support processes	ADF,F777H,F781,SNOW,Skynet,documentation	Waddington - RAF
FSST	Any DASOR relating to issues with the FSST	FSST,lost link,relay,satellite	Waddington - RAF
GCS_power	Any DASOR relating to issues with GCS power supplies	GCU,PSU,UPS,battery,breaker,line,mains power,trip	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
LRE	Any DASOR relating to issues with the LRE	CLRE,Det Cdr,DetCo,LRE,handback,handover,landing,recovery,tak e-off	Waddington - RAF
MASS	Any DASOR relating to issues with the MASS	MASS,arm,consent,master,red pen,trigger	Waddington - RAF
MCE	Any DASOR relating to issues with MCE	MCE	Waddington - RAF
MIC_stn	Any DASOR relating to issues with the MIC Station	MIC,Tacit,Tacitview,VLC,freeze,video	Waddington - RAF
MJAT	Any DASOR relating to issues with MJAT	MJAT,sim,simulator	Waddington - RAF
MTS	Any DASOR relating to issues with Multi Spectral Targeting Pod	GIMDIS,MTS,camera,feed,multi,pod,video	Waddington - RAF
REA1.1	Loss of control, human performance & handling (Reaper)	Handling,handling	Waddington - RAF
REA1.2	Loss of control, adverse environmental conditions (Reaper)	birdstrike,ice windshear,turbulence	Waddington - RAF
REA1.3	Loss of control, technical failure (Reaper)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
REA2.1	Runway excursion, landing operations overrun (Reaper)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
REA2.2	Runway excursion, lateral excursion (Reaper)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
REA2.3	Takeoff/departure operations overrun (Reaper)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
REA3.1	CFIT, general flight (Reaper)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
REA3.2	CFIT, non-precision approach (Reaper)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
REA3.3	CFIT, precision approach (Reaper)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
REA4.1	Runway incursion, aircraft operating on the ground within the protected area (Reaper)	animal,person,runway incursion,vehicle	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
REA4.2	Runway Incursion, aircraft takeoff and landing operations (Reaper)	animal, person, runway incursion, vehicle	Waddington - RAF
REA5.1	Airborne conflict, civilian controlled airspace (Reaper)	mid air collision, mid-air collision	Waddington - RAF
REA5.2	Airborne conflict, general uncontrolled airspace (Reaper)	mid air collision, mid-air collision	Waddington - RAF
REA5.3	Airborne conflict, specialist military operating (Reaper)	co-operating, mid air collision, mid-air collision, non co-operating, non-co-operating	Waddington - RAF
REA6.1	Ground handling, mass and balance (Reaper)	balance, loading operations, moment, ramp	Waddington - RAF
REA6.2	Ground handling, environmental (Reaper)	de-icing, ground handling, ramp	Waddington - RAF
REA6.3	Ground handling, undetected damage (Reaper)	damage, loading operations, ramp	Waddington - RAF
REA6.4	Ground operations, incursion (Reaper)	ground collision	Waddington - RAF
REA7.1	Fire, crew accessible zone (Reaper)	fire, technical failure	Waddington - RAF
REA7.2	Fire, crew inaccessible zone (Reaper)	fire, technical failure	Waddington - RAF
RJT1.1	Loss of control, human performance & handling (Rivet Joint)	Handling, handling	Waddington - RAF
RJT1.2	Loss of control, adverse environmental conditions (Rivet Joint)	birdstrike, ice windshear, turbulence	Waddington - RAF
RJT1.3	Loss of control, technical failure (Rivet Joint)	crew incapacitation, instrument failure, powerplant malfunction, reverse thrust in flight	Waddington - RAF
RJT2.1	Runway excursion, landing operations overrun (Rivet Joint)	collision on landing, collision on takeoff, incorrect landing calculations, overshoot, runway excursion, undershoot	Waddington - RAF
RJT2.2	Runway excursion, lateral excursion (Rivet Joint)	collision on landing, collision on takeoff, runway excursion	Waddington - RAF
RJT2.3	Takeoff/departure operations overrun (Rivet Joint)	collision on landing, collision on takeoff, incorrect landing calculations, overshoot, runway excursion, undershoot	Waddington - RAF
RJT3.1	CFIT, general flight (Rivet Joint)	controlled flight into terrain, non low level, non-low level	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RJT3.2	CFIT, non-precision approach (Rivet Joint)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
RJT3.3	CFIT, precision approach (Rivet Joint)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
RJT4.1	Runway incursion, aircraft operating on the ground within the protected area (Rivet Joint)	animal,person,runway incursion,vehicle	Waddington - RAF
RJT4.2	Runway Incursion, aircraft takeoff and landing operations (Rivet Joint)	animal,person,runway incursion,vehicle	Waddington - RAF
RJT5.1	Airborne conflict, civilian controlled airspace (Rivet Joint)	mid air collision,mid-air collision	Waddington - RAF
RJT5.2	Airborne conflict, general uncontrolled airspace (Rivet Joint)	mid air collision,mid-air collision	Waddington - RAF
RJT5.3	Airborne conflict, specialist military operating (Rivet Joint)	co-operating,mid air collision,mid-air collision,non co-operating,non-co-operating	Waddington - RAF
RJT6.1	Ground handling, mass and balance (Rivet Joint)	balance,loading operations,moment,ramp	Waddington - RAF
RJT6.2	Ground handling, environmental (Rivet Joint)	de-icing,ground handling,ramp	Waddington - RAF
RJT6.3	Ground handling, undetected damage (Rivet Joint)	damage,loading operations,ramp	Waddington - RAF
RJT6.4	Ground operations, incursion (Rivet Joint)	ground collision	Waddington - RAF
RJT7.1	Fire, crew accessible zone (Rivet Joint)	fire,technical failure	Waddington - RAF
RJT7.2	Fire, crew inaccessible zone (Rivet Joint)	fire,technical failure	Waddington - RAF
SHA1.1	Loss of control, human performance & handling (Shadow)	Handling,handling	Waddington - RAF
SHA1.2	Loss of control, adverse environmental conditions (Shadow)	birdstrike,ice windshear,turbulence	Waddington - RAF
SHA1.3	Loss of control, technical failure (Shadow)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
SHA2.1	Runway excursion, landing operations overrun (Shadow)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SHA2.2	Runway excursion, lateral excursion (Shadow)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
SHA2.3	Takeoff/departure operations overrun (Shadow)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
SHA3.1	CFIT, general flight (Shadow)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
SHA3.2	CFIT, non-precision approach (Shadow)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
SHA3.3	CFIT, precision approach (Shadow)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
SHA4.1	Runway incursion, aircraft operating on the ground within the protected area (Shadow)	animal,person,runway incursion,vehicle	Waddington - RAF
SHA4.2	Runway Incursion, aircraft takeoff and landing operations (Shadow)	animal,person,runway incursion,vehicle	Waddington - RAF
SHA5.1	Airborne conflict, civilian controlled airspace (Shadow)	mid air collision,mid-air collision	Waddington - RAF
SHA5.2	Airborne conflict, general uncontrolled airspace (Shadow)	mid air collision,mid-air collision	Waddington - RAF
SHA5.3	Airborne conflict, specialist military operating (Shadow)	co-operating,mid air collision,mid-air collision,non co-operating,non-co-operating	Waddington - RAF
SHA6.1	Ground handling, mass and balance (Shadow)	balance,loading operations,moment,ramp	Waddington - RAF
SHA6.2	Ground handling, environmental (Shadow)	de-icing,ground handling,ramp	Waddington - RAF
SHA6.3	Ground handling, undetected damage (Shadow)	damage,loading operations,ramp	Waddington - RAF
SHA6.4	Ground operations, incursion (Shadow)	ground collision	Waddington - RAF
SHA7.1	Fire, crew accessible zone (Shadow)	fire,technical failure	Waddington - RAF
SHA7.2	Fire, crew inaccessible zone (Shadow)	fire,technical failure	Waddington - RAF
STL1.1	Loss of control, human performance & handling (Sentinel)	Handling,handling	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
STL1.2	Loss of control, adverse environmental conditions (Sentinel)	birdstrike,ice windshear,turbulence	Waddington - RAF
STL1.3	Loss of control, technical failure (Sentinel)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
STL2.1	Runway excursion, landing operations overrun (Sentinel)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
STL2.2	Runway excursion, lateral excursion (Sentinel)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
STL2.3	Takeoff/departure operations overrun (Sentinel)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
STL3.1	CFIT, general flight (Sentinel)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
STL3.2	CFIT, non-precision approach (Sentinel)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
STL3.3	CFIT, precision approach (Sentinel)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
STL4.1	Runway incursion, aircraft operating on the ground within the protected area (Sentinel)	animal,person,runway incursion,vehicle	Waddington - RAF
STL4.2	Runway Incursion, aircraft takeoff and landing operations (Sentinel)	animal,person,runway incursion,vehicle	Waddington - RAF
STL5.1	Airborne conflict, civilian controlled airspace (Sentinel)	mid air collision,mid-air collision	Waddington - RAF
STL5.2	Airborne conflict, general uncontrolled airspace (Sentinel)	mid air collision,mid-air collision	Waddington - RAF
STL5.3	Airborne conflict, specialist military operating (Sentinel)	co-operating,mid air collision,mid-air collision,non co-operating,non-co-operating	Waddington - RAF
STL6.1	Ground handling, mass and balance (Sentinel)	balance,loading operations,moment,ramp	Waddington - RAF
STL6.2	Ground handling, environmental (Sentinel)	de-icing,ground handling,ramp	Waddington - RAF
STL6.3	Ground handling, undetected damage (Sentinel)	damage,loading operations,ramp	Waddington - RAF
STL6.4	Ground operations, incursion (Sentinel)	ground collision	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
STL7.1	Fire, crew accessible zone (Sentinel)	fire,technical failrue	Waddington - RAF
STL7.2	Fire, crew inaccessible zone (Sentinel)	fire,technical failure	Waddington - RAF
bleed_air	Any bleed air event		Waddington - RAF
datalinks	Any DASOR relating to issues with datalinks	AV TX1,AV TX2,GDT,OmnI,SATCOM,directional,dish,interference,lost link,satellite	Waddington - RAF
deconflictor	Any DASOR relating to issues with the deconflictor and supporting processes	aircraft status,deconflictor,frequencies,peripheral	Waddington - RAF
flight_controls	Any DASOR relating to the GCS flight controls	Flight stick,condition,controls,lever,rudder,speed,throttle,trim,yaw	Waddington - RAF
handover	Any DASOR relating to issues with Handover between LRE-MCE and MCE-MCE	FSST,Gaining,Handover,Losing	Waddington - RAF
headset	Any DASOR relating to issues with the GCS intercom system and headsets	headset,intercom	Waddington - RAF
hydraulics	Hydraulic system failure, System relying on liquid moving in a confined space under pressure.	Utility hydraulic,auxiliary hydraulic,booster hydraulic,brakes,control manifold,failure,flaps,hydraulic oil,nosewheel steering,pressure,system,temperature,undercarriage	Waddington - RAF
lase_before_arm	Lase before Arm	lase before arm,reeper,target	Waddington - RAF
lost_link	Lost link event	Em Msn,FSST,PPSL,data link,datalink,frequency,lost link,mission,reeper,signal,space	Waddington - RAF
mainwheels	Any mainwheel event	abort,brakes,burst tyre,deflation,mainwheels,rejected take off,undercarriage,vibration	Waddington - RAF
nosewheel	Any nosewheel event	abort,burst tyre,deflation,mainwheels,nose wheel,nosewheel,rejected take off,shimmy,steering,undercarriage,vibration	Waddington - RAF
rack_lock_up	Any DASOR relating to issues with Rack Lock Ups	PCL,blank screen,freeze,lock up,point,rack	Waddington - RAF
secure_chat	Any DASOR relating to issues with mIRC	mIRC,peripherals,secure chat	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
technical_failure	Any DASOR relating to failure of aircraft or gcs equipment	caution,failure,technical,warning	Waddington - RAF
theatre_documentation	Any DASOR relating to issues with Theatre documentation	ACM,ACO,SPINs,air picture,measure,updates	Waddington - RAF
wildlife_strike	Any DASOR relating to Wildlife strikes	hit,impact,strike,wildlife	Waddington - RAF
sequencing	Relating to sequencing the mixed arr/deps of IFR/VFR traffic	3nm call,Break-Off,Continue,call by 2	Wittering - RAF