

RA 1410 – Occurrence Reporting and Management

Rationale

Accurate and timely Occurrence reporting with effective investigation is fundamental to identifying Air Safety Risks and delivering effective mitigation. Without a simple, robust reporting and management system, that includes investigation and feedback, these events will re-occur, leading to increased Risk to personnel, equipment and the public. This RA requires the Regulated Community to report all Air Safety Occurrences, and take appropriate action, in order to reduce the overall number of events.

Contents

1410(1): Occurrence Reporting and Management

Regulation 1410(1)

Occurrence Reporting and Management

1410(1) Aviation Duty Holders (ADH), Accountable Managers (Military Flying) (AM(MF)), Accountable Managers (AM)¹, ►◀ Heads of ADH-Facing Organizations^{2,3} ► and Heads of AM(MF)-Facing Organizations (AA-Facing Organizations)⁴◀ shall ensure that all Air Safety reportable Occurrences are reported, managed and appropriate action taken.

Acceptable Means of Compliance 1410(1)

Occurrence Reporting and Management

1. Air Safety Occurrences **should** be reported in accordance with (iaw) Annex A and the Air Safety Information Management System (ASIMS) User Manual (hosted on the MAA websites).
2. ADHs, AM(MF)s, AMs, and ►AA◀-Facing Organizations with access to ASIMS⁵ **should** ensure that:
 - a. All Air Safety Occurrences are reported, investigated, the results recorded, and any identified actions recorded and closed using the ASIMS as the primary management tool.
 - b. A Significant Occurrence Notification (SON) is raised following any Accident, or any serious or sensitive Incident utilizing the template held on the MAA websites and accessible through the ASIMS homepage.
 - c. An ASIMS Occurrence reporting structure is maintained and managed.
3. ADHs, AM(MF)s, AMs and ►AA◀-Facing Organizations without access to ASIMS **should** ensure that:
 - a. All Air Safety Occurrences are reported in the first instance to the MOD in the form of a PDF⁶◀ Defence Air Safety Occurrence Report (DASOR) within the timescales detailed in Annex A. Subsequent actions, including the following ►**should**◀ be completed ►and uploaded to ASIMS. This may be done using◀ an appropriate local Occurrence Management System ►which **should** be◀ uploaded to ASIMS upon completion:
 - (1) Investigating the Cause,
 - (2) Recording the result of the investigation,

¹ Those AMs within: ►AA◀-Facing Organizations; Maintenance Approved Organizations; or Air Traffic Management Equipment Approved Organizations. ►For◀ AMs within Design Approved Organizations, ►refer to RA 5825 – Fault Reporting and Investigation.◀

² 'Heads of ADH-Facing Organizations' includes but is not limited to: Aviation Delivery Team Leaders, Commodity Delivery Team Leaders (DTL), Heads of Establishment (HoE), Military Continuing Airworthiness Managers (Mil CAMs).

³ Where the Air System is ►not UK MOD-owned, Type Airworthiness (TAW) management◀ regulatory Responsibility by either the Type Airworthiness Authority (TAA) or Type Airworthiness Manager (TAM) needs to be agreed within the Sponsor's approved model ►◀; refer to RA 1162 – Air Safety Governance Arrangements for Civilian Operated (Development) and (In-Service) Air Systems, ►◀ refer to RA 1163 – Air Safety Governance Arrangements for Special Case Flying Air Systems. Dependant on the agreed ►delegation◀ of TAW responsibilities TAM may be read in place of TAA as appropriate throughout this RA.

⁴ ►Refer to RA 1032 – Aviation Duty Holder-Facing Organizations and Accountable Manager (Military Flying)-Facing Organizations – Roles and Responsibilities.◀

⁵ <https://asims.ice.mod.gov.uk/MODCas/login>.

⁶ ►PDF DASOR available from ASIMS and Gov.uk website.◀

**Acceptable
Means of
Compliance
1410(1)**

- (3) Identifying any recovery actions and recording their closure.
- b. A SON is raised following any Accident, or any serious or sensitive Incident utilizing the template held on the MAA websites.
- c. A local Occurrence reporting structure is maintained and managed.
4. Air Safety Occurrences involving civil registered Aircraft, MOD civil derived Aircraft or applicable agencies **should** be reported as a DASOR and distributed as a Mandatory Occurrence Report (MOR) iaw paragraph 18 and ►UK Reg (EU) No.◄ 376/2014 ►◄. ADHs, AM(MF)s, AMs, and ►AA◄-Facing Organizations **should** ensure that any MOR received from civil aviation, which might affect Defence Aviation, is also reported as a DASOR. MORs **should** be attached to the DASOR for ease of information transfer.
5. ADHs, AM(MF)s, AMs and ►AA◄-Facing Organizations **should** ensure that all DASORs relating to their platform or equipment type(s) are routinely reviewed, assessed for Safety and / or Airworthiness impact with appropriate activity undertaken by individuals who are Suitably Qualified and Experienced Persons (SQEP)⁷. This activity ► **should** ◄ include, but is not limited to, actions against the Hazard Log and equipment Safety Assessment.
6. ADHs, AM(MF)s, AMs and ►AA◄-Facing Organizations **should** ensure that:
- a. Their Air Safety Management System⁸ explicitly trends and tracks applicable Occurrence Investigation recommendations to closure.
- b. Applicable Occurrence Investigation recommendations that affect their Air System Safety Case (ASSC) are reviewed as part of the periodic ASSC review⁹; especially those from Service Inquiries (SI) and Director General Defence Safety Authority (DSA-DG) Non-Statutory Inquiries (NSI).
7. TAAs and Commodity DTLs **should** ensure that a brief summary of activity relating to each DASOR is added in a timely manner to inform and support the relevant investigation; this summary **should** also include reference ►to◄ any Special Instructions (Technical) raised, references to Airworthiness management tools (eg RESOLVE), and other supporting documentation as required.
8. DASOR information transmitted via ASIMS **should** be classified no higher than Official¹⁰. Where relevant information attracts a higher classification, ADHs, AM(MF)s, AMs and ►AA◄-Facing Organizations **should** maintain a record on an appropriately classified system. ►DASORs classified as Official **should** reference the corresponding classified record(s), and the classified record(s) **should** reference the corresponding DASOR.◄
9. DASORs **should** be distributed to all areas, such as other ADHs, AM(MF)s, AMs and ►AA◄-Facing Organizations that may be affected or provide / gain benefit through awareness.
10. ADHs, AM(MF)s, AMs and ►AA◄-Facing Organizations **should** assure the Quality of the reports within their Area of Responsibility. ►All recommendations arising from the investigation **should** to be recorded on ASIMS with any actions taken corroborated with an auditable record of supporting evidence. There are specific requirements with regard to recommendations arising out of SIs.
11. An Airprox form **should** be raised by the Aircraft Commander whenever an Airprox is deemed to have occurred. All parties involved in an Airprox (eg the Aircraft Commander, Air Traffic Control (ATC) Controllers, Flt Ops Assistants, etc) who are advised that they have been involved in an Airprox, irrespective of whether or not they were aware of the Occurrence or considered that it Constituted an Airprox, **should**

⁷ The individuals who are SQEP might not just be TAA / Delivery Team personnel; this may include forwarding Occurrences to relevant stakeholders (ie Design Organizations, Original Equipment Manufacturers, etc). Refer to RA 1015 – Type Airworthiness Management – Roles and Responsibilities.

⁸ Refer to RA 1200 – Air Safety Management.

⁹ Refer to RA 1205 – Air System Safety Cases.

¹⁰ Information marked Official-Sensitive cannot be transmitted via ASIMS.

**Acceptable
Means of
Compliance
1410(1)**

submit a DASOR which is independent but linked to the Airprox prime DASOR.

12. Reporters **should** refer to the Health and Safety Executive (HSE) website to evaluate if an Injury¹¹ is reportable under RIDDOR. If an Injury is reportable, the reporter is also required to complete a RIDDOR Report. ◀

**Guidance
Material
1410(1)**

Occurrence Reporting and Management

13. Air Safety Occurrences fall into one of 3 types: Accidents, Incidents or Hazard Observations¹². To reduce the likelihood of re-Occurrence, all Air Safety Occurrences and failures of Safety controls (including those that originate in areas such as logistics, infrastructure and other support) need to be reported and investigated to a suitable depth in order that Causes are understood and lessons identified, promulgated and appropriate action taken. Examples of Air Safety reportable Occurrences are detailed in Annex B.

14. Timely and accurate Occurrence reporting is required across Defence Aviation to:

- a. Notify all relevant agencies of actual and potential Hazards.
- b. Identify the Cause and causal factors.
- c. Initiate further investigation where appropriate.
- d. Highlight recommendations to address identified issue(s).
- e. Enable data capture and analysis.

15. **Reporting Types.** There are three main Occurrence report types:

- a. **Significant Occurrence Notification.** It is essential that a SON is submitted as soon as possible following any applicable reportable Occurrence, see Annex A, and updated as additional information becomes available, so that senior military leadership is notified as quickly and as accurately as possible. Units / Organizations submitting a SON need to ensure their Chain of Command and supporting organizations, such as ADH chain / AM(MF), TAAs etc, are appropriately informed independently of the SON. SONs need to be supported by a linked DASOR, where possible. The format for a SON and the report addressees are available in the SON template held on the MAA websites and accessible through the ASIMS homepage.
- b. **Defence Air Safety Occurrence Report.** All Occurrences (including those described in a SON) need to be reported and distributed using a DASOR submitted via ASIMS. Other documents may be referenced where either classification or sensitivity markings mean they are inappropriate for transmission via ASIMS.
- c. **Unit Level Forms.** ▶◀ Alternative methods for the initial reporting of Hazard Observations may be in use at unit level such as InForms and ▶◀ the Flight Safety Log ▶ etc. ◀ Nevertheless, all Air Safety related observations need to be recorded via a DASOR.

16. **Non-ASIMS Organizations.** For organizations not using ASIMS as ▶ their ◀ primary management tool, an editable DASOR template can be found on the MAA websites. This will result in organizations dual reporting to ensure that all interested parties are aware of the Occurrence.

17. **Reporting Procedures.** Air Safety reporting procedures including required timelines will be in law Annex A.

18. **ASIMS Training.** Individuals may complete the online training, which is available within ASIMS on the launch page, for their respective roles and responsibilities within the reporting process, prior to the use of ASIMS. MAA

¹¹ ▶ Injuries are defined in the Reporting of Injuries, Diseases and Dangerous Occurrence Regulations (RIDDOR) 2013 Regulation 4: <http://www.hse.gov.uk/riddor/> and <http://www.legislation.gov.uk/ukxi/2013/1471/contents/made>. ◀

¹² A quick reference guide and definitions are at Annex A.

**Guidance
Material
1410(1)**

sponsored ASIMS role training is available via Safety Training for Error Prevention (STEP), the suite of which is highlighted in RA 1440¹³.

19. **Civil Occurrence Reporting**¹⁴. ► **UK Reg (EU) No. 376/2014**, ◀ is comprised of MORs and Voluntary Occurrence Reports (VOR). The MOD requires DASORs for a wider selection of Occurrences than the civilian MORs and VORs¹⁵. The Occurrence Manager needs to select the ASIMS MOR function for all appropriate DASORs (for both civilian MORs and civilian VORs), using the following breakdown:

- a. **MORs.** Occurrences which may represent a significant Risk to aviation Safety, such as Occurrences related to:
 - (1) The operation of the Air System.
 - (2) Technical conditions, Maintenance and Repair of the Air System.
 - (3) Air navigation services and facilities.
 - (4) Aerodromes and ground services.
- b. **VORs.** Occurrences which:
 - (1) May not be captured as a MOR.
 - (2) Are perceived by the reporter as an actual or potential Hazard to aviation Safety.

Reporting of Occurrences Involving Other Nations¹⁶

20. Significant Occurrences involving other nations' military Air Systems which occur in the UK Flight Information Regions or in UK overseas territories¹⁷, or are under the control of or hosted by a UK Service unit or Contractor Flying Organization, need to be reported via a SON.

21. Where an Occurrence, significant or otherwise, takes place under the control of or hosted by a UK Service unit or Contractor Flying Organization a DASOR also needs to be raised by the controllers or hosts respectively.

Confidential Reporting

22. **General.** There may be occasions where an individual may not wish to raise an issue with their immediate superior or colleagues through the DASOR reporting system. In this circumstance reports may be raised through the ► **Defence Confidential Occurrence Reporting Scheme (DCORS)** ◀ directly to ► **the** ◀ appropriate sponsor.

23. **Defence Confidential Occurrence Report Scheme (DCORS).** The DCORS aims to encourage the reporting of such Incidents directly to the appropriate Command Flight Safety Officer (CFSO) or MAA as per the DCORS form. If desired, the author's anonymity is guaranteed and names will only be released with appropriate consent. ► **Originators of anonymous Reports will not receive feedback.** ◀

24. **Procedure.** The DCORS procedure is as follows:

- a. **Forms.** The DCORS form and addresses are available on the MAA website and accessible through the ASIMS homepage. Forms may be submitted in a plain envelope addressed to the appropriate sponsor.
- b. **Progression.** Only the individual to whom it is addressed may open the letter. The MAA or the relevant CFSO will reply to the originator with a full progress report ► **if the originators contact details have been provided.** ◀
- c. **Publication of DCORS.** Information from DCORS may be published for educational purposes; however, CFSOs will maintain confidentiality. If, for any reason, an originator feels that a report may not be used for any subsequent

¹³ Refer to RA 1440 – Air Safety Training.

¹⁴ <http://www.caa.co.uk/Our-work/Make-a-report-or-complaint/MOR/Occurrence-reporting>.

¹⁵ Civilian aviation authorities reportable Occurrence are detailed in EU Commission Implementing Regulation 2015/1018 as retained (and amended in UK domestic law) under the European Union (Withdrawal) Act 2018.

¹⁶ For the avoidance of doubt paragraphs ►20◀ and ►21◀ apply to non-UK military-registered Aircraft.

¹⁷ For the avoidance of doubt this includes Sovereign Base Areas.

**Guidance
Material
1410(1)**

publicity this will be explicitly stated.

d. **Forms Supply.** ADHs, AM(MF)s and CFSOs will ensure that a supply of DCORS forms is readily available.

Investigations

25. **An** Air Safety Occurrence **investigation** **aims** to determine what happened, why it happened and provide formally recorded recommendations or mitigation¹⁸ to prevent recurrence. There are three main types of investigation:

a. **Service Inquiries (SI)**^{19, 20}. When mandated by law or policy, or where DSA-DG deems appropriate, DSA-DG will convene a SI iaw The Armed Forces (Service Inquiry) Regulations 2008 and RA 1420. When DSA-DG deems that a SI is not required, the DSA-DG may direct that an NSI be conducted by the relevant authority (such as the ADH).

b. **Occurrence Safety Investigation (OSI).** An OSI is a non-statutory and flexible investigation that provides a standard Defence investigation format within ASIMS that can be used to record an investigation into any Air Safety Occurrence. An OSI also provides additional levels of scrutiny through the Occurrence Review Group (ORG).

c. **Local Investigation (LI).** For Occurrences that do not require a SI or OSI, the depth of the investigation may be tailored by the local Occurrence Manager to suit the nature of the Occurrence.

26. **Investigation Support.** The Defence Accident Investigation Branch (DAIB) will support the SI and can also provide advice and assistance to the NSI. Following notification by SON, DAIB staff acting on behalf of DSA-DG will review the Occurrence and, subject to information available, may deploy to undertake Triage investigation. All personnel need to assist DAIB investigators during the Triage process to ensure that an accurate Risk picture can be established and the most appropriate follow-on investigation can be instigated²¹. **Further guidance can be found in 2023DIN06-024²².**

27. **Recommendations.** Recommendations provide a mechanism for managed change within the Air Safety environment based on the conclusions from investigations. As such, they will have a clear and justifiable purpose and a reasonable timescale for implementation. Recommendations can be used to address particular causal factor issues or wider preventative / corrective / mitigating action. **Specific requirements with regard to recommendations arising out of SIs and NSIs are contained in RA 1420.**

Airprox Investigation and follow-up actions

28.

29. **Investigation.** ADHs, AM(MF)s and AMs will ensure that any Airprox involving their Air Systems are investigated. Results of investigations will be placed on a DASOR and linked to any other report pertinent to that Airprox.

30. **Follow-up Action.** Airprox within UK and delegated airspace will be assessed by the UK Airprox Board (UKAB). Any recommendations from the Director UKAB will be actioned where required and notified once complete.

¹⁸ Mitigations are used within ASIMS, to record local actions or activity, to prevent a further Occurrence, that do not require Delivery Duty Holder / Operating Duty Holder / AM Approval. Further details are contained within the ASIMS User Manual.

¹⁹ SIs are statutory inquiries, in that they are governed by statute – The Armed Forces (Service Inquiries) Regulations 2008. Any investigations below a SI – such as an OSI or LI – are often called “Non-Statutory Inquiries” (NSI).

²⁰ Refer to RA 1420 – Service Inquiries and Non-Statutory Inquiries.

²¹ Refer to RA 1430 – Aircraft Post Crash Management and Significant Occurrence Management.

²² **Refer to 2023DIN024 – The Defence Accident Investigation Branch.**

Annex A

Air Safety Occurrences Reporting Quick Reference Guide

	Unit Level Forms	DASOR Occurrence Types			SON (see note 4)
		Haz Obs	Incident	Accident	
Accident see notes 1 and 6.				✓	✓
Incident see notes 2 and 6.			✓		As required
Hazard Observation see notes 3 and 6.	✓	✓			As required
SON Consideration					
Sensitive (Air Safety). VIP involved, possible societal, media or ministerial interest, including damage to commercial and / or public property.		Recorded on originating DASOR			✓
Suspension or Restriction. An Air Safety Occurrence that has led to, or may lead to, the suspension of flying operations or a significant restriction being imposed such as an 'op pause'.		Recorded on originating DASOR			✓
Non-UK NATO Aircraft in the UK. On notification of an Accident or serious Occurrence involving a non-UK NATO Aircraft in the UK.		Recorded on originating DASOR			✓
To be reported within: see note 5	48 hrs	48 hrs	48 hrs (or 24 hrs for Airprox)	24 hrs	ASAP (<1 hr)

Notes:

- Accident.** An Air Safety related Occurrence which has resulted in any or all of the following conditions:
 - A person being killed; or,
 - A person suffering a specified Injury^{23, 24} lasting over seven days, ► **not applicable to injuries from parachuting activity unless they have been classified as Seriously III²⁵, or Very Seriously III²⁵.** ◀ In the event that an Injury severity is not known or confirmed (eg not immediately determinable, awaiting a medical examination, etc) when initially reported (as per the reporting quick reference guide above), then the Injury **should** be assumed to last for over seven days and be reported accordingly. When the Injury severity is confirmed the report **should** be updated accordingly; or,
 - An Air System sustaining damage or structural failure which adversely affects the structural strength, performance, or flight characteristics of the Aircraft, and would normally require major Repair or replacement of the affected component. Except for: engine failure or damage, when the damage is limited to a single engine, (including its cowlings or accessories), to propellers, wing tips, antennas, probes, vanes, tires, brakes, wheels, fairings, panels, landing gear doors, windscreens, the Aircraft skin (such as small dents or puncture holes) or minor damages to main rotor blades, tail rotor blades, landing gear, and those resulting from hail or bird strike, (including holes in the Radome). Derived from International Civil Aviation Organization (ICAO) Annex 13; or,
 - ◀
 - An assessment of Air System Repair Category 4 or (including provisional) Category 5.
- Incident.** An Air Safety related Occurrence which has not resulted in an Accident but has resulted in any or all of the following conditions:
 - A person receiving a specified Injury lasting seven days or less²⁶, ► **not applicable to injuries from parachuting activity unless they have been classified as Seriously III²⁵, or Very Seriously III²⁵.** ◀; or,
 - An event which compromises Air Safety; or,
 - An assessment of Air System Repair Category 1, 2 or 3 damage.
- Hazard Observation.** A report used to provide information on a specific situation or set of circumstances which did not actually result in an Air Safety Incident but where the potential for an Air Safety Incident to occur in the future was identified. Air Safety related Hazard Observations reported on Unit Level Forms need to be transferred to a DASOR.
- SON.** The format and contact details for a SON are detailed within the SON template held on the MAA websites and accessible through the ASIMS homepage.
- DASOR Reporting Timeline.** DASOR reporting timelines refer to the submission and initial distribution of the report by the Occurrence Manager.
- Remotely Piloted Air System (RPAS).** For RPAS investigations see also the appropriate RA in the RA 1600 series.

²³ Injuries are defined in the Reporting of Injuries, Diseases and Dangerous Occurrence Regulations (RIDDOR) 2013 Regulation 4: <http://www.hse.gov.uk/riddor/> and <http://www.legislation.gov.uk/ukxi/2013/1471/contents/made>.

²⁴ Refer to JSP 375 Part 2 Volume 1 Chapter 16 Annex A – Accident/Incident Reporting and Investigation.

²⁵ ► **Classed as Seriously III or Very Seriously III;** Refer to JSP 751 Part 1 Volume 3: **Overseas Compassionate Travel at Public Expense.** ◀

²⁶ The report (DASOR and SON if applicable) **should** be subsequently recategorized depending on the outcome, within 15 days of the Occurrence.

Annex B**Guide to Reportable Occurrences**

1. Example Occurrences for which DASORs are required include (this list is not exhaustive; if in any doubt, a DASOR needs to be submitted):
 - a. General:
 - (1) Errors that significantly reduce the levels of Safety normally expected.
 - (2) Occurrences involving a serious increase in workload which correspondingly reduces Safety margins due to fatigue; this includes cumulative fatigue.
 - (3) Damage to an Air System sustained during any activity whilst on the ground occurring outside the Period of Operation of the ► Air System. ◀
 - (4) Flight simulator Occurrences or Occurrences in a synthetic environment which may be of benefit to the wider Defence Aviation community, but excluding those of a Health and Safety at Work nature.
 - (5) Real-event Occurrences that held elevated Risk due to negative consequences or learned behaviours from experiences in a synthetic environment.
 - (6) Real-event Occurrences that had a Cause tangibly-linked to experiences in a synthetic environment and may be of benefit to the wider Defence Aviation community.
 - (7) Occurrences involving Foreign Object Debris or loose articles either in or on an Air System and whether or not any damage results.
 - (8) Significant failure or unforeseen degradation of any Safety critical system.
 - b. Air Traffic Management:
 - (1) ATC / Area Control Centre (ACC) Incidents and Accidents – involving and reported by personnel of ATC and ACC.
 - (2) Any Occurrence where ATC procedures, military flying Regulations and / or, where appropriate, civil legislation are breached.
 - c. Continuing Airworthiness:
 - (1) Maintenance Occurrences – occurring during Maintenance of an Air System²⁷.
 - (2) Maintenance error where the potential for an Air Safety Incident to occur was identified.
 - (3) Maintenance errors identified after Certification.
 - (4) Serious equipment Faults identified during Maintenance.
 - (5) Misleading, incorrect or insufficient applicable Maintenance data or procedures that could lead to significant Maintenance errors.
 - (6) Incorrect control of the Air System Maintenance schedule.
 - (7) Releasing an Air System to service from Maintenance in which the material state endangers Flight Safety.
 - (8) Releasing an Air System to service from Maintenance in which the documented state of the Air System does not match the physical state of the Air System and could compromise Flight Safety.
 - (9) Where insufficient or inadequate resources are available to conduct safe Maintenance operations.
 - (10) The use of products, components or materials, from unknown, suspect origin, or Unserviceable critical components.
 - d. Flight Operations:
 - (1) Incidents and Accidents – occurring during the period of operation of the Air System under the control of ► Aircrew. ◀
 - (2) Uncharted Obstructions.

²⁷ Where applicable Health and Safety Executive & Service specific reporting (eg the Navy Lessons and Incident Management System (NLIMS)) needs to be raised and cross referred to within the applicable DASOR.

- (3) Other Occurrences – in support of flying operations²⁷.
- (4) Occurrences that represent an actual or potential Flight Safety Hazard.
- (5) Abandoned take-offs or unintentionally leaving a Runway, taxiway or Aircraft operating surface.
- (6) Unplanned autorotative landing.
- (7) Aircraft forced landing.
- (8) Aircraft hard landing.
- (9) Unauthorised exceedances of the flight envelope.
- (10) Deviations from the Release To Service.
- (11) A significant loss of thrust / engine power.
- (12) Flying control system failure or malfunction, or un-commanded flying control movement (UFCM) however momentary.
- (13) Any item that becomes detached from or falls from an Aircraft.
- (14) Helicopter external load malfunctions, including unusual load behaviour which led or could have led to irregular release, giving rise to significant concern for Safety.
- (15) Serious reduction in Aircraft performance due to weather or icing.
- (16) Severe turbulence, wake turbulence or wind shear.
- (17) Any loss of prescribed separation between Aircraft.
- (18) When the Aircraft Commander has received and responded to a Traffic Collision Avoidance System Resolution Advisory, regardless of the Cause.
- (19) When an individual during Air System operations has been adversely affected by Injury; incapacitated due to illness, the use of drugs or alcohol; or affected by noxious fumes or food poisoning. This includes Aircrew or support personnel who, for any reason, are required to report to a medical officer after an Incident.
- (20) Lightning strike.
- (21) Aircraft self-damage by weapons.
- (22) Losses due to Hostile Action.
- (23) Irregular release / discharge of weapons.
- (24) Inadvertent Release of towed targets.
- (25) Occurrences resulting from fast roping or abseiling from Aircraft.
- (26) Equipment failure or deficiencies causing significant concern to the user.
- (27) Wildlife strikes or near wildlife strikes.
- (28) Bird strikes or near bird strikes.
- (29) Wire strikes or near wire strikes.
- (30) Instances of laser equipment being used against Aircraft and personnel in direct support of flying operations.
- (31) Parachute deployment irregularities such as any difficulty experienced by a free fall Parachutist in locating or pulling their base of container toggle or difficulties experienced by a Parachute Jump Instructor drogue setting for a tandem Parachutist.
- (32) Any parachuting equipment issues experienced by a parachutist either during or prior to a military parachute descent.
- (33) All occasions when a Runway or Aerodrome Movement Area Incursion has occurred.
- (34) Any Operation of a Personal Locator Beacon.
- (35) ► Activation of the Air System Ground Collision Avoidance System²⁸. ◀

²⁸ ► Where Air System design and flying task combinations lead to the potential for repeated Ground Collision Warning System activations in routine operation, ADH / AM(MF) will consider providing guidance on when the circumstances under which the requirement to submit an Occurrence Report is appropriate. ◀