

Construction Noise and Vibration Monthly Report – August 2024

London Borough of Camden

Non-Technical Summary	1
Abbreviations and Descriptions	3
1 Introduction	4
1.2 Measurement Locations	7
2 Summary of Results	10
2.1 Summary of Measured Noise and Vibration Levels	10
2.2 Exceedances of the SOAEL	16
2.3 Exceedances of Trigger Level	20
2.4 Complaints	21
Appendix A Site Locations	22
Appendix B Monitoring Locations	27
Appendix C Data	33

List of tables

Table 1: Table of Abbreviations	3
Table 2: Monitoring Locations	8
Table 3: Summary of Measured dB L_{Aeq} Data over the Monitoring Period	11
Table 4: Summary of Measured PPV Data over the Monitoring Period	16
Table 5: Summary of Exceedances of SOAEL	17
Table 6: Summary of Total Exceedances of SOAEL	20
Table 7: Summary of Exceedances of Trigger Levels	20
Table 8: Summary of Complaints	21

Non-Technical Summary

This Noise and Vibration Monitoring Report fulfils HS2 Limited's commitment detailed in the Environmental Minimum Requirements (EMRs), Annex 1, Code of Construction Practice, to present the results of noise and vibration monitoring carried out within the London Borough of Camden during the month of August 2024.

Within this period monitoring was undertaken at the following worksites:

- Noise monitoring was undertaken in the vicinity of The Adelaide Road Ventilation Shaft (ref.: ARVS) where site shutdown was underway.
- Noise monitoring was undertaken in the vicinity of the Vehicle Holding Area worksite (ref.: VHA), where deliveries, site maintenance, surveys and haul road and drainage maintenance were underway.
- Noise monitoring was undertaken in the vicinity of the Mornington Street Bridge worksite (ref.: MSB), where no works were undertaken.
- Noise monitoring was undertaken in the vicinity of the Park Village East worksite (ref.: PVE), where deliveries, site maintenance, surveys, haul road and drainage maintenance, excavation works, steel fixing, formwork installation and concrete pouring were underway.
- Noise monitoring was undertaken in the vicinity of Euston Scissor Box worksite (ref.: ESB) where deliveries, site maintenance, surveys, haul road and drainage maintenance, installation and extraction of piles, excavation works, pile capping, scaffold installation, building of reinforcement cages, steel fixing and concrete pumping and pouring were underway.
- Noise monitoring was undertaken in the vicinity of Euston Throat Retained Cut worksite (ref.: ETRC) where deliveries, site maintenance, surveys, haul road and drainage maintenance, steel fixing, concrete pouring, abnormal load traffic, removal of supports, utility duct installation and backfilling were underway.
- Noise monitoring was undertaken in the vicinity of Granby Terrace Bridge worksite (ref.: GTB) where deliveries, site maintenance, surveys, haul road and drainage maintenance, bridge structure formwork, concrete pouring, bridge deck surfacing and utility works were underway.
- Noise and vibration monitoring were undertaken in the vicinity of the Hampstead Road Bridge worksite (ref.: HRB) where deliveries, site, haul road and drainage maintenance, surveys and hoarding maintenance were underway.

- Noise and vibration monitoring were undertaken in the vicinity of the Euston Cavern worksite (ref.: ECAV) where deliveries, site maintenance, surveys, haul road and drainage maintenance, scaffold installation, brick repairs, slab works and concrete reinforcement works were underway.
- Noise monitoring was undertaken in the vicinity of On-Network worksites (ref.: B, C, D, E, F, G and H), where works were undertaken.
- Noise monitoring was undertaken in the vicinity of the Former National Temperance Hospital - North worksite (ref.: NTH-N) where no works were undertaken.
- Noise monitoring was undertaken in the vicinity of the Former National Temperance Hospital - Euston North worksite (ref.: NTH-EN) where no works were undertaken.
- Noise monitoring was undertaken in the vicinity of Maria Fidelis worksite (ref.: MF) where window replacement, scaffolding works, internal fitout works, substation snagging and service yard ramp construction were underway.
- Noise monitoring was undertaken in the vicinity of the Euston Towers Demolition worksite (ref.: ETD), where no works were undertaken.
- Noise monitoring was undertaken in the vicinity of the Traction Substation worksite (ref.: TSS) where mechanical, electrical and plumbing installation, ductwork installation, testing, tunnel control and management system works, power installation, signage and painting, and blast door installation were underway.
- Noise monitoring was undertaken in the vicinity of the Interim Taxi Rank worksite (ref.: ITR) where no works were undertaken.

The HS2 threshold levels for significant noise impacts, which are defined in Information Paper E23 (<https://www.gov.uk/government/publications/hs2-information-papers-environment>) were exceeded eight (8) times during the reporting period.

There were no exceedances of trigger levels as defined in section 61 consents during the reporting period. Further details can be found in Table 7 of this report.

Four (4) complaints were received during the monitoring period.

Abbreviations and Descriptions

The abbreviations, descriptions and project terminology used within this report can be found in Table 1.

Table 1: Table of Abbreviations

Acronym/Term	Definition
$L_{Aeq,T}$	See equivalent continuous sound pressure level
Ambient sound	A description of the all-encompassing sound at a given location and time which will include sound from many sources near and far. Ambient sound can be quantified in terms of the equivalent continuous sound pressure level, $L_{pAeq,T}$
Decibel(s), or dB	Between the quietest audible sound and the loudest tolerable sound there is a million to one ratio in sound pressure (measured in Pascal (Pa)). Because of this wide range, a level scale called the decibel (dB) scale, based on a logarithmic ratio, is used in sound measurement. Audibility of sound covers a range of approximately 0-140dB.
Decibel(s) A-weighted, or dB(A)	The human ear system does not respond uniformly to sound across the detectable frequency range and consequently instrumentation used to measure sound is weighted to represent the performance of the ear. This is known as the 'A weighting' and is written as 'dB(A)'.
Equivalent continuous sound pressure level, or $L_{Aeq,T}$	An index used internationally for the assessment of environmental sound impacts. It is defined as the notional unchanging level that would, over a given period of time (T), deliver the same sound energy as the actual time-varying sound over the same period. Hence fluctuating sound levels can be described in terms of an equivalent single figure value, typically expressed as a decibel level.
Exclusion of data	Measurement of noise levels can be affected by weather conditions such as prolonged periods of rain, winds speeds higher than 5m/s and snow/ice ground cover. Noise levels measured during these periods are considered not representative of normal noise conditions at the site and, for the purposes of this report, are excluded from the assessment of exceedances and calculation of typical noise levels and are also greyed out in charts. Identifiable incongruous noise and vibration events not attributable to HS2 construction noise are also excluded.
Façade	A facade noise level is the noise level 1m in front of a large reflecting surface. The effect of reflection, is to produce a slightly higher (typically +3 dB) sound level than it would be if the reflecting surface was not there.
Free-field	A free-field noise level is the noise level measured at a location where no reflective surfaces, other than the ground, lies within 3.5 metres of the microphone position.
LOAEL	Lowest Observed Adverse Effect Level - the level above which adverse effects on health and quality of life can be detected.
Peak particle velocity, or PPV	Instantaneous maximum velocity reached by a vibrating element as it oscillates about its rest position. The PPV is a simple indicator of perceptibility and risk of damage to structures due to vibration. It is usually measured in mm/s.
SOAEL	Significant Observed Adverse Effect Level - the level above which significant adverse effects on health and quality of life occur.
Sound pressure level	The parameter by which sound levels are measured in air. It is measured in decibels. The threshold of hearing has been set at 0dB, while the threshold of pain is approximately 120dB. Normal speech is approximately 60dB at a distance of 1 metre and a change of 3dB in a time varying sound signal is commonly regarded as being just detectable. A change of 10dB is subjectively twice, or half, as loud.
Vibration dose value, or VDV	An index used to evaluate human exposure to vibration in buildings. While the PPV provides information regarding the magnitude of single vibration events, the VDV provides a measure of the total vibration experienced over a specified period of time (typically 16h daytime and 8h night-time). It takes into account the magnitude, the number and the duration of vibration events and can be used to quantify exposure to continuous, impulsive, occasional and intermittent vibration. The vibration dose value is measured in $m/s^{1.75}$.

1 Introduction

1.1.1 HS2 is required to undertake noise (and vibration) monitoring as necessary to comply with the requirements of the High Speed Rail (London-West Midlands) Environmental Minimum Requirements, including specifically Annex 1: Code of Construction Practice, in addition to any monitoring requirements arising from conditions imposed through consents under Section 61 of the Control of Pollution Act, 1974 or through Undertakings & Assurances given to third parties. Such monitoring may be undertaken for the following purposes:

- monitoring the impact of construction works;
- to investigate complaints, incidents and exceedance of trigger levels; or
- monitoring the effectiveness of noise and vibration control measures.

Monitoring data and interpretive reports are to be provided to each relevant local authority on a monthly basis and shall include a summary of the construction activities occurring, the data recorded over the monitoring period, any complaints received, any periods in exceedance of agreed trigger levels, the results of any investigations and any actions taken or mitigation measures implemented. This report provides noise data, and interpretation thereof, for monitoring carried out by HS2 within the London Borough of Camden (LBC) for the period 1st to 31st August 2024.

1.1.2 Active construction sites in the local authority area where monitoring was undertaken during this period include:

- The Adelaide Road ventilation shaft ref.: ARVS, (see plan 2 in Appendix A), where work activities included:
 - Site shutdown including routine inspections.
- Vehicle Holding Area worksite ref.: VHA (see plan 1 in Appendix A), where work activities included:
 - Deliveries.
 - Site maintenance.
 - Surveys.
 - Haul road and drainage maintenance.
- Mornington Street Bridge worksite ref.: MSB (see plan 2 in Appendix A), where no works were undertaken.

- Park Village East worksite ref.: PVE (see plan 2 in Appendix A), where work activities included:
 - Deliveries.
 - Site maintenance.
 - Surveys.
 - Haul road and drainage maintenance.
 - Excavation works.
 - Steel fixing.
 - Formwork installation.
 - Concrete pouring.
- Euston Scissor Box worksite ref.: ESB (see plan 2 in Appendix A), where work activities included:
 - Deliveries.
 - Site maintenance.
 - Surveys.
 - Haul road and drainage maintenance.
 - Installation and extraction of sheet piles.
 - Excavation works.
 - Pile capping.
 - Scaffold installation.
 - Building of reinforcement cages and steel fixing.
 - Concrete pumping and pouring.
- Euston Throat Retained Cut worksite ref.: ETRC (see plan 2 in Appendix A), where work activities included:
 - Deliveries.
 - Site maintenance.
 - Surveys.
 - Haul road and drainage maintenance.
 - Steel fixing.
 - Abnormal loads traffic.
 - Concrete pouring.
 - Removal of supports.

- Utility duct installation.
 - Backfilling.
- Granby Terrace Bridge worksite ref.: GTB (see plan 2 in Appendix A), where work activities included:
 - Deliveries.
 - Site maintenance.
 - Surveys.
 - Haul road and drainage maintenance.
 - Bridge structure formwork.
 - Concrete pouring.
 - Bridge deck surfacing.
 - Utility works.
- Hampstead Road Bridge worksite ref.: HRB (see plan 3 in Appendix A), where work activities included:
 - Deliveries.
 - Site maintenance.
 - Surveys.
 - Haul road and drainage maintenance.
 - Hoarding maintenance.
- Euston Cavern worksite ref.: ECAV (see plan 3 in Appendix A), where work activities included:
 - Deliveries.
 - Site maintenance.
 - Surveys.
 - Haul road and drainage maintenance.
 - Scaffold installation.
 - Brick repairs.
 - Slab works.
 - Concrete reinforcement works.
- On-Network worksites ref.: B, C, D, E, F, G and H (see plan 3 in Appendix A), where no works were undertaken:
- Former National Temperance Hospital – North worksite ref.: NTH-N (see plan 4 in Appendix A), where no works were undertaken.

- Former National Temperance Hospital – Euston North worksite ref.: NTH-EN (see plan 4 in Appendix A), where no works were undertaken.
- Maria Fidelis worksite ref.: MF (see plan 4 in Appendix A), where work activities included:
 - Window replacement.
 - Scaffolding works.
 - Internal fitout works.
 - Substation snagging.
 - Service yard ramp construction.
- Euston Towers Demolition worksite ref.: ETD (see plan 4 in Appendix A), where no works were undertaken.
- Traction Substation worksite ref.: TSS (see plan 4 in Appendix A), where work activities included:
 - Mechanical, electrical and plumbing installation.
 - Ductwork installation.
 - Testing.
 - Tunnel control and management system works.
 - Power installation.
 - Signage and painting.
 - Blast door installation.
- Interim Taxi Rank worksite ref.: ITR (see plan 4 in Appendix A), where no works were undertaken.

1.1.3 The applicable standards, guidance, and monitoring methodology are outlined in the construction noise and vibration monitoring methodology report which can be found at the following location <https://www.gov.uk/government/collections/monitoring-the-environmental-effects-of-hs2>. Noise and vibration monitoring reports for previous months can also be found at this location.

1.2 Measurement Locations

1.2.1 Thirty-three (33) noise and nine (9) vibration monitoring installations were active across eighteen worksites in August in the LBC area. Table 2 summarises the position of noise and vibration monitoring installations within the LBC area in August 2024.

- 1.2.2 Noise monitor ref. JC at worksite ref. B was removed from site on Wednesday 14th August due to the completion of works on site.
- 1.2.3 Maps showing the position of noise and vibration monitoring installations are presented in Appendix B.

Table 2: Monitoring Locations

Worksite Reference	Measurement Reference	Address
ARVS	N051	Outside 70 Adelaide Road
	N051a	Outside 70 Adelaide Road
	N052	Adelaide Road-Beaumont Walk
B	JC	Juniper Crescent
MSB & ECAV, PVE, C	N024	Lamppost outside Park Village Studios, Park Village East
	N047	Lamppost #3 on corner of Park Village East and Mornington Street Bridge
	PVS-N001	Park Village Studios
	PVS-V1	Park Village Studios
	N022	Lamppost #34 on Mornington Terrace, between Mornington Street Bridge and Edinboro Castle pub
	N046	Lamppost on Mornington Terrace, between Mornington Street Bridge and Delancey Street, near Edinboro Castle pub
ESB & GTB, PVE, E	N001	Park Village East Lamppost #1 Outside Cubitt Court
	N002	Park Village East Lamppost #2 Outside Richmond House
ESB & GTB, PVE, D	N003	Park Village East Lamppost #15 Outside Silsoe House
	SH-V1	Basement of Silsoe House
	N004	Mornington Terrace Lamppost #7 Junction of Mornington Terrace, Mornington Place & Clarkson Row
ESB & GTB, PVE, E	N005	Euston Approaches – Xavier House site office external staircase
	CR	Lamppost #2 on Clarkson Row
ETRC & HRB, F	N023	Lamppost #21 on Hampstead Road - opposite Xavier House site office
ETRC & HRB	N020	Lamppost on corner of Mackworth Street and Harrington Street
	N021	Lamppost on Stanhope Street, west of Stephenson House site office
	N044	Euston Approaches site hoarding – between Stephenson House site office and Langdale, Regent's Park Estate
	N045	Euston Approaches site hoarding – east of Coniston, Regent's Park Estate
	V039	Euston Approaches site – east of Coniston, Regent's Park Estate
	V043	Euston Approaches site – Cartmel House, Regents Park Estate
	N019	Euston Approaches site hoarding – north facing façade of Cartmel House

Worksite Reference	Measurement Reference	Address
HRB & ETRC, NTH-N	N026a	Euston Approaches site hoarding – east facing façade of Cartmel House
ETD, TSS	N006	Royal College of General Practitioners roof level
TSS	N008	Stephenson’s Way lamppost (external to RCGP)
	N010	Wesley Hotel
	N011	Euston Street, lamppost #4 (external to 82 Euston Street)
	V002	Royal College of General Practitioners basement boiler room by Stephenson Way
	V037	Magic Circle, basement
	V038	Wesley Hotel, basement lightwell, Euston Street
ETD, ITR	N007	Royal College of General Practitioners, Melton Street
	V003	Royal College of General Practitioners basement vaults under Melton St
VHA	N025	Lamppost #3 on Prince Albert Road opposite the Vehicle Holding Area (VHA) site
NTH-EN, TSS	N012	Drummond Street, lamppost #14 (opposite to 92-94 Drummond Street)
NTH-EN, MF	N014	Starcross Street lamppost (external to Exmouth Arms)
	N016	Margaret Centre roof
	V021	42-44 Cobourg Street
NTH-EN	N017	Hampstead Road, lamppost #48
ETRC & HRB, NTH-N	N018	Outside replacement housing, Hampstead Road

2 Summary of Results

2.1 Summary of Measured Noise and Vibration Levels

2.1.1 Table 3 presents a summary of the measured noise levels at each monitoring location over the reporting period. The $L_{Aeq,T}$ is presented for each of the relevant time periods averaged over the calendar month, along with the highest single period $L_{Aeq,T}$ that was found to occur within the month.

Table 3: Summary of Measured dB L_{Aeq} Data over the Monitoring Period

Worksite Reference	Measurement Reference	Site Address	Free-Field or Façade Measurement	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})	
				0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
ARVS	N051	Outside 70 Adelaide Road	Free-field	67.0 (71.1)	67.7 (70.4)	66.8 (68.9)	66.9 (72.8)	64.9 (71.3)	63.9 (64.8)	65.9 (66.2)	66.3 (67.9)	66.6 (70.1)	65.3 (70.2)	66.5 (76.1)	65.0 (71.6)
	N051a	Outside 70 Adelaide Road	Free-field	66.2 (69.8)	66.7 (69.3)	65.7 (67.7)	65.8 (71.4)	63.7 (69.1)	63.2 (64.5)	65.0 (65.5)	65.4 (66.8)	65.6 (69.7)	64.2 (68.5)	65.0 (69.5)	64.1 (69.6)
	N052	Adelaide Road-Beaumont Walk	Free-field	66.3 (68.3)	67.2 (69.7)	66.5 (70.5)	66.1 (71.4)	64.7 (73.1)	63.8 (64.9)	65.5 (65.9)	66.3 (68.8)	66.4 (69.5)	64.7 (67.8)	65.1 (68.9)	64.8 (69.0)
B	JC	Juniper Crescent	Free-field	56.1 (57.1)	58.2 (59.2)	58.6 (59.6)	58.5 (59.7)	54.9 (59.5)	57.1 (57.4)	58.1 (58.3)	57.8 (58.1)	57.4 (58.3)	51.5 (56.3)	55.0 (56.7)	51.6 (55.3)
MSB & ECAV, PVE, C	N024	Lamppost outside Park Village Studios, Park Village East	Free-field	56.7 (61.3)	58.5 (60.4)	58.0 (62.7)	57.5 (76.2)	52.2 (59.7)	52.0 (52.6)	56.4 (57.7)	55.7 (56.3)	57.1 (62.6)	52.6 (56.9)	56.4 (64.3)	51.9 (56.3)
	N047	Lamppost #3 on corner of Park Village East and Mornington Street Bridge	Free-field	58.5 (63.8)	59.4 (62.3)	59.6 (70.7)	58.7 (74.0)	52.9 (61.2)	54.0 (55.1)	57.4 (59.6)	57.1 (59.1)	58.8 (69.1)	53.9 (62.3)	57.1 (67.1)	52.3 (56.3)
	PVS-N001	Park Village Studios	Façade	63.7 (65.4)	67.6 (71.9)	64.5 (65.8)	64.1 (66.2)	57.6 (63.6)	63.6 (64.9)	67.1 (72.3)	63.2 (67.3)	63.4 (69.3)	57.1 (66.2)	63.2 (70.4)	58.1 (66.1)

OFFICIAL

Worksite Reference	Measurement Reference	Site Address	Free-Field or Façade Measurement	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})	
				0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
	N022	Lamppost #34 on Mornington Terrace	Free-field	58.4 (60.3)	58.8 (60.8)	58.6 (67.0)	58.0 (71.4)	52.5 (58.7)	56.5 (57.8)	57.0 (58.4)	58.1 (61.2)	57.0 (64.4)	51.1 (56.3)	55.9 (59.5)	52.4 (65.2)
	N046	Lamppost on Mornington Terrace, between Mornington Street Bridge and Delancey Street	Free-field	61.7 (63.3)	62.0 (65.3)	61.3 (63.0)	60.9 (62.7)	56.0 (61.1)	60.0 (61.4)	60.2 (61.2)	60.8 (62.2)	60.1 (64.1)	55.1 (60.8)	58.9 (62.9)	55.3 (64.4)
ESB & GTB, PVE, E	N001	Park Village East Lamppost #1	Free-field	57.7 (61.7)	60.4 (62.0)	59.2 (69.1)	57.7 (66.9)	52.5 (61.2)	53.3 (55.1)	59.3 (60.8)	58.3 (62.0)	60.7 (82.1)	53.6 (59.1)	57.2 (66.7)	52.0 (56.9)
	N002	Park Village East Lamppost #2	Free-field	58.0 (62.7)	59.9 (61.6)	59.8 (69.4)	58.5 (71.6)	52.9 (60.2)	52.9 (54.9)	57.2 (58.7)	57.2 (59.7)	60.2 (77.6)	54.3 (59.6)	57.0 (64.6)	52.5 (57.0)
ESB & GTB, PVE, D	N003	Park Village East Lamppost #15 Outside Silsoe House	Façade	58.3 (63.3)	60.1 (64.7)	60.1 (66.8)	59.0 (74.7)	53.9 (67.3)	53.1 (55.3)	57.5 (59.1)	58.2 (62.5)	59.8 (72.8)	54.8 (61.6)	57.5 (67.7)	52.7 (57.1)
	N004	Mornington Terrace Lamppost #7	Free-field	63.4 (67.2)	64.1 (66.6)	64.0 (66.4)	63.7 (69.2)	59.7 (68.9)	62.6 (63.5)	62.4 (63.1)	62.3 (64.8)	61.9 (72.5)	56.0 (63.1)	61.0 (67.8)	58.4 (66.2)
ESB & GTB, PVE, E	N005	Euston Approaches – Xavier House site office external staircase	Free-field	62.7 (65.8)	64.3 (66.1)	64.1 (67.3)	63.5 (66.8)	59.4 (66.8)	61.5 (63.0)	63.4 (64.2)	63.2 (65.3)	64.3 (79.2)	59.2 (63.9)	62.2 (66.0)	58.8 (63.2)

OFFICIAL

Worksite Reference	Measurement Reference	Site Address	Free-Field or Façade Measurement	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})	
				0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
	CR	Lamppost #2 on Clarkson	Free-field	63.7 (66.2)	68.7 (81.3)	68.4 (71.5)	67.4 (71.3)	61.8 (70.6)	66.1 (67.4)	66.7 (68.1)	66.9 (68.4)	66.6 (78.3)	62.4 (72.4)	65.8 (72.5)	62.7 (70.1)
ETRC & HRB, F	N023	Lamppost #21 on Hampstead Road	Free-field	67.4 (70.2)	67.8 (70.7)	66.4 (67.9)	66.0 (70.7)	64.7 (70.6)	65.9 (67.0)	66.0 (66.5)	66.4 (67.4)	67.6 (77.8)	65.6 (68.3)	66.4 (71.5)	64.5 (68.5)
ETRC & HRB	N020	Lamppost on corner of Mackworth Street and Harrington Street	Free-field	51.4 (55.3)	56.0 (69.5)	52.1 (55.6)	50.5 (57.6)	47.6 (58.2)	48.9 (50.9)	52.1 (55.4)	51.4 (53.8)	53.8 (72.8)	47.7 (52.5)	51.2 (55.4)	47.4 (52.4)
	N021	Lamppost on Stanhope Street, west of Stephenson House site office	Free-field	57.7 (68.3)	59.1 (60.7)	59.6 (74.7)	57.0 (65.7)	51.8 (61.3)	51.0 (52.4)	56.1 (57.7)	56.0 (58.6)	62.2 (91.8)	52.8 (58.8)	56.4 (66.4)	51.2 (56.1)
	N044	Regents Park Estate west, near Langdale	Free-field	54.6 (59.4)	57.3 (62.2)	54.0 (57.9)	53.2 (57.6)	49.4 (57.3)	52.6 (54.1)	56.8 (60.2)	54.8 (59.1)	57.4 (84.1)	49.2 (53.4)	53.1 (58.2)	48.9 (54.9)
	N045	Euston Approaches site hoarding – east of Coniston, Regent's Park Estate	Free-field	53.8 (56.1)	63.2 (71.8)	52.5 (55.9)	52.9 (57.2)	50.3 (56.1)	51.8 (53.6)	53.9 (56.6)	53.1 (58.0)	54.8 (73.9)	50.7 (52.9)	53.0 (58.4)	50.9 (57.3)
ETRC & HRB, NTH-N	N019	Euston Approaches site hoarding – north facing façade of Cartmel House	Façade	55.0 (57.3)	64.9 (71.7)	54.2 (56.9)	54.8 (59.4)	52.6 (59.2)	53.4 (54.5)	54.7 (56.3)	54.3 (56.7)	55.8 (69.9)	53.3 (55.8)	54.6 (61.3)	53.2 (59.6)

OFFICIAL

Worksite Reference	Measurement Reference	Site Address	Free-Field or Façade Measurement	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})	
				0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
	N026a	Euston Approaches site hoarding – east facing façade of Cartmel House	Façade	58.3 (60.9)	68.6 (79.4)	58.3 (61.1)	58.7 (64.4)	56.6 (62.1)	56.9 (57.9)	57.7 (58.5)	57.7 (59.2)	59.1 (67.5)	57.2 (60.5)	58.1 (63.4)	56.9 (61.5)
ETD, TSS	N006	Royal College of General Practitioners roof level	Free-field	60.2 (69.8)	60.5 (65.5)	53.1 (59.0)	51.7 (59.1)	50.7 (58.2)	55.1 (62.1)	54.5 (58.6)	51.9 (52.1)	52.0 (60.9)	50.0 (51.9)	53.1 (58.9)	50.5 (53.7)
TSS	N008	Stephenson's Way lamppost (external to RCGP)	Façade	57.8 (60.9)	62.3 (68.3)	55.6 (58.5)	55.7 (69.0)	56.3 (67.8)	55.1 (55.4)	57.7 (63.8)	55.8 (58.6)	54.8 (59.6)	53.8 (57.7)	54.9 (56.4)	54.7 (60.1)
	N010	Wesley Hotel	Façade	72.1 (72.4)	72.3 (73.4)	67.0 (72.2)	66.2 (72.3)	62.1 (72.5)	72.1 (72.1)	71.9 (72.0)	71.9 (71.9)	61.2 (71.2)	58.5 (70.4)	69.1 (72.2)	63.4 (72.2)
	N011	Outside 82 Euston Street	Free-field	53.0 (63.2)	52.6 (60.4)	52.0 (66.7)	48.4 (59.0)	46.8 (63.3)	50.4 (50.5)	54.7 (57.1)	52.5 (53.4)	41.5 (61.8)	37.6 (51.6)	36.3 (60.2)	33.4 (54.8)
ETD, ITR	N007	Royal College of General Practitioners, Melton Street	Free-field	63.4 (66.0)	64.8 (66.1)	62.7 (65.4)	62.4 (68.6)	61.6 (70.7)	63.5 (68.4)	62.9 (63.4)	61.3 (62.8)	62.4 (66.3)	60.6 (64.6)	61.5 (65.7)	63.9 (74.1)
VHA	N025	Lamppost #3 on Prince Albert Road	Free-field	64.3 (68.6)	65.3 (66.9)	65.5 (72.2)	64.7 (72.2)	63.1 (71.3)	67.0 (70.3)	66.5 (67.8)	66.1 (66.9)	65.2 (71.3)	61.7 (66.2)	66.2 (75.9)	62.5 (66.8)

OFFICIAL

Worksite Reference	Measurement Reference	Site Address	Free-Field or Façade Measurement	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})					Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})	
				0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
NTH-EN, TSS	N012	Opposite 92-94 Drummond Street	Free-field	56.3 (59.1)	59.9 (62.4)	58.1 (62.3)	57.5 (62.9)	54.5 (59.4)	54.9 (55.4)	57.5 (58.9)	57.3 (58.7)	57.0 (59.0)	54.9 (56.4)	56.6 (59.3)	56.0 (65.7)
NTH-EN, MF	N014	Starcross Street lamppost (external to Exmouth Arms)	Free-field	50.7 (55.7)	55.4 (64.5)	57.0 (64.1)	56.9 (65.7)	49.1 (63.2)	47.2 (49.2)	52.2 (58.9)	49.0 (50.3)	51.9 (57.3)	47.4 (52.4)	51.5 (61.6)	46.6 (55.0)
	N016	Margaret Centre roof	Free-field	52.4 (53.7)	58.1 (63.3)	51.9 (54.8)	52.8 (57.5)	50.3 (57.9)	51.5 (53.2)	54.4 (55.5)	52.1 (53.1)	52.3 (58.5)	50.1 (52.8)	51.7 (57.4)	50.3 (54.4)
NTH-EN	N017	Hampstead Road, lamppost #48	Free-field	67.6 (71.8)	69.8 (73.3)	68.1 (75.2)	68.6 (75.3)	66.7 (74.4)	66.0 (67.4)	69.6 (71.9)	68.4 (71.2)	69.1 (75.0)	67.4 (72.5)	68.7 (76.5)	66.7 (72.9)
ETRC & HRB, NTH-N	N018	Outside replacement housing, Hampstead Road	Free-field	66.5 (68.6)	68.2 (69.4)	67.5 (71.3)	68.0 (76.3)	65.7 (72.9)	64.8 (65.9)	66.8 (68.4)	66.9 (67.8)	68.9 (74.6)	65.9 (70.9)	67.7 (76.1)	65.7 (70.5)

2.1.2 Table 4 presents a summary of the measured vibration levels at each monitoring location over the reporting period. The highest PPV measured during the monitoring along any axis is presented in the table.

Table 4: Summary of Measured PPV Data over the Monitoring Period

Worksite Reference	Measurement Reference	Monitor Address	Highest PPV measured in any axis, mm/s
MSB & ECAV, PVE, C	PVS-V1	Park Village Studios	1.79 (X-axis)
ESB & GTB, PVE, D	SH-V1	Basement of Silsoe House	2.41 (Y-axis)
ETRC & HRB	V039	Euston Approaches site – east of Coniston, Regent’s Park Estate	2.63 (Y-axis)
	V043	Euston Approaches site – Cartmel House, Regents Park Estate	0.37 (X-axis)
ETD, ITR	V003	RCGP basement vaults, 305 Euston Road	0.66 (Z-axis)
TSS	V002	RCGP basement boiler room, 305 Euston Road	4.93 (X-axis)
	V037	Magic Circle, basement	2.82 (Y-axis)
	V038	Wesley Hotel, basement lightwell, Euston Street	0.69 (Z-axis)
NTH-EN, MF	V021	42-44 Cobourg Street (floor)	0.42 (Z-axis)

2.1.3 Appendix C presents graphs of the noise and vibration monitoring data over the month for each of the measurement locations. Noise data presented consists of the hourly L_{Aeq} values and, where relevant, the $L_{Aeq,T}$ values (where the time period T has been taken to be the averaging period as specified in Table 1 of HS2 Information Paper E23). Vibration data presented consist of hourly PPV values. The full data set for the monitoring equipment can be found at the following location: <https://data.gov.uk/dataset/24542ae7-dd44-444f-b259-871c4cc43b5e/environmental-monitoring-data>.

2.2 Exceedances of the SOAEL

2.2.1 The significant observed adverse effect level (SOAEL) is defined in the ‘Planning Practice Guidance – Noise’ as the level above which "noise causes a material change in behaviour and/or attitude, e.g. avoiding certain activities during periods of intrusion; where there is no alternative ventilation, having to keep windows closed most of the time because of the noise. Potential for sleep disturbance resulting in difficulty in getting to sleep, premature awakening and difficulty in getting back to sleep. Quality of life diminished due to change in acoustic character of the area."

2.2.2 HS2 Phase One Information Paper E23: Control of Construction Noise and Vibration sets out the SOAELs for construction noise.

2.2.3 Where reported construction noise levels exceed the SOAEL at nearby receptors, relevant periods will be identified. Summary statistics to evaluate ongoing qualification for noise insulation and temporary rehousing are also presented where relevant.

2.2.4 Table 5 presents a summary of recorded exceedances of the SOAEL at each measurement location over the reporting period, including the number of exceedances during each time period.

Table 5: Summary of Exceedances of SOAEL

Worksite Reference	Measurement Reference	Site Address	Day (Weekday, Saturday, Sunday, Night)	Time period	Number of exceedances of SOAEL
ARVS	N051	Outside 70 Adelaide Road	All days	All periods	No exceedance
	N051a	Outside 70 Adelaide Road	All days	All periods	No exceedance
	N052	Adelaide Road, Beaumont Walk	All days	All periods	No exceedance
B	JC	Juniper Crescent	All days	All periods	No exceedance
MSB & ECAV, PVE, C	N024	Lamppost outside Park Village Studios, Park Village East	All days	All periods	No exceedance
	N047	Lamppost #3 on corner of Park Village East and Mornington Street Bridge	All days	All periods	No exceedance
	PVS-N001	Park Village Studios	Saturday Sunday Night	1400-2200 0700-2200 2200-0700	2 3 4
	N022	Lamppost #34 on Mornington Terrace	All days	All periods	No exceedance
	N046	Lamppost on Mornington Terrace, between Mornington Street Bridge and Delancey Street	All days	All periods	No exceedance*

Worksite Reference	Measurement Reference	Site Address	Day (Weekday, Saturday, Sunday, Night)	Time period	Number of exceedances of SOAEL
ESB & GTB, PVE, E	N001	Park Village East Lamppost #1	All days	All periods	No exceedance
	N002	Park Village East Lamppost #2	Night	2200-0700	1
ESB & GTB, PVE, D	N003	Park Village East Lamppost #15 Outside Silsoe House	All days	All periods	No exceedance
	N004	Mornington Terrace Lamppost #7	Night	2200-0700	5
ESB & GTB, E, PVE	N005	Euston Approaches – Xavier House site office external staircase	All days	All periods	No exceedance
	CR	Lamppost #2 on Clarkson Row	All days	All periods	No exceedance
ETRC & GTB, F	N023	Lamppost #21 on Hampstead Road	All days	All periods	No exceedance
ETRC & HRB	N020	Lamppost on corner of Mackworth Street and Harrington Street	All days	All periods	No exceedance
	N021	Stanhope Street, lamppost #2	All days	All periods	No exceedance
	N044	Regents Park Estate west, near Langdale	All days	All periods	No exceedance*
	N045	Euston Approaches site hoarding – east of Coniston, Regent's Park Estate	All days	All periods	No exceedance

Worksite Reference	Measurement Reference	Site Address	Day (Weekday, Saturday, Sunday, Night)	Time period	Number of exceedances of SOAEL
HRB & ETRC, NTH-N	N019	Euston Approaches site hoarding – north facing façade of Cartmel House	All days	All periods	No exceedance
	N026a	Euston Approaches site hoarding – east facing façade of Cartmel House	Weekday	0800-1800	1
ETD, TSS	N006	RCGP Roof level	All days	All periods	Not applicable*
TSS	N008	Stephenson's Way lamppost (external to RCGP)	All days	All periods	Not applicable*
	N010	Wesley Hotel	All days	All periods	Not applicable*
	N011	Outside 82 Euston Street	All days	All periods	No exceedance
ETD, ITR	N007	RCGP, Melton Street	All days	All periods	No exceedance
VHA	N025	Lamppost #3 on Prince Albert Road	All days	All periods	No exceedance
NTH-EN, TSS	N012	Opposite 92-94 Drummond Street	All days	All periods	No exceedance
NTH-EN, MF	N014	Starcross Street lamppost (external to Exmouth Arms)	All days	All periods	No exceedance
	N016	Margarete Centre roof	All days	All periods	No exceedance
NTH-EN	N017	Hampstead Road, lamppost #48	All days	All periods	No exceedance
ETRC & HRB, NTH-N	N018	Outside replacement housing, Hampstead Road	All days	All periods	No exceedance

* The defined SOAEL criteria are not applicable to non-residential properties.

2.2.5 Exceedances of the SOAEL were recorded at four (4) noise monitors. The SOAEL exceedances were recorded during weekday daytime, Saturday afternoon, Sunday daytime and night-time periods.

2.2.6 For the purpose of assessing eligibility for noise insulation or temporary rehousing, multiple exceedances of the SOAEL in a 24-hour period would be counted as a single exceedance during that day. Over the reporting period, the overall number of SOAEL exceedances at each measurement location is shown in Table 6 and may be lower than the total sum of individual exceedances reported in Table 5 for each location.

Table 6: Summary of Total Exceedances of SOAEL

Worksite Reference	Measurement Reference	Monitor Address	Total of SOAEL exceedances in the month
MSB & ECAV, PVE, C	PVS-N001	Park Village Studios	3
ESB & GTB, PVE, E	N002	Park Village East Lamppost #2	1
ESB & GTB, PVE, D	N004	Mornington Terrace Lamppost #7	3
HRB & ETRC, NTH-N	N026a	Euston Approaches site hoarding – east facing façade of Cartmel House	1

2.2.7 Eight (8) 24-hour periods that experienced an exceedance of the SOAEL were recorded due to HS2 construction works during August 2024.

2.3 Exceedances of Trigger Level

2.3.1 Table 7 provides a summary of exceedances of the S61 trigger noise levels determined to be due to HS2 related construction noise measured during the reporting period, along with the findings of any investigation.

Table 7: Summary of Exceedances of Trigger Levels

Complaint Reference Number (if applicable)	Worksite Reference	Date and Time Period	Identified Source	Results of Investigation (including noise monitoring results)	Actions Taken
-	-	-	-	-	-

2.4 Complaints

2.4.1 Table 8 provides a summary of complaint information related to noise and vibration received during the reporting period, along with the findings of any investigation.

Table 8: Summary of Complaints

Complaint Reference Number	Worksite Reference	Description of Complaint	Results of Investigation	Actions Taken
HS2-24-112648-E-C	NTH-EN, MF	Complaint due to roadworks noise.	The noise was associated with HS2 utilities works. Monitoring data demonstrates compliance with Section 61 requirements and best practicable means were used for the works.	Information was provided to the stakeholder outlining the results of investigation and an offer to discuss the matters in person was made.
HS2-24-45573-C	TSS	Complaint due to speech reversing sirens on mobile plant.	The safety warnings are associated with large moving plant on site. Monitoring data demonstrates compliance with Section 61 requirements.	Information was provided to the stakeholder outlining the results of investigation and an offer to discuss the matters in person was made.
HS2-24-45670-C	N/A	Complaint due to noise and vibration during the night-time.	The works were not associated with HS2 construction.	Information was provided to the stakeholder outlining the results of investigation.
HS2-24-45675-C	ECAV	Complaint due to drilling and generator noise.	The contractor was unable to use acoustic blankets to reduce noise levels due to space constraints. Monitoring data demonstrates compliance with Section 61 requirements.	Information was provided to the stakeholder outlining the results of investigation.

Appendix A Site Locations


HS2

Worksite Identification Plan - Overview




HS2

Worksite Identification Plan - 1




HS2

Worksite Identification Plan - 2



HS2

Worksite Identification Plan - 3




Legend

- Active Worksites


Appendix B Monitoring Locations

HS2

Noise and Vibration Monitoring Plan - Overview



HS2 Noise and Vibration Monitoring Plan - 1




Contains Ordnance Survey data © Crown copyright and database right 2020

Legend

- Yellow Circle: Noise Monitor
- Green Circle: Vibration Monitor
- Red Shaded Area: Active Worksites

HS2

Noise and Vibration Monitoring Plan - 2




Legend

- Noise Monitor
- Vibration Monitor
- Active Worksites


HS2

Noise and Vibration Monitoring Plan - 3



HS2

Noise and Vibration Monitoring Plan - 4



Legend

- Noise Monitor
- Vibration Monitor
- Active Worksites



Contains Ordnance Survey data © Crown copyright and database right 2020


Appendix C Data

Noise

The following graphs show the hourly measured ambient noise level $L_{Aeq,1h}$ and, where relevant, the averaged noise level $L_{Aeq,T}$ values, where the time period T is as specified in Table 1 of HS2 Information Paper E23. Periods where noise levels are adversely affected by weather or only measured for part of the period, which are not representative of HS2 construction works, have been greyed out and excluded from the calculation of the $L_{Aeq,T}$ values in in Table 3 of the main report.



Worksite: B – Monitoring Ref: JC











Note: Noise monitor was removed from site on Wednesday 14th August due to the completion of works on site.

Worksite: MSB & ECAV, PVE, C – Monitoring Ref: N047








Worksite: MSB & ECAV, PVE, C - Monitoring Ref: PVS-N001







OFFICIAL





Worksite: MSB & ECAV, PVE, C – Monitoring Ref: N022













Worksite: MSB & ECAV, PVE, C - Monitoring Ref: N046








Worksite: ESB & GTB, PVE, E – Monitoring Ref: N001







OFFICIAL





Worksite: ESB & GTB, PVE, E - Monitoring Ref: N002













Worksite: ESB & GTB, PVE, D – Monitoring Ref: N003








Worksite: ESB & GTB, PVE, E – Monitoring Ref: N005







OFFICIAL





Worksite: ETRC & HRB, F - Monitoring Ref: N023













Worksite: ESB & GTB, PVE, D - Monitoring Ref: N004








Worksite: ESB & GTB, PVE, E – Monitoring Ref: CR







OFFICIAL





Worksite: ETRC & HRB - Monitoring Ref: N020













Worksite: ETRC & HRB – Monitoring Ref: N021








Worksite: ETRC & HRB - Monitoring Ref: N044







OFFICIAL





Worksite: ETRC & HRB - Monitoring Ref: N045













Worksite: HRB & ETRC, NTH-N – Monitoring Ref: N019








Worksite: HRB & ETRC, NTH-N – Monitoring Ref: N026a







OFFICIAL





Worksite: NTH-EN, TSS - Monitoring Ref: N012













Worksite: NTH-EN, MF - Monitoring Ref: N014








Worksite: NTH-EN, MF – Monitoring Ref: N016







OFFICIAL





Worksite: NTH-EN - Monitoring Ref: N017













Worksite: ETRC & HRB, NTH-N - Monitoring Ref: N018








Worksite: ETD, TSS - Monitoring Ref: N006







OFFICIAL





Worksite: TSS - Monitoring Ref: N008










Worksite: TSS – Monitoring Ref: N010






Note: Missing data from 00:00 on Saturday 24th until 08:00 on Monday 26th August was due to the monitoring station running out of data storage capacity.





Note: Missing data from 00:00 on Saturday 24th until 08:00 on Monday 26th August was due to the monitoring station running out of data storage capacity.

OFFICIAL


Worksite: TSS – Monitoring Ref: N011




Note: Missing data from 00:00 on Saturday 3rd until 09:00 on Monday 5th August was due to the monitoring station running out of data storage capacity.




OFFICIAL






Note: Missing data from 00:00 on Thursday 22nd until 08:00 on Monday 26th August was due to the monitoring station running out of data storage capacity.




Worksite: ETD, ITR – Monitoring Ref: N007







Note: Missing data from 00:00 on Thursday 22nd until 08:00 on Monday 26th August was due to the monitoring station running out of data storage capacity.




OFFICIAL






Note: Missing data from 00:00 on Thursday 22nd until 08:00 on Monday 26th August was due to the monitoring station running out of data storage capacity.



Vehicle Holding Area (VHA) - Monitoring Ref: N025








Adelaide Road Ventilation Shaft (ARVS) – Monitoring Ref: N051






Adelaide Road Ventilation Shaft (ARVS) – Monitoring Ref: N051a






Note: Missing data from 01:00 on Sunday 18th until 10:00 on Monday 19th August was due to a fault with the monitoring station.








Note: Missing data from 01:00 on Sunday 18th until 10:00 on Monday 19th August was due to a fault with the monitoring station.

OFFICIAL



Adelaide Road Ventilation Shaft (ARVS) – Monitoring Ref: N052










Vibration




The following graphs show the hourly measured peak particle velocity PPV recorded during the monitoring period. The graphs show the highest PPV of the three orthogonal axes x, y and z . Periods where PPV values have been affected by local interference with the vibration monitor or only measured for part of the period, which are not representative of HS2 construction works , have been greyed out and excluded when calculating values in Table 4 of the main report.



Worksite: ETRC & HRB – Monitoring Ref: V039









Worksite: ETRC & HRB – Monitoring Ref: V043








Worksite: TSS - Monitoring Ref: V002















Worksite: ETD, TSS - Monitoring Ref: V003









Worksite: TSS – Monitoring Ref: V037








Worksite: TSS - Monitoring Ref: V038













Worksite: NTH-EN, MF - Monitoring Ref: V021







Worksite: MSB & ECAV, PVE, C - Monitoring Ref: PVS-V1



OFFICIAL



Worksite: ESB & GTB, PVE, D - Monitoring Ref: SH-V1

