

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Valencia Waste Exeter Limited Markham Lane Duckmanton Chesterfield Derbyshire S44 5HS

Variation application number

EPR/BW0991IX/V010

Permit number EPR/BW0991IX

Erin Landfill Permit number EPR/BW0991IX

Introductory note

This introductory note does not form a part of the notice.

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. Only the variations specified in schedule 1 are subject to a right of appeal.

The schedules specify the changes made to the permit.

This variation authorises the following changes:

This permit variation is to allow the addition of a Section 5.4 A(1)(b)(ii) installation activity - pre-treatment of waste for incineration or co-incineration and a material recycling facility (MRF) using physical treatment of non-hazardous as a waste operation activity. The two activities will be undertaken within the MRF and will have a combined treatment capacity of 250,000 tonnes per year. There are no channelled emissions from the two activities.

The limits for the landfill activities are not changing as a result of this variation.

This variation has consolidated the original permit.

The permit consists of installation activities for a non-hazardous landfill with a stable non-reactive hazardous waste cell, pre-treatment and utilisation of landfill gas, a leachate and effluent treatment plant, pre-treatment of waste for incineration or co-incineration and directly associated activities as described in table S1.1.

The permit also allows physical treatment of non-hazardous waste for recovery as a waste operation.

The status log sets out the permitting history, including any changes to the permit reference number.

Status log of the permit			
Description	Date	Comments	
Application EPR/BW0991IX	Received 09/12/2003	Application for hazardous landfill.	
Permit determined EPR/BW0991IX	28/04/2005	Permit issued to Valencia Waste Management Limited.	
Variation determined EPR/BW0991IX/V002	11/12/2006	Varied permit issued.	
Variation application EPR/BW0991IX/V003	Duly made 09/03/2009		
Variation determined EPR/BW0991IX/V003	20/01/2010	Varied permit issued.	
Variation application EPR/BW0991IX/V004	Duly made 23/12/2010		
Variation determined EPR/BW0991IX/V004	17/01/2011	Varied permit issued.	

Status log of the permit			
Description	Date	Comments	
Agency variation determined EPR/BW0991IX/V005	28/05/2013	Agency variation to implement the changes introduced by IED	
Environment Agency landfill sector review 2013	09/03/2015	Varied and consolidated permit issued in modern condition format	
Permit reviewed			
Variation determined			
EPR/BW0991IX/V006			
Permit EPR/BW0991IX			
Variation application EPR/BW0991IX/V007	Duly made 10/07/2020	Variation to add waste codes 10 03 30, 17 01 07, 17 05 03, 17 05 04.	
Variation determined EPR/BW0991IX/V007	26/11/2021	Varied permit issued.	
Notified of change of Company Name and Registered	14/04/2022	Name and Registered office changed to Valencia Waste Management Limited, Ardley Cottage Brackley Road, Ardley, Bicester, England, OX27 7PH	
Variation issued BW0991IX/V008	03/11/2022	Varied permit issued to Valencia Waste Management Limited	
Application EPR/BW0991IX/T009 (full transfer of permit EPR/BW0991IX)	Duly made 10/04/2024	Application to transfer the permit in full to Valencia Waste Exeter Limited	
Transfer determined EPR/BW0991IX/T009	15/10/2024	Full transfer of permit complete	
Variation application received EPR/BW0991IX/V010	Duly Made 13/03/2024	Application to vary the permit to include a new listed activity and waste operation for the operation of a materials recycling facility (MRF).	
Variation determined BW0991IX/V010	16/10/2024	Varied permit issued.	

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies and consolidates

Permit number

EPR/BW0991IX

Issued to

Valencia Waste Exeter Limited ("the operator")

whose registered office is

Oil Depot, 242 London Road, Stretton On Dunsmore, CV23 9JA

company registration number 01403771

to operate a regulated facility at

Erin Landfill Markham Lane Duckmanton Chesterfield Derbyshire S44 5HS

to the extent set out in the schedules.

Under regulation 27(2) of the Regulations, standard rules SR 2008 No 9 are conditions of this permit.

The notice shall take effect from 16/10/2024

Name	Date
Peter Maksymiw	16/10/2024

Authorised on behalf of the Environment Agency

Schedule 1

The following conditions are amended as a result of the application made by the operator:

- Conditions 1.5, 1.5.1 and 1.5.2 have been added to implement Article 4 of the Waste Framework Directive.
- Conditions 1.3.1, 1.4.1, 2.5.8, 3.1.3, have been amended to incorporate the activity references.
- Conditions 2.3.4 and 2.3.5 have been added to implement that all waste by the new activities are directed to the relevant waste operation.
- Conditions 2.5.2 have been added to define waste accepted for the new activities.
- Conditions 3.1.3 have been corrected.
- Conditions 3.1.6 have been added to monitoring to groundwater and soil for the new activities.
- Conditions 3.7, 3.7.1 have been added to implement the Fire Prevention Plan.
- Conditions 4.3.5 have been added to implement site closure notifications for all activities.
- Table S1.1 has been amended to define the activities that are undertaken at the site.
- Table S2.1 has been amended to incorporate operating technique documents submitted in response to the application.
- Table S2.5 and S2.6 have been added to clearly define the waste codes that are accepted at the site.
- Table S4.2 has been amended to implement new reporting of annual production.
- Schedule 6 has been amended by adding additional interpretations that are relevant to the changes made as a result of this variation.
- Schedule 7 has been amended to include the most recent site plan.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/BW0991IX

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/BW0991IX/V010 authorising,

Valencia Waste Exeter Limited ("the operator"),

whose registered office is

Oil Depot 242 London Road Stretton On Dunsmore CV23 9JA

company registration number 01403771

to operate an installation at

Erin Landfill Markham Lane Duckmanton Chesterfield Derbyshire S44 5HS

to the extent authorised by and subject to the conditions of this permit.

Under regulation 27(2) of the Regulations, standard rules SR 2008 No 9 are conditions of this permit.

Name	Date
Peter Maksymiw	16/10/2024

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
 - (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Finance

- 1.2.1 The financial provision for meeting the obligations under this permit set out in the agreement made between the operator and the Environment Agency dated 15/10/2024 shall be maintained by the operator throughout the subsistence of this permit and the operator shall produce evidence of such provision whenever required by the Environment Agency.
- 1.2.2 The operator shall ensure that the charges it makes for the disposal of waste in the landfill cover all of the following:
 - (a) the costs of setting up and operating the landfill;
 - (b) the costs of the financial provision required by condition 1.2.1; and
 - (c) the estimated costs for the closure and aftercare of the landfill.

1.3 Energy efficiency

- 1.3.1 For the following activities referenced in schedule 1, table S1.1 A1 to A11, the operator shall:
 - (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) Review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) Implement any appropriate measures identified by a review.

1.4 Efficient use of raw materials

- 1.4.1 For the following activities referenced in schedule 1, table S1.1 A1 to A11, the operator shall:
 - (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.5 Avoidance, recovery and disposal of wastes produced by the activities

- 1.5.1 The operator shall take appropriate measures to ensure that:
 - (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.5.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 **Operations**

2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1, table S1.1 (the "activities").

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2, table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 For the following activities referenced in schedule 1, table S1.1, A2 and A13, the operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
 - (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.

2.3.5 For the following activities referenced in schedule 1, table S1.1, A2 and A13, the operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.4 Landfill Engineering

- 2.4.1 No construction of any new cell of the landfill shall commence until the operator has submitted construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.4.2 Where the operator proposes to construct any new cell other than the first cell, but proposes no change from the design of the most recently approved cell which could have any impact on the performance of any element of the design, no construction of the new cell shall commence until the operator has submitted a cell layout drawing and the Environment Agency has confirmed that it is satisfied with the cell layout drawing.
- 2.4.3 The construction of a new cell shall take place only in accordance with the approved construction proposals unless:
 - (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.4.4 No disposal of waste shall take place in a new cell until the operator has submitted a CQA Validation Report and the Environment Agency has confirmed that it is satisfied with the CQA Validation Report.
- 2.4.5 No construction of landfill infrastructure shall commence until the operator has submitted relevant construction proposals or a written request to use previous construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.4.6 The construction of the landfill infrastructure shall take place only in accordance with the approved construction proposals unless:
 - (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.4.7 The operator shall submit a CQA Validation Report within four weeks of the completion of the construction of the relevant landfill infrastructure, or other time period agreed in writing with the Environment Agency.
- 2.4.8 Where pollution controls are immediately necessary to prevent an incident or accident, then conditions 2.4.5 and 2.4.6 do not apply and the relevant landfill infrastructure may be constructed, provided that the construction proposals are submitted to the Environment Agency as soon as practicable.
- 2.4.9 For the purposes of conditions 2.4.1, 2.4.2, 2.4.4 and 2.4.5, the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the relevant construction proposals or CQA Validation Report, either:
 - (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.
- 2.4.10 Where the Environment Agency has required further information under condition 2.4.9(b), the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the further information, either:
 - (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.

2.5 Waste acceptance

- 2.5.1 Wastes shall only be accepted for disposal if:
 - (a) they are listed in schedule 2, table S2.1 and S2.4 and
 - (b) they are non- hazardous waste or asbestos and construction materials containing asbestos or cover for the separate cell (table S2.2); and
 - (c) they are not whole used tyres (other than bicycle tyres and tyres with an outside diameter of more than 1400mm); and
 - (d) they are not shredded used tyres; and
 - (e) they are not liquid waste and excluding liquid waste accepted at a permitted leachate treatment activity; and
 - (f) they are not chemical substances from research and development or teaching activities, for example laboratory residues, which are unidentified and/or which are new and whose effects on man and/or the environment are unknown; and
 - (g) all the relevant waste acceptance procedures have been completed; and
 - (h) they fulfil the relevant waste acceptance criteria; and
 - (i) they have not been diluted or mixed solely to meet the relevant waste acceptance criteria; and
 - (j) they are wastes which have been treated, except for: inert wastes for which treatment is not technically feasible; or it is waste other than inert waste and treatment would not reduce its quantity or the hazards which it poses to human health or the environment, and
 - (k) they are wastes with a code beginning with 07 05 and 16 03, they shall exclude waste medicinal products and pharmaceutically active waste materials arising from their manufacture.
- 2.5.2 For the following activities referenced in schedule 1, table S1.1, A2, A10, and A13 waste shall only be accepted for treatment if:
 - (a) it is of a type and quantity listed in schedule 2, tables S2.5 and S2.6; and
 - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.5.3 Wastes shall only be accepted for restoration where:
 - (a) they are listed in schedule 2, table S2.3; and
 - (b) they are accepted in accordance with a restoration plan approved in writing by the Environment Agency.
- 2.5.4 For the following activities referenced in schedule 1, table S1.1 (A1), gypsum and other high sulphate bearing waste shall only be disposed of in cells where no biodegradable waste is accepted. Wastes disposed of in a cell with gypsum and other high sulphate bearing wastes must meet the relevant waste acceptance criteria.
- 2.5.5 For the following activities referenced in schedule 1, table S1.1 (A1), asbestos containing wastes and construction materials containing asbestos shall only be disposed of with other suitable wastes and not in cells containing biodegradable non-hazardous waste. Asbestos waste and construction material containing asbestos must meet the relevant waste acceptance criteria and must be covered daily and before each compaction operation with appropriate material.
- 2.5.6 For the following activities referenced in schedule 1, table S1.1 (A1), the operator shall:
 - (a) visually inspect without unloading it, waste that is not in an enclosed container or enclosed vehicle on arrival at the landfill and waste at the point of deposit; and
 - (b) be satisfied that the waste conforms to the requirements of condition 2.5.1.

- 2.5.7 Where the operator has taken samples to establish that the waste is in conformity with the documentation submitted by the holder then the samples taken shall be retained for at least one month and results of any analysis for at least two years.
- 2.5.8 For the following activities referenced in schedule 1, table S1.1 (A1 to A13) the operator on accepting each delivery of waste shall provide a receipt to the person delivering it.
- 2.5.9 The total quantity of waste that shall be deposited in the landfill shall be limited by the pre-settlement levels shown on drawing ESID4a.
- 2.5.10 The quantity of waste that is deposited or recovered in the landfill in any year shall not exceed the limits in schedule 1, table S1.3.
- 2.5.11 The operator shall maintain and implement a system which ensures that a record is made of the quantity, characteristics, date of delivery and, where practicable, origin of any waste that is received for disposal or recovery and of the identity of the producer, or in the case of municipal waste and multiple collection vehicles, of the collector of such waste. Any information regarded by the operator as commercially confidential shall be clearly identified in the record.
- 2.5.12 The operator shall maintain and implement a system to record the disposal location of any hazardous waste.

2.6 Technical requirements

Hazardous waste storage and treatment

2.6.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

2.7 Leachate levels

2.7.1 The limits for the level of leachate listed in schedule 3, table S3.1 shall not be exceeded.

2.8 Closure and aftercare

2.8.1 The operator shall maintain a closure and aftercare management plan.

2.9 Landfill gas management

- 2.9.1 The operator shall take appropriate measures, including, but not limited to, those specified in any approved landfill gas management plan, to:
 - (a) collect landfill gas; and
 - (b) control the migration of landfill gas.
- 2.9.2 The operator shall use the collected landfill gas to produce energy. If the collected landfill gas cannot be used to produce energy, the operator shall use appropriate measures to flare or treat the gas in accordance with an approved landfill gas management plan.
- 2.9.3 The operator shall:
 - (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a revised landfill gas management plan;
 - (b) implement the revised landfill gas management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 The limits in schedule 3 shall not be exceeded.
- 3.1.2 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3, tables S3.2, S3.3 and S3.6.
- 3.1.3 For the following activities referenced in schedule 1, table S1.1 (A1, A3 and A6) the limits given in schedule 3, table S3.2 shall not be exceeded, save that compliance with an emission limit in that table shall include incorporation of the uncertainty allowance stated in Environment Agency guidance LFTGN 05 and LFTGN 08.
- 3.1.4 The operator shall prevent the input of any hazardous substances from the activities into groundwater.
- 3.1.5 The operator shall submit to the Environment Agency a review of the Hydrogeological Risk Assessment:
 - (a) between nine and six months prior to the fourth anniversary of the granting of the permit; and
 - (b) between nine and six months prior to every subsequent six years after the fourth anniversary of the granting of the permit.
- 3.1.6 For the following activities referenced in schedule 1, table S1.1 (A2, A10, A11 and A13.), Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.4 Noise and vibration

3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any

approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

- 3.4.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring and any other actions specified in the following tables in schedule 3 to this permit:
 - (a) Leachate specified in tables S3.1 and S3.11;
 - (b) Point source emissions specified in tables S3.2, S3.3 and S3.6;
 - (c) Groundwater specified in tables S3.4 and S3.9;
 - (d) Landfill gas specified in tables S3.5, S3.8 and S3.10;
 - (e) Surface water specified in table S3.12; and
 - (f) Particulate matter specified in table S3.7.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 A topographical survey of the site referenced to ordnance datum shall be carried out and shall be used to produce a plan of a scale adequate to show the surveyed features of the site:
 - (a) annually; and
 - (b) prior to the disposal of waste in any new cell or new development area of the landfill; and
 - (c) following closure of the landfill or part of the landfill.

3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
 - (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution hazard or annoyance from pests;
 - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.7 Fire prevention

3.7.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
 - (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) the results of groundwater monitoring;
 - (ii) sub-surface landfill gas monitoring;
 - (iii) leachate levels, quality and quantities;
 - (iv) landfill gas generation and collection;
 - (v) waste types and quantities;
 - (vi) the location of hazardous waste deposits; and
 - (vii) the specification and as built drawings of the basal, sidewall and capping engineering systems.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 A report or reports on the performance of the activities over the previous year ('the annual report') shall be submitted to the Environment Agency by 31st January each year or such other date as may be agreed in writing by the Agency, with the exception of 4.2.2(c) that must be provided by the end of February each year. The report(s) shall include as a minimum:
 - (a) a review of the results of the monitoring and assessment carried out in accordance with this permit against the relevant assumptions, parameters and results in the risk assessments submitted in relation to this installation and any agreed amendments thereto. The review will include written descriptions of the improvements made to operational performance during the year, action plans developed and planned improvements for the coming year;
 - (b) the energy consumed at the site, reported in the format set out in schedule 4 table S4.3;
 - (c) the annual production/treatment set out in schedule 4, table S4.2;
 - (d) the topographical surveys required by condition 3.5.3 other than those submitted as part of a CQA validation report;
 - the volumetric difference (reported in cubic metres) between the most recent topographical survey and the previous annual topographical survey i.e. the additional volume of the landfill void that is occupied by waste;
 - (f) an assessment of the settlement behaviour of the landfill body based on the difference between the most recent topographical survey and previous annual topographical survey for the areas of the landfill which did not receive waste between the surveys;

- (g) a calculation of the remaining capacity (reported in cubic metres) derived from the presettlement contours and the most recent topographical survey;
- (h) a plan(s) ('the monitoring and extraction point plan MEPP') showing the locations of existing and any new leachate and landfill gas extraction and monitoring points.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
 - (a) in respect of the parameters and emission points specified in schedule 4, table S4.1;
 - (b) using the forms specified in schedule 4, table S4.4 or other reporting format as agreed in writing with the Environment Agency; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.
- 4.2.5 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.3 Notifications

- 4.3.1 In the event:
 - (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency;
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident; and
 - (iii) take the measures necessary to prevent further possible incidents or accidents.
 - (b) of a breach of any permit condition the operator must immediately-
 - (i) inform the Environment Agency; and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time.
 - (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.
- 4.3.4 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
 - (a) the Environment Agency shall be notified at least 14 days before making the change; and
 - (b) the notification shall contain a description of the proposed change in operation.
- 4.3.5 The Environment Agency shall be given at least 14 days' notice before implementation of any part of the site closure plan.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 a				
Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A1	D5 – Specially engineered landfill	Section 5.2 Part A(1)(a), The disposal of waste in a landfill.	Landfill for non-hazardous waste with a separate landfill cell for asbestos waste	Receipt, handling, storage and disposal of wastes, consisting of the types and quantities specified in conditions 2.5, as an integral part of landfilling.
A2	R3 – Recycling/reclamation of organic substances	Section 5.4 Part A(1)(b)(ii), Pre-treatment of waste for incineration	Treatment of waste in a material recycling facility.	Treatment consisting of manual sorting, separation, screening, baling, shredding, crushing or compaction of non-hazardous waste to produce RDF.
	that are not used as solvents	or co-incineration		Treatment shall be carried out in an enclosed building and on an impermeable surface with sealed drainage system.
				Non-hazardous waste types and quantities as specified in Table S2.5.
Directly Ass	sociated Activities			
A3	R1 – use principally as a fuel to generate energy	-	Pre-treatment and utilisation of landfill gas for energy recovery in an appliance with a rated thermal input < 50MW	Treatment and utilisation of landfill gas arising from the landfill.
A4	D8 – Biological treatment of waste	-	Treatment of leachate in a facility with a capacity of <50 t/day	Leachate arising from the landfill.
A5	N/A	-	Temporary storage of waste (leachate)	Leachate arising from the landfill.
A6	N/A	-	Flaring of landfill gas for disposal in an appliance.	Landfill gas arising from the landfill.

Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A7	D6 – release to water body except seas/ oceans	-	Discharges of site drainage from the landfill.	From surface water management system to point of entry to controlled waters.
A8	N/A	-	Storage of fuel for operation of plant and equipment.	Fuel storage tank.
A9	N/A		Discharge of leachate from the landfill	From leachate management system to point of entry to sewer.
A10	R13 –Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)	-	Temporary storage of non- hazardous waste prior to pre-treatment of waste for incineration or co- incineration.	 From the receipt of waste to its use in the treatment processes authorised under A2. Storage of waste shall take place in an enclosed building and on an impermeable surface with sealed drainage. Quantity of waste stored under A2 and A13 must not exceed 1400 tonnes at any one time. Non-hazardous waste types suitable for acceptance are limited to those specified in Table S2.5 and S2.6.
A11	R3 – Recycling/reclamation of organic substances which are not used as solvents R4 – Recycling/reclamation of metals and metal compounds	-	Bulking and storage of recyclable and residual wastes recovered as an incidental part of the A2 Activity.	Residual waste must be stored within the MRF building and on an impermeable surface with a sealed drainage system. Quantity of waste stored under A2 and A13 must not exceed 1400 tonnes at any one time.

Table S1.1 a	Table S1.1 activities				
Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity	
A12	Asbestos waste transfer station (standard rules permit SR2008 No.9) D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)	N/A	Asbestos waste transfer station	The maximum quantity of asbestos waste received at the site shall not exceed 10 tonnes per day. The maximum quantity of asbestos waste stored at the site shall not exceed 10 tonnes. There shall be no treatment of asbestos waste.	
	D14: Repackaging prior to submission to any of the operations numbered D1 to D13.				

Table S1.1 a	Table S1.1 activities				
Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity	
A13	R3 – Recycling/reclamation of organic substances that are not used as	N/A	Physical treatment of non- hazardous waste	Treatment consisting of manual sorting, separation, screening, baling, shredding, crushing or compaction of non-hazardous waste. Treatment and storage of waste shall be carried out in	
	solvents			an enclosed building and on an impermeable surface with sealed drainage system.	
	R4 –			The second will be a second second of second be set of the second s	
	Recycling/reclamation of metals and metal			There shall be no treatment of metal waste in a shredder.	
	compounds			Non-hazardous waste types and quantities as specified in Table S2.6.	
	R5 –				
	Recycling/reclamation of				
	other inorganic material				
	R13: Storage of				
	wastes pending any of				
	the operations				
	numbered R1 to R12				
	(excluding temporary				
	storage, pending				
	collection, on the site where it is produced				
	where it is produced				

Table S1.2 Operating techniques			
Description	Parts	Date Received	
Application EPR/BW0991IX	The response to questions 2.2.5- list of waste types for capping, restoration and engineering	01/12/2002	

Table S1.2 Operating techniques			
Description	Parts	Date Received	
	List of wastes listed in appendix 6 of folder 1 of 4.		
Application	Operations, development and management plan, section 15, Odour Management and Monitoring.	November 2003	
	Operations, development and management plan, section 19, Noise and Vibration.		
	Operations, development, and management plan, section 18, Birds, Vermin and Insects management.		
Application	Response to questions 1.2, 2.1, 2.2, 2.3, 2.4 and 2.5 in part B of the application form.	05/12/2003	
Schedule 4 repsonse (asbestos mono cell requirements)	Response to schedule 4 notice dated 7 May 2004	04/06/2004	
Schedule 4 repsonse	The response to schedule 4 notice dated 30 July 2004	17/09/2004	
ESID7 and drawing no. ODMP4 'SLR ref: 402-0036-00156' dated 27 July	Correspondance regarding submission of revised drawings ESID7 and drawing no. ODMP4 in accordance with improvement condition 5.	27/07/2005	
Erin landfill improvement condition 11 dated July 2005. SLR ref: 402-0036-00156.	Report on the installation of additional groundwater boreholes submitted in accordance with improvement condition 11.	28/07/2005	
SLR ref: 402-0036-00156, dated 27 July 2005 submitted specifying measures undertaken to meet the requirements within improvement condition 6.	Information submitted to demonstrate compliance with improvement condition 6	28/07/2005	
Erin landfill improvement condition 9 dated July 2005. Site monitoring plan- SLR ref: 402- 0036-00156 submitted in accordance with improvement condition 9.	Site monitoring plan dated July 2005	28/07/2005	
Variaiton application	Response to questions 2a and 2b of the Part C application form.	09/03/2009	
	Section B of the application- supporting statement:		
	Appendix 4- Asbestos fibres monitoring plan		

Description	Parts	Date Received
	Drawing number 1, dated February 2009 (showing revised installation boundary and revised cell layout)	
	Section C of the application- Landfill gas generation and risk assessmet: Appendix LFGRA8- perimeter gas control and trigger levels report.	
Revised information (HRA, Part C application form, supporting statement and non-technical summay)	Section B of the application- supporting statement: Appendix 5- hydrogeological risk assessment review- section 4	14/05/2009
Response to schedule 5 notice dated 05/08/09	Response to questions 1 to 4 (letter from Viridor dated 15/09/09) and question 2 (letter from SLR dated 18/09/09	15/09/2009 and 18/09/2009
Landfill Gas Management Plan	Landfill Gas Management Plan v4.0	October 2009
Application	Application EPR/BW0991IX/V004 to include standard rules 2009 no.9	Duly made 23/10/2010
Perimeter Gas Monitoring	Perimeter gas monitoring report to supersede presvious report in 2009	February 2012
Flank management	Flank management plan Updated plan with EA comments	04/09/2012 14/09/2012
Leachate contingency action plan	All parts	01/05/2013
Response to schedule 5	Email confirming there is no greater risk and the mitigation measures remain unchanged	19/11/2020
Information received as part of variation application	Application EPR/BW0991IX/V010 to add a Material Recycling Facilty.	18/05/2023
Response to Not Duly Made letter	 All parts of the documents received in response to Not Duly Made Request including: Application Form Part C4, Table 3a – Technical standards, Pest Management Plan V1. Non-Technical Summary V2. 	13/03/2024
Response to schedule 5		

Table S1.2 Operating techniques		
Description	Parts	Date Received
	 Fire Prevention Plan V2.0 Dust Management Plan V3.0 BAT Assessment V3.0 Odour Management Plan V2.0 	

Table S1.3 Annual waste input limits	
Category	Limit Tonnes/ Year
Non-hazardous waste	The accumulative quantity of any category of waste shall not exceed 2,015,000
Stable non-reactive hazardous waste	
Inert waste	
Asbestos waste and construction material containing asbestos	
Waste for restoration	Agreed in accordance with the Restoration Plan approved under condition 2.5.3
Total	2,015,000

Schedule 2 – List of permitted wastes

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 03	wastes from physical and chemical processing of metalliferous minerals
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05
01 03 08	dusty and powdery wastes other than those mentioned in 01 03 07
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 10
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 10	dusty and powdery wastes other than those mentioned in 01 04 07
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
01 05	drilling muds and other drilling wastes
01 05 04	freshwater drilling muds and wastes
01 05 07	barite-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06
01 05 08	chloride-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing

able S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
02 01 01	sludges from washing and cleaning
02 01 02	animal-tissue waste
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 06	animal faeces, urine and manure (including spoiled straw), effluent, collected separately and treated off-site
02 01 07	wastes from forestry
02 01 09	agrochemical waste other than those mentioned in 02 01 08
02 01 10	waste metal
02 02	wastes from the preparation and processing of meat, fish and other foods of animal origin
02 02 01	sludges from washing and cleaning
02 02 02	animal-tissue waste
02 02 03	materials unsuitable for consumption or processing
02 02 04	sludges from on-site effluent treatment
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation
02 03 02	wastes from preserving agents
02 03 03	wastes from solvent extraction
02 03 04	materials unsuitable for consumption or processing
02 03 05	sludges from on-site effluent treatment
02 04	wastes from sugar processing
02 04 01	soil from cleaning and washing beet
02 04 02	off-specification calcium carbonate
02 04 03	sludges from on-site effluent treatment
02 05	wastes from the dairy products industry

Table S2.1 Permitt	Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description	
02 05 01	materials unsuitable for consumption or processing	
02 05 02	sludges from on-site effluent treatment	
02 06	wastes from the baking and confectionery industry	
02 06 01	materials unsuitable for consumption or processing	
02 06 02	wastes from preserving agents	
02 06 03	sludges from on-site effluent treatment	
02 07	wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)	
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials	
02 07 02	wastes from spirits distillation	
02 07 03	wastes from chemical treatment	
02 07 04	materials unsuitable for consumption or processing	
02 07 05	sludges from on-site effluent treatment	
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard	
03 01	wastes from wood processing and the production of panels and furniture	
03 01 01	waste bark and cork	
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04	
03 03	wastes from pulp, paper and cardboard production and processing	
03 03 01	waste bark and wood	
03 03 02	green liquor sludge (from recovery of cooking liquor)	
03 03 05	de-inking sludges from paper recycling	
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard	
03 03 08	wastes from sorting of paper and cardboard destined for recycling	
03 03 09	lime mud waste	
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation	

Table S2.1 Permitt	able S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description	
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10	
04	Wastes from the leather, fur and textile industries	
04 01	wastes from the leather and fur industry	
04 01 01	fleshings and lime split wastes	
04 01 02	liming waste	
04 01 06	sludges, in particular from on-site effluent treatment containing chromium	
04 01 07	sludges, in particular from on-site effluent treatment free of chromium	
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium	
04 01 09	wastes from dressing and finishing	
04 02	wastes from the textile industry	
04 02 09	wastes from composite materials (impregnated textile, elastomer, plastomer)	
04 02 10	organic matter from natural products (for example grease, wax)	
04 02 15	wastes from finishing other than those mentioned in 04 02 14	
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16	
04 02 20	sludges from on-site effluent treatment other than those mentioned in 04 02 19	
04 02 21	wastes from unprocessed textile fibres	
04 02 22	wastes from processed textile fibres	
05	Wastes from petroleum refining, natural gas purification and pyrolytic treatment of coal	
05 01	wastes from petroleum refining	
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09	
05 01 13	boiler feedwater sludges	
05 01 14	wastes from cooling columns	
05 01 16	sulphur-containing wastes from petroleum desulphurisation	
05 01 17	bitumen	

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
05 06	wastes from the pyrolytic treatment of coal
05 06 04	waste from cooling columns
05 07	wastes from natural gas purification and transportation
05 07 02	wastes containing sulphur
06	Wastes from inorganic chemical processes
06 03	wastes from the MFSU of salts and their solutions and metallic oxides
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 03 16	metallic oxides other than those mentioned in 06 03 15
06 05	sludges from on-site effluent treatment
06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02
06 06	wastes from the MFSU of sulphur chemicals, sulphur chemical processes and desulphurisation processes
06 06 03	wastes containing sulphides other than those mentioned in 06 06 02
06 09	wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes
06 09 02	phosphorous slag
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03
06 11	wastes from the manufacture of inorganic pigments and opacificiers
06 11 01	calcium-based reaction wastes from titanium dioxide production
06 13	wastes from inorganic chemical processes not otherwise specified
06 13 03	carbon black
07	Wastes from organic chemical processes
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 12	sludges from on-site effluent treatment other than those mentioned in 07 01 11
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 12	sludges from on-site effluent treatment other than those mentioned in 07 02 11

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
07 02 13	waste plastic
07 02 15	wastes from additives other than those mentioned in 07 02 14
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)
07 03 12	sludges from on-site effluent treatment other than those mentioned in 07 03 11
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides
07 04 12	sludges from on-site effluent treatment other than those mentioned in 07 04 11
07 05	wastes from the MFSU of pharmaceuticals
07 05 12	sludges from on-site effluent treatment other than those mentioned in 07 05 11
07 05 14	solid wastes other than those mentioned in 07 05 13
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 12	sludges from on-site effluent treatment other than those mentioned in 07 06 11
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 12	sludges from on-site effluent treatment other than those mentioned in 07 07 11
08	Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks
08 01	wastes from MFSU and removal of paint and varnish
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 02	wastes from MFSU of other coatings (including ceramic materials)
08 02 01	waste coating powders
08 02 02	aqueous sludges containing ceramic materials
08 03	wastes from MFSU of printing inks

Table S2.1 Permitte	Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description	
08 03 07	aqueous sludges containing ink	
08 03 13	waste ink other than those mentioned in 08 03 12	
08 03 15	ink sludges other than those mentioned in 08 03 14	
08 03 18	waste printing toner other than those mentioned in 08 03 17	
08 04	wastes from MFSU of adhesives and sealants (including water proofing products)	
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09	
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11	
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13	
09	Wastes from the photographic industry	
09 01	wastes from the photographic industry	
09 01 07	photographic film and paper containing silver or silver compounds	
09 01 08	photographic film and paper free of silver or silver compounds	
09 01 10	single-use cameras without batteries	
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11	
10	Wastes from thermal processes	
10 01	wastes from power stations and other combustion plants (except 19)	
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)	
10 01 02	coal fly ash	
10 01 03	fly ash from peat and untreated wood	
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form	
10 01 07	calcium-based reaction wastes from flue-gas desulphurisation in sludge form	
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14	
10 01 17	fly ash from co-incineration other than those mentioned in 10 01 16	
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18	

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
10 01 21	sludges from on-site effluent treatment other than those mentioned in 10 01 20
10 01 23	aqueous sludges from boiler cleansing other than those mentioned in 10 01 22
10 01 24	sands from fluidised beds
10 01 25	wastes from fuel storage and preparation of coal-fired power plants
10 01 26	wastes from cooling-water treatment
10 02	wastes from the iron and steel industry
10 02 01	wastes from the processing of slag
10 02 02	unprocessed slag
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07
10 02 10	mill scales
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11
10 02 14	sludges and filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	other sludges and filter cakes
10 03	wastes from aluminium thermal metallurgy
10 03 02	anode scraps
10 03 05	waste alumina
10 03 16	skimmings other than those mentioned in 10 03 15
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17
10 03 20	flue-gas dust other than those mentioned in 10 03 19
10 03 22	other particulates and dust (including ball-mill dust) other than those mentioned in 10 03 21
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23
10 03 26	sludges and filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
10 04	wastes from lead thermal metallurgy
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	wastes from zinc thermal metallurgy
10 05 01	slags from primary and secondary production
10 05 04	other particulates and dust
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 05 11	dross and skimmings other than those mentioned in 10 05 10
10 06	wastes from copper thermal metallurgy
10 06 01	slags from primary and secondary production
10 06 02	dross and skimmings from primary and secondary production
10 06 04	other particulates and dust
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 01	slags from primary and secondary production
10 07 02	dross and skimmings from primary and secondary production
10 07 03	solid wastes from gas treatment
10 07 04	other particulates and dust
10 07 05	sludges and filter cakes from gas treatment
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07
10 08	wastes from other non-ferrous thermal metallurgy
10 08 04	particulates and dust
10 08 09	other slags
10 08 11	dross and skimmings other than those mentioned in 10 08 10
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
10 08 14	anode scrap
10 08 16	flue-gas dust other than those mentioned in 10 08 15
10 08 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 08 17
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 09	wastes from casting of ferrous pieces
10 09 03	furnace slag
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 10	flue-gas dust other than those mentioned in 10 09 09
10 09 12	other particulates other than those mentioned in 10 09 11
10 09 14	waste binders other than those mentioned in 10 09 13
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15
10 10	wastes from casting of non-ferrous pieces
10 10 03	furnace slag
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 10	flue-gas dust other than those mentioned in 10 10 09
10 10 12	other particulates other than those mentioned in 10 10 11
10 10 14	waste binders other than those mentioned in 10 10 13
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
10 11	wastes from manufacture of glass and glass products
10 11 03	waste glass-based fibrous materials
10 11 05	particulates and dust
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09

able S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
10 11 12	waste glass other than those mentioned in 10 11 11
10 11 14	glass-polishing and -grinding sludge other than those mentioned in 10 11 13
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15
10 11 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 11 17
10 11 20	solid wastes from on-site effluent treatment other than those mentioned in 10 11 19
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 01	waste preparation mixture before thermal processing
10 12 03	particulates and dust
10 12 05	sludges and filter cakes from gas treatment
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	wastes from glazing other than those mentioned in 10 12 11
10 12 13	sludge from on-site effluent treatment
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime
10 13 06	particulates and dust (except 10 13 12 and 10 13 13)
10 13 07	sludges and filter cakes from gas treatment
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12
10 13 14	waste concrete and concrete sludge
11	Wastes from chemical surface treatment and coating of metals and other materials; non-ferrous hydro-metallurgy

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste		
Waste code	Description	
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)	
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09	
11 01 14	degreasing wastes other than those mentioned in 11 01 13	
11 02	wastes from non-ferrous hydrometallurgical processes	
11 02 03	wastes from the production of anodes for aqueous electrolytical processes	
11 02 06	wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05	
11 05	wastes from hot galvanising processes	
11 05 01	hard zinc	
11 05 02	zinc ash	
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics	
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics	
12 01 01	ferrous metal filings and turnings	
12 01 02	ferrous metal dust and particles	
12 01 03	non-ferrous metal filings and turnings	
12 01 04	non-ferrous metal dust and particles	
12 01 05	plastics shavings and turnings	
12 01 13	welding wastes	
12 01 15	machining sludges other than those mentioned in 12 01 14	
12 01 17	waste blasting material other than those mentioned in 12 01 16	
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20	
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified	
15 01	packaging (including separately collected municipal packaging waste)	
15 01 01	paper and cardboard packaging	
15 01 02	plastic packaging	

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste		
Waste code	Description	
15 01 03	wooden packaging	
15 01 04	metallic packaging	
15 01 05	composite packaging	
15 01 06	mixed packaging	
15 01 07	glass packaging	
15 01 09	textile packaging	
15 02	absorbents, filter materials, wiping cloths and protective clothing	
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02	
16	Wastes not otherwise specified in the list	
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of- life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)	
16 01 12	brake pads other than those mentioned in 16 01 11	
16 01 17	ferrous metal	
16 01 18	non-ferrous metal	
16 01 19	plastic	
16 01 20	glass	
16 02	wastes from electrical and electronic equipment	
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13	
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15	
16 03	off-specification batches and unused products	
16 03 04	inorganic wastes other than those mentioned in 16 03 03	
16 03 06	organic wastes other than those mentioned in 16 03 05	
16 08	spent catalysts	
16 08 01	spent catalysts containing gold, silver, rhenium, rhodium, palladium, iridium or platinum (except 16 08 07)	
16 08 03	spent catalysts containing transition metals or transition metal compounds not otherwise specified	

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
16 11	waste linings and refractories
16 11 02	carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	wood, glass and plastic
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 03	bituminous mixtures, coal tar and tarred products
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
17 04 11	cables other than those mentioned in 17 04 10
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 06	dredging spoil other than those mentioned in 17 05 05
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	insulation materials and asbestos-containing construction materials
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 09	other construction and demolition wastes
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
18	Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 04	wastes whose collection and disposal is not subject to special requirements in order to prevent infection (for example dressings, plaster casts, linen, disposable clothing, diapers)
18 01 07	chemicals other than those mentioned in 18 01 06
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals
18 02 03	wastes whose collection and disposal is not subject to special requirements in order to prevent infection
18 02 06	chemicals other than those mentioned in 18 02 05
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 01	wastes from incineration or pyrolysis of waste
19 01 02	ferrous materials removed from bottom ash
19 01 12	bottom ash and slag other than those mentioned in 19 01 11
19 01 14	fly ash other than those mentioned in 19 01 13
19 01 16	boiler dust other than those mentioned in 19 01 15

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
19 01 18	pyrolysis wastes other than those mentioned in 19 01 17
19 01 19	sands from fluidised beds
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
19 03	stabilised/solidified wastes
19 03 05	stabilised wastes other than those mentioned in 19 03 04
19 03 07	solidified wastes other than those mentioned in 19 03 06
19 04	vitrified waste and wastes from vitrification
19 04 01	vitrified waste
19 05	wastes from aerobic treatment of solid wastes
19 05 01	non-composted fraction of municipal and similar wastes
19 05 02	non-composted fraction of animal and vegetable waste
19 05 03	off-specification compost
19 06	wastes from anaerobic treatment of waste
19 06 04	digestate from anaerobic treatment of municipal waste
19 06 06	digestate from anaerobic treatment of animal and vegetable waste
19 08	wastes from waste water treatment plants not otherwise specified
19 08 01	screenings
19 08 02	waste from desanding
19 08 05	sludges from treatment of urban waste water
19 08 12	sludges from biological treatment of industrial waste water other than those mentioned in 19 08 11
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13

Table S2.1 Permitt	Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description	
19 09	wastes from the preparation of water intended for human consumption or water for industrial use	
19 09 01	solid waste from primary filtration and screenings	
19 09 02	sludges from water clarification	
19 09 03	sludges from decarbonation	
19 09 04	spent activated carbon	
19 09 05	saturated or spent ion exchange resins	
19 09 06	solutions and sludges from regeneration of ion exchangers	
19 10	wastes from shredding of metal-containing wastes	
19 10 01	iron and steel waste	
19 10 02	non-ferrous waste	
19 10 04	fluff-light fraction and dust other than those mentioned in 19 10 03	
19 10 06	other fractions other than those mentioned in 19 10 05	
19 11	wastes from oil regeneration	
19 11 06	sludges from on-site effluent treatment other than those mentioned in 19 11 05	
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified	
19 12 01	paper and cardboard	
19 12 02	ferrous metal	
19 12 03	non-ferrous metal	
19 12 04	plastic and rubber	
19 12 05	glass	
19 12 07	wood other than that mentioned in 19 12 06	
19 12 08	textiles	
19 12 09	minerals (for example sand, stones)	
19 12 10	combustible waste (refuse derived fuel)	

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
19 13 06	sludges from groundwater remediation other than those mentioned in 19 13 05
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 25	edible oil and fat
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 01 30	detergents other than those mentioned in 20 01 29
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 01 41	wastes from chimney sweeping
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
20 02 02	soil and stones
20 02 03	other non-biodegradable wastes

Table S2.1 Permitte	Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste	
Waste code	Description	
20 03	other municipal wastes	
20 03 01	mixed municipal waste	
20 03 02	waste from markets	
20 03 03	street-cleaning residues	
20 03 04	septic tank sludge	
20 03 06	waste from sewage cleaning	
20 03 07	bulky waste	

Table S2.2 Permitted waste types – waste cover for hazardous waste in the asbestos cell	
Waste code	Description
10	Wastes from thermal processes
10 03 30	Wastes from the treatment of salt slags and black drosses other than those mentioned in 10 03 29
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 05 04	soil and stones other than those mentioned in 17 05 03

Table S2.3 Permitted waste types for restoration	
Waste code	Description
Agreed in accordance with the Restoration Plan approved under condition 2.5.2	

Table S2.4 Permitted waste types for disposal in the asbestos cell	
Waste code	Description
06	Wastes from inorganic chemical processes
06 13 04*	wastes from asbestos processing
16	Wastes not otherwise specified in the list
16 01 11*	Brake pads containing asbestos
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 05 03*	Soil and stones containing dangerous substances
17 06 01*	Insulation materials containing asbestos
17 06 05*	Construction materials containing asbestos

Table S2.5 Permitted waste types and quantities for storage and treatment under A2 activity - pre-treatment of waste for incineration or co-incineration.	
Maximum quantity	The total quantity of waste accepted for treatment under A2 and A13 activities shall not exceed 250,000 tonnes a year.
Waste code	Description
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 09	textile packaging
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 02	wood, glass and plastic
17 02 01	wood
17 02 03	plastic

Table S2.5 Permittee	Table S2.5 Permitted waste types and quantities for storage and treatment under A2 activity - pre-treatment of waste for incineration or co-incineration.	
17 09	other construction and demolition wastes	
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03	
19	Wastes from waste management facilities, off-site waste water treatment plants and preparation of water intended for human consumption/industrial use	
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)	
19 02 03	premixed wastes composed only of non-hazardous wastes	
19 02 10	combustible waste other than those mentioned in 19 02 08 and 19 02 09	
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified	
19 12 01	paper and cardboard	
19 12 04	plastic and rubber	
19 12 08	textiles	
19 12 10	combustible waste (refuse derived fuel)	
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11	
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions	
20 01	separately collected fractions (except 15 01)	
20 01 01	paper and cardboard	
20 01 38	wood other than that mentioned in 20 01 37	
20 01 39	plastics	
20 03	other municipal wastes	
20 03 01	mixed municipal waste	
20 03 02	waste from markets	
20 03 07	bulky waste	

Table S2.6 Permitted waste types and quantities for storage and treatment under A13 activity - Material Recycling Facility involving physical treatment of non-hazardous waste.	
Maximum quantity	The total quantity of waste accepted for treatment under A2 and A13 activities shall not exceed 250,000 tonnes a year.
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
10	Wastes from thermal processes
10 12	wastes from the manufacture of ceramic goods, bricks, tiles and construction products
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	waste from glazing other than those mentioned in 10 12 11
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 14	waste concrete
12	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01	
12 01 01	ferrous metal filings and turnings
12 01 03	non-ferrous metal filings and turnings
12 01 05	plastics shavings and turnings
12 01 13	welding wastes
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20

Г

Table S2.6 Permitted waste types and quantities for storage and treatment under A13 activity - Material Recycling Facility involving physical treatment of non-hazardous waste.

15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	wood, glass and plastic
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 03	bituminous mixtures, coal tar and tarred products
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium

Table S2.6 Permitted wast of non-hazardous waste.	e types and quantities for storage and treatment under A13 activity - Material Recycling Facility involving physical treatment
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
17 05	soil (including excavated soil from contaminated sites), stone and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
17 09	other construction and demolition wastes
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
19	Wastes from waste management facilities, off-site waste water treatment plants and preparation of water intended for human consumption/industrial use
19 01	wastes from incineration or pyrolysis of waste
19 01 02	ferrous materials removed from bottom ash
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 10	combustible waste other than those mentioned in 19 02 08 and 19 02 09
19 04	vitrified waste and wastes from vitrification
19 04 01	vitrified waste
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 02 19 12 03	ferrous metal non-ferrous metal

Table S2.6 Permitted waste types and quantities for storage and treatment under A13 activity - Material Recycling Facility involving physical treatment of non-hazardous waste.

glass
wood other than that mentioned in 19 12 06
textiles
minerals (for example sand, stones)
combustible waste (refuse derived fuel)
other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
wastes from soil and groundwater remediation
solid wastes from soil remediation other than those mentioned in 19 13 01
Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
separately collected fractions (except 15 01)
paper and cardboard
glass
wood other than that mentioned in 20 01 37
plastics
metals
garden and park wastes (including cemetery waste)
soil and stones
other municipal wastes
mixed municipal waste
waste from markets
bulky waste

Schedule 3 – Emissions and monitoring

Monitoring point reference/ Description	Limit	Monitoring frequency	Monitoring standard and method
Operational Cells or Phases (Any cells or ph	ases that do not have a final	engineered cap a	greed in accordance with the landfill engineering condition, 2.4)
Leachate compliance and monitoring points 1ERALMR, 1ERBLMR, 1ERSH1.1, 1ERSH1.2, , 1ERSH2.4, 1ERSH2.5, 1ERSH3.8LM,1ER3.9LM, 1ER20LM, 1ER21LM, 1ER23LM* and 1ER24LM* on Plan ERN3000	2m above cell base	Monthly	As specified in Environment Agency Guidance LFTGN02 (February 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Or as otherwise agreed with the Agency as part of a leachate monitoring plan.
*once tipping commences in the cell			
Leachate abstraction points: 1ER001LM, 1ER002LM, 1ER003LMR, 1ERSH1.3LM, 1ERSH2.6, 1ERSH3.7LM, 1ERSH4.1LM, 1ER19LM AND 1ER22LM* and as shown on drawing ERN3000	3m above cell base		
*once tipping commences in the cell			
Non Operational Cells or Phases (Any cells	or phases that have a final e	ngineered cap ag	reed in accordance with the landfill engineering condition, 2.4)
1ERCLMR and 1ERDLM as shown on drawing ERN3000	2m above the cell base	Monthly	As specified in Environment Agency Guidance LFTGN02 (February 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Or as otherwise agreed with the Agency as part of a leachate monitoring plan.
Leachate abstraction points: 1ER003CRLM and 1ER003DLM as shown on drawing ERN3000	3m above the cell base		

Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Landfill gas engines as	Oxides of Nitrogen	Gas utilisation	500 mg/m ³			
shown on plan ESID 8	СО	plant	1400 mg/m ³			
	Total VOCs		1000 mg/m ³			
Flare 1 as shown on	Oxides of Nitrogen	Landfill Gas	150 mg/m ³	Hourly mean	Annually	As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Plan ESID 8 CO	Flares	50 mg/m ³	-		Monitoring is unnecessary where the flare is active for <10%	
	Total VOCs		10 mg/m ³		of the year.	

Table S3.3	Point source e	missions to wa	ter (other tha	n sewer) – emissi	on limits and mon	itoring requirements
Emission point Ref. & Location	Parameter	Source	Limit (incl unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
SW3 On Plan	Suspended Solids	Site drainage	50 mg/l	Spot Sample	Monthly	As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and Surface
ERN3000	рН	from site via surface water collection	>5 and <9 pH units	-		Water' (February 2003), <u>risk assessments for your</u> <u>environmental permit</u> (<u>www.gov.uk</u>) or such other subsequent guidance as may be agreed in writing with Environment Agency
	Total oil/grease	system on site	Non visible			
	Volume		4,000 m ^{3/} day		Annual	

Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
1ER001WM	Ammoniacal nitrogen	3 mg/l	Spot Sample	Quarterly	As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water'
	Dissolved arsenic	10 µg/l			(February 2003), <u>risk assessments for your environmental permit</u> (<u>www.gov.uk</u>) or such other subsequent guidance as may be agreed in writing with the Environment Agency
	Chloride	250 mg/l	-		
Dissolved copper2 mg/lDissolved lead10 μg/lDissolved nickel40 μg/lDissolved nickel5 mg/l		2 mg/l			
		10 µg/l			
		40 µg/l			
1ER008WM	Ammoniacal nitrogen	5 mg/l	-		
	Dissolved arsenic	10 µg/l			
	Chloride	1110 mg/l			
	Dissolved copper	2 mg/l			
	Dissolved lead	11.5 µg/l			
	Dissolved nickel	125 µg/l			
	Dissolved zinc	5 mg/l			

Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
	Xylene	0.003 mg/l			
	1, 2, 4- trimethlybenz ene	0.000001 mg/l			
1ER009WM	Ammoniacal nitrogen	7 mg/l			
	Dissolved arsenic	10 µg/l			
	Chloride	1110 mg/l			
	Dissolved copper	2 mg/l			
	Dissolved lead	10 µg/l			
	Dissolved nickel	102 µg/l			
	Dissolved zinc	5 mg/l			
	Xylene	0.003 mg/l			
	1, 2, 4- trimethlybenz ene	0.000001 mg/l			
1ER013WM	Ammoniacal nitrogen	2.37 mg/l			
	Dissolved arsenic	0.03 mg/l			
	Chloride	250 mg/l			
	Dissolved copper	2 mg/l			

Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method	
	Dissolved lead	0.161 mg/l				
	Dissolved nickel	0.329 mg/l				
	Dissolved zinc	5 mg/l				
	Xylene	0.003 mg/l	7			
	1, 2, 4- trimethlybenz ene	0.000001 mg/l				

Monitoring point Ref. /description	Parameter	Limit (including units)	Monitoring frequency	Monitoring standard or method
North and West Boundary	Methane	1 %v/v*	Monthly	As specified in Environment Agency Guidance LFTGN03 (September 2004), or such other subsequent guidance as may be
ER001GM, ER002GM, ER004GM, ER006GM, ER034GM, ER035GM	Carbon Dioxide	35 %v/v*		agreed in writing with the Environment Agency. Record whether the ground is: waterlogged frozen snow covered
North and West	Methane	2 %v/v*		
Boundary ER003GM	Carbon Dioxide	35 %v/v*		
	Methane	1 %v/v*]	

Table S3.5 Landfill g	as in external monitori	ng boreholes – limits and	monitoring requ	lirements
Monitoring point Ref. /description	Parameter	Limit (including units)	Monitoring frequency	Monitoring standard or method
North and West Boundary ER005GM	Carbon Dioxide	41 %v/v*		
Northern Boundary	Methane	1 %v/v*	7	
ER007GM, ER008GM, ER009GM	Carbon Dioxide	30 %v/v*		
Southwest Boundary	Methane	3.5 %v/v*	1	
ER026GM, ER027GM, ER028GM, ER029GM	Carbon Dioxide	30 %v/v*		
Southwest	Methane	1 %v/v*	7	
Boundary ER025GM	Carbon Dioxide	30 %v/v*		
Southwest	Methane	3.5 %v/v*		
Boundary ER030GM, ER031GM, ER032GM, ER033GM	Carbon Dioxide	25 %v/v*		
	Methane	None set**	-	

Monitoring point Ref. /description	Parameter	Limit (including units)	Monitoring frequency	Monitoring standard or method	
Northern, North East Boundary and Eastern Boundary ER010GM, ER011GM, ER012GM, ER013GM, ER037GM, ER037GM, ER039AGM, ER040AGM, ER041AGM, ER042GM, ER043GM, ER043GM, ER044GM, ER045GM, ER046GM, ER047GM	Carbon Dioxide	None set**			

Monitoring point Ref. /description	Parameter	Limit (including units)	Monitoring frequency	Monitoring standard or method	
ER001GM,	Oxygen	None set			
ER002GM,	Atmospheric pressure				
ER003GM,	Differential pressure				
ER004GM,	Differential pressure				
ER006GM,					
ER034GM,					
ER035GM,					
ER005GM,					
ER007GM,					
ER008GM,					
ER009GM,					
ER025GM,					
ER026GM,					
ER027GM,					
ER028GM,					
ER029GM,					
ER030GM,					
ER034GM,					
ER035GM,					
ER033GM,					
ER010GM,					
ER011GM,					
ER012GM,					
ER013GM,					
ER036GM, ER037GM,					
ER038AGM,					
ER039AGM, ER039AGM,					
ER040AGM,					
ER040AGM, ER041GM,					
ER042GM,					
ER043GM,					
ER044GM,					
ER045GM,					
ER046GM,					
ER047GM					

Table S3.5 Landfill gas in external monitoring boreholes – limits and monitoring requirements						
Monitoring point Ref. /descriptionParameterLimit (including units)Monitoring frequencyMonitoring standard or method						
*The limits specified take account of the agreed background concentrations as detailed in the report dated February 2009 in Appendix 8 to the Landfill Gas Risk Assessment in Section C of the variation application dated 05/02/2009.						
** Trigger levels to be agi	reed in writing with the Environn	nent Agency prior to deposi	t of waste in any cel	l adjacent to these boreholes.		

Table S3.6 Point source emissions to sewer, effluent treatment plant or by tankering or other transfer off-site – emission limits and monitoring requirements

Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Marked as ER_leachate_DIS on drawing ERN3000	-	Effluent treatment plant	-	-	-	

Monitoring Point Ref. /Description	Parameter	Limit	Reference Period	Monitoring Frequency	Monitoring Standard or Method
20m downwind of asbestos disposal cell	Asbestos Fibres	Where total fibre concentration exceeds 0.01 fibres/ ml in any sample, that sample must be submitted for electron microscopy to confirm the concentration of asbestos fibres	2 hours	Twice per year or every 5000 tonnes asbestos deposited, whichever is greater.	 While asbestos is being deposited Pumped sampling 1m above ground level
50m upwind of asbestos disposal cell	Asbestos Fibres		2 hours	During all downwind monitoring	 Flow rate = 4 litres/ minute Minimum sample volume = 480 litres Filter pore size = 1.2µm Asbestos fibre limit of detection =
Site boundary downwind of	Asbestos Fibres	present	2 hours	Minimum twice per year.	0.001 fibres/ ml

Table S3.7 Particulate matter in ambient air - monitoring requirements					
Monitoring Point Ref. /Description	Parameter	Limit	Reference Period	Monitoring Frequency	Monitoring Standard or Method
asbestos disposal cell					

Monitoring point Ref. /description	Parameter	Monitoring frequency	Monitoring Standard or method
Permanently capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Temporarily capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Whole site	Total Methane emission	As agreed with the Environment Agency	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Uncapped areas	Methane concentration	Every 12 months	As agreed with the Environment Agency based on the wording of revised LFTGN 07 or landfill sector guidance or such other subsequent guidance as may be agreed in writing with the Environment Agency.

E.

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method
Up gradient MEPP	Water level, AmmoniacalQuarterlyNitrogen, Chloride, ElectricalConductivity, pH		As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), risk assessments for your environmental permit
	Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Sodium, Total Alkalinity, Total Sulphates, Zinc	Annually	 (<u>www.gov.uk</u>) or such other subsequent guidance as may be agreed in writing with the Environment Agency
	Hazardous substances	Annually for first six years of operation	
Down or cross gradient MEPP	Water level, Ammoniacal Nitrogen, Chloride, Electrical Conductivity, pH	Quarterly	As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), <u>risk assessments for your environmental permit</u>
	Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Sodium, Total Alkalinity, Total Sulphates, Zinc	Annually	(<u>www.gov.uk</u>) or such other subsequent guidance as may be agreed in writing with the Environment Agency
	Hazardous substances	Annually for first six years of operation then every two years	After the initial 6 year monitoring period for hazardous substances, if the results of quarterly or annual monitoring suggest an increase in contamination, the operator shall also undertake a full leachate hazardous substances screen.
MEPP	Base of monitoring point (mAOD)	Annually	

Table 55.10 Landfill ga	is – other monitoring requ	irements		
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
One in waste borehole per cell and / or leachate wells for separate cells asbestos on landfills for non-hazardous waste	Methane Carbon Dioxide Oxygen Carbon Monoxide Differential pressure Atmospheric pressure	Monthly		
	Hydrogen Sulphide Hydrogen	Quarterly	Calibrated handheld monitoring instrument or Tedlar Bag sample in accordance with LFTGN04 (V3, 2010) or other such subsequent guidance as may be agreed in writing with the Environment Agency or a method agreed with the Environment Agency.	Concentrations of hydrogen sulphide shall be assessed in accordance with the gas and odour management plans
One in waste borehole or one leachate well per cell for separate cells for asbestos on landfills for non- hazardous waste	Trace gas	Annually	Trace gas analysis in accordance with LFTGN04 (V3, 2010) or a trace gas characterisation method agreed with the Environment Agency or such other subsequent guidance as may be agreed in writing with the Environment Agency	The concentration of trace gas components shall be assessed against the assumptions made in the Landfill gas risk assessment and dispersion modelling.

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Gas collection system at well control valve, manifolds (if applicable) and strategic points on gas system	Methane Carbon Dioxide Oxygen Carbon Monoxide Atmospheric pressure Gas flow rate or suction % Balance Gas (calculated as the difference between the sum of measured gases and 100%)	Monthly or at such other frequency as may be agreed in writing with the Environment Agency.	Calibrated handheld monitoring instrument	Where the oxygen concentration exceeds 5% or the % balance gas is greater than 20% an assessment of air ingress into the system shall be undertaken. Where the concentration of carbon monoxide exceeds 100ppm then further investigation shall be undertaken. Record the ambient air temperature and whether the ground is: waterlogged frozen snow covered
Gas collection system at well control valve	Hydrogen Sulphide	Six monthly	Calibrated handheld monitoring instrument or Tedlar Bag sample in accordance with LFTGN04 (V3, 2010) or other such subsequent guidance as may be agreed in writing with the Environment Agency or a method agreed with the Environment Agency.	Concentrations of hydrogen sulphide shall be assessed in accordance with the gas and odour management plans
Output to flare or LFG Utilisation Compound	Trace gas	Annually	Trace gas analysis in accordance with LFTGN04 (V3, 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency [or a trace gas characterisation method agreed with the Environment Agency].	The concentration of trace gas components shall be assessed against the assumptions made in the Landfill gas risk assessment and dispersion modelling.

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Output to flare or LFG Utilisation Compound	Methane Carbon Dioxide Oxygen Gas flow rate Suction % Balance Gas (calculated as the difference between the sum of measured gases and 100%)	Weekly		Where the oxygen concentration exceeds 5% or the % balance gas is greater than 20% an assessment of air ingress into the system shall be undertaken.
Flare 1 shown on Plan ESID 8	Temperature	As per LFTGN05 (V2, March 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.	As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency.	
Gas engine, post turbo	NOx and CO	Quarterly	In accordance with Appendix C of LFTGN08, (V2, 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.	Where monitoring using hand-held, electrochemical equipment indicates an exceedance of the emissions standards specified in table S3.2, these shall be used as action levels and the operator shall investigate the cause and take appropriate measures to reduce emissions.

Monitoring point reference or description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Operational Cells or	Phases			
(Any cell or phases	that do not have a final engineered cap agreed	l in accordance	with condition 2.4)	
MEPP	Ammoniacal Nitrogen, Arsenic, BOD, Cadmium, Calcium, Chloride, Chromium, COD, Copper, Electrical Conductivity, Iron, Lead, Magnesium, Manganese, Nickel, pH, Potassium, Sodium, Total Alkalinity, Total Sulphates, Zinc		At leachate compliance points as listed in table S3.1. As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and	None
MEPP	Hazardous substances	Annually	Surface Water' (February 2003), <u>risk</u> assessments for your environmental	
MEPP	Depth to base (mAOD)	Annually	<u>permit</u> (<u>www.gov.uk</u>), or such other subsequent guidance as may be agreed in writing with the Environment Agency	
Non Operational Ce	lls or Phases		•	•
(Any cell or phases	that have a final engineered cap agreed in acc	ordance with co	ndition 2.4	
MEPP	Ammoniacal Nitrogen, Arsenic, BOD, Cadmium, Calcium, Chloride, Chromium, COD, Copper, Electrical Conductivity, Iron, Lead, Magnesium, Manganese, Nickel, pH, Potassium, Sodium, Total Alkalinity, Total Sulphates, Zinc	Annually	At leachate compliance points as listed in table S3.1. As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and	None
MEPP	Hazardous substances	Once every four years	Surface Water' (February 2003), <u>risk</u> assessments for your environmental	
MEPP	Depth to base (mAOD)	Annually	 <u>permit</u> (<u>www.gov.uk</u>), or such other subsequent guidance as may be agreed in writing with the Environment Agency 	

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
MEPP	Ammoniacal Nitrogen Chloride Electrical conductivity pH Suspended solids Visual Oil and Grease	Monthly	Spot sample	As specified in Environment Agency Guidance LFTGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), <u>risk assessments for your environmenta</u> <u>permit</u> (<u>www.gov.uk</u>) or such other subsequen guidance as may be agreed in writing with the Environment Agency.

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Parameter	Reporting period	Period ends
_eachate and/ or groundwater level As specified by schedule 3, table S3.1	Every 3 months	31 March, 30 June, 30 September, 31 December
Point source emission to air As specified by schedule 3, table S3.2	Every 12 months	31 December
Point source emission to water (other than sewer) As specified by schedule 3, table S3.3	Every 3 months	31 March, 30 June, 30 September, 31 December
Emission to groundwater As specified by schedule 3, table S3.4	Every 3 months	31 March, 30 June, 30 September, 31 December
Landfill gas in external monitoring boreholes As specified by schedule 3, table S3.5	Every 3 months	31 March, 30 June, 30 September, 31 December
Point source emission to sewer, effluent treatment plant, tankering or other off site transfer As specified by schedule 3, table S3.6	Every 3 months	31 March, 30 June, 30 September, 31 December
Particulate matter in ambient air. As required by schedule 3, table S3.7	Every 6 months	30 June, 31 December
Emission of landfill gas from capped surfaces As specified by schedule 3, table S3.8	Every 12 months	31 December
Other groundwater monitoring As specified by schedule 3, table S3.9	Every 3 months	31 March, 30 June, 30 September, 31 December
Other Landfill gas monitoring As specified by schedule 3, table S3.10	Every 3 months	31 March, 30 June, 30 September, 31 December
Trace gas monitoring	Every 12 months	31 December
Other leachate monitoring As specified by schedule 3, table S3.11	Every 12 months	31 December
Other surface water monitoring As specified by schedule 3, table S3.12	Every 12 months	31 December
Meteorological data Landfill Directive, annex III, section 2	Every 12 months	31 December

* - where the reporting period is 12 months, you may submit this information as part of the 'annual report' required by condition 4.2.2.

Table S4.2: Annual production/treatment		
Leachate:	Cubic metres/year	
Disposed of off site;		
Disposed of to any onsite effluent treatment plant;		
Recirculated into the waste mass;		
Accepted from offsite for treatment at any onsite effluent treatment plant.		
Landfill gas:	Normalised cubic metres/year	
combustion in flares;		
combustion in gas engines;		
Other methods of gas utilisation.		
Average methane content entering the landfill gas utilisation or treatment compound (based on the annual average of Table S3.10 monitoring)	% methane v/v	
Methane generation rate (50%ile from a representative model)	m ³ /hr	
Ferrous metal recovered	Tonnes	
Non-ferrous metal recovered	Tonnes	
Plastics recovered	Tonnes	
SRF recovered	Tonnes	
Wood recovered	Tonnes	
Other fractions recovered	Tonnes	
A summary of the residual waste removed from the Material Recycling Facility and sent to the landfill.	Tonnes	

Table S4.3 Performance Parameters			
Parameter	Frequency of assessment	Annual total	Unit
Energy used (including for leachate treatment)	Annually		MWh of electricity or natural gas

Table S4.4 Reporting Forms		
Media/parameter	Reporting Format	Date of Form
Leachate	Form leachate 1 or other reporting format to be agreed in writing with the Environment Agency	06/04/2021
Air	Form Air 1 or other reporting format to be agreed in writing with the Environment Agency	06/04/2021
Controlled water	Form Water 1 or other reporting format to be agreed in writing with the Environment Agency	06/04/2021
Groundwater	Form Groundwater 1 or other reporting format to be agreed in writing with the Environment Agency	06/04/2021
Sewer	Form Sewer 1 or other reporting format to be agreed in writing with the Environment Agency	06/04/2021
Landfill gas	Form LFG 1 or other reporting format to be agreed in writing with the Environment Agency	06/04/2021
Particulate matter	Form Particulate 1 or other reporting format to be agreed in writing with the Environment Agency	06/04/2021

Table S4.4 Reporting Forms		
Media/parameter	Reporting Format	Date of Form
Waste Return	E-waste Return Form	-
Landfill topographical surveys and interpretation	Reporting format to be agreed in writing with the Environment Agency	06/04/2021

Schedule 5 – Notification

This page outlines the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any incident or accident which significantly affects or may significantly affect the environment		
To be notified within 24 hours of detection		
Date and Time of the event		
Reference or description of the location of the event		
Description of where any release into the environment took place		
Substances(s) potentially released		
Best estimate of the quantity or rate of release of substances		
Measures taken, or intended to be taken, to stop any emission		
Description of the failure or accident.		

(b) Notification requirements for the breach of a limit		
To be notified within 24 hours of detection unless otherwise specified below		
Emission point reference/ source		
Parameter(s)		
Limit		
Measured value and uncertainty		
Date and time of monitoring		

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit		
Parameter	Notification period	

(c) Notification requirements for the breach of permit conditions not related to limits		
To be notified within 24 hours of detection		
Condition breached		
Date, time and duration of breach		
Details of the permit breach i.e. what happened including impacts observed.		
Measures taken, or intended to be taken, to restore permit compliance.		

(d) Notification requirements in the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment		
To be notified within 24 hours of detection		
Description of where the effect on the environment was detected		
Substances(s) detected		
Concentrations of substances detected		
Date of monitoring/sampling		

Part B to be supplied as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

"accident" means an accident that may result in pollution.

"annually" means once every year.

"application" means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

"authorised officer" means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

"background concentration" means such concentration of that substance as is present in:

- · For emissions to surface water, the surface water quality up-gradient of the site; or
- For emissions to sewer, the surface water quality up-gradient of the sewage treatment works discharge; or
- For emissions of landfill gas, the ground or air outside the site and not attributable to the site.

"building" means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

"cell layout drawing" means:

- (a) A drawing or drawings of the proposed new cell that illustrate(s) in sufficient detail:
 - (i) the location of the new cell on the site;
 - (ii) the proposed level (Above Ordnance Datum) of the base of the excavation;
 - (iii) the proposed finished levels of all containment and leachate drainage layers;
 - (iv) the positions of leachate management infrastructure; and
 - (v) the positions of landfill gas infrastructure (if appropriate).
- (b) A detailed written explanation of any minor design changes from the most recently approved cell that result from the new cell layout. This would include, for example:
 - (i) changes to slope length and gradient within the cell;
 - (ii) new leachate or landfill gas infrastructure construction design;
 - (iii) slope stability issues such as new basal excavation level; and/or
 - (iv) depth of waste.

"construction Proposals" means written information, at a level of detail appropriate to the complexity and pollution risk, on the design, specifications of materials selected, stability assessment (where relevant) and the construction quality assurance (CQA) programme in relation to the New Cell or Landfill Infrastructure.

"CQA Validation Report" means the final "as built" construction and engineering details of the New Cell or of the Landfill Infrastructure. It must provide a comprehensive record of the construction and must include, where relevant:

- The results of all testing required by the CQA programme this must include the records of any failed tests with a written explanation, details of the remedial action taken, referenced to the appropriate secondary testing;
- Plans showing the location of all tests;
- "As-built" plans and sections of the works;
- · Copies of the site engineer's daily records;

- · Records of any problems or non-compliances and the solution applied;
- Any other site specific information considered relevant to proving the integrity of the New Cell or Landfill Infrastructure;
- Validation by a qualified person that all of the construction has been carried out in accordance with the Construction Proposals.

"disposal" means any of the operations provided for in Annex I to the Waste Framework Directive

"emissions to land" includes emissions to groundwater.

"EP Regulations" means The Environmental Permitting (England and Wales) Regulations 2016, SI 2016 No.1154 and words and expressions used in this permit which are also used in those Regulations have the same meanings as in those Regulations.

"emissions of substances not controlled by emission limits" means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

"exceeded" means that a value is above a permitted limit, or where a range of values or a minimum value is set as a permitted limit it means a value outside that range or below the minimum value, whichever is applicable.

"groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"hazardous substances" as defined by the Environmental Permitting (England and Wales) Regulations 2016, SI 2016 No.1154, schedule 22 and listed in our Hydrogeological risk assessment guidance.

"impermeable surface" means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface.

"Industrial Emissions Directive" means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

"inert waste" means waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular not endanger the quality of surface water and/or groundwater

"landfill Infrastructure" means any specified element of the:

- permanent capping;
- temporary capping (i.e. engineered temporary caps not cover materials);
- leachate abstraction systems;
- leachate transfer, treatment and storage systems;
- surface water drainage systems;
- leachate monitoring wells;
- groundwater monitoring boreholes;
- landfill gas monitoring boreholes;
- landfill gas management systems;
- lining within the installation.

within the site.

"LFTGN 05" means Environment Agency Guidance for monitoring enclosed landfill gas flares.

"LFTGN 07" means Environment Agency Guidance on monitoring landfill gas surface emissions.

"LFTGN 08" means Environment Agency Guidance for monitoring landfill gas engines.

"liquids" means any liquid other than leachate within the engineered landfill containment system.

"List of Wastes" means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

"M2" means Environment Agency Guidance Monitoring of stack emissions to air.

"medicinal product" means any medicine licensed by the Medicines and Healthcare products Regulatory Agency (MHRA) or their predecessors under the Medicines Act 1968, section 130.

"MEPP" Monitoring and extraction point plan, required by condition 4.2.2(h) to specify extraction points and routine monitoring locations.

"new cell" means any new cell, part of a cell or other similar new area of the site where waste deposit is to commence after issue of this permit and can comprise:

- groundwater under-drainage system;
- · permanent geophysical leak location system;
- leak detection layer;
- sub-grade;
- barriers;
- liners;
- leachate collection system;
- leachate abstraction system;
- separation bund/layer;
- cell or area surface water drainage system;
- side wall subgrade and containment systems;

for the New Cell.

"no impact" means that the change made to the construction process will not affect the agreed design criteria, specification or performance in a way that has a negative effect.

"pests" means Birds, Vermin and Insects.

"previous year" means the 12 month period preceding the month the annual report is submitted in.

"quarter" means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

"relevant waste acceptance procedures" means the procedure for the acceptance of waste at landfills and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

"relevant waste acceptance criteria" means the waste acceptance criteria and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

"review of the Hydrogeological Risk Assessment" means a written review of the hydrogeological risk assessment included in the Application, together with any other parts of the Application that addressed the requirements of the EP Regulations. The review shall assess whether the activities of disposal or tipping for the purpose of disposal of waste authorised by the permit continue to meet the requirements of the EP Regulations.

"sealed drainage system" in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- no liquids will run off the surface otherwise than via the system
- all liquids entering the system are collected in a sealed sump, except where liquids may be lawfully discharged.

'sustainably extracted' means where suction can be applied to the extraction wells such that a flow rate of landfill gas, with a methane content capable of either being combusted, or treated by bio-oxidation, can be extracted without increasing the risk of air ingress to the waste or inducing aerobic degradation within the waste.

'waste code' - See 'List of Wastes'.

"WFD" means Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste [and repealing certain Directives] – the Waste Framework Directive.

"year" means calendar year ending 31 December.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means the standards included in Environment Agency Guidance for Monitoring Enclosed Landfill Gas Flares LFTGN 05 or Guidance for Monitoring Landfill Gas Engine Emissions LFTGN 08.

Where the following terms appear in the waste code list in Tables S2.1, S2.3, S2.4, S2.5 and S2.6 they have the meaning given below:

'hazardous substance' means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008;

'heavy metal' means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances;

'polychlorinated biphenyls and polychlorinated terphenyls' ('PCBs') means PCBs as defined in Article 2(a) of Council Directive 96/59/EC'.

Article 2(a) says that 'PCBs' means:

- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 % by weight;


'transition metals' means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances;

'stabilisation' means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste;

'solidification' means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste;

'partly stabilised wastes' means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term.

Schedule 7 – Site plan



"© Crown Copyright. All rights reserved. Environment Agency, 100026380, 2024."

END OF PERMIT