APPLICATION ONLY NOT TO BE CERTFIED

DEPARTMENT FOR ENVIRONMENT, FOOD AND RURAL AFFAIRS SCOTTISH GOVERNMENT WELSH GOVERNMENT

DEPARTMENT OF AGRICULTURE, ENVIRONMENT AND RURAL AFFAIRS - NORTHERN IRELAND

No:

EXPORT OF A DOG FROM THE UNITED KINGDOM TO AUSTRALIA

HEALTH CERTIFICATE

EXPORTING COUNTRY: UNITED KINGDOM

CERTIFYING

VETERINARIAN: OFFICIAL VETERINARIAN

Animal Identification Details I.

	Animai ruentilicat	TOIL De car	113			=
Import	t Permit Number)				
Breed	of Dog					
Colour	r and any		<u> </u>			╡
	nguishing features					
Dog's			V			
	of Birth	4				
Sex (ma	ark with an X in the ate box)	Male	Neutered Male	Female	Neutered Female	
If femal	e - she is not more than 30 d	lays pregnant	or suckling young			-
				Date of f	inal examination	-
Mi	icrochip number	Si	te of Microchip		chip scanning (within	
					ort) (dd/mm/yyyy)	
					<u> </u>]
			•			
II.	Source of the anim	al			•	
1.	Name and address o	f ovnorte	`r•			
Τ.	Name and address o	or exporte	5L •			
				Y /		
				`		
0	Dlana e animi					
2.	Place of origin of	anımal:				
III.	Destination of the	amima1				
	Destination of the					
1.	Name and address o	f consign	nee:			
						▼

- II. Source of the animal
- 1. Name and address of exporter:
- 2. Place of origin of animal:
- III. Destination of the animal
- 1. Name and address of consignee:
- Means of transportation (Flight number of plane/Name of ship) *:

APPLICATION ONLY No.:

τv Health In TO BE CERT

- (date) being within 5 days of export, the dog described above 1. on was examined and found to be free from clinical signs of infectious or contagious disease and external parasites (ticks and fleas) with particular attention being paid to the body regions of the forelegs, chest, neck, head, ears, eyes, shoulders, axillae and inner thighs, and is fit to undertake the journey to Australia and post-arrival quarantine:
- the microchip number listed on all documentation matches the microchip number scanned on the animal described in this certificate; at each veterinary visit for testing, treatment or examination, the dog was scanned and the microchip number confirmed as correctly recorded on all documentation and:

Either * The dog was exported from Australia on the Australian export permit is attached,

(dd/mm/yyy) and a copy of

(dd/mm/yyyy), and on (dd/mm/yyyy) which is at least 180 days prior to the scheduled date of export to Australia the dog underwent an identity verification carried out by two different UK OVs, who do not work at the same practice, and who both have OV66 DAFF specific approval; and copies of both identification declarations are attached,

Or * On (dd/mm/yyyy) which is at least 180 days prior to the scheduled date of export to Australia the dog underwent an identity verification carried out by a government employed veterinarian outside of UK, in (approved country), (approved country),

Or * The dog has undergone an identity verification by two UK OVs with OV66 DAFF specific approval;

- after due enquiry and following receipt of a written declaration from the owner/exporter*, I believe that the dog is not under any official (quarantine) restrictions at the time of export and is resident in the United Kingdom; 3.
- after due enquiry and following receipt of a written declaration from the owner/exporter*, I am satisfied that: 4.
 - the dog is not one of the following pure breeds: (i)
 - Dogo Argentino
 - Fila Brazileiro
 - Japanese Tosa
 - American Pit Bull terrier or Pit Bull Terrier

 - Perro de Presa Canario, Presa Cario a domestic/non domestic animal hybrid (eg wolf-dog cross)
 - (if not desexed), the dog has not been naturally mated, and in the case of a bitch has not been (ii) artificially inseminated, from at least 14 days before sample collection for Brucella canis testing until export;
 - (in the case of a bitch only), the bitch is not more than 30 days (iii) pregnant, nor supporting suckling young;
 - *the dog has never been to mainland Africa; (iv)
 - a) any treatments, collection of samples and examinations conducted i n another * (v) Australian approved country were by an Official Government Vetering Government Approved Veterinarian of that country; and b) any testing conducted in another Australian approved country was in laboratory recognised by the UK government (ie in an official or government laboratory recognised by the government of the approved country). The laboratory reports were in English or translated into English and contain the microchip number stated on the import permit, the date of blood sample collection for testing, and the type of testing method;

1/1

APPLICATION ONLY NO.:

Test/treat No Tatio Teord BED CERTFIED

collection date(dd/mm/yyyy) Rabies Neutralising Antibody Titre Test (RNATT) (refer to paragraph 6 below) **Leishmania infantum (refer to paragraph 8 below) **Leptosyrta 8v. Canisola infantom (refer to paragraph 10 below) **Spriosyrta 8v. Canisola infantom (refer to paragraph 10 below) **Spriosyrta 8v. Canisola infantom (refer to paragraph 10 below) **Spriosyrta 8v. Canisola infantom (refer to paragraph 10 below) **In mated, date of last matting (refer to paragraph 10 below) **If mated, date of last matting (refer to paragraph as required)	collection date (dd/mm/ yyyy) Rabies Neutralising Antibody Titre Test (RNATT) (RNATT) (Rositive at \gequived) (Rositive at \gequived) (Rositive at \gequived) (Rositive through as required) *Approsphya &v. Canicola(if tested) (*Strike through as [quinted]) *Prucella canis(if not desexed) (*Strike through as required)		1 - 1	1 =	Γ=	1	
date(dd/mm/yyyy) Sample received by the laboratory date(dd/mm/yyyy)	date(dd/mm/ yyyy) Sample received by the laboratory date(dd/mm/ yyyy) Rabies Neutralising Antibody Titre Test (RNATT) (Rositive at ≥ 0.5iu/ml (refer to paragraph 6 below) Leighmania infantum (refer to paragraph 8 below) "imptospwa av. Canicola (inf tested) ("strike through as required) "Taptospwa av. Canicola (inf tested) ("strike through as required) "Trubella canicola (inf nat desexed) ("strike through as required) "Trubella canicola (inf nat desexed) ("strike through as required) "imptoella canicola (inf nat desexed) ("strike through as required) "inf mated, date of last" mating ("strike through as required)	Tests conducted	Sample	For the	Test type	Test	
Sample received by the laboratory date (dd/mm/ yyyy)	Sample received by the laboratory date (dd/mm/ yyyy) Rabies Neutralising Antibody Titre Test (Rositive at > 0.5iu/ml (Positive at > 0.5iu/ml (Positive at > 0.5iu/ml) (Pos					resurt	
Rabies Neutralising Antibody Titre Test (RNATT) (refer to pasagraph 6 below) **Leishmania infantum (refer to pasagraph 8 below) **Leishmania infantum (refer to pasagraph 8 below) **Leptosphra ev. Canibola(lef tested) (*Strike through as required) **Esto pasagraph 8 pelow) **Routed la canibo(ff not desexed) **Brucella canibo(ff not desexed) (*Strike through as required) (*Strike through as required) **Strike through as required) (*Strike through as required) (*Strike through as required) (*Strike through as required) (*Strike through as required)	Rabies Neutralising Antibody Titre Test (RNATT) (Positive at > 0.5iu/ml (refer to paragraph 6 below) "Taptosphra ov. Canitola (if tested) (refer to paragraph 10 below) "Buccella Canas (if not desexed) (refer to paragraph 10 below) "Strike through as required) (refer to paragraph 10 below) "Taptosphra ov. Canitola (if tested) (refer to paragraph 10 below) "Taptosphra ov. Canitola (if tested) (refer to paragraph 10 below) "Strike through as required) (refer to paragraph 10 below) "Strike through as required) (refer to paragraph 10 below)		· ·	4			
Rabies Neutralising Antibody Titre Test (RNATT) (refer to paragraph 6 below) Leiahmania infantum (refer to haragraph 8 below) *Improsphica &v. Canicola (ff tested) (*Strike through as required) *Improsphica &v. Canicola (ff tested) (*Strike through as lequiled) (*Strike through as lequiled) (*Strike through as lequiled) (*Strike through as required) *Thucella Canicola (ff Nat desexed) (*Strike through as required) *Strike through as required) *Strike through as required) *Strike through as required) *Strike through as required) *If mated, date of last mating (*Strike through as required)	Rabies Neutralising Antibody Titre Test (RNATT) (Positive at \(\) (NETT) (refer to paragraph 6 below) Leishmania infantum (refer to baragraph 8 below) Taptosphra ev. Canicolal@f tested) (retrike haragraph as required) (refer baragraph) as required) (refer baragraph as required) (refer baragraph as required) (refer baragraph) as required) (refer baragraph) as required) (refer baragraph) (refer baragraph) (refer baragraph) (refer baragraph) (refer to paragraph 10 below) *If mated, date of last mating (refer to paragraph 10 below) *If mated, date of last mating (refer to paragraph as required)						
Rabies Neutralising Antibody Titre Test (RNATT) (refer to paragraph 6 below) *Leighmania infantum (refer to paragraph 8 below) *Leighmania diffantum (refer to paragraph 8 below) *Leighmania diffantum (refer to paragraph 8 below) *Leighmania infantum (refer to paragraph 8 below) *Approsphyra dv. Canidola(if tested) (restrike through as required) *Self to paragraph as required) *Brucella canis (if mat desexed) (refer to paragraph 10 below) *If mated, date of last mating (refer to paragraph 10 below) *If mated through as required)	Rabies Neutralising Antibody Titre Test (RNATT) (refer to paragraph 6 below) Leighmania infantum (refer to paragraph 8 below) **aptoSphara &v. Caninola(aff tested) (*Strike through as required) **aptoSphara &v. Caninola(aff tested) (*Strike through as required) **Erect to paragraph 8 pelow) **Erect to paragraph 8 pelow) **Erect to paragraph 1 pelow) **Funcella can's (iff mat desexed) (*Strike through as required) **Strike through as required)			_			
Rabies Neutralising Antibody Titre Test (RNATT) (refer to paragraph 6 below) Leighmania infantum (refer to paragraph 8 below) *TeptoSphya Sv. Canibola(lif tested) (*Strike through as required) *Teptosphya Sv. Canibola(lif tested) (*Strike through as required) *Through as the strike through as required) *Through as required) *Through as required) (*Strike through as required) *Through as required) *Through as required) *Through as required) *Through as required)	date (dd/mm/yyyy) Rabies Neutralising Antibody Titre Test (RNATT) (RNATT) (refer to paragraph 6 below) Leighmania infantum (refer to paragraph 8 below) **ImptoSphra dv. Canifola(@f tested) (*Strike through as required) **ImptoSphra dv. Canifola(@f tested) (*Strike through as required) **Erucella canabs(if mat desemble) **Erucella canabs(if mat desemble) (*Strike through as required) (*Strike through as required) **If mated, date of last* mating (*Strike through as required)						
Rabies Neutralising Antibody Titre Test (RNATT) (refer to parsgraph 6 below) *Leiammania infantum (refer to birsgraph 8 below) *RAT* or TAT* or TAT* or TAT* or TFAT* (Negative) (refer to parsgraph 10 below) *If mated, date of last matting (refer to parsgraph 10 below) *If mated, date of last matting (refer to parsgraph 10 below)	Rabies Neutralising Antibody Titre Test (RNATT) (refer to paragraph 6 below) Leighmania infantum (refer to paragraph 8 below) **IsptoSphya &v. Canicola(if tested) (restrice through as required) **IsptoSphya &v. Canicola(if tested) (restrice to paragraph 10 below) **Prucella canis (if not desexed) (restrice through as required) **(*Strike through as required) **If mated, date of last matting (restrice through as required) **If mated, date of last matting (restrice through as required)						
Antibody Titre Test (RNATT) (RNATT) (refer to paragraph 6 helow) Leishmania infantum (refer to paragraph 8 helow) *Leytospira ev. Canisola (lif tested) (restrike through as required) *Taptospira ev. Canisola (lif tested) (restrike through as required) *Truella canals (if not desexed) (refer to paragraph 8 helow) *Truella canals (if not desexed) (refer to paragraph 10 below) *If mated, date of last matting (refer to paragraph 10 below) *If mated, date of last matting (restrike through as required)	Antibody Titre Test (RNATT) (refer to paragraph 6 below) Leichmania infantum (refer to margraph 8 below) *LaptoSphara ev. Canidola (lif tested) (restrike through as required) *LaptoSphara ev. Canidola (lif tested) (restrike through as required) *Strike through as required) *Brucella cands (lif not deseed) (refer to paragraph 10 below) *If mated, date of last matting (refer to paragraph 10 below) *If mated, date of last matting (retrike through as required)						
(RNATT) (refer to paragraph 6 below) Leishmania infantum (refer to Hragraph 8 below) **Leptospiva ev. Canicola (lif tested) (*Strike through as required) (*Strike through as equiled) (*Strike through as equiled) RSAT* or TAT* or IFAT* (Negative at 1:100) RSAT* or TAT* or IFAT* (Negative) (*Strike through as required) (*Strike through as required) (*Strike through as required) (*Strike through as required) *If mated, date of last* mating (*Strike through as required)	(RNATT) (refer to paragraph 6 below) Leishmania infantum (refer to hragraph 8 below) **LaptoSphara &v. Canidola (lif tested) ("Strike through as required) **Strike through as required) ("Strike through as required) RSAT* or TAT* or TAT* or TAT* or TAT* (Negative) **Prucella Canidola (lif tested) ("Strike through as required) ("Strike through as required) ("Strike through as required) ("Strike through as required) *If mated, date of last mating ("Strike through as required)	Rabies Neutralising					
(*Strike through as required) Leishmania infantum (refer to braggaph 8 below) *Leptospira ev. Canicola (if tested) (restrike through as (equiped) (restrike through as required) *Brucella canis (if not desexed) (restrike through as required) *If mated, date of last matting (restrike through as required)	(refer to paragraph 6 below) Leishmania infantum (refer to bragraph 8 below) *Laptospira ev. Canibola (lif tested) (retrike through as required) *Taptospira ev. Canibola (lif tested) (retrike through as required) *Trucella canis (if not desexed) (retrike through as required) *Trucella canis (if not desexed) (retrike through as required) *Trucella canis (if not desexed) (retrike through as required) *Trucella canis (if not desexed) (retrike through as required) *Trucella canis (if not desexed) (retrike through as required)						
Leighmania infantum (refer to hragraph 8 below) *Isptospira &v. Canipola(iff tested) (*Strike through as required) *Toptospira &v. Canipola(iff tested) (*Strike through as required) *Brucella Canis(iff not desexed) (*Strike through as required) (*Strike through as required) *Toptospira &v. RSAT* or TAT* or TAT* or TFAT* (Negative) (*Strike through as required) *Strike through as required) *If mated, date of last mating (*Strike through as required)	Leishmania infantum (refer to bragraph 8 below) **Leptosphra &v. Canicola(lif tested) (*Strike through as required) **Leptosphra &v. Canicola(lif tested) (*Strike through as required) **Brucella canas(lif not desexed) (*Strike through as required) (*Strike through as required) (*Strike through as required) **If mated, date of last mating (*Strike through as required)						
(Negative) (*Strike through as required) *LaptoSpira &v. Canibola(ff tested) (*Strikethrough as required) (*Strikethrough as required) (*Strikethrough as required) (*Strikethrough as required) *Brucella canas(if not desexed) (*Strike through as required) (*Strike through as required) *If mated, date of last mating (*Strike through as required)	(Negative) (*Strike through as required) *Teptospara ev. Canicola (lif tested) (*Strike through as (equited) (refer to paragraph has equited) (*Strike through as (equited) (refer to paragraph has required) (*Strike through as required) (*Strike through as required) (refer to paragraph 10 below) *If mated, date of last mating (*Strike through as required)	(Tetel to paragraph o below)			(believe enrough ab required)		
*Teptospira sv. Canicola(if tested) (*Strike through as required) (*Strike through as required) (*Strike through as required) (*Strike through as required) *Teff mated, date of last mating (*Strike through as required) *Tif mated, date of last mating (*Strike through as required)	(*Strike through as required) *Teptosphira Sv. Canipola(inf tested) (*Strike)through as required) (*Strike)through as required) *Trucella cands (if not desexed) (*Strike through as required) (*Strike through as required) *Trucella cands (if not desexed) (*Strike through as required) (*Strike through as required) *If mated, date of last mating (*Strike through as required)	Leishmania infantum		•	IFAT* or ELISA*		
*Taptospira ev. Canicola(iff tested) (*Strike through as required) (*Eefer to paragraph % reduce) (*Strike through as required) (*Strike through as required) *If mated, date of last mating (*Strike through as required) *Trick through as required) *If mated, date of last mating (*Strike through as required)	*Teptosplya ev. Canicola(if tested) (*Strike horough as required) (refer to paragraph % pairse) *Brucella canis(if not desexed) (*Strike through as required) (refer to paragraph 10 below) *If mated, date of last mating (*Strike through as required)	(refer to paragraph 8 below)			=		
Canicola (lif tested) (*Strikemmonth at lequired) (refer to paragraph New We) *Brucella canis (if not desexed) (*Strike through as required) (*Strike through as required) *If mated, date of last mating (*Strike through as required)	Canicola(if tested) (*Strike through as required) (refer to paragraph % selew) *Brucella canis(if not desexed) (*Strike through as required) *If Mated, date of last mating (*Strike through as required) *If mated, date of last mating (*Strike through as required)				(*Strike through as required)		
Canicola (lif tested) (*Strikemmonth at lequired) (refer to paragraph New We) *Brucella canis (if not desexed) (*Strike through as required) (*Strike through as required) *If mated, date of last mating (*Strike through as required)	Canicola(if tested) (*Strike through as required) (refer to paragraph % selew) *Brucella canis(if not desexed) (*Strike through as required) *If Mated, date of last mating (*Strike through as required) *If mated, date of last mating (*Strike through as required)	*Leptospira sv.	+		MAT (Negative at		
(*Strike through as required) (tefer to paragraph % ballow) *Brucella cands (if not desexed) (*Strike through as required) (*Strike through as required) *If mated, date of last mating (*Strike through as required)	(*Strike through as required) (refer to paragraph % habtw) *Brucella cands (if not desexed) (*Strike through as required) *(*Strike through as required) *If mated, date of last mating (*Strike through as required)	Canicola(if tested)					
*Brucella canas (if not desexed) (*Strike through as required) *If mated, date of last mating (*Strike through as required)	*Brucella canas (if not desexed) RSAT* or TAT* or IFAT* (Negative) (*Strike through as required) *If mated, date of last mating (*Strike through as required)	(*Strike through as required)					
desexed) (*Strike through as required) (refer to paragraph 10 below) *If mated, date of last mating (*Strike through as required)	desexed) (*Strike through as required) (refer to paragraph 10 below) *If mated, date of last mating (*Strike through as required)	(refer to paragraph 9 below)	+		DO3004 03000		
(*Strike through as required) (refer to paragraph 10 below) *If mated, date of last mating (*Strike through as required)	(*Strike through as required) *If mated, date of last mating (*Strike through as required)						
(refer to paragraph 10 below) *If mated, date of last mating (*Strike through as required)	(*Strike through as required) *If mated, date of last mating (*Strike through as required)				=		
*If mated, date of last mating (*Strike through as required)	*If mated, date of last mating (*Strike through as required)	(*Strike through as required)			,/		
mating (*Strike through as required)	mating (*Strike through as required)	(refer to paragraph 10 below)					
mating (*Strike through as required)	mating (*Strike through as required)	#T5 maked data 5.3					
(*Strike through as required)	(*Strike through as required)						
		-					
		(berrie enrough ub requireu)					
					0/6		
						,() ₁
						.(/1/
						, (1
						, (1
						`(1
							1

APPLICATION ONLY No:

administered	(date/s) (dd/mm/yyyy	Trantnen / Varcina io * type (List product name, active ingredient and dose rate for each) *for vaccination also indicate the booster due date
Rabies vaccination		(name)
refer to paragraph o seron,		(batch number)
		(expiry date)
		(date of next booster)
eptospira sv. Canicol (if not tested) refer to paragraph 9 below)	.a	(name)
reter to paragraph 3 Seron,		(batch number)
		(expiry date)
		(date of next booster)
Babesia canis rossi (for dogs that have	1.	(name)
visited mainland Africonly)	ca	(active ingredient)
(*Strike through as required) (refer to paragraph 11 below)		(dose)
	*2.	(name)
		(active ingredient)
		(dose)
External parasites (*Strike through as required)	1.	(name)
(refer to paragraph 7 below)		(active ingredient)
		(dose)
	*2.	(name)
		(active ingredient)
		(dose)
	*3.	(name)
		(active ingredient)
		(dose)
Internal parasites (refer to paragraph 12 below)	1.	(name)
		(active ingredient)
		(dose)
	2.	(name)
		(active ingredient)
	ı	Í

6. Rabies

(i) <u>Titre</u>

Following a rabies vaccination, a blood sample was collected from the animal and tested with a positive result of at least 0.5 IU/ml using either the fluorescent antibody virus neutralisation (FAVN) test or rapid fluorescent focus inhibition test

APPLICATION ONLY No:

(RFFIT) between 180 days and 365 days (12 months) before export (the RNATT laboratory report any eclaration is (tt) chelled CERTFIED

(ii) Vaccination

The dog was administered an inactivated rabies vaccine that;

- a) was given when the dog was at least 12 weeks (84 days) of age; and
- b) is valid, in accordance with the manufacturer's directions, at the time of export;

Z. External parasites

- (i) The external parasite treatment at Part IV (5) was begun at least 30 days before export and was capable of killing ticks and fleas on contact; the treatment was repeated in accordance with the manufacturer's instructions to ensure it was continuously protective until the time of export;
- (ii) At each of the subsequent steps in export preparation, the dog was thoroughly examined for external parasites, and:

*Either

(a) no external parasites were found;

*or

(b) external parasites were found and removed, in which case the treatment at 7 (i) were repeated until no external parasites were found;

8. Leishmania infantum

As stated in the table above at Part IV (5), a blood sample was taken from the dog within 45 days prior to export, and sent to an officially recognised laboratory where it was subjected to the following test for leishmania infantum, with negative results (the laboratory report is attached):

- Either*(i) An indirect fluorescent antibody test (IFAT)
- or* (ii) An enzyme linked immunosorbent assay (ELISA);

9. <u>Leptospira interrogans</u> serovar Canicola

- Either*(i) As stated in the table above at Part IV (5), a blood sample was taken from the dog within 45 days prior to export and sent to an officially recognised laboratory where it was subjected to the microscopic agglutination test(MAT) for Leptospira interrogans serovar Canicola, with a negative result (negative being less than 50% agglutination at a serum dilution of 1:100) (the laboratory report is attached);

10. *Brucella canis (delete if the dog is desexed)

As stated in the table above at Part IV (5), a blood sample was taken from the dog within 45 days prior to export, and sent to an officially recognised laboratory where it was subjected to the RSAT*, TAT* or IFA* test for Brucella canis, with a negative result (the laboratory report is attached);

11. *Babesia canis rossi (delete if the dog has never been to mainland Africa)

As stated in the table above at Part IV (5):

- or* (ii) the dog was treated with imidocarb dipropionate at a rate of
 6.0 mg per kg by subcutaneous injection on separate occasions being two
 weeks apart and within 28 days of export;

12. <u>Internal parasites</u>

As stated in the table above at Part IV (5), the dog was treated twice with internal parasite treatments effective against nematodes and cestodes; the two treatments were administered according to manufacturer's directions at least 14 days apart and within 45 days before export; the second treatment was given within 5 days prior to export;

APPLICATION ONLY NO.

Delete as NICO DE STIL COURSE EQUE CERTFIED

OFFICIAL VETERINARIAN Stamp	SignedRCVS
	Name in
•	block letters
	Address
7	
	e-mail address:
7	
Date	
*	
• 7	
'()	
~///	
	100
	7 X
	• () .