



UK Health
Security
Agency

Sodium hydroxide

Incident management

This document provides information needed for response to a chemical incident, such as physicochemical properties, health effects and decontamination advice.

Take our [short survey](#) to help us improve the compendium of chemical hazards.

Contents

Main points.....	3
General.....	3
Health.....	3
Casualty decontamination at the scene.....	3
Environment.....	3
Hazard identification.....	4
Physicochemical properties.....	7
Reported effect levels from authoritative sources.....	9
Published emergency response guidelines.....	10
Exposure standards, guidelines or regulations.....	11
Health effects.....	12
Decontamination at the scene.....	14
Chemical specific advice.....	14
Disrobe.....	14
Improvised decontamination.....	15
Improvised dry decontamination.....	15
Improvised wet decontamination.....	15
Additional notes.....	16
Interim wet decontamination.....	16
Decontamination at the scene references.....	17
Clinical decontamination and first aid.....	18
Important notes.....	18
Clinical decontamination following surface contamination.....	18
Dermal exposure.....	19
Ocular exposure.....	19
Ingestion.....	20
Inhalation.....	20
Clinical decontamination and first aid references.....	21
About the UK Health Security Agency.....	22

Main points

General

Sodium hydroxide is a colourless solid or liquid in solution at room temperature. It is non-flammable.

Sodium hydroxide solution attacks some metals such as aluminium, tin, lead and zinc to form hydrogen gas, causing a fire hazard.

Emits toxic fumes of carbonates, peroxides and sodium oxides when heated to decomposition.

Health

Inhalation causes irritation of the eyes and nose with sore throat, cough, chest tightness, wheeze, headache, tachycardia and confusion; pulmonary oedema may take up to 36 hours to develop.

Ingestion causes burning in the mouth, throat and stomach, followed by dysphagia, drooling, abdominal pain, vomiting, haematemesis and dyspnoea. Haemorrhagic or hypovolemic shock and airway obstruction may occur in severe cases.

Dermal exposure causes deep, full thickness burns. Injury may initially be painless leading to a delay in treatment.

Exposure to the eyes causes pain, watering, conjunctivitis, oedema and photophobia. Alkaline solutions in particular may penetrate and damage all layers of the eye and should be considered an ophthalmic emergency.

Casualty decontamination at the scene


Sodium hydroxide is corrosive. Therefore, following disrobe, improvised wet decontamination should be considered.

Environment

Inform the [Environment Agency](#) where appropriate and avoid release into the environment.

Hazard identification

Table 1a. Standard (UK) dangerous goods emergency action codes for sodium hydroxide, solid

UN		1823	Sodium hydroxide, solid	
EAC		2W	<p>Use fine water spray.</p> <p>Wear chemical protective clothing with liquid-tight connections for while body in combination with breathing apparatus [note 1].</p> <p>Danger that the substance can be violently or explosively reactive.</p> <p>Spillages and decontamination run-off should be prevented from entering drains and surface and groundwaters.</p>	
APP		-	-	
Hazards	Class	8	Corrosive substances	
	Sub-risks	-	-	
HIN		80	Corrosive or slightly corrosive substance	

Abbreviations

UN = United Nations number.

EAC = emergency action code.

APP = additional personal protection.

HIN = hazard identification number.


Notes to Table 1a

Note 1: Chemical protective clothing with liquid tight connections for whole body (Type 3) conforming to the relevant standards such as BS 8428 or EN 14605 in combination with breathing apparatus conforming to BS EN 137.

References

National Chemical Emergency Centre (NCEC), part of Ricardo-AEA. '[Dangerous Goods Emergency Action Code List](#)'. The Stationery Office 2023 (viewed on 08 November 2024).

Table 1b. Standard (UK) dangerous goods emergency action codes for sodium hydroxide solution

UN		1824	Sodium hydroxide solution	
EAC		2R	Use fine water spray. Wear chemical protective clothing with liquid-tight connections for while body in combination with breathing apparatus [note 1]. Spillages and decontamination run-off may be washed to drains with large quantities of water, though care must still be taken to avoid unnecessary pollution to surface and groundwaters [note 2].	
APP		-	-	
Hazards	Class	8	Corrosive substances	
	Sub-risks	-	-	
HIN		80	Corrosive or slightly corrosive substance	

Abbreviations

UN = United Nations number.

EAC = emergency action code.

APP = additional personal protection.

HIN = hazard identification number.

Notes to Table 1b


Note 1: Chemical protective clothing with liquid tight connections for whole body (Type 3) conforming to the relevant standards such as BS 8428 or EN 14605 in combination with breathing apparatus conforming to BS EN 137.

Note 2: In such cases due care must be exercised to avoid unnecessary pollution of surface and groundwaters and wherever possible control measures such as the sealing of drains should be employed.

References

National Chemical Emergency Centre (NCEC), part of Ricardo-AEA. '[Dangerous Goods Emergency Action Code List](#)'. The Stationery Office 2023 (viewed on 8 November 2024).

Table 2a. The GB classification, labelling and packaging (CLP) regulation for sodium hydroxide; caustic soda

Hazard class and category	Skin Corr. 1A	Skin corrosion, category 1A	
Hazard statement	H314	Causes severe skin burns and eye damage	
Signal words	DANGER		

References

The Health and Safety Executive (HSE). '[GB CLP Regulation](#)' (viewed on 08 November 2024).

Table 2b. Specific concentration limits for sodium hydroxide; caustic soda


Concentration	Hazard class and category	Hazard statement	
$C \geq 5\%$	Skin Corr. 1A	H314	Causes severe skin burns and eye damage
$2\% \leq C < 5\%$	Skin Corr. 1B	H314	Causes severe skin burns and eye damage
$0.5\% \leq C < 2\%$	Skin Irrit. 2	H315	Causes skin irritation
$0.5\% \leq C < 2\%$	Eye Irrit. 2	H319	Causes serious eye irritation

References

The Health and Safety Executive (HSE). '[GB CLP Regulation](#)' (viewed on 08 November 2024).

Physicochemical properties

Table 3. Physicochemical properties

CAS number	1310-73-2
Molecular weight	40.0
Formula	NaOH
Common synonyms	Caustic soda, sodium hydrate, soda lye
State at room temperature	Colourless solid or liquid solution
Volatility	Not volatile
Specific gravity	2.1 (water = 1)
Flammability	Non-flammable
Lower explosive limit	No data available
Upper explosive limit	No data available
Water solubility	Highly soluble
Reactivity	<p>Reacts with water in air. When wet or in solution, attacks metals such as aluminium, tin, lead and zinc. Also generates heat on exposure to acids or water. Aqueous solutions react violently with acids.</p> <p>May decompose on heating to liberate corrosive/toxic fumes, including carbonates, peroxides and sodium oxides. May liberate hydrogen gas on reaction with metals. Readily reacts with atmospheric carbon dioxide to form sodium carbonate</p>
Odour	Odourless
Structure	 <chem>[Na]O</chem>

References

World Health Organization. International Programme on Chemical Safety '[International Chemical Safety Card entry for Sodium hydroxide](#)' ICSC 0360, 2010 (viewed on 08 November 2024)

PubChem. Bethesda (MD): National Library of Medicine (US), National Center for Biotechnology Information. '[PubChem Compound Summary for CID 14798, Sodium hydroxide](#)' (viewed on 08 November 2024)

Reported effect levels from authoritative sources

Table 4. Exposure to the skin

%	Signs and symptoms	Reference
0.5 to 4	Skin irritation	a

These values give an indication of levels of exposure that can cause adverse effects. They are not health protective standards or guideline values.

References

a. Organisation for Economic Co-operation and Development (OECD). [SIDS Initial Assessment Profile for SIAM 14, Sodium hydroxide](#). 2002. (viewed on 08 November 2024)

Published emergency response guidelines

Table 5. Acute exposure guideline levels (AEGLs)

	Concentration				
	10 minutes	30 minutes	60 minutes	4 hours	8 hours
AEGL-1 [note 1]	No values specified				
AEGL-2 [note 2]					
AEGL-3 [note 3]					

Notes to Table 5

Note 1: Level of the chemical in air at or above which the general population could experience notable discomfort.

Note 2: Level of the chemical in air at or above which there may be irreversible or other serious long-lasting effects or impaired ability to escape.

Note 3: Level of the chemical in air at or above which the general population could experience life-threatening health effects or death.

Exposure standards, guidelines or regulations

Table 6. Occupational standards

	LTEL (8-hour reference period)		STEL (15-min reference period)	
	ppm	mg/m ³	ppm	mg/m ³
WEL	-	-	-	2

Abbreviations

WEL = workplace exposure limit.

LTEL = long-term exposure limit.

STEL = short-term exposure limit.

Reference

Health and Safety Executive (HSE). '[EH40/2005 Workplace Exposure Limits Fourth Edition](#)' 2020 (viewed on 08 November 2024)

Table 7. Public health standards and guidelines

Drinking water standard	No value specified
WHO guideline for drinking water quality	No guideline value specified
UK indoor air quality guideline	No guideline value specified
WHO indoor air quality guideline	No guideline value specified
WHO air quality guideline	No guideline value specified

Health effects

Sodium hydroxide is a highly corrosive alkali. Toxic and corrosive by ingestion, inhalation, dermal and ocular exposure.

Table 8. Signs or symptoms of acute exposure

Route	Signs and symptoms
Ingestion	<p>Immediate pain with burning in the mouth, throat and stomach, which may be followed by abdominal pain, vomiting, haematemesis and dyspnoea. Pain and oedema may make swallowing difficult, causing drooling. Haemorrhagic or hypovolaemic shock and airway obstruction from laryngeal and/or epiglottic oedema are features of severe cases.</p> <p>Stridor and respiratory complications (including pneumonitis, pulmonary oedema, ARDS and pulmonary necrosis) can develop following aspiration of corrosive materials.</p> <p>Gastric or oesophageal perforation may occur in the early stages of severe cases. Severe injury can cause pyloric stenosis.</p> <p>Alkalis often damage the oesophagus. However, ingestion of large volumes can also involve the stomach and small intestines.</p> <p>Ulceration may be sufficiently severe to cause perforation with complications including mediastinitis, pneumonitis and cardiac injury. The depths of the burns are usually much greater with alkalis and may continue to develop for some time after exposure.</p> <p>Systemic effects include hypovolaemic shock, metabolic acidosis, hypoxia, respiratory failure, acute renal failure, severe electrolyte imbalances haemolysis and disseminated intravascular coagulation (DIC).</p>
Inhalation	<p>Irritation of eyes and nose with sore throat, cough, chest tightness, headache, fever, wheeze, tachycardia and confusion. Chemical pneumonitis, tachypnoea, dyspnoea and stridor due to laryngeal oedema may follow. Pulmonary oedema with increasing breathlessness, wheeze, hypoxia and cyanosis may take up to 36 hours to develop. Optic neuropathy has been reported following both acute and chronic inhalation.</p> <p>In serious cases, corrosive damage to the mucous membranes of both the upper and lower respiratory tract occurs. Severe inhalation injuries may</p>

Route	Signs and symptoms
	<p>result in persistent hoarseness, pulmonary fibrosis and chronic obstructive airway disease.</p> <p>Prolonged exposure may cause systemic effects.</p>
Dermal	<p>Symptoms are more likely to occur following direct contact with solid or liquid corrosive materials, although features can also occur through contact with corrosive gases and fumes.</p> <p>Alkalis can directly damage tissue by the saponification of fats and the solubilisation of proteins and collagen. This causes liquefaction burns and necrosis with a softening of the tissues which can further lead to deep tissue penetration and full thickness burns.</p> <p>Dermal alkali injuries may be initially painless leading to a delay in treatment. Alkali injuries can also progress over several hours and it can be difficult to assess the extent of the resulting burn due to quickly developing skin discolouration.</p> <p>Large or prolonged exposure may result in systemic effects.</p>
Eyes	<p>Pain, watering, conjunctivitis, oedema and photophobia may occur. Alkaline solutions may cause corneal burns and limbal ischaemia.</p> <p>Alkaline solutions in particular may penetrate and damage all layers of the eye and should be considered an ophthalmic emergency.</p>

Reference

National Poisons Information Service (NPIS). TOXBASE '[Sodium hydroxide](#)' 2019 (viewed on 08 November 2024)

National Poisons Information Service (NPIS). TOXBASE '[Corrosives – ingestion](#)' 2022 (viewed on 08 November)

National Poisons Information Service (NPIS). TOXBASE '[Corrosives – inhalation](#)' 2020 (viewed on 08 November)

National Poisons Information Service (NPIS). TOXBASE '[Skin decontamination - corrosives](#)' 2020 (viewed on 08 November)

National Poisons Information Service (NPIS). TOXBASE '[Chemicals Splashed or Sprayed into the Eyes – features and management](#)' 2020 (viewed on 08 November)

Decontamination at the scene

Chemical specific advice

The approach used for decontamination at the scene will depend upon the incident, location of the casualties and the chemicals involved. Therefore, a risk assessment should be conducted to decide on the most appropriate method of decontamination.

Sodium hydroxide is corrosive. Therefore, following disrobe, improvised wet decontamination should be considered (see below for details).

People who are processed through improvised decontamination should subsequently be moved to a safe location, triaged and subject to health and scientific advice. Based on the outcome of the assessment, they may require further decontamination.

Emergency services and public health professionals can obtain further advice from the UK Health Security Agency (UKHSA) Radiation, Chemicals, Climate and Environmental Hazards Directorate using the 24-hour chemical hotline number: 0344 892 0555.

Disrobe

The disrobe process is highly effective at reducing exposure to HAZMAT/CBRN material when performed within 15 minutes of exposure.

Therefore, disrobe must be considered the primary action following evacuation from a contaminated area.

Where possible, disrobing should be conducted at the scene and by the casualty themselves. Disrobing should be systematic to prevent transfer of contaminant from clothing to skin. Clothing should not be pulled over the head if possible.

Clothing stuck to the casualty by the contaminant should not be forcefully removed, as this risks causing further harm.

Consideration should be given to ensuring the welfare and dignity of casualties as far as possible. Immediately after decontamination the opportunity should be provided to dry and dress in clean robes or clothes.

Improvised decontamination

Improvised decontamination is an immediate method of decontamination prior to the use of specialised resources. This should be performed on all contaminated casualties unless medical advice is received to the contrary. Improvised dry decontamination should be considered for an incident involving chemicals unless the agent appears to be corrosive or caustic.

Unprotected first responders and members of the public should not approach casualties incapacitated by exposure to administer improvised decontamination, as they may be exposed to contaminants and become a casualty themselves.

Important note: Improvised decontamination should continue until more structured interventions such as Interim or Specialist Operational Response are present.

Improvised dry decontamination

Any available dry absorbent material can be used such as kitchen towel, paper tissues (for example blue roll) and clean cloth.

Exposed skin surfaces should be blotted first and then rubbed, starting with the face, head, and neck, and moving down and away from the body.

Blotting and rubbing should not be too aggressive, as it could drive contamination further into the skin.

Casualties should also blow their nose to remove contaminants from the nasal cavities.

All waste material arising from decontamination should be left in situ, and ideally bagged, for disposal at a later stage.

Improvised wet decontamination

Water should only be used for decontamination where casualty signs and symptoms are consistent with exposure to caustic or corrosive substances such as acids or alkalis.

Wet decontamination may be performed using copious amounts of water from any available source such as taps, showers, water bottles, fixed installation hose-reels and sprinklers to gently rinse the affected skin. Other natural sources of water may be considered unless this creates greater risks to the individuals affected. Wet wipes or baby wipes may be used as an effective alternative.

Improvised decontamination should not involve overly aggressive methods to remove contamination as this could further damage affected tissues and drive the contamination further into the skin.

Where appropriate, seek professional advice on how to dispose of contaminated water and prevent run-off going into the water system.

Additional notes

Following improvised decontamination, remain cautious and observe for signs and symptoms in the decontaminated person and in unprotected staff.

If water is used to decontaminate casualties this may be contaminated, and therefore hazardous, and a potential source of further contamination spread.

All materials (paper tissues and so on) used in this process may also be contaminated and, where possible, should not be used on new casualties.

The risk from hypothermia should be considered when disrobe and any form of wet decontamination is carried out.

People who are contaminated should not eat, drink or smoke before or during the decontamination process and should avoid touching their face.

When vulnerable people are affected by a hazardous substance, they may need additional support to remove themselves, their clothing or the substance.

Casualties should remain in the area and should not leave to seek care at a hospital, as this presents a contamination risk. Further care will be administered on site by the appropriate emergency services.

Interim wet decontamination

Interim decontamination is the use of standard Fire and Rescue Service equipment to provide a planned and structured decontamination process prior to the availability of purpose-designed decontamination equipment.

Decontamination at the scene references

Home Office. [‘Initial operational response to a CBRN incident’](#) Version 2.0 2015 (viewed on 08 November 2024)

National Health Service England. [‘Emergency Preparedness, Resilience and Response \(EPRR\): Guidance for the initial management of self-presenters from incidents involving hazardous materials’](#) 2019 (viewed on 08 November 2024)

Joint Emergency Service Interoperability Programme. [‘Initial Operational Response IOR to Incidents Suspected to Involve Hazardous Substances or CBRN Materials’](#) 2024 (viewed on 08 November 2024)

Clinical decontamination and first aid

Clinical decontamination is the process where trained healthcare professionals, using purpose-designed decontamination equipment, treat contaminated persons individually.

[Detailed information on clinical management](#) can be found on TOXBASE.

Important notes

Once body surface contaminants have been removed or if your patient was exposed by ingestion or inhalation, the risk that secondary care givers may become contaminated is very low. Secondary carers should wear standard hospital PPE as a precaution against secondary contamination from vomit and body fluids.

If the patient has not been decontaminated following surface contamination, secondary carers must wear appropriate NHS PPE for chemical exposure to avoid contaminating themselves.

The area should be well ventilated.

For comprehensive clinical advice consult [TOXBASE](#) directly.

Clinical decontamination following surface contamination

Avoid contaminating yourself.

Carry out decontamination after resuscitation. This should be performed in a well-ventilated area, preferably with its own ventilation system.

Contaminated clothing should be removed, double-bagged, sealed and stored safely.

Decontaminate open wounds first and avoid contamination of unexposed skin. Any particulate matter adherent to skin should be removed and the patient washed with copious amounts of water under low pressure for at least 10 to 15 minutes, or until pH of skin is normal (pH of the skin is 4.5 to 6 although it may be closer to 7 in children, or after irrigation). The earlier irrigation begins, the greater the benefit.

Pay special attention to skin folds, fingernails and ears.

Dermal exposure

Decontaminate (as above) the patient following surface contamination.

Recheck pH of affected areas after a period of 15 to 20 minutes and repeat irrigation if abnormal. Burns with strong solutions may require irrigation for several hours or more. Attention should be paid to avoiding hypothermia during prolonged irrigation with cool fluids. Once the pH is normal and stabilised, treat as per a thermal injury.

Burns totalling more than 15% of body surface area in adults (>10% in children) will require standard fluid resuscitation as for thermal burns.

Moderate/severe chemical burns should be reviewed by a burns specialist.

NB Alkalis in particular may penetrate deeply within a few minutes.

Other supportive measures as indicated by the patient's clinical condition.

Ocular exposure

Remove contact lenses if present.

Anaesthetise the eye with a topical local anaesthetic (for example, oxybuprocaine, amethocaine or similar). However, do not delay irrigation if local anaesthetic is not immediately available.

Immediately irrigate the affected eye thoroughly with 1,000mL 0.9% saline or equivalent crystalloid (for example, by an infusion bag with a giving set) for a minimum of 10 to 15 minutes irrespective of initial conjunctival pH. A Morgan Lens may be used if anaesthetic has been given.

Aim for a neutral conjunctival pH of 7 to 7.2. The conjunctivae may be tested with indicator paper. Retest at 15 to 30 minutes after irrigation and use further irrigation if necessary.

Any particles lodged in the conjunctival recesses should be removed.

Repeated instillation of local anaesthetics may reduce discomfort and help more thorough decontamination. However, prolonged use of concentrated local anaesthetics is damaging to the cornea.

Patients with corneal damage, those who have been exposed to strong acids or alkalis and those whose symptoms do not resolve rapidly should be discussed urgently with an ophthalmologist.

Other supportive measures as indicated by the patient's clinical condition.

Ingestion

Maintain airway and establish haemodynamic stability.

In severely affected patients, especially those with tachypnoea, stridor or upper airway damage, critical care input is essential with urgent assessment of the airway. A supraglottic-epiglottic burn with erythema and oedema is usually a sign that further oedema will occur that may lead to airway obstruction. It

Children are at increased risk of airway obstruction.

Do not attempt gastric lavage. Do not give neutralising chemicals as heat produced during neutralisation reactions may cause further injury.

Monitor vital signs and cardiac rhythm; check the capillary blood glucose.

Check and record pupil size.

Consider the use of water or milk (maximum initial volume = 100-200 mL in an adult; 2 mL/kg in a child) as diluents for symptomatic benefit early after corrosive ingestion provided the patient does not have swallowing or breathing problems (but caution is necessary following large ingestions where mucosal damage/perforation may have already developed). There is experimental evidence to suggest that early dilution therapy with water or milk reduces acute alkali injury of the oesophagus but administration of large volumes of fluid should be avoided as they may induce vomiting and increase the risk of oedema.

Perform a 12-lead ECG in all patients who require assessment.

Other supportive measures as indicated by the patient's condition.

Inhalation

Maintain airway and establish haemodynamic stability.

Administer oxygen to achieve adequate ventilation.

In severely affected patients, especially those with tachypnoea, stridor or upper airway damage, critical care input is essential with urgent assessment of the airway. A supraglottic-epiglottic burn with erythema and oedema is usually a sign that further oedema will occur that may lead to airway obstruction.

Children are at increased risk of airway obstruction.

Monitor vital signs and cardiac rhythm; check the capillary blood glucose.

Check and record pupil size.

Perform a 12-lead ECG in all patients who require assessment.

Other supportive measures as indicated by the patient's condition.

Clinical decontamination and first aid references

National Poisons Information Service (NPIS). TOXBASE '[Sodium hydroxide](#)' 2019 (viewed on 08 November 2024)

National Poisons Information Service (NPIS). TOXBASE '[Chemicals Splashed or Sprayed into the Eyes - features and clinical management](#)' 2020 (viewed on 22 October 2024)

National Poisons Information Service (NPIS). TOXBASE '[Skin decontamination - corrosives](#)' 2020 (viewed on 08 November 2024)

National Poisons Information Service (NPIS). TOXBASE '[Corrosives - ingestion](#)' 2022 (viewed on 08 November 2024)

National Poisons Information Service (NPIS). TOXBASE '[Corrosives - inhalation](#)' 2020 (viewed on 08 November 2024)

About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation health secure.

UKHSA is an executive agency, sponsored by the Department of Health and Social Care.

This document from the UKHSA Radiation, Chemicals, Climate and Environmental Hazards Directorate reflects understanding and evaluation of the current scientific evidence as presented and referenced here.

© Crown copyright 2024

First published: October 2015

Update: November 2016 Health Effects, Decontamination at the Scene & Clinical Decontamination and First Aid

Full document update: November 2024

For queries relating to this document, please contact chemcompendium@ukhsa.gov.uk or enquiries@ukhsa.gov.uk

Publishing reference: GOV-17742



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](#). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the
Sustainable Development Goals

