### WITHIN THIS LICENCE ANY REFERENCE TO AN EU REGULATION IS A REFERENCE TO THAT REGULATION AS IT FORMS PART OF UNITED KINGDOM DOMESTIC LAW BY VIRTUE OF SECTION 3 OF THE EUROPEAN UNION (WITHDRAWAL) ACT 2018 IN ACCORDANCE WITH SCHEDULE 8 (1) OF THAT ACT.

## <u>UNLESS OTHERWISE STATED REFERENCES TO ICES AREAS ARE REFERENCES TO THOSE PARTS OF THE</u> <u>AREA WHICH FALL WITHIN BRITISH FISHERY LIMITS.</u>

### PART I: SPECIES FOR WHICH YOU MAY NOT FISH:

| Description of Sea Fish                         | Areas of Sea   |  |  |
|---|--|--|--|
| Angel sharks                                    | All waters   |  |  |
| Basking sharks                                  | All waters   |  |  |
| Bass<br>(Dicentrarchus labrax)                  | ICES divisions 7b, 7c, 7j and 7k, and the waters of ICES divisions 7a and 7g that are more than 12 nautical miles from the baseline under the sovereignty of the United Kingdom. |  |  |
| Bluefin Tuna <sup>1</sup>                       | All waters   |  |  |
| Common skate (Dipturus batis)                   | 2a   |  |  |
|   | 4, 5, 7, 8   |  |  |
| Deep sea sharks <sup>2</sup>                    | 5, 6, 7, 8   |  |  |
| Guitarfishes                                    | 5, 6, 7, 8   |  |  |
| Great Lanternshark (Etmopterus princeps)        | 1, 2a, 4, 14   |  |  |
| Herring   | 2a <sup>3</sup>  |  |  |
|   | 7g-k   |  |  |
|   | The Thames and Blackwater coastal area <sup>4</sup>  |  |  |
|   | 6 The Firth of Clyde <sup>5</sup>  |  |  |
| Migratory trout                                 | 2a, 4, 5b, 6, 7, 8   |  |  |
| Norway pout                                     | 2a, 3a, 4  |  |  |
| Norwegian skate (Raja {Dipturus} nidarosiensis) | 6, 7a-c,e-k  |  |  |
| Orange roughy                                   | All waters   |  |  |
| Porbeagle                                       | All waters   |  |  |
| Roundnose Grenadier                             | 3  |  |  |
| Salmon  | 2a, 4, 5b, 6, 7, 8   |  |  |
| Sandeels  | Scottish Inshore Waters <sup>6</sup>   |  |  |
| Shortfin mako (Isurus<br>oxyrinchus)            | All waters   |  |  |
| Starry Ray (Amblyraja radiata)                  | 2a, 3a, 4, 7d  |  |  |
| Thornback ray (Raja clavata)                    | 3a   |  |  |
| Tope shark (Galeorhinus galeus)                 | s) When taken with longlines in 2a, 4; and in  |  |  |
|   | 1, 5, 6, 7, 8  |  |  |
| Undulate Ray (Raja undulata)                    | 6, 7a-c, 7f-k and 10   |  |  |
| Whale shark (Rhincodon typus)                   | All waters   |  |  |
| White sharks                                    | All waters   |  |  |
| White Skate (Rostroraja alba)                   | 6, 7, 8  |  |  |

Landguard Point in 51° 56' North and 1° 19' East to 51 33' North and thence due west to a point on the coast of England.  $5 E^{2}$  the following the base of the

<sup>&</sup>lt;sup>1</sup> Subject to the bycatch provisions in condition 12 in the Schedule to this licence.

<sup>&</sup>lt;sup>2</sup> Deep sea sharks refers to sharks in the following list of species: gulper sharks, black dogfish, Portugese dogfish, longnose velvet dogfish, kitefin shark, greater lanternshark, frilled shark, birdbeak dogfish, mouse catshark, bluntnose six-gilled shark, velvet belly, sailfin roughshark (sharpback shark), knifetooth dogfish, Greenland shark and Deepwater catshark.

<sup>&</sup>lt;sup>3</sup> Atlanto-Scandian Herring –ICES 2.

<sup>&</sup>lt;sup>4</sup> The Thames and Blackwater coastal area means the area of sea within a zone delimited by a line running due south from

<sup>&</sup>lt;sup>5</sup> Firth of Clyde means the area of sea which lies landward of a line drawn from a point on the mainland of Scotland at 55° 17.9' North and 5° 47.8' West (Mull of Kintyre) to a point on the mainland of Scotland at 55° 00.5' North and 5° 09.4' West (Corsewall Point).

<sup>&</sup>lt;sup>6</sup> "Scottish inshore waters" means the sea adjacent to the coast of Scotland and to the landward of a limit of 6 nautical miles from the baseline from which the territorial sea is measured, up to the mean high water mark of ordinary spring tides.

# SPECIES FOR WHICH YOU MAY NOT FISH CONTINUED

| SPECIES                             | SEA AREAS  |  |
|-------------------------------------|--|--|
| Black Scabbardfish                  | 8  |  |
| Blonde ray (Raja brachyura)         | 2a   |  |
| Boarfish (Capros aper)              | 6, 7, 8  |  |
| Herring                             | 5b, 6b and $6aN^7$   |  |
| Mackerel                            | 4a Flexibility box <sup>8</sup> (Seasonal closure 15 February – 31 July) |  |
| Sandeels                            | 2a & 4 (including all management areas)                                  |  |
| Horse Mackerel                      | 1, 12, 14  |  |
| Pollock                             | 5b, 6, 12, 14  |  |
| Sole                                | 5b, 6, 12, 14  |  |
| Small-eyed ray (Raja microocellata) | 2a, 4, 6a, 6b, 7a-c, 7e and 7h-k   |  |

| DEEP SEA            |        |
|---------------------|--------|
| Blue Ling           | 2a & 4 |
|                     |        |
| Roundnose Grenadier | 8      |

### PART 2: QUOTA LIMITATIONS OF TAC STOCKS

#### LICENCE HOLDERS ARE REMINDED THAT QUOTA LIMITS ARE IN LIVE WEIGHT.

For the conversion factors that apply see the bottom of this Annexe.

| TAC SPECIES                         | SEA AREA         | <u>QUOTA LIMIT/ MONTH</u><br>(UNLESS OTHERWISE<br><u>STATED)</u> |
|-------------------------------------|------------------|--|
| Greater Silver Smelt                | 2a, 4            | 0.1 tonne per trip   |
| Ling                                | 2a               | 0.1 tonne per trip   |
| Tusk                                | 2a               | 0.1 tonne per trip   |
| Small-eyed ray (Raja microocellata) | 7f-g             | 0.5 tonnes   |
| Undulate Ray                        | 7de              | 2 tonnes   |
|                                     |                  |  |
| DEEP-SEA SPECIES                    | SEA AREA         |  |
| Alfonsinos                          | 4, 5b, 6, 7, 8   |  |
| Black scabbardfish                  | 2a, 4, 5b, 6, 7  |  |
| Forkbeards                          | 2a, 4, 5b, 6, 7, |  |
| Red seabream                        | 6, 7, 8          |  |
| Roundnose grenadier                 | 2a, 4, 5b, 6, 7  |  |

<sup>&</sup>lt;sup>7</sup> Reference is to the herring stock in the part of ICES zone 6a which lies east of the meridian of longitude 7°W and north of the parallel of latitude 55°N, or west of the meridian of longitude 7°W and north of the parallel of latitude 56°N, excluding the Clyde. <sup>8</sup> Mackerel caught in ICES Division 4a in the periods between 1 August and 15 February shall be recorded against the Western mackerel quota. All other catches of mackerel in ICES Division 4a shall be recorded against the North Sea mackerel quota and shall be subject to any quota limitations set out at **Part 2** of this **Annex**.

A quota limitation of 100 kgs per fishing trip will apply, either singly or collectively, to the above deep-sea stocks in the sea areas described.

| Species                            | <u>Code</u>       | Gutted                | Gutted &<br>Headed | <u>Fillets</u> | Parts       |
|------------------------------------|-------------------|-----------------------|--------------------|----------------|-------------|
| Anglerfish<br>Bass<br>Blue Whiting | ANF<br>BSE<br>WHB | 1.22<br>1.125<br>1.15 | 3.0                | 2.7            | 3.09        |
| Brill                              | BLL               | 1.09                  | 2.7                |                |             |
| Cod                                | COD               | 1.17                  | 1.7                | 2.6            | $1.38^{10}$ |
| Conger Eel                         | COE               | 1.125                 |                    | 2.7            |             |
| Common Dab                         | DAB               | 1.11                  | 1.39               |                |             |
| Common Sole                        | SOL               | 1.04                  |                    | 2.5            |             |
| Flounder                           | FLE               | 1.08                  |                    | 2.7            | 1.3911      |
| Greenland Halibut                  | GHL               | 1.08                  |                    |                |             |
| Halibut                            | HAL               | 1.08                  |                    | 2.7            |             |
| Haddock                            | HAD               | 1.17                  | 1.46               | 2.6            |             |
| Hake                               | HKE               | 1.11                  | 1.4                | 2.6            |             |
| Herring                            | HER               | 1.12                  | 1.19               |                |             |
| Horse Mackerel                     | JAX               | 1.08                  |                    |                |             |
| Lemon Sole                         | LEM               | 1.05                  |                    | 2.5            |             |
| Ling                               | LIN               | 1.14                  | 1.32               | 2.64           | $2.8^{12}$  |
| Mackerel                           | MAC               | 1.09                  |                    |                |             |
| Megrims                            | LEZ               | 1.06                  |                    | 2.5            |             |
| Mullet                             | MUL               | 1.125                 |                    | 2.7            |             |
| Nephrops                           | NEP               |                       |                    |                | $3.0^{6}$   |
| Plaice                             | PLE               | 1.05                  | 1.39               | 2.4            |             |
| Pollack                            | POL               | 1.17                  | 1.36               | 2.7            |             |
| Redfish                            | RED               | 1.19                  |                    |                |             |
| Red Mullet                         | MUR               | 1.125                 |                    | 2.7            |             |
| Saithe                             | POK               | 1.19                  | 1.44               | 2.9            |             |
| Skates & Rays <sup>13</sup>        |                   | 1.13                  |                    |                | $2.09^{14}$ |
| Picked dogfish                     | DGS               | 1.35                  |                    | 2.7            | $2.52^{8}$  |
| Tope                               | GAG               | 1.125                 |                    |                |             |
| Turbot                             | TUR               | 1.09                  |                    | 2.7            |             |
| Tusk                               | USK               | 1.14                  |                    |                |             |
| Whiting                            | WHG               | 1.18                  | 1.41               | 2.7            |             |
| Witch                              | WIT               | 1.06                  |                    | 2.7            |             |
|                                    |                   |                       |                    |                |             |
| Deep Sea Species                   | Code              | Gutted                | Gutted &           | Fillets        | Parts       |
|                                    |                   |                       | Headed             |                |             |
| Black Scabbardfish                 | n BSF             | 1.24                  |                    |                | $1.4^{7}$   |
| Blue Ling                          | BLE               | 1.17                  | 1.32               | 2.8            | 1.4         |
| Greater Forkbeard                  | GFB               | 1.17                  | 1.52               | 2.0            |             |
| Greenland Halibut                  |                   | 1.08                  | 1.7                |                |             |
| Roundnose Grenad                   |                   | 1.11                  | 1.92               |                | 3.215       |
| Red Seabream                       | SBR               | 1.11                  | 1.72               | 2.7            | 5.2         |
| ice scusteam                       | SDK               | 1.11                  |                    | 2.7            |             |

| I ivo woight shall be calculated b | y multinlying landed weight h | y the conversion factors set out below. |
|------------------------------------|-------------------------------|---|
| Live weight shan be calculated b   | y multiplying fanucu weight b | y the conversion factors set out below. |

<sup>13</sup> Species specific codes and ID guides are available from your local fisheries office

<sup>14</sup> Wings

<sup>15</sup> Gutted, headed and tailed

<sup>&</sup>lt;sup>9</sup> Tails <sup>10</sup> Headed

<sup>&</sup>lt;sup>11</sup> Gutted, headed and skinned

<sup>&</sup>lt;sup>12</sup> Gutted and salted