

Construction Noise and Vibration Monthly Report - November 2024

Warwick District Council

Non-T	Fechnical Summary	1					
Abbre	eviations and Descriptions	3					
1	Introduction	4					
2	1.2 Measurement Locations Summary of Results	7 9					
	2.1 Summary of Measured Noise and Vibration Levels	9					
	2.2 Exceedances of the LOAEL and SOAEL	13					
	2.3 Exceedances of Trigger Level	16					
	2.4 Complaints	17					
Apper	ndix A Site Locations	18					
Apper	ndix B Monitoring Locations	25					
Apper	ndix C Data	31					
List of	f Tables						
	1: Table of Abbreviations 2: Monitoring Locations	3 7					
Table	3: Summary of Measured dB LAeq Data over the Monitoring Period	10					
	4: Summary of Measured PPV Data over the Monitoring Period	13 14					
Table 5: Summary of Exceedances of LOAEL and SOAEL							
Table 6: Summary of Total Exceedances of SOAEL							
Table 7: Summary of Exceedances of Trigger Levels							
rable	8: Summary of Complaints	17					

Non-Technical Summary

This Noise and Vibration Monitoring Report fulfils HS2 Limited's commitment detailed in the Environmental Minimum Requirements (EMRs), Annex 1, Code of Construction Practice, to present the results of noise and vibration monitoring carried out within Warwick District Council (WDC) area during the month of November 2024.

Within this period noise and vibration monitoring was undertaken at the following worksites:

- Burton Green Tunnel worksite (ref.: BGT), where tunnelling, excavation and steel fixing works were underway.
- Burton Green Tunnel South Portal worksite (ref.: BSP), where batter trimming was underway.
- Bockenden Cutting worksite (ref.: BC), where landscaping was underway.
- Kenilworth Road Overbridge worksite (ref.: A429), where over bridge structure works, roadworks, drainage works and backfilling were underway.
- A46 Compound worksite (ref.: A46C) where operation of batching plant, mechanical workshop, aggregate stockpile, generators and generic compound, concrete crushing, installation of site access point, plant crossing, drainage, temporary fencing and hoarding, haul route construction, utility diversions, general site work, earthworks, structure works, concrete works, highway and road works and waterproofing were underway.
- Stoneleigh Village worksite (ref.: SV), where mobilisation of satellite compounds, site access point and plant crossings installation, temporary drainage installation, haul road construction, excavation, utility diversions, general site work, installation of temporary fencing and hoarding, earthworks and structure works were underway.
- Stoneleigh Park worksite (ref.: SP), where mobilisation of satellite compounds, site
 access point, plant crossings and temporary drainage installation, haul road
 construction, excavation, utility diversions, general site work, installation of
 temporary fencing and hoarding, earthworks and structure works were underway.
- Cubbington Road worksite (ref.: C), where installation of formworks and falsework, concrete pouring, general site maintenance, v-ditch cleaning, and vegetation clearance were underway.
- Offchurch Cutting worksite (ref.: OC), where roadhead operation, installation of temporary works platform, earthworks, bridge and overbridge works, trial hole boring, ecological surveys, haul road maintenance and operation, fencing works, formwork and falsework installation, concrete pouring, v-ditch cleaning, vegetation

clearance, bulk earthworks, backfilling, drainage installation and utility diversions were underway.

The HS2 threshold levels for significant noise impacts, which are defined in Information Paper E23 (https://www.gov.uk/government/publications/hs2-information-papers-environment), was exceeded one (1) time during the reporting period.

There were no exceedances of trigger levels as defined in Section 61 consents during the reporting period at any monitoring position.

No complaints were received during the monitoring period.

Abbreviations and Descriptions

The abbreviations, descriptions and project terminology used within this report can be found in Table 1.

Table 1: Table of Abbreviations

Acronym/Term	Definition
L _{Aeq,T}	See equivalent continuous sound pressure level
Ambient sound	A description of the all-encompassing sound at a given location and time which will include sound from many sources near and far. Ambient sound can be quantified in terms of the equivalent continuous sound pressure level, $L_{pAeq,T}$
Decibel(s), or dB	Between the quietest audible sound and the loudest tolerable sound there is a million to one ratio in sound pressure (measured in Pascal (Pa)). Because of this wide range, a level scale called the decibel (dB) scale, based on a logarithmic ratio, is used in sound measurement. Audibility of sound covers a range of approximately 0-140dB.
Decibel(s) A- weighted, or dB(A)	The human ear system does not respond uniformly to sound across the detectable frequency range and consequently instrumentation used to measure sound is weighted to represent the performance of the ear. This is known as the 'A weighting' and is written as 'dB(A)'.
Equivalent continuous sound pressure level, or L _{Aeq,T}	An index used internationally for the assessment of environmental sound impacts. It is defined as the notional unchanging level that would, over a given period of time (T), deliver the same sound energy as the actual time-varying sound over the same period. Hence fluctuating sound levels can be described in terms of an equivalent single figure value, typically expressed as a decibel level.
Exclusion of data	Measurement of noise levels can be affected by weather conditions such as prolonged periods of rain, winds speeds higher than 5m/s and snow/ice ground cover. Noise levels measured during these periods are considered not representative of normal noise conditions at the site and, for the purposes of this report, are excluded from the assessment of exceedances and calculation of typical noise levels and are also greyed out in charts. Identifiable incongruous noise and vibration events not attributable to HS2 construction noise are also excluded.
Façade	A facade noise level is the noise level 1m in front of a large reflecting surface. The effect of reflection, is to produce a slightly higher (typically +3 dB) sound level than it would be if the reflecting surface was not there.
Free-field	A free-field noise level is the noise level measured at a location where no reflective surfaces, other than the ground, lies within 3.5 metres of the microphone position.
LOAEL	Lowest Observed Adverse Effect Level - the level above which adverse effects on health and quality of life can be detected.
Peak particle velocity, or PPV	Instantaneous maximum velocity reached by a vibrating element as it oscillates about its rest position. The PPV is a simple indicator of perceptibility and risk of damage to structures due to vibration. It is usually measured in mm/s.
SOAEL	Significant Observed Adverse Effect Level - the level above which significant adverse effects on health and quality of life occur.
Sound pressure level	The parameter by which sound levels are measured in air. It is measured in decibels. The threshold of hearing has been set at 0dB, while the threshold of pain is approximately 120dB. Normal speech is approximately 60dB at a distance of 1 metre and a change of 3dB in a time varying sound signal is commonly regarded as being just detectable. A change of 10dB is subjectively twice, or half, as loud.
Vibration dose value, or VDV	An index used to evaluate human exposure to vibration in buildings. While the PPV provides information regarding the magnitude of single vibration events, the VDV provides a measure of the total vibration experienced over a specified period of time (typically 16h daytime and 8h night-time). It takes into account the magnitude, the number and the duration of vibration events and can be used to quantify exposure to continuous, impulsive, occasional and intermittent vibration. The vibration dose value is measured in m/s ^{1.75} .

1 Introduction

- 1.1.1 HS2 is required to undertake noise (and vibration) monitoring as necessary to comply with the requirements of the High Speed Rail (London-West Midlands) Environmental Minimum Requirements, including specifically Annex 1: Code of Construction Practice, in addition to any monitoring requirements arising from conditions imposed through consents under Section 61 of the Control of Pollution Act, 1974 or through Undertakings & Assurances given to third parties. Such monitoring may be undertaken for the following purposes:
 - monitoring the impact of construction works;
 - to investigate complaints, incidents and exceedance of trigger levels; or
 - monitoring the effectiveness of noise and vibration control measures.
- 1.1.2 Monitoring data and interpretive reports are to be provided to each relevant local authority on a monthly basis and shall include a summary of the construction activities occurring, the data recorded over the monitoring period, any complaints received, any periods in exceedance of agreed trigger levels, the results of any investigations and any actions taken or mitigation measures implemented. This report provides noise data, and interpretation thereof, for monitoring carried out by HS2 within the Warwick District Council (WDC) area for the period 1st to 30th November 2024.
- 1.1.3 Construction sites in the local authority area where noise and vibration monitoring was undertaken during this period include:
 - Burton Green Tunnel worksite (ref.: BGT, see plan 1 in Appendix A) where work activities included:
 - Tunnelling works.
 - o Excavation.
 - Steel fixing.
 - Burton Green Tunnel Southern Portal worksite (ref.: BSP, see plan 1 in Appendix A) where work activities included:
 - Batter trimming.
 - Bockenden Cutting worksite (ref.: BC, see plan 1 in Appendix A), where no works were included:
 - Landscaping.
 - A429 Kenilworth Road Overbridge worksite (ref.: A429, see plan 2 in Appendix A), where work activities included:
 - Over bridge structure works.

- o Roadworks.
- Drainage works.
- Backfilling.
- A46 Compound worksite (ref.: A46C, see plan 3 in Appendix A), where work activities included:
 - Operation of batching plant, mechanical workshop, aggregate stockpile, generators and generic compound.
 - Concrete crushing.
 - Installation of site access point, plant crossing, drainage, temporary fencing and hoarding.
 - o Haul route construction.
 - o Utility diversions, removal and protection.
 - o General site work.
 - o Earthworks.
 - Structure works.
 - Concrete works.
 - o Highway and road works.
 - o Waterproofing.
- Stoneleigh Village worksite (ref.: SV, see plan 3 in Appendix A), where work activities included:
 - o Mobilisation of satellite compounds.
 - Site access point and plant crossings installation.
 - Temporary drainage installation.
 - o Haul road construction.
 - Excavation.
 - o Utility diversions, removal and protection.
 - General site work.
 - o Installation of temporary fencing and hoarding.
 - o Earthworks.
 - Structure works.
- Stoneleigh Park worksite (ref.: SP, see plan 3 in Appendix A), where work activities included:
 - o Mobilisation of satellite compounds.

- Site access point and plant crossings installation.
- Temporary drainage installation.
- Haul road construction.
- Excavation.
- o Utility diversions, removal and protection.
- o General site operations.
- o Installation of temporary fencing and hoarding.
- Earthworks.
- Structure works.
- Cubbington Road worksite (ref.: C, see plan 4 in Appendix A), where work activities included:
 - o Installation of formwork and falsework.
 - o Concrete pouring.
 - General site maintenance.
 - V-Ditch cleaning.
 - Vegetation clearance.
- Offchurch Cutting worksite (ref.: OC, see plan 5 in Appendix A), where work activities included:
 - o Roadhead operation.
 - o Installation of temporary works platform.
 - Bulk earthworks.
 - Bridge and overbridge works, including reinforcement, crane operation, installation of beams and edge protection, relocation of cabins and skips, formwork, concreting and finishes of bases and abutments.
 - Boring of trial holes.
 - Ecological surveys.
 - o Haul road maintenance and operation.
 - Fencing works.
 - o Formwork and falsework installation.
 - Concrete pouring.
 - o General site maintenance.
 - V-Ditch cleaning.

- Vegetation clearance.
- Drainage installation.
- Bulk earthworks, including dig and replace.
- o Backfilling.
- o Utility diversions.
- Landscape maintenance.
- 1.1.4 The applicable standards, guidance, and monitoring methodology is outlined in the construction noise and vibration monitoring methodology report which can be found at the following location https://www.gov.uk/government/collections/monitoring-the-environmental-effects-of-hs2. Noise and vibration monitoring reports for previous months can also be found at this location.

1.2 Measurement Locations

- 1.2.1 Eighteen (18) noise and six (6) vibration monitoring installations were installed in November in the WDC area. Table 2 summarises the location of the noise and vibration monitoring installations within the WDC area in November 2024.
- 1.2.2 Maps showing the position of the noise and vibration monitoring installations are presented in Appendix B.

Table 2: Monitoring Locations

Worksite Reference	Measurement Reference	Address					
BGT	BGT-N5	Alms House, Cromwell Lane, Burton Green, Warwick					
	BGT-V3	Alms House, Cromwell Lane, Burton Green, Warwick					
	BGT-N8	301 Cromwell Lane, Burton Green, Warwick					
	BGT-V11	301 Cromwell Lane, Burton Green, Warwick					
BSP	BSP-N1	33 Broadwell Woods, Red Lane, Burton Green, Kenilworth					
ВС	BC-N1	Thistle Estate, Red Lane, Burton Green, Warwick					
A429	A429-N1	Millburn Grange, Coventry Road, Kenilworth					
	A429-N2	Brookview, Milburn Grange, Coventry Road, Kenilworth					
	A429-N3	16 Kenilworth Road, Kenilworth					
A46C	A46C-N1	Kingswood Farmhouse, Dalehouse Lane, Kenilworth					
	A46C-V1	Kingswood Farmhouse, Dalehouse Lane, Kenilworth					
	A46C-N2	A46 Barns, Dalehouse Lane, Kenilworth					
SV	SV-N2	5 Birmingham Rd, Stoneleigh, Coventry					

Worksite Reference	Measurement Reference	Address				
	SV-N3	5 Walkers Orchard, Stoneleigh, Coventry				
SP	SP-N1	Stoneleigh, Kenilworth				
	SP-N2	Stoneleigh Park, Kenilworth				
	SP-V1	Stoneleigh, Kenilworth				
С	C-N1	Wychwood, Cubbington Road, Leamington Spa				
	C-V1	Wychwood, Cubbington Road, Leamington Spa				
ОС	OC-N1	Welsh Road, Offchurch, Leamington Spa				
	OC-N2	Valley Fields, Offchurch, Leamington Spa				
	OC-N3	Brickyard Cottage, Welsh Road, Offchurch, Warwick				
	FOS-N1	Long Itchington Road, Offchurch				
	FOS-V1	Long Itchington Road, Offchurch				

2 Summary of Results

2.1 Summary of Measured Noise and Vibration Levels

2.1.1 Table 3 presents a summary of the measured noise levels at each monitoring location over the reporting period. The $L_{Aeq,T}$ is presented for each of the relevant time periods averaged over the calendar month, along with the highest single period $L_{Aeq,T}$ that was found to occur within the month.

Table 3: Summary of Measured dB L_{Aeq} Data over the Monitoring Period

Worksite Reference	Measurement Reference	Site Address	Free-Field or Façade	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})			
			Measurement	0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
BGT	BGT-N5	Alms House, Cromwell Lane, Burton Green	Free-field	51.1 (55.2)	57.7 (62.4)	46.7 (52.2)	45.0 (67.6)	40.6 (50.4)	49.2 (50.0)	50.6 (52.7)	48.7 (50.3)	48.7 (56.7)	42.2 (50.4)	49.9 (65.5)	41.0 (51.9)
BGT	BGT-N8	301 Cromwell Lane, Burton Green, Warwick	Free-field	46.4 (60.8)	64.8 (77.9)	43.5 (59.6)	42.1 (70.7)	37.2 (48.1)	42.3 (46.8)	46.8 (49.6)	43.1 (47.6)	46.8 (63.0)	38.7 (50.4)	45.3 (63.3)	36.8 (43.1)
BSP	BSP-N1	33 Broadwell Woods Caravan Park, Red Lane, Burton Green	Free-field	55.8 (59.3)	61.6 (62.2)	44.6 (48.0)	43.2 (46.7)	40.6 (48.4)	42.6 (42.6)	47.3 (47.3)	45.2 (45.2)	42.4 (46.0)	38.1 (38.2)	_* _*	-* -*
ВС	BC-N1	Thistle Estate, Red Lane, Burton Green	Free-field	41.9 (48.9)	45.0 (47.4)	39.6 (44.1)	38.3 (48.8)	35.4 (47.6)	39.2 (43.4)	41.7 (46.5)	41.3 (46.3)	45.4 (65.6)	36.6 (46.7)	42.1 (56.0)	34.2 (42.6)
A429	A429-N1	Millburn Grange, Coventry Road, Kenilworth	Free-field	50.7 (55.6)	53.7 (55.3)	52.6 (56.9)	51.1 (56.4)	49.6 (57.2)	49.9 (50.7)	50.5 (52.4)	50.6 (54.5)	50.9 (64.8)	44.1 (52.0)	49.5 (53.8)	44.6 (52.5)
	A429-N2	Brookview, Milburn Grange, Coventry Road, Kenilworth	Free-field	50.8 (53.3)	54.9 (65.7)	51.2 (54.1)	49.7 (53.5)	47.4 (53.8)	48.3 (49.6)	50.3 (51.6)	49.5 (51.3)	50.7 (66.1)	44.3 (47.5)	49.2 (54.3)	45.1 (52.6)
	A429-N3	16 Kenilworth Road, Kenilworth	Free-field	60.6 (61.8)	60.3 (61.0)	60.4 (62.4)	58.6 (61.4)	52.3 (59.9)	55.0 (55.0)	59.7 (60.2)	60.3 (61.4)	59.7 (61.3)	53.1 (57.0)	58.5 (60.5)	51.0 (56.9)

Worksite Reference	Measurement Reference	Site Address	Free-Field or Façade Measurement	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})			
			Measurement	0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
A46C A46C-N1 A46C-N2	Kingswood Farmhouse, Dalehouse Lane, Kenilworth	Free-field	60.0 (64.7)	59.7 (64.8)	59.6 (62.8)	58.6 (65.6)	57.0 (62.8)	58.3 (62.9)	59.6 (63.8)	59.2 (63.1)	58.8 (63.0)	56.1 (59.0)	58.3 (62.0)	56.5 (61.0)	
	A46C-N2	A46 Barns, Dalehouse Lane, Kenilworth	Free-field	55.5 (62.7)	57.6 (65.4)	54.1 (59.1)	52.8 (58.6)	50.6 (59.9)	53.4 (58.3)	54.8 (60.0)	54.0 (59.4)	53.7 (59.3)	49.1 (54.3)	53.1 (58.1)	48.7 (56.8)
SV	SV-N2	5 Birmingham Rd, Stoneleigh, Coventry	Free-field	54.2 (57.4)	55.9 (68.3)	53.3 (70.3)	49.4 (56.4)	44.5 (53.9)	48.6 (51.0)	52.1 (54.0)	53.2 (55.3)	51.5 (62.0)	42.5 (49.0)	52.1 (59.1)	44.3 (51.3)
	SV-N3	5 Walkers Orchard, Stoneleigh, Coventry	Free-field	50.0 (57.2)	49.8 (57.0)	49.6 (63.9)	46.1 (55.0)	43.0 (53.6)	45.0 (48.2)	50.1 (58.2)	45.8 (51.8)	47.0 (55.1)	39.3 (48.4)	48.9 (60.1)	44.3 (54.3)
SP	SP-N1	Stoneleigh, Kenilworth	Free-field	52.8 (55.9)	53.5 (55.9)	50.5 (54.1)	48.3 (53.3)	44.7 (54.6)	48.9 (52.9)	50.0 (50.4)	50.2 (51.4)	49.1 (55.4)	43.3 (47.6)	50.5 (55.4)	44.6 (50.6)
	SP-N2	Stoneleigh Park, Kenilworth	Free-field	56.0 (58.7)	59.3 (66.6)	50.5 (53.8)	47.9 (52.4)	44.9 (52.8)	51.6 (62.5)	55.8 (67.7)	49.5 (53.0)	49.1 (54.9)	41.8 (47.8)	51.0 (58.0)	45.7 (52.8)
С	C-N1	Wychwood, Cubbington Road, Lillington	Free-field	52.5 (55.6)	53.9 (56.8)	52.0 (54.8)	49.1 (53.2)	42.1 (50.5)	47.5 (48.5)	53.3 (54.6)	51.8 (53.5)	51.3 (54.1)	42.8 (47.5)	51.8 (55.4)	43.2 (55.0)

Worksite Reference	Measurement Reference	Site Address	Free-Field or Façade Measurement	Weekday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Saturday Average L _{Aeq,T} (Highest Day L _{Aeq,T})				Sunday / Public Holiday Average L _{Aeq,T} (Highest Day L _{Aeq,T})			
				0700 - 0800	0800 - 1800	1800 - 1900	1900 - 2200	2200 - 0700	0700 - 0800	0800 - 1300	1300 - 1400	1400 - 2200	2200 - 0700	0700 - 2200	2200 - 0700
ОС	OC-N1	Welsh Road, Offchurch	Free-field	51.6 (54.6)	57.2 (64.4)	49.5 (51.9)	45.8 (50.1)	41.3 (52.5)	44.8 (45.4)	50.0 (55.9)	47.6 (48.5)	47.8 (55.5)	38.3 (43.4)	47.4 (51.5)	41.6 (51.1)
	OC-N2	Valley Fields, Offchurch	Free-field	55.1 (62.6)	53.1 (56.6)	50.5 (53.2)	50.0 (52.6)	49.9 (52.8)	49.3 (51.3)	47.2 (48.1)	47.2 (48.7)	48.5 (54.6)	49.4 (53.7)	47.9 (52.0)	49.2 (52.9)
	OC-N3	Brickyard Cottage, Welsh Road, Offchurch	Free-field	56.6 (58.6)	55.3 (56.6)	53.5 (56.0)	49.8 (54.7)	46.2 (67.1)	49.3 (50.5)	52.7 (53.8)	53.1 (53.7)	51.3 (54.5)	42.9 (48.1)	51.9 (56.1)	45.5 (54.7)
	FOS-N1	Long Itchington Road, Offchurch	Free-field	48.1 (51.8)	51.2 (66.9)	43.6 (47.7)	41.7 (47.1)	37.9 (48.7)	43.6 (47.5)	46.8 (48.7)	44.5 (46.7)	44.9 (52.0)	36.5 (41.5)	44.4 (50.9)	37.9 (45.0)

^{*}Note: No data recorded for this period due to monitoring station being temporarily retrieved for laboratory calibration.

2.1.2 Table 4 presents a summary of the measured vibration levels at each monitoring location over the reporting period. The highest PPV measured during the monitoring along any axis is presented in the table.

Table 4: Summary of Measured PPV Data over the Monitoring Period

Worksite Reference	Measurement Reference	Monitor Address	Highest PPV measured in any axis mm/s
BGT	BGT-V3	Alms House, Cromwell Lane, Burton Green, Warwick	9.70 (X-axis)
	BGT-V11	301 Cromwell Lane, Burton Green, Warwick	10.55 (X-axis)
A46C	A46C-V1	Kingswood Farmhouse, Dalehouse Lane, Kenilworth	1.67 (X-axis)
SP	SP-V1	East Lodge, Stoneleigh	0.61 (X-axis)
OC	FOS-V1	Long Itchington Road, Offchurch	1.15 (Y-axis)
С	C-V1	Wychwood, Cubbington Road, Lillington	0.65 (X-axis)

2.1.3 Appendix C presents graphs of the noise and vibration monitoring data over the month for each of the measurement locations. Noise data presented consists of the hourly L_{Aeq} values and, where relevant, the L_{Aeq,T} values (where the time period T has been taken to be the averaging period as specified in Table 1 of HS2 Information Paper E23). Vibration data presented consist of hourly PPV values. The full data set for the monitoring equipment can be found at the following location: https://data.gov.uk/dataset/24542ae7-dd44-444f-b259-871c4cc43b5e/environmental-monitoring-data.

2.2 Exceedances of the LOAEL and SOAEL

- 2.2.1 The lowest observed adverse effect level (LOAEL) is defined in the Planning Practice Guidance Noise (PPG) as the level above which "noise starts to cause small changes in behaviour and/or attitude, e.g. turning up volume of television; speaking more loudly; where there is no alternative ventilation, having to close windows for some of the time because of the noise. Potential for some reported sleep disturbance. Affects the acoustic character of the area such that there is a perceived change in the quality of life".
- 2.2.2 The significant observed adverse effect level (SOAEL) is defined in the 'Planning Practice Guidance Noise' as the level above which "noise causes a material change in behaviour and/or attitude, e.g. avoiding certain activities during periods of intrusion; where there is no alternative ventilation, having to keep windows closed most of the time because of the noise. Potential for sleep disturbance resulting in

- difficulty in getting to sleep, premature awakening and difficulty in getting back to sleep. Quality of life diminished due to change in acoustic character of the area."
- 2.2.3 HS2 Phase One Information Paper E23: Control of Construction Noise and Vibration sets out the LOAELs and SOAELs for construction noise.
- 2.2.4 Where reported construction noise levels exceed the LOAEL and SOAEL, relevant periods will be identified. Summary statistics to evaluate ongoing qualification for noise insulation and temporary rehousing are also presented where relevant.
- 2.2.5 Table 5 presents a summary of recorded exceedances of the LOAEL and SOAEL at each measurement location over the reporting period, including the number of exceedances during each time period.

Table 5: Summary of Exceedances of LOAEL and SOAEL

Worksite Reference	Measurement Reference	Site Address	Day (Weekday, Saturday, Sunday, Night)	Time period	Number of exceedances of LOAEL	Number of exceedances of SOAEL
BGT	BGT-N5	Alms House, Cromwell Lane, Burton Green, Warwick	All days	All periods	No exceedances	No exceedances
	BGT-N8	301 Cromwell Lane, Burton Green, Warwick	Weekday	0800-1800	15	No exceedances
BSP	BSP-N1	33 Broadwell Woods Caravan Park, Red Lane, Burton Green	All days	All periods	No exceedances	No exceedances
ВС	BC-N1*	Thistle Estate, Red Lane, Burton Green	All days	All periods	No exceedances	No exceedances
A429	A429-N1*	Millburn Grange, Coventry Road, Kenilworth	All days	All periods	No exceedances	No exceedances
	A429-N2	Brookview, Milburn Grange, Coventry Road, Kenilworth	Weekday	0800-1800	1	No exceedances

Worksite Reference	Measurement Reference	Site Address	Day (Weekday, Saturday, Sunday, Night)	Time period	Number of exceedances of LOAEL	Number of exceedances of SOAEL
	A429-N3	16 Kenilworth Road, Kenilworth	All days	All periods	No exceedances	No exceedances
A46C	A46C-N1*	Kingswood Farmhouse, Dalehouse Lane, Kenilworth	Weekday Saturday	1900-2200 1400-2200	2 1	1 No exceedances
	A46C-N2	A46 Barns, Dalehouse Lane, Kenilworth	All days	All periods	No exceedances	No exceedances
SV	SV-N2	5 Birmingham Rd, Stoneleigh	Weekday	0800-1800	2	No exceedances
	SV-N3	5 Walkers Orchard, Stoneleigh,	All days	All periods	No exceedances	No exceedances
SP	SP-N1	Stoneleigh Park, Kenilworth	All days	All periods	No exceedances	No exceedances
	SP-N2	Stoneleigh Park, Kenilworth	Weekday Saturday	0800-1800 0800-1300	2	No exceedances
С	C-N1	Wychwood, Cubbington Road, Lillington Spa	All days	All periods	No exceedances	No exceedances
ОС	OC-N1*	Welsh Road, Offchurch, Leamington	All days	All periods	No exceedances	No exceedances
	OC-N2	Valley Fields, Hunningham Road, Offchurch, Leamington	All days	All periods	No exceedances	No exceedances
	OC-N3*	Brickyard Cottage, Welsh Road, Offchurch,	All days	All periods	No exceedances	No exceedances
	FOS-N1	Long Itchington Road, Offchurch	Weekday	0800-1800	1	No exceedances

 $[\]hbox{* Note: A distance correction has been applied while calculating exceedances of the LOAEL and SOAEL}.$

- 2.2.6 Exceedances of the LOAEL were recorded at six (6) noise monitors. The LOAEL exceedance were recorded during weekday and Saturday daytime and evening periods.
- 2.2.7 Exceedance of the SOAEL was recorded at one (1) noise monitor. The SOAEL exceedances were recorded during weekday daytime periods.
- 2.2.8 For the purpose of assessing eligibility for noise insulation or temporary rehousing, multiple exceedances of the SOAEL in a 24-hour period would be counted as a single exceedance during that day. Over the reporting period, the overall number of SOAEL exceedances at each measurement location is shown in Table 6 and may be lower than the total sum of individual exceedances reported in Table 5 for each location.

Table 6: Summary of Total Exceedances of SOAEL

Worksite Reference	Measurement Reference	Monitor Address	Total of SOAEL exceedances in the month
A46C	A46C-N1*	Kingswood Farmhouse, Dalehouse Lane, Kenilworth	1

2.2.9 One (1) 24-hour period that experienced an exceedance of the SOAEL were recorded due to HS2 construction works during November 2024.

2.3 Exceedances of Trigger Level

2.3.1 Table 7 provides a summary of exceedances of the Section 61 trigger noise levels determined to be due to HS2 related construction noise measured during the reporting period, along with the findings of any investigation.

Table 7: Summary of Exceedances of Trigger Levels

Complaint Reference Number (if applicable)	Worksite Reference	Date and Time Period	Identified Source	Results of Investigation (including noise monitoring results)	Actions Taken
-	-	-	-	-	-

2.4 Complaints


2.4.1 Table 8 provides a summary of complaint information related to noise and vibration received during the reporting period, along with the findings of any investigation.

Table 8: Summary of Complaints


Complaint Reference Number	Worksite Reference	Description of Complaint	Results of Investigation	Actions Taken
-	-	-	-	-

Appendix A Site Locations


HS2 Worksite Identification Plan - Overview




Worksite Identification Plan - 1




Worksite Identification Plan - 2




Worksite Identification Plan - 3



Worksite Identification Plan - 4




Worksite Identification Plan - 5




Legend
Active Worksites

Appendix B Monitoring Locations


HS2 Noise and Vibration Monitoring Plan - 1



HS2 Noise and Vibration Monitoring Plan - 2




Noise and Vibration Monitoring Plan - 3



HS2 Noise and Vibration Monitoring Plan - 4



HS2 Noise and Vibration Monitoring Plan - 5





Appendix C Data

Noise


The following graphs show the hourly measured ambient noise level $L_{Aeq,1h}$ and, where relevant, the averaged noise level $L_{Aeq,T}$ values, where the time period T is as specified in Table 1 of HS2 Information Paper E23. Periods where noise levels are adversely affected by weather or only measured for part of the period, which are not representative of HS2 construction works, have been greyed out and excluded from the calculation of the $L_{Aeq,T}$ values in Table 3 of the main report.


Worksite: BGT - Monitoring Ref: BGT-N5







© HS2 Ltd. gov.uk/hs2











Worksite: BGT - Monitoring Ref: BGT-N8














Worksite: BSP - Monitoring Ref: BSP-N1





Note: Missing data between the start of the month and 13:00 on Tuesday 26th November was due to monitoring station being temporarily retrieved for laboratory calibration.


Worksite: BC - Monitoring Ref: BC-N1














Worksite: A429 - Monitoring Ref: A429-N1







Note: Missing data between 00:00 and 10:00 on Sunday 10th of November was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.




Note: Missing data between 05:00 and 09:00 on Monday 11th November and between 10:00 on Tuesday 12th November and 09:00 on Wednesday 13th November was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.





OFFICIAL




Worksite: A429 - Monitoring Ref: A429-N2














Worksite: A429 - Monitoring Ref: A429-N3






Note: Missing data between 04:00 on Saturday 09th November and 10:00 on Sunday 10th November was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.




Note: Missing data between 02:00 and 09:00 on Monday 11th November, and between 06:00 on Tuesday OFFICIAL

12th November and 08:00 on Wednesday 13th November was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.





Note: Missing data throughout the week was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light reach the solar panel.





Note: Missing data throughout the week was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.


Worksite: A46C - Monitoring Ref: A46C-N1
















Worksite: A46C - Monitoring Ref: A46C-N2
















Worksite: SV - Monitoring Ref: SV-N2














Worksite: SV - Monitoring Ref: SV-N3
















Worksite: SP - Monitoring Ref: SP-N1
















Worksite: SP - Monitoring Ref: SP-N2
















Worksite: C - Monitoring Ref: C-N1
















Worksite: OC - Monitoring Ref: OC-N1
















Worksite: OC - Monitoring Ref: OC-N2















Note: Missing data between 23:00 on Thursday 28th November and 23:00 on Friday 29th November was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light toreach the solar panel.


Worksite: OC - Monitoring Ref: OC-N3















Worksite: OC - Monitoring Ref: FOS-N1














Vibration


The following graphs show the hourly measured peak particle velocity PPV recorded during the monitoring period. The graphs show the highest PPV of the three orthogonal axes x, y and z. Periods where PPV values have been affected by local interference with the vibration monitor or only measured for part of the period, which are not representative of HS2 construction works , have been greyed out and excluded when calculating values in Table 4 of the main report.


Worksite: BGT - Monitoring Ref: BGT-V3














Worksite: BGT - Monitoring Ref: BGT-V11









Note: Missing data between 19:00 on Tuesday 12th November and 06:00 on Wednesday 13th November was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.

OFFICIAL




Note: Missing data throughout the week was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.




Note: Missing data throughout the week was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.


Worksite: A46C - Monitoring Ref: A46C-V1




OFFICIAL




Note: Missing data throughout the week was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.





Note: Missing data throughout the week was due to a loss of power to the monitoring station caused by poor weather conditions preventing sufficient light to reach the solar panel.








Worksite: SP - Monitoring Ref: SP-V1
















Worksite: C - Monitoring Ref: C-V1











Worksite: OC - Monitoring Ref: FOS-V1

