


# APPENDIX IV-Arbocultural Report Extracts



## Orchard House, Stockwood Road, Brislington Arboricultural Report containing:

- Arboricultural constraints
- Arboricultural impact assessment (AIA)
- Tree protection
- Arboricultural method statement



*On behalf of*  
Highridge Construction Ltd.

*Prepared by:*  
Chris Wright *M.Arbor.A, Tech. Cert. (Arbor. A.)*  
Arboricultural Consultant  
July 2021

Arboricultural Survey Orchard House, Stockwood Road, Brislington

Tree Number	Common name	Botanical name	Height (m)	Number of stems	Calculated stem diameter (mm)	Crown Spread (m)				Crown Clearance (m)	Life Stage	Structural Condition	Physiological Condition	Observations	Preliminary Recommendations	Remaining contribution (yrs)	BS Category	Root Protection Area Radius (m)	Root Protection Area m2
						N	E	S	W										
H01	Mixed species	Mixed species	3	M	100	0.5	0.5	0.5	0.5	0	Mature	Fair	Good	Mixed species boundary hedge	No action required at the time of inspection.	20-40 years	C2	Radius: 1.2m. Area: 5 sq m.	
H02	Lawson Cypress	<i>Chamaecyparis lawsoniana</i>	6	M	200	1	1	1	1	0	Mature	Fair	Good	Neighbouring boundary hedge	No action required at the time of inspection.	20-40 years	C2	Radius: 2.4m. Area: 18 sq m.	
T01	Silver Maple	<i>Acer saccharinum</i>	12	1	630#	4	6	2	2	1.5	Mature	Poor	Fair	Previously crown reduced to 8m Suppressed by neighbouring trees now removed Asymmetric crown Altered exposure due to removal of adjacent trees	No action required at the time of inspection.	20+ Years	C2	Radius: 7.6m. Area: 181 sq m.	
T02	Norway Maple	<i>Acer platanoides</i>	10	1	680	3	4	3	3	3	Mature	Fair	Good	No significant defects visible at time of inspection Exposed buttress roots west side	No action required at the time of inspection.	40+ Years	B2	Radius: 8.2m. Area: 211 sq m.	
T03	European Lime	<i>Tilia x europaea</i>	7	1	380	2.5	2	2.5	2	2	Early Mature	Fair	Good	No significant defects visible at time of inspection Existing hard surfacing up to stem of tree Slightly suppressed by neighbouring trees	No action required at the time of inspection.	40+ Years	B2	Radius: 4.6m. Area: 66 sq m.	
T04	European Lime	<i>Tilia x europaea</i>	7	1	360	2	2	2	2	2	Early Mature	Fair	Good	No significant defects visible at time of inspection Existing hard surfacing up to stem of tree Slightly suppressed by neighbouring trees Epicormic growth around base	No action required at the time of inspection.	40+ Years	B2	Radius: 4.3m. Area: 58 sq m.	

