

# Notice of variation and consolidation with introductory note

**The Environmental Permitting (England & Wales) Regulations 2016**

---

WasteCare Limited

Unit 3  
Cornishway East  
Galmington  
Taunton  
TA1 5LZ

**Variation application number**

EPR/AP3894EA/V005

**Permit number**

EPR/AP3894EA

# Unit 3 Cornishway East

## Permit number EPR/AP3894EA

### Introductory note

#### **This introductory note does not form a part of the permit**

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

This permit variation has been issued to implement guidance “Chemical waste: appropriate measures for permitted facilities”, “Healthcare waste: appropriate measures for permitted facilities”, “Non-hazardous and inert waste: appropriate measures for permitted facilities”, “Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities”, and “Waste temperature exchange equipment: appropriate measures for permitted facilities”.

#### **Changes introduced by this variation notice/statutory review**

The Industrial Emissions Directive (IED) came into force on 7 January 2014 with the requirement to implement all relevant Best Available Techniques (BAT) Conclusions as described in the Commission Implementing Decision. Article 21(3) of the IED requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication of updated decisions on Best Available Techniques (BAT) Conclusions. The BAT Conclusions for Waste Treatment (the BREF) was published on 17 August 2018 following a European Union wide review of BAT, implementing decision (EU) 2018/1147 of 10 August 2018.

On 18 November 2020, Chemical waste: appropriate measures for permitted facilities guidance was published on gov.uk. The guidance explains the standards that are relevant to regulated facilities with an environmental permit to treat or transfer chemical waste, providing indicative BAT for those sites.

On 13 July 2020, Healthcare waste: appropriate measures for permitted facilities guidance was published on gov.uk. The guidance explains the standards that are relevant to regulated facilities with an environmental permit to treat or transfer healthcare waste, providing indicative BAT for those sites.

On 12 July 2021, Non-hazardous and inert waste: appropriate measures for permitted facilities guidance was published on gov.uk. The guidance explains the standards that are relevant to regulated facilities with an environmental permit to treat or transfer non-hazardous waste, providing indicative BAT for those sites.

On 13 July 2022, Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities guidance was published on gov.uk. The guidance explains the standards that are relevant to regulated facilities with an environmental permit to treat or transfer WEEE, providing indicative BAT for those sites.

On 13 July 2022, Waste temperature exchange equipment: appropriate measures for permitted facilities guidance was published on gov.uk. The guidance explains the standards that are relevant to regulated facilities with an environmental permit to treat or transfer Waste Temperature Exchange Equipment (WTEE), providing indicative BAT for those sites.

This permit variation has been issued to update some of the conditions following a statutory review of the permits in the chemical waste treatment and transfer sector and to implement the appropriate measures guidance. The opportunity has also been taken to consolidate the original permit and subsequent variations where appropriate.

## Brief description of the process

The regulated facility comprises:

- repackaging of hazardous waste;
- temporary storage of hazardous waste;
- temporary storage of non-hazardous waste.

The facility is a waste transfer station for the treatment and transfer of hazardous and non-hazardous commercial and industrial wastes. The facility is permitted to accept up to 16,500 tonnes of waste per year. Of which, the site is permitted to accept 6,500 tonnes of hazardous waste and 10,000 tonnes of non-hazardous waste per year.

The facility is within 250m of sensitive receptors, including within 50m of residential properties. The nearest sensitive habitat site is a Special Area of Conservation (SAC), approximately 6km from the facility. There are no Local Nature Reserves (LNR) within 200m of the facility.

There are no emissions to air or water from the site.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Application EPR/AP3894EA/A001	Duly made 17/07/2009	-
Permit determined EPR/AP3894EA	18/12/2009	-
Variation determined EPR/AP3894EA/V002	14/12/2010	Environment Agency initiated variation.
Variation determined EPR/AP3894EA/V003	11/11/2013	Environment Agency initiated variation.
Application EPR/AP3894EA/V004	Duly made 15/06/2015	-
Variation determined EPR/AP3894EA/V004 (Billing ref. EP3831AX)	28/03/2017	Varied and consolidated permit issued in modern format for the purposes of IED.
Permit review- Regulation 61 Notice sent to Operator	26/01/2022	Regulation 61 Notice requiring information for statutory review of permit.
Permit review - Regulation 61 Notice response	26/07/2022	Response received from the operator.
Permit Review - Application (variation and consolidation)	Environment Agency Initiated Variation	Statutory review of permit occasioned by Waste Treatment BAT Conclusions published on 17 August 2018 and Chemical waste: appropriate measures for permitted facilities published 18 November 2020, Healthcare Waste: appropriate measures for permitted facilities published 13 July 2020, Non-hazardous and inert waste: appropriate measures for permitted facilities published 12 July 2021, Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities published 13 July 2022, and Waste temperature exchange equipment: appropriate measures for permitted facilities published 13 July 2022.

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
		The waste operation for non-hazardous waste treatment has been removed from the permit.
Additional information received in response to the Request for Further Information (RFI) dated 29/05/2024	08/08/2024	Information regarding storage capacity and duration of certain waste streams, detail of storage arrangements, detail regarding the truck wash bay, clarification of the limits of certain activities, detail on fugitive and channelled emissions, a drainage plan, and a submission of a revised site layout plan.
Request for information (RFI) Additional information received in response to the Request for Further Information (RFI) dated 30/09/2024	17/10/2024	Information regarding storage capacity, confirmation of compliance with appropriate measures, clarification regarding the emission to sewer, and detail on storage arrangements for specific waste streams.
Environment Agency Waste Treatment Sector Review Permit reviewed Variation determined	12/02/2025	Varied and consolidated permit issued.

End of introductory note

# Notice of variation and consolidation

## The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies and consolidates

### Permit number

EPR/AP3894EA

### Issued to

**WasteCare Limited** (“the operator”)

whose registered office is

**Argent House**

**Tyler Close**

**Normanton Industrial Estate**

**Normanton**

**WF6 1RL**

company registration number **01631444**

to operate regulated facilities at

**Unit 3**

**Cornishway East**

**Galmington**

**Taunton**

**TA1 5LZ**

to the extent set out in the schedules.

The notice shall take effect from 12/02/2025.

Name	Date
Anne Lloyd	12/02/2025

Authorised on behalf of the Environment Agency

## **Schedule 1**

All conditions have been varied by the consolidated permit as a result of an Environment Agency initiated variation.

## **Schedule 2 – consolidated permit**

Consolidated permit issued as a separate document.

# Permit

## The Environmental Permitting (England and Wales) Regulations 2016

### Permit number

**EPR/AP3894EA**

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/AP3894EA/V005 authorising,

**WasteCare Limited** (“the operator”),

whose registered office is

**Argent House  
Tyler Close  
Normanton Industrial Estate  
Normanton  
WF6 1RL**

company registration number **01631444**

to operate an installation and waste operations at

**Unit 3  
Cornishway East  
Galmington  
Taunton  
TA1 5LZ**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Anne Lloyd	12/02/2025

Authorised on behalf of the Environment Agency

# Conditions

## 1 Management

### 1.1 General management

1.1.1 The operator shall manage and operate the activities:

- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
- (b) using sufficient competent persons and resources.

1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.

1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.

1.1.4 The operator shall comply with the requirements of an approved competence scheme.

### 1.2 Energy efficiency

1.2.1 For the following activities referenced in schedule 1, table S1.1 (AR1 to AR4) the operator shall:

- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
- (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
- (c) take any further appropriate measures identified by a review.

### 1.3 Efficient use of raw materials

1.3.1 For the following activities referenced in schedule 1, table S1.1 (AR1 to AR4) the operator shall:

- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
- (b) maintain records of raw materials and water used in the activities;
- (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
- (d) take any further appropriate measures identified by a review.

### 1.4 Avoidance, recovery and disposal of wastes produced by the activities

1.4.1 The operator shall take appropriate measures to ensure that:

- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
- (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
- (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.



- 1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

## **2 Operations**

### **2.1 Permitted activities**

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).
- 2.1.2 Waste authorised by this permit shall be clearly distinguished from any other waste on the site.

### **2.2 The site**

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

### **2.3 Operating techniques**

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2 table(s) S2.2, S2.3, S2.4, and S2.5; and
  - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
- (a) the nature of the process producing the waste;
  - (b) the composition of the waste;
  - (c) the handling requirements of the waste;
  - (d) the hazardous property associated with the waste, if applicable; and
  - (e) the waste code of the waste.
- 2.3.6 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

### **2.4 Hazardous waste storage and treatment**

- 2.4.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

## **2.5 Improvement programme**

- 2.5.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.5.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

## **3 Emissions and monitoring**

### **3.1 Emissions to water, air or land**

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.1.
- 3.1.2 The limits given in schedule 3 shall not be exceeded.
- 3.1.3 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

### **3.2 Emissions of substances not controlled by emission limits**

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
  - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

### **3.3 Odour**

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
  - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

### **3.4 Noise and vibration**

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
  - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

### **3.5 Monitoring**

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:
- (a) point source emissions specified in tables S3.1;
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1 unless otherwise agreed in writing by the Environment Agency.

### **3.6 Pests**

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
- (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution from pests;
  - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

### **3.7 Fire prevention**

- 3.7.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.
- 3.7.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to a risk of fire, submit to the Environment Agency for approval within the period specified, a fire prevention plan which prevents fires and minimises the risk of pollution from fires;
- (b) implement the fire prevention plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## 4 Information

### 4.1 Records

4.1.1 All records required to be made by this permit shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
- (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
  - (i) off-site environmental effects; and
  - (ii) matters which affect the condition of the land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

### 4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 For the following activities referenced in schedule 1, table S1.1 (AR1 to AR4) a report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:

- (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;
- (b) the annual production/treatment data set out in schedule 4 table S4.2; and
- (c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.

4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:

- (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
- (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
- (c) giving the information from such results and assessments as may be required by the forms specified in those tables.

4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report

assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

- 4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

## 4.3 Notifications

4.3.1 In the event:

- (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
  - (i) inform the Environment Agency,
  - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
  - (iii) take the measures necessary to prevent further possible incidents or accidents;
- (b) of a breach of any permit condition the operator must immediately—
  - (i) inform the Environment Agency, and
  - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
- (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and

- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.3.6 The Environment Agency shall be given at least 14 days' notice before implementation of any part of the site closure plan.

## **4.4 Interpretation**

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

# Schedule 1 – Operations

Table S1.1 Activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
AR1	<p>Section 5.3 Part A (1)(a)(iv)</p> <p>Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving repackaging.</p>	<p>Repackaging of hazardous waste.</p> <p>R12 Exchange of waste for submission to any of the operations numbered R1 to R11 (repackaging).</p> <p>D14 Repackaging prior to submission to any of the operations numbered D1 to D13.</p>	<p>From receipt of waste to repackaging of waste.</p> <p>Repackaging is limited to:</p> <ul style="list-style-type: none"> <li>• taking a waste package (for example a bag, jar, drum or box) out of one cart or bulk container (for example a skip) and placing it into another cart or bulk container (for example, a skip)</li> <li>• taking a waste package from a cart or bulk container (for example, skip) and placing it onto a pallet or vehicle</li> <li>• taking a waste package from a pallet and placing it into a cart or bulk container (for example, skip)</li> <li>• transferring, removing or separating waste from its primary packaging (for example container, bags, bins, boxes).</li> </ul> <p>No more than 12 tonnes per day of waste shall be repackaged.</p> <p>Healthcare waste (other than 18 01 06* and 18 02 05* chemicals consisting of or containing hazardous substances) shall not be transferred, removed or separated from its original packaging.</p> <p>Repackaging shall take place in a building on impermeable surfacing with sealed drainage. The repackaging area is as shown on plan in Schedule 7.</p> <p>Repackaging of waste shall not change either the maximum storage times for waste on site or the amount that can be stored at any one time.</p> <p>No waste types shall be submitted to this activity other than those hazardous wastes specified in Table S2.2.</p>
AR2	<p>Section 5.6 Part A(1)(a)</p> <p>Temporary storage of hazardous waste with a total capacity exceeding 50 tonnes.</p>	<p>Temporary storage of hazardous waste.</p> <p>R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced).</p> <p>D15 Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending</p>	<p>From receipt and storage of hazardous waste on site to its repackaging on site or its transfer off-site.</p> <p>The amount of hazardous waste stored on site at any one time shall not exceed 122.4 tonnes.</p> <p>The total amount of waste stored on site within a building at any one time, including both hazardous and non-hazardous waste, shall not exceed 144 tonnes.</p> <p>The total amount of waste stored on site in the external storage area at any</p>

<b>Table S1.1 Activities</b>			
<b>Activity reference</b>	<b>Activity listed in Schedule 1 of the EP Regulations</b>	<b>Description of specified activity and WFD Annex I and II operations</b>	<b>Limits of specified activity and waste types</b>
		collection, on the site where the waste is produced).	<p>one time, including both hazardous and non-hazardous waste, shall not exceed 68 tonnes.</p> <p>No waste shall be treated or blended or mixed on site.</p> <p>Waste shall be stored on impermeable surfacing with sealed drainage.</p> <p>No healthcare waste shall be treated or compacted.</p> <p>Healthcare waste shall not be stored in vehicles or vehicle trailers, unless they are being received for immediate offloading or prepared for imminent transfer (that is, they will be removed from site within 24 hours, or 72 hours if over a weekend).</p> <p>Chemical and palletised waste shall be stored securely within designated areas of the building.</p> <p>The following waste types shall be stored on site for no longer than 6 months:</p> <ul style="list-style-type: none"> <li>• non-infectious cytotoxic and cytostatic medicines</li> <li>• dental amalgam</li> <li>• other hazardous chemicals or other hazardous wastes</li> </ul> <p>WTEE shall not be stored for more than 3 months without prior written approval from the Environment Agency.</p> <p>WTEE must be stored on level ground and on an impermeable surface provided with sealed drainage.</p> <p>Storage of WTEE shall not exceed a maximum storage height of 3.6 metres.</p> <p>Storage capacity of WTEE within activity AR2 and AR5 shall not exceed 12 tonnes at any one time.</p> <p>Lamps shall be stored in rigid lidded, leakproof and weatherproof containers.</p> <p>The storage capacity for lamps shall not exceed 4 tonnes at any one time.</p> <p>The storage capacity for CRT equipment and flat panel display equipment shall not exceed 8 tonnes at any one time.</p> <p>CRT equipment shall be stored in cages, bulk bags or securely on pallets to prevent breakage.</p>



<b>Table S1.1 Activities</b>			
<b>Activity reference</b>	<b>Activity listed in Schedule 1 of the EP Regulations</b>	<b>Description of specified activity and WFD Annex I and II operations</b>	<b>Limits of specified activity and waste types</b>
			<p>All flat panel display equipment shall be stored in cages, stillages or securely on pallets.</p> <p>Flat panel display equipment which may contain cold cathode fluorescent backlights shall be stored under weatherproof covering.</p> <p>All batteries shall be stored in either appropriate weatherproof containers, or in appropriate containers within a building on an impermeable surface with a sealed drainage system.</p> <p>Lead acid batteries shall be stored upright with terminals taped off or capped, in acid proof containers to prevent leaks and short circuits.</p> <p>Aerosol canisters shall be securely stored under cover in well-ventilated containers, and within a caged storage area. Up to 2 tonnes of aerosol containers shall only be stored for up to 3 months.</p> <p>Oxidisers shall be securely stored under cover in a bunded cabinet to minimise fire risk as shown on the site plan in schedule 7. Up to 400kg of oxidisers shall only be stored for up to 3 months.</p> <p>All other wastes shall be stored on site for no longer than 6 months.</p> <p>Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence.</p> <p>No waste types shall be submitted to this activity other than those hazardous wastes specified in Table S2.3.</p>
<b>Directly Associated Activity</b>			
AR3	Raw material handling and storage.	Raw material handling and storage.	From receipt and storage to point of use.
AR4	Uncontaminated surface water from external storage areas to discharge to sewer.	Drainage discharge of uncontaminated surface water to sewer.	Drainage discharge to sewer at point S1 on the site plan in Schedule 7.
<b>Waste Operations</b>			
<b>Activity reference</b>	<b>Description of activities for waste operations</b>	<b>Limits of activities</b>	
AR5	Storage, sorting and separation of hazardous WEEE.	Operations shall be limited to:	

<b>Table S1.1 Activities</b>			
<b>Activity reference</b>	<b>Activity listed in Schedule 1 of the EP Regulations</b>	<b>Description of specified activity and WFD Annex I and II operations</b>	<b>Limits of specified activity and waste types</b>
	<p>R3 Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes).</p> <p>R4 Recycling/reclamation of metals and metal compounds.</p> <p>R5 Recycling/reclamation of other inorganic materials.</p> <p>R13 Storage of waste pending any of the operations numbered R 1 to R 12 (excluding temporary storage, pending collection, on the site where the waste is produced).</p>	<ul style="list-style-type: none"> <li>• Sorting and separation of gas discharge lamps, cathode ray tube equipment, flat panel display equipment, small mixed WEEE, and WTEE.</li> </ul> <p>There shall be no treatment of hazardous waste other than for sorting and separation from other waste streams.</p> <p>Storage, sorting and separation shall take place in a building on an impermeable surface with sealed drainage.</p> <p>There shall be no treatment of batteries, other than sorting and separating from other wastes.</p> <p>All batteries shall be stored in either appropriate weatherproof containers, or in appropriate containers within a building on an impermeable surface with a sealed drainage system.</p> <p>Lead acid batteries shall be stored upright with terminals taped off or capped in acid proof containers to prevent leaks and short circuits.</p> <p>Batteries should be stored in sealed containers, drums, or IBCs and on pallets.</p> <p>WTEE must be stored on level ground and on an impermeable surface provided with sealed drainage.</p> <p>Waste should be stored securely prior to sorting and separation in the warehouse as specified in the site plan at Schedule 7.</p> <p>Storage of WTEE shall not exceed a maximum storage height of 3.6 metres.</p> <p>No more than 5 tonnes of waste shall be stored prior to sorting and separation.</p> <p>Storage capacity of WTEE within activity AR2 and AR5 shall not exceed 12 tonnes at any one time.</p> <p>Other than manual sorting, manual dismantling, repair and refurbishment of WEEE, no more than 10 tonnes per day of hazardous waste shall be treated on site under this activity.</p> <p>Waste temperature exchange equipment shall not be stored for more than 3 months without prior written approval from the Environment Agency.</p> <p>After sorting and separation waste should be stored securely within the warehouse in the site plan in Schedule 7, and for no longer than 1 week.</p> <p>Subject to any other requirements of this permit, other wastes shall be stored for no longer than 6 months.</p> <p>Waste types as specified in Table S2.4.</p>	
AR6	<p>Storage of non-hazardous waste.</p> <p>R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage,</p>	<p>From receipt and storage of non-hazardous waste on site to its transfer off-site.</p> <p>The amount of non-hazardous waste stored on site at any one time shall not exceed 89.6 tonnes.</p> <p>No waste shall be treated on site.</p>	

<b>Table S1.1 Activities</b>			
<b>Activity reference</b>	<b>Activity listed in Schedule 1 of the EP Regulations</b>	<b>Description of specified activity and WFD Annex I and II operations</b>	<b>Limits of specified activity and waste types</b>
	<p>pending collection, on the site where it is produced)</p> <p>D15 Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced)</p>	<p>Waste shall be stored on impermeable surfacing with sealed drainage.</p> <p>Healthcare waste shall not be stored in vehicles or vehicle trailers, unless they are being received for immediate offloading or prepared for imminent transfer (that is, they will be removed from site within 24 hours, or 72 hours if over a weekend).</p> <p>Clinical waste shall be stored for no longer than 7 days if outside, or for no longer than 14 days if stored in a building.</p> <p>Chemical and palletised waste shall be stored securely within designated areas of the building.</p> <p>The following waste types shall be stored on site for no longer than 6 months:</p> <ul style="list-style-type: none"> <li>• non-infectious, non-hazardous medicines</li> <li>• other non-hazardous chemicals or other non-hazardous wastes</li> </ul> <p>All wastes shall be stored on site for no longer than 6 months.</p> <p>Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence.</p> <p>No waste types shall be submitted to this activity other than those non-hazardous wastes specified in Table S2.5.</p>	

<b>Table S1.2 Operating techniques</b>		
<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
<p>WasteCare Limited</p> <p>Document reference SLI/TMS-001, dated 27 May 2015, included within the application</p>	Parts – all	15/06/2015
<p>Waste pre-acceptance procedures – document reference SOP-GP-ENV1, dated 4 May 2015.</p>	Parts – all.	15/06/2015
<p>Application</p>	Getting the Basics Right; Treatment and Storage of Hazardous and Non-Hazardous Waste	N/A
<p>HSG series relating to the storage of</p>	Parts – all.	N/A

<b>Table S1.2 Operating techniques</b>		
<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
chemicals (HSG 51, HSG71)		
Response to IC1	Taunton Waste Material Storage 7.1/17T v3.0, dated 22/06/17.	29/06/2017
Chemical waste: appropriate measures for permitted facilities Version published 18 November 2020	All parts of the appropriate measures guidance shall apply other than: <ul style="list-style-type: none"> <li>those parts to which an improvement programme requirement applies in Table S1.3 (and only until the date that the improvement has been or must be met, whichever is the earlier).</li> </ul>	N/A
Healthcare waste: appropriate measures for permitted facilities Version published 8 December 2021	All parts of the appropriate measures guidance shall apply other than: <ul style="list-style-type: none"> <li>those parts to which an improvement programme requirement applies in Table S1.3 (and only until the date that the improvement has been or must be met, whichever is the earlier).</li> </ul>	N/A
Non-hazardous and inert waste: appropriate measures for permitted facilities Version published 12 July 2021	All parts of the appropriate measures guidance shall apply other than: <ul style="list-style-type: none"> <li>those parts to which an improvement programme requirement applies in Table S1.3 (and only until the date that the improvement has been or must be met, whichever is the earlier).</li> </ul>	N/A
Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities Version published 13 July 2022	All parts of the appropriate measures guidance shall apply other than: <ul style="list-style-type: none"> <li>those parts to which an improvement programme requirement applies in Table S1.3 (and only until the date that the improvement has been or must be met, whichever is the earlier).</li> </ul>	N/A
Waste temperature exchange equipment: appropriate measures for permitted facilities Version published 13 July 2022	All parts of the appropriate measures guidance shall apply other than: <ul style="list-style-type: none"> <li>those parts listed below which are not applicable.</li> </ul> <p>The following parts of the appropriate measures guidance are not applicable:</p> <ul style="list-style-type: none"> <li>Section 5 Waste Treatment appropriate measures;</li> <li>Section 6 Process monitoring appropriate measures; and</li> <li>Section 7 Emission monitoring and limits appropriate measures.</li> </ul>	17/10/2024
Response to Request for Information dated 29/05/2024	Answers to the following questions: <ul style="list-style-type: none"> <li>question 2 regarding storage arrangements;</li> </ul>	08/08/2024

<b>Table S1.2 Operating techniques</b>		
<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
	<ul style="list-style-type: none"> <li>• question 3 regarding aerosol storage and containment;</li> <li>• questions 4a-d regarding the truck wash bay;</li> <li>• questions 5a-c confirming the removal of the waste operation for non-hazardous waste treatment;</li> <li>• question 6 regarding minimisation of fugitive emissions;</li> <li>• question 7 confirming no LEV for the bulking activity;</li> <li>• question 8 regarding drainage infrastructure; and</li> <li>• questions 9a-d regarding descriptions of the site layout.</li> </ul>	
Response to Request for Information dated 30/09/2024	Answers to the following questions: <ul style="list-style-type: none"> <li>• question 1 regarding storage capacity;</li> <li>• question 3 regarding the WTEE appropriate measures;</li> <li>• question 4 regarding the discharge to sewer; and</li> <li>• question 6 regarding waste storage.</li> </ul>	17/10/2024
Email regarding the WEEE waste operation and site drainage	All parts	11/11/2024
Email clarifying waste storage outside	All parts	13/11/2024

<b>Table S1.3 Improvement programme requirements</b>		
<b>Reference</b>	<b>Requirement</b>	<b>Date</b>
IC2 Management System	<p>The operator shall review and update their written management system to ensure that they meet the requirements of the Environment Agency's guidance referred to in Table S1.2. Specifically, the operator must demonstrate that the following appropriate measures of the guidance will be met:</p> <ul style="list-style-type: none"> <li>i) Chemical waste: appropriate measures for permitted facilities (version published 18 November 2020)               <ul style="list-style-type: none"> <li>• Section 2 General management all appropriate measures within sections:                   <ul style="list-style-type: none"> <li>- 2.1 Management system</li> <li>- 2.3 Accident management plan</li> <li>- 2.6 Plant decommissioning</li> </ul> </li> </ul> </li> <li>ii) Healthcare waste: appropriate measures for permitted facilities (version published 08 December 2021)               <ul style="list-style-type: none"> <li>• General management all appropriate measures within sections:                   <ul style="list-style-type: none"> <li>- Staff competence</li> <li>- Accident management plan</li> <li>- Accident prevention measures</li> <li>- Contingency plan and procedures</li> </ul> </li> </ul> </li> <li>iii) Non-hazardous and inert waste: appropriate measures for permitted facilities (version published 12 July 2021)</li> </ul>	6 months from the date of this permit variation issue, unless otherwise agreed in writing with the Environment Agency.

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	<ul style="list-style-type: none"> <li>• Section 2 General management all appropriate measures within sections: <ul style="list-style-type: none"> <li>- 2.1 Management system</li> <li>- 2.2 Staff competence</li> <li>- 2.3 Accident management plan</li> <li>- 2.4 Contingency plan and procedures</li> <li>- 2.5 Facility decommissioning</li> </ul> </li> </ul> <p>iv) Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities (version published 13 July 2022)</p> <ul style="list-style-type: none"> <li>• Section 2 General management all appropriate measures within sections: <ul style="list-style-type: none"> <li>- 2.1 Management system</li> <li>- 2.2 Staff competence</li> <li>- 2.3 Accident management plan</li> <li>- 2.4 Accident prevention measures</li> <li>- 2.5 Contingency plan and procedures</li> </ul> </li> </ul> <p>A copy of the updated procedure(s) shall be submitted to the Environment Agency for approval.</p>	
IC3 Waste pre-acceptance, acceptance and tracking procedures	<p>The operator shall review and update their waste pre-acceptance and/or waste acceptance procedures and/or tracking to ensure that they meet the requirements of the Environment Agency's guidance referred to in Table S1.2. Specifically, the operator must demonstrate that the following appropriate measures of the guidance will be met:</p> <p>i) Chemical waste: appropriate measures for permitted facilities (version published 18 November 2020) Section 3 Waste pre-acceptance, acceptance and tracking appropriate measures</p> <ul style="list-style-type: none"> <li>• Section 3.1 Waste pre-acceptance: <ul style="list-style-type: none"> <li>- Appropriate measure 2. Specifically, your procedures must demonstrate that you obtain details of any persistent organic pollutants (POPs) present in the waste when you receive a customer query and before waste arrives at your facility</li> <li>- Appropriate measure 7</li> </ul> </li> <li>• All measures within section 3.3 Waste tracking</li> </ul> <p>ii) Healthcare waste: appropriate measures for permitted facilities (version published 08 December 2021)</p> <ul style="list-style-type: none"> <li>• Waste pre-acceptance, acceptance and tracking all measures within sections: <ul style="list-style-type: none"> <li>- Waste pre-acceptance</li> <li>- Waste acceptance</li> <li>- Waste tracking</li> </ul> </li> </ul> <p>iii) Non-hazardous and inert waste: appropriate measures for permitted facilities (version published 12 July 2021)</p> <ul style="list-style-type: none"> <li>• Section 3 Waste pre-acceptance, acceptance and tracking all measures within sections: <ul style="list-style-type: none"> <li>- 3.1 Waste pre-acceptance</li> <li>- 3.2 Waste acceptance</li> <li>- 3.3 Quarantine</li> <li>- 3.4 Waste tracking</li> </ul> </li> </ul>	6 months from the date of this permit variation issue, unless otherwise agreed in writing with the Environment Agency.

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	<p>iv) Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities (version published 13 July 2022)</p> <ul style="list-style-type: none"> <li>• Section 3 Waste pre-acceptance, acceptance and tracking all measures within sections: <ul style="list-style-type: none"> <li>- 3.1 Waste pre-acceptance</li> <li>- 3.2 Waste acceptance</li> <li>- 3.3 Waste tracking</li> </ul> </li> </ul> <p>A copy of the updated procedure(s) shall be submitted to the Environment Agency for approval.</p>	
IC4 Waste storage, segregation and handling procedures	<p>The operator shall review and update their waste storage, segregation and handling procedures to ensure that they meet the requirements of the Environment Agency's guidance referred to in Table S1.2. Specifically, the operator must demonstrate that the following appropriate measures of the guidance will be met:</p> <p>i) Chemical waste: appropriate measures for permitted facilities (version published 18 November 2020)</p> <ul style="list-style-type: none"> <li>• Section 4 Waste storage, segregation and handling appropriate measures: <ul style="list-style-type: none"> <li>- 13, 15, 22, 24, 25, 26</li> <li>- All measures within the section Aerosol storage</li> <li>- All measures within the section Sorting, repacking, and bulking</li> </ul> </li> </ul> <p>ii) Healthcare waste: appropriate measures for permitted facilities (version published 08 December 2021):</p> <ul style="list-style-type: none"> <li>• All measures within the section Waste storage, segregation and handling appropriate measures (excluding the section Compaction of healthcare waste)</li> </ul> <p>iii) Non-hazardous and inert waste: appropriate measures for permitted facilities (version published 12 July 2021):</p> <ul style="list-style-type: none"> <li>• All measures within section 4 Waste storage.</li> </ul> <p>iv) Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities (version published 13 July 2022)</p> <ul style="list-style-type: none"> <li>• All measures within Section 4 Waste storage, segregation and handling appropriate measures</li> </ul> <p>A copy of the updated procedure(s) shall be submitted to the Environment Agency for approval.</p>	6 months from the date of this permit variation issue, unless otherwise agreed in writing with the Environment Agency.
IC5 Waste treatment procedures	<p>The operator shall review and update their waste treatment procedures to ensure that they meet the requirements of the Environment Agency's guidance referred to in Table S1.2. Specifically, the operator must demonstrate that the following appropriate measures of the guidance will be met:</p> <p>i) Chemical waste: appropriate measures for permitted facilities (version published 18 November 2020):</p> <ul style="list-style-type: none"> <li>• All measures within Section 5.1 General waste treatment</li> </ul> <p>A copy of the updated procedure(s) shall be submitted to the Environment Agency for approval.</p>	6 months from the date of this permit variation issue, unless otherwise agreed in writing with the Environment Agency.
IC6 Emissions control	<p>The operator shall review and update their emissions control procedures to ensure that they meet the requirements of the Environment Agency's guidance Chemical waste: appropriate measures for permitted facilities and Non-hazardous and inert waste:</p>	6 months from the date of this permit variation

<b>Table S1.3 Improvement programme requirements</b>		
<b>Reference</b>	<b>Requirement</b>	<b>Date</b>
	<p>appropriate measures for permitted facilities referred to in Table S1.2. Specifically, the operator must demonstrate that the following appropriate measures of the guidance will be met:</p> <p>i) Chemical waste: appropriate measures for permitted facilities (version published 18 November 2020):</p> <ul style="list-style-type: none"> <li>• All measures within Section 6.4 Point source emissions to water and sewer</li> <li>• All measures within Section 6.5 Fugitive emissions to land and water</li> </ul> <p>ii) Non-hazardous and inert waste: appropriate measures for permitted facilities (version published 12 July 2021):</p> <ul style="list-style-type: none"> <li>• All measures within Section 6.4 Point source emissions to water (including sewer)</li> <li>• All measures within Section 6.5 Fugitive emissions to land and water</li> </ul> <p>iii) Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities (version published 13 July 2022):</p> <ul style="list-style-type: none"> <li>• All measures within Section 6.4 Point source emissions to water and sewer</li> <li>• All measures within Section 6.5 Fugitive emissions to land and water</li> </ul> <p>iv) Healthcare waste: appropriate measures for permitted facilities (version published 08 December 2021):</p> <ul style="list-style-type: none"> <li>• All measures within Point source emissions to water and sewer</li> <li>• All measures within Fugitive emissions to land and water</li> </ul> <p>A copy of the updated procedure(s) shall be submitted to the Environment Agency for approval.</p>	<p>issue, unless otherwise agreed in writing with the Environment Agency.</p>
IC7 Site Drainage	<p>The operator shall review and resubmit their site drainage plan to the Environment Agency for approval. The plan shall demonstrate that adequate segregation of clean and dirty water control measures, impermeable surfacing and a sealed drainage system are in place for external areas of the site where waste is stored or handled.</p>	<p>6 months from the date of this permit variation issue, unless otherwise agreed in writing with the Environment Agency.</p>
IC8 Site Plan	<p>The operator shall review and update their site plan to include the information below:</p> <ul style="list-style-type: none"> <li>• A boundary line accurately and clearly identified in GREEN which encompasses the permitted area of your site.</li> <li>• Identify other geographic features (roads, rivers etc.).</li> <li>• Have a scale indicator and OS NGR indicated.</li> <li>• Emission and sampling points (to air, water and land where applicable) clearly shown.</li> <li>• Surfacing types.</li> <li>• Buildings (with any internal storage areas identified).</li> <li>• Storage bays, tanks, skips or any other designated storage areas.</li> <li>• Treatment plant.</li> </ul>	<p>6 months from the date of this permit variation issue, unless otherwise agreed in writing with the Environment Agency.</p>



<b>Table S1.3 Improvement programme requirements</b>		
<b>Reference</b>	<b>Requirement</b>	<b>Date</b>
	<ul style="list-style-type: none"> <li>• Quarantine area.</li> <li>• Entrances and exits to be used by emergency services.</li> </ul> <p>A copy of the updated plan shall be submitted to the Environment Agency in writing for approval.</p>	

## Schedule 2 – Waste types, raw materials and fuels

Raw materials and fuel description	Specification
--	--

<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>01</b>	<b>WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS</b>
<b>01 03</b>	<b>wastes from mineral excavation</b>
01 03 07*	other wastes containing hazardous substances from physical and chemical processing of metalliferous minerals
<b>01 04</b>	<b>wastes from physical and chemical processing of non-metalliferous minerals</b>
01 04 07*	wastes containing hazardous substances from physical and chemical processing of non-metalliferous minerals
<b>02</b>	<b>WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING</b>
<b>02 01</b>	<b>wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 08*	agrochemical waste containing hazardous substances
<b>06</b>	<b>WASTES FROM INORGANIC CHEMICAL PROCESSES</b>
<b>06 01</b>	<b>wastes from the manufacture, formulation, supply and use (MFSU) of acids</b>
06 01 01*	sulphuric acid and sulphurous acid
06 01 02*	hydrochloric acid
06 01 04*	phosphoric and phosphorous acid
06 01 05*	nitric acid and nitrous acid
06 01 06*	other acids
<b>06 02</b>	<b>wastes from the MFSU of bases</b>
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
<b>06 03</b>	<b>wastes from the MFSU of salts and their solutions and metallic oxides</b>
06 03 11*	solid salts and solutions containing cyanides
06 03 13*	solid salts and solutions containing heavy metals
06 03 15*	metallic oxides containing heavy metals

<b>Table S2.2 Permitted waste types and quantities for repackaging of hazardous waste (AR1)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>06 04</b>	<b>metal-containing wastes other than those mentioned in 06 03</b>
06 04 04*	wastes containing mercury
<b>06 13</b>	<b>wastes from inorganic chemical processes not otherwise specified</b>
06 13 02*	spent activated carbon (except 06 07 02)
<b>07</b>	<b>WASTES FROM ORGANIC CHEMICAL PROCESSES</b>
<b>07 01</b>	<b>wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals</b>
07 01 01*	aqueous washing liquids and mother liquors
07 01 03*	organic halogenated solvents, washing liquids and mother liquors
07 01 04*	other organic solvents, washing liquids and mother liquors
07 01 07*	halogenated still bottoms and reaction residues
07 01 08*	other still bottoms and reaction residues
<b>08</b>	<b>WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS</b>
<b>08 01</b>	<b>wastes from MFSU and removal of paint and varnish</b>
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
08 01 13*	sludges from paint or varnish containing organic solvents or other hazardous substances
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances
08 01 17*	wastes from paint or varnish removal containing organic solvents or other hazardous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances
08 01 21*	waste paint or varnish remover
<b>08 03</b>	<b>wastes from MFSU of printing inks</b>
08 03 12*	waste ink containing hazardous substances
08 03 14*	ink sludges containing hazardous substances
08 03 16*	waste etching solutions
08 03 17*	waste printing toner containing hazardous substances
08 03 19*	disperse oil
<b>08 04</b>	<b>wastes from MFSU of adhesives and sealants (including waterproofing products)</b>
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 04 11*	adhesive and sealant sludges containing organic solvents or other hazardous substances

<b>Table S2.2 Permitted waste types and quantities for repackaging of hazardous waste (AR1)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 17*	rosin oil
<b>08 05</b>	<b>wastes not otherwise specified in 08</b>
08 05 01*	waste isocyanates
<b>09</b>	<b>WASTES FROM THE PHOTOGRAPHIC INDUSTRY</b>
<b>09 01</b>	<b>wastes from the photographic industry</b>
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 03*	solvent-based developer solutions
09 01 04*	fixer solutions
09 01 05*	bleach solutions and bleach fixer solutions
09 01 06*	wastes containing silver from on-site treatment of photographic wastes
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03
09 01 13*	aqueous liquid waste from on-site reclamation of silver other than those mentioned in 09 01 06
<b>12</b>	<b>WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS</b>
<b>12 01</b>	<b>wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
12 01 14*	machining sludges containing hazardous substances
<b>13</b>	<b>OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)</b>
<b>13 01</b>	<b>waste hydraulic oils</b>
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
<b>13 02</b>	<b>waste engine, gear and lubricating oils</b>
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils

<b>Table S2.2 Permitted waste types and quantities for repackaging of hazardous waste (AR1)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
<b>13 03</b>	<b>waste insulating and heat transmission oils</b>
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
<b>13 07</b>	<b>wastes of liquid fuels</b>
13 07 01*	fuel oil and diesel
13 07 03*	other fuels (including mixtures)
<b>14</b>	<b>WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)</b>
<b>14 06</b>	<b>waste organic solvents, refrigerants and foam/aerosol propellants</b>
14 06 02*	other halogenated solvents and solvent mixtures
14 06 03*	other solvents and solvent mixtures
14 06 04*	sludges or solid wastes containing halogenated solvents
14 06 05*	sludges or solid wastes containing other solvents
<b>15</b>	<b>WASTE PACKAGING, ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 10*	packaging containing residues of or contaminated by hazardous substances
<b>15 02</b>	<b>absorbents, filter materials, wiping cloths and protective clothing</b>
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances
<b>16</b>	<b>WASTES NOT OTHERWISE SPECIFIED IN THE LIST</b>
<b>16 02</b>	<b>wastes from electrical and electronic equipment</b>
16 02 11*	discarded equipment containing chlorofluorocarbons, HCFC, HFC
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 15*	hazardous components removed from discarded equipment
<b>16 03</b>	<b>off-specification batches and unused products</b>
16 03 03*	inorganic wastes containing hazardous substances
16 03 05*	organic wastes containing hazardous substances
<b>16 05</b>	<b>gases in pressure containers and discarded chemicals</b>
16 05 04*	gases in pressure containers (including halons) containing hazardous substances

<b>Table S2.2 Permitted waste types and quantities for repackaging of hazardous waste (AR1)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
<b>16 06</b>	<b>batteries and accumulators</b>
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 06*	separately collected electrolyte from batteries and accumulators
<b>17</b>	<b>CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)</b>
<b>17 03</b>	<b>bituminous mixtures, coal tar and tarred products</b>
17 03 01*	bituminous mixtures containing coal tar
<b>18</b>	<b>WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)</b>
<b>18 01</b>	<b>wastes from natal care, diagnosis, treatment or prevention of disease in humans</b>
18 01 06*	chemicals consisting of or containing hazardous substances
18 01 08*	cytotoxic and cytostatic medicines
18 01 10*	amalgam waste from dental care
<b>19</b>	<b>WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE</b>
<b>19 02</b>	<b>wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)</b>
19 02 05*	sludges from physico/chemical treatment containing hazardous substances
19 02 09*	solid combustible wastes containing hazardous substances
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 06*	wood containing hazardous substances
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing hazardous substances (baled cardboard or paper, and wastes that have been sorted and separated from mixed wastes)
<b>20</b>	<b>MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 13*	solvents
20 01 14*	acids
20 01 15*	alkalines
20 01 17*	photochemicals

<b>Table S2.2 Permitted waste types and quantities for repackaging of hazardous waste (AR1)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
20 01 19*	pesticides
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 23*	discarded equipment containing chlorofluorocarbons
20 01 26*	oil and fat other than those mentioned in 20 01 25
20 01 27*	paint, inks, adhesives and resins containing hazardous substances
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components

<b>Table S2.3 Permitted waste types and quantities for storage of hazardous waste (AR2)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>01</b>	<b>WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS</b>
<b>01 03</b>	<b>wastes from mineral excavation</b>
01 03 07*	other wastes containing hazardous substances from physical and chemical processing of metalliferous minerals
<b>01 04</b>	<b>wastes from physical and chemical processing of non-metalliferous minerals</b>
01 04 07*	wastes containing hazardous substances from physical and chemical processing of non-metalliferous minerals
<b>02</b>	<b>WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING</b>
<b>02 01</b>	<b>wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 08*	agrochemical waste containing hazardous substances
<b>06</b>	<b>WASTES FROM INORGANIC CHEMICAL PROCESSES</b>
<b>06 01</b>	<b>wastes from the manufacture, formulation, supply and use (MFSU) of acids</b>
06 01 01*	sulphuric acid and sulphurous acid
06 01 02*	hydrochloric acid
06 01 04*	phosphoric and phosphorous acid
06 01 05*	nitric acid and nitrous acid

<b>Table S2.3 Permitted waste types and quantities for storage of hazardous waste (AR2)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
06 01 06*	other acids
<b>06 02</b>	<b>wastes from the MFSU of bases</b>
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
<b>06 03</b>	<b>wastes from the MFSU of salts and their solutions and metallic oxides</b>
06 03 11*	solid salts and solutions containing cyanides
06 03 13*	solid salts and solutions containing heavy metals
06 03 15*	metallic oxides containing heavy metals
<b>06 04</b>	<b>metal-containing wastes other than those mentioned in 06 03</b>
06 04 04*	wastes containing mercury
<b>06 13</b>	<b>wastes from inorganic chemical processes not otherwise specified</b>
06 13 02*	spent activated carbon (except 06 07 02)
<b>07</b>	<b>WASTES FROM ORGANIC CHEMICAL PROCESSES</b>
<b>07 01</b>	<b>wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals</b>
07 01 01*	aqueous washing liquids and mother liquors
07 01 03*	organic halogenated solvents, washing liquids and mother liquors
07 01 04*	other organic solvents, washing liquids and mother liquors
07 01 07*	halogenated still bottoms and reaction residues
07 01 08*	other still bottoms and reaction residues
<b>08</b>	<b>WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS</b>
<b>08 01</b>	<b>wastes from MFSU and removal of paint and varnish</b>
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
08 01 13*	sludges from paint or varnish containing organic solvents or other hazardous substances
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances
08 01 17*	wastes from paint or varnish removal containing organic solvents or other hazardous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances
08 01 21*	waste paint or varnish remover
<b>08 03</b>	<b>wastes from MFSU of printing inks</b>
08 03 12*	waste ink containing hazardous substances



<b>Table S2.3 Permitted waste types and quantities for storage of hazardous waste (AR2)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
08 03 14*	ink sludges containing hazardous substances
08 03 16*	waste etching solutions
08 03 17*	waste printing toner containing hazardous substances
08 03 19*	disperse oil
<b>08 04</b>	<b>wastes from MFSU of adhesives and sealants (including waterproofing products)</b>
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 04 11*	adhesive and sealant sludges containing organic solvents or other hazardous substances
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 17*	rosin oil
<b>08 05</b>	<b>wastes not otherwise specified in 08</b>
08 05 01*	waste isocyanates
<b>09</b>	<b>WASTES FROM THE PHOTOGRAPHIC INDUSTRY</b>
<b>09 01</b>	<b>wastes from the photographic industry</b>
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 03*	solvent-based developer solutions
09 01 04*	fixer solutions
09 01 05*	bleach solutions and bleach fixer solutions
09 01 06*	wastes containing silver from on-site treatment of photographic wastes
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03
09 01 13*	aqueous liquid waste from on-site reclamation of silver other than those mentioned in 09 01 06
<b>12</b>	<b>WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS</b>
<b>12 01</b>	<b>wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
12 01 14*	machining sludges containing hazardous substances
<b>13</b>	<b>OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)</b>
<b>13 01</b>	<b>waste hydraulic oils</b>
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions

<b>Table S2.3 Permitted waste types and quantities for storage of hazardous waste (AR2)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
<b>13 02</b>	<b>waste engine, gear and lubricating oils</b>
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
<b>13 03</b>	<b>waste insulating and heat transmission oils</b>
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
<b>13 07</b>	<b>wastes of liquid fuels</b>
13 07 01*	fuel oil and diesel
13 07 03*	other fuels (including mixtures)
<b>14</b>	<b>WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)</b>
<b>14 06</b>	<b>waste organic solvents, refrigerants and foam/aerosol propellants</b>
14 06 02*	other halogenated solvents and solvent mixtures
14 06 03*	other solvents and solvent mixtures
14 06 04*	sludges or solid wastes containing halogenated solvents
14 06 05*	sludges or solid wastes containing other solvents
<b>15</b>	<b>WASTE PACKAGING, ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 10*	packaging containing residues of or contaminated by hazardous substances
<b>15 02</b>	<b>absorbents, filter materials, wiping cloths and protective clothing</b>
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances
<b>16</b>	<b>WASTES NOT OTHERWISE SPECIFIED IN THE LIST</b>

<b>Table S2.3 Permitted waste types and quantities for storage of hazardous waste (AR2)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>16 01</b>	<b>end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)</b>
16 01 07*	oil filters
16 01 14*	antifreeze fluids containing hazardous substances
<b>16 02</b>	<b>wastes from electrical and electronic equipment</b>
16 02 11*	discarded equipment containing chlorofluorocarbons, HCFC, HFC
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 15*	hazardous components removed from discarded equipment
<b>16 03</b>	<b>off-specification batches and unused products</b>
16 03 03*	inorganic wastes containing hazardous substances
16 03 05*	organic wastes containing hazardous substances
<b>16 05</b>	<b>gases in pressure containers and discarded chemicals</b>
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
<b>16 06</b>	<b>batteries and accumulators</b>
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 06*	separately collected electrolyte from batteries and accumulators
<b>17</b>	<b>CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)</b>
<b>17 03</b>	<b>bituminous mixtures, coal tar and tarred products</b>
17 03 01*	bituminous mixtures containing coal tar
<b>18</b>	<b>WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)</b>
<b>18 01</b>	<b>wastes from natal care, diagnosis, treatment or prevention of disease in humans</b>
18 01 06*	chemicals consisting of or containing hazardous substances
18 01 08*	cytotoxic and cytostatic medicines
18 01 10*	amalgam waste from dental care
<b>19</b>	<b>WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE</b>
<b>19 02</b>	<b>wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)</b>

<b>Table S2.3 Permitted waste types and quantities for storage of hazardous waste (AR2)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
19 02 05*	sludges from physico/chemical treatment containing hazardous substances
19 02 09*	solid combustible wastes containing hazardous substances
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 06*	wood containing hazardous substances
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing hazardous substances (baled cardboard or paper, and wastes that have been sorted and separated from mixed wastes)
<b>20</b>	<b>MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 13*	solvents
20 01 14*	acids
20 01 15*	alkalines
20 01 17*	photochemicals
20 01 19*	pesticides
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 23*	discarded equipment containing chlorofluorocarbons
20 01 26*	oil and fat other than those mentioned in 20 01 25
20 01 27*	paint, inks, adhesives and resins containing hazardous substances
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components

<b>Table S2.4 Permitted waste types and quantities for Storage, sorting and separation of hazardous WEEE (AR5)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>09</b>	<b>WASTES FROM THE PHOTOGRAPHIC INDUSTRY</b>
<b>09 01</b>	<b>wastes from the photographic industry</b>
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03

<b>Table S2.4 Permitted waste types and quantities for Storage, sorting and separation of hazardous WEEE (AR5)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of hazardous waste accepted at the site across all relevant activities shall not exceed 6,500 tonnes.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>wastes with the following hazardous properties – HP1 explosive, HP9 infectious</li> <li>consisting solely or mainly of dusts, powders or loose fibres</li> </ul>
<b>Waste code</b>	<b>Description</b>
<b>16</b>	<b>WASTES NOT OTHERWISE SPECIFIED IN THE LIST</b>
<b>16 02</b>	<b>wastes from electrical and electronic equipment</b>
16 02 11*	discarded equipment containing chlorofluorocarbons, HCFC, HFC
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 15*	hazardous components removed from discarded equipment
<b>16 06</b>	<b>batteries and accumulators</b>
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 06*	separately collected electrolyte from batteries and accumulators
<b>20</b>	<b>MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 23*	discarded equipment containing chlorofluorocarbons
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
<b>01</b>	<b>WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS</b>
<b>01 01</b>	<b>wastes from mineral excavation</b>
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
<b>01 03</b>	<b>wastes from mineral excavation</b>
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05
01 03 08	dusty and powdery wastes other than those mentioned in 01 03 07

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 10
<b>01 04</b>	<b>wastes from physical and chemical processing of non-metalliferous minerals</b>
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
<b>02</b>	<b>WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING</b>
<b>02 01</b>	<b>wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 07	wastes from forestry
02 01 09	agrochemical waste other than those mentioned in 02 01 08
02 01 10	waste metal
<b>02 02</b>	<b>wastes from the preparation and processing of meat, fish and other foods of animal origin</b>
02 02 03	materials unsuitable for consumption or processing
<b>02 03</b>	<b>wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing, conserve production, yeast and yeast extract production, molasses preparation and fermentation</b>
02 03 04	materials unsuitable for consumption or processing
<b>02 04</b>	<b>wastes from sugar processing</b>
02 04 01	soil from cleaning and washing beet
02 04 02	off-specification calcium carbonate
<b>02 05</b>	<b>wastes from the dairy products industry</b>
02 05 01	materials unsuitable for consumption or processing
<b>02 06</b>	<b>wastes from the baking and confectionery industry</b>
02 06 01	materials unsuitable for consumption or processing
02 06 02	wastes from preserving agents
<b>02 07</b>	<b>wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)</b>
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 02	wastes from spirits distillation
02 07 04	materials unsuitable for consumption or processing

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
<b>03</b>	<b>WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD</b>
<b>03 01</b>	<b>wastes from wood processing and the production of panels and furniture</b>
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
<b>03 03</b>	<b>wastes from pulp, paper and cardboard production and processing</b>
03 03 01	waste bark and wood
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
<b>04</b>	<b>WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES</b>
<b>04 01</b>	<b>wastes from the leather and fur industry</b>
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium
04 01 09	wastes from dressing and finishing
<b>04 02</b>	<b>wastes from the textile industry</b>
04 02 21	wastes from unprocessed textile fibres
04 02 22	wastes from processed textile fibres
<b>06</b>	<b>WASTES FROM INORGANIC CHEMICAL PROCESSES</b>
<b>06 03</b>	<b>wastes from the MFSU of salts and their solutions and metallic oxides</b>
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 03 16	metallic oxides other than those mentioned in 06 03 15
<b>06 09</b>	<b>wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes</b>
06 09 02	phosphorous slag
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03
<b>06 11</b>	<b>wastes from the manufacture of inorganic pigments and opacifiers</b>
06 11 01	calcium-based reaction wastes from titanium dioxide production
<b>07</b>	<b>WASTES FROM ORGANIC CHEMICAL PROCESSES</b>
<b>07 02</b>	<b>wastes from the MFSU of plastics, synthetic rubber and man-made fibres</b>
07 02 13	waste plastic
<b>08</b>	<b>WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS</b>
<b>08 01</b>	<b>wastes from MFSU and removal of paint and varnish</b>
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
<b>08 03</b>	<b>wastes from MFSU of printing inks</b>
08 03 07	aqueous sludges containing ink
08 03 08	aqueous liquid waste containing ink
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 15	ink sludges other than those mentioned in 08 03 14
08 03 18	waste printing toner other than those mentioned in 08 03 17
<b>08 04</b>	<b>wastes from MFSU of adhesives and sealants (including waterproofing products)</b>
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
08 04 16	aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15
<b>09</b>	<b>WASTES FROM THE PHOTOGRAPHIC INDUSTRY</b>
<b>09 01</b>	<b>wastes from the photographic industry</b>
09 01 07	photographic film and paper containing silver or silver compounds
09 01 08	photographic film and paper free of silver or silver compounds
09 01 10	single-use cameras without batteries
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11
<b>10</b>	<b>WASTES FROM THERMAL PROCESSES</b>
<b>10 01</b>	<b>wastes from power stations and other combustion plants (except 19)</b>
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form
10 01 07	calcium-based reaction wastes from flue-gas desulphurisation in sludge form
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18
10 01 24	sands from fluidised beds
<b>10 02</b>	<b>wastes from the iron and steel industry</b>
10 02 01	wastes from the processing of slag
10 02 02	unprocessed slag
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07
10 02 10	mill scales
10 02 14	sludges and filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	other sludges and filter cakes
<b>10 03</b>	<b>wastes from aluminium thermal metallurgy</b>
10 03 02	anode scraps
10 03 05	waste alumina
10 03 16	skimmings other than those mentioned in 10 03 15



<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23
10 03 26	sludges and filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29
<b>10 04</b>	<b>wastes from lead thermal metallurgy</b>
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
<b>10 05</b>	<b>wastes from zinc thermal metallurgy</b>
10 05 01	slags from primary and secondary production
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 05 11	dross and skimmings other than those mentioned in 10 05 10
<b>10 06</b>	<b>wastes from copper thermal metallurgy</b>
10 06 01	slags from primary and secondary production
10 06 02	dross and skimmings from primary and secondary production
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
<b>10 07</b>	<b>wastes from silver, gold and platinum thermal metallurgy</b>
10 07 01	slags from primary and secondary production
10 07 02	dross and skimmings from primary and secondary production
10 07 03	solid wastes from gas treatment
10 07 05	sludges and filter cakes from gas treatment
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07
<b>10 08</b>	<b>wastes from other non-ferrous thermal metallurgy</b>
10 08 09	other slags
10 08 11	dross and skimmings other than those mentioned in 10 08 10
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12
10 08 14	anode scrap
10 08 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 08 17
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
<b>10 09</b>	<b>wastes from casting of ferrous pieces</b>
10 09 03	furnace slag
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 14	waste binders other than those mentioned in 10 09 13

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15
<b>10 10</b>	<b>wastes from casting of non-ferrous pieces</b>
10 10 03	furnace slag
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 14	waste binders other than those mentioned in 10 10 13
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
<b>10 11</b>	<b>wastes from manufacture of glass and glass products</b>
10 11 03	waste glass-based fibrous materials
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09
10 11 12	waste glass other than those mentioned in 10 11 11
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15
10 11 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 11 17
<b>10 12</b>	<b>wastes from manufacture of ceramic goods, bricks, tiles and construction products</b>
10 12 01	waste preparation mixture before thermal processing
10 12 05	sludges and filter cakes from gas treatment
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	wastes from glazing other than those mentioned in 10 12 11
<b>10 13</b>	<b>wastes from manufacture of cement, lime and plaster and articles and products made from them</b>
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime
10 13 07	sludges and filter cakes from gas treatment
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12
10 13 14	waste concrete and concrete sludge
<b>11</b>	<b>WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS, NON-FERROUS HYDRO-METALLURGY</b>
<b>11 01</b>	<b>wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)</b>

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09
11 01 14	degreasing wastes other than those mentioned in 11 01 13
<b>11 02</b>	<b>wastes from non-ferrous hydrometallurgical processes</b>
11 02 03	wastes from the production of anodes for aqueous electrolytical processes
11 02 06	wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05
<b>11 05</b>	<b>wastes from hot galvanising processes</b>
11 05 01	hard zinc
11 05 02	zinc ash
<b>12</b>	<b>WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS</b>
<b>12 01</b>	<b>wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
12 01 01	ferrous metal filings and turnings
12 01 02	ferrous metal dust and particles
12 01 03	non-ferrous metal filings and turnings
12 01 04	non-ferrous metal dust and particles
12 01 05	plastics shavings and turnings
12 01 13	welding wastes
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20
<b>15</b>	<b>WASTE PACKAGING, ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
<b>15 02</b>	<b>absorbents, filter materials, wiping cloths and protective clothing</b>
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
<b>16</b>	<b>WASTES NOT OTHERWISE SPECIFIED IN THE LIST</b>
<b>16 01</b>	<b>end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)</b>

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
16 01 03	end-of-life tyres
<b>16 02</b>	<b>wastes from electrical and electronic equipment</b>
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
<b>16 03</b>	<b>off-specification batches and unused products</b>
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
<b>16 05</b>	<b>gases in pressure containers and discarded chemicals</b>
16 05 05	gases in pressure containers other than those mentioned in 16 05 04
<b>16 06</b>	<b>batteries and accumulators</b>
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
<b>16 08</b>	<b>spent catalysts</b>
16 08 01	spent catalysts containing gold, silver, rhenium, rhodium, palladium, iridium or platinum (except 16 08 07)
<b>16 11</b>	<b>waste linings and refractories</b>
16 11 02	carbon-based linings and refractories from metallurgical processes other than those mentioned in 16 11 01
<b>17</b>	<b>CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)</b>
<b>17 01</b>	<b>concrete, bricks, tiles and ceramics</b>
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
<b>17 02</b>	<b>wood, glass and plastic</b>
17 02 01	wood
17 02 02	glass
17 02 03	plastic
<b>17 03</b>	<b>bituminous mixtures, coal tar and tarred products</b>
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
<b>17 04</b>	<b>metals (including their alloys)</b>
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
<b>17 05</b>	<b>soil (including excavated soil from contaminated sites), stones and dredging spoil</b>
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 08	track ballast other than those mentioned in 17 05 07
<b>17 06</b>	<b>insulation materials and asbestos-containing construction materials</b>
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
<b>17 08</b>	<b>gypsum-based construction material</b>
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
<b>17 09</b>	<b>other construction and demolition wastes</b>
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
<b>18</b>	<b>WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)</b>
<b>18 01</b>	<b>wastes from natal care, diagnosis, treatment or prevention of disease in humans</b>
18 01 01	non-infectious sharps, not contaminated with chemicals or medicines
18 01 07	chemicals other than those mentioned in 18 01 06
18 01 09	other waste medicines, excluding cytotoxic and cytostatic medicines – human healthcare
<b>19</b>	<b>WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE</b>
<b>19 01</b>	<b>wastes from incineration or pyrolysis of waste</b>
19 01 02	ferrous materials removed from bottom ash
19 01 12	bottom ash and slag other than those mentioned in 19 01 11
19 01 18	pyrolysis wastes other than those mentioned in 19 01 17
19 01 19	sands from fluidised beds
<b>19 02</b>	<b>wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)</b>
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
<b>19 04</b>	<b>vitrified waste and wastes from vitrification</b>
19 04 01	vitrified waste
<b>19 05</b>	<b>wastes from aerobic treatment of solid wastes</b>

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
19 05 01	non-composted fraction of municipal and similar wastes
19 05 02	non-composted fraction of animal and vegetable waste
19 05 03	off-specification compost
<b>19 10</b>	<b>wastes from shredding of metal-containing wastes</b>
19 10 01	iron and steel waste
19 10 02	non-ferrous waste
19 10 04	fluff-light fraction and dust other than those mentioned in 19 10 03
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)
19 12 10	combustible waste (refuse derived fuel)
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11 (baled cardboard or paper, and wastes that have been sorted and separated from mixed wastes)
<b>19 13</b>	<b>wastes from soil and groundwater remediation</b>
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
<b>20</b>	<b>MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 25	edible oil and fat
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 01 32	medicines other than those mentioned in 20 01 31
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37

<b>Table S2.5 Permitted waste types and quantities for storage and transfer of non-hazardous waste (AR6)</b>	
<b>Maximum quantity</b>	The total quantity of wastes accepted at the site across all activities shall not exceed 16,500 tonnes per year. Of this total quantity, the quantity of non-hazardous waste accepted at the site across all relevant activities shall not exceed 10,000 tonnes.
<b>Exclusions</b>	None
<b>Waste code</b>	<b>Description</b>
20 01 39	plastics
20 01 40	metals
20 01 41	wastes from chimney sweeping
<b>20 02</b>	<b>garden and park wastes (including cemetery waste)</b>
20 02 01	biodegradable waste
20 02 02	soil and stones
<b>20 03</b>	<b>other municipal wastes</b>
20 03 01	mixed municipal waste
20 03 02	waste from markets
20 03 03	street-cleaning residues
20 03 07	bulky waste

## Schedule 3 – Emissions and monitoring

<b>Table S3.1 Point source emissions to sewer, effluent treatment plant or other transfers off-site – emission limits and monitoring requirements</b>						
<b>Emission point ref. &amp; location</b>	<b>Source</b>	<b>Parameter</b>	<b>Limit (incl. unit)</b>	<b>Reference period</b>	<b>Monitoring frequency</b>	<b>Monitoring standard or method</b>
S1 - Emission point S1 on site plan in Figure 1 of Schedule 7 – emission to Wessex Water Sewage Treatment Works	Uncontaminated surface waters from external storage areas	Oil or Grease	None visible	-	Daily	Visual assessment



## Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

<b>Table S4.1 Reporting of monitoring data</b>			
<b>Parameter</b>	<b>Emission or monitoring point/reference</b>	<b>Reporting period</b>	<b>First period begins</b>
Emissions to sewer Parameters as required by condition 3.5.1	S1	Annually	1 January

<b>Table S4.2 Annual production/treatment</b>	
<b>Parameter</b>	<b>Units</b>
Hazardous waste treated - Recovery	tonnes
Hazardous waste treated - Disposal	tonnes
Non-hazardous waste treated - Recovery	tonnes
Non-hazardous waste treated - Disposal	tonnes

<b>Table S4.3 Performance parameters</b>		
<b>Parameter</b>	<b>Frequency of assessment</b>	<b>Units</b>
Water usage	Annually	cubic metres
Energy usage	Annually	MWh
Total raw material used	Annually	tonnes

<b>Table S4.4 Reporting forms</b>		
<b>Media/parameter</b>	<b>Reporting format</b>	<b>Date of form</b>
Emissions to sewer	Emissions to Sewer Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021
Water usage	Water Usage Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021
Energy usage	Energy Usage Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021
Other performance indicators	Other Performance Parameters Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021

# Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

## Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

<b>(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution</b>	
<b>To be notified within 24 hours of detection</b>	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

<b>(b) Notification requirements for the breach of a limit</b>	
<b>To be notified within 24 hours of detection unless otherwise specified below</b>	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

<b>(b) Notification requirements for the breach of a limit</b>	
<b>To be notified within 24 hours of detection unless otherwise specified below</b>	
Measures taken, or intended to be taken, to stop the emission	

<b>Time periods for notification following detection of a breach of a limit</b>	
<b>Parameter</b>	<b>Notification period</b>

<b>(c) Notification requirements for the breach of permit conditions not related to limits</b>	
<b>To be notified within 24 hours of detection</b>	
Condition breached	
Date, time and duration of breach	
Details of the permit breach i.e. what happened including impacts observed.	
Measures taken, or intended to be taken, to restore permit compliance.	

<b>(d) Notification requirements for the detection of any significant adverse environmental effect</b>	
<b>To be notified within 24 hours of detection</b>	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

## **Part B – to be submitted as soon as practicable**

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	

Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

\* authorised to sign on behalf of the operator

## Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“blending or mixing” is the combination of wastes (other than repackaging) of the same general type (for example non-halogenated solvents or acids) having similar characteristics, in a container or bulk vessel or tank, where there is neither reaction of the mixed wastes nor evolution of gas.

“building” is a covered structure enclosed on all vertical sides that provides sheltered cover and contains emissions of, for example, noise, particulate matter, odour and litter.

“clinical” waste means waste from a healthcare activity (including veterinary healthcare) that:

- a) contains viable micro-organisms or their toxins which are known or reliably believed to cause disease in humans or other living organisms
- b) contains or is contaminated with a medicine that contains a biologically active pharmaceutical agent
- c) is a sharp, or a body fluid or other biological material (including human and animal tissue) containing or contaminated with a hazardous substance

and waste of a similar nature from a non-healthcare activity.

“container” is a receptacle for waste for example bags, bins, boxes, drums, IBCs and blister packs. Wastes may be packaged in more than one receptacle for example a bag in a box.

“cytotoxic and cytostatic medicines” are medicinal products that possess one or more of the hazardous properties acutely toxic, carcinogenic, mutagenic or toxic for reproduction.

“D” means a disposal operation provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

“disposal” means any of the operations provided for in Annex I to the Waste Framework Directive.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in these standard rules or from other localised or diffuse sources, which are not controlled by an emission or background concentration limits.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“fugitive emission” means an emission to air, water or land from the activities which is not controlled by an emission limit.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“hazardous property” has the meaning in Annex III of the Waste Framework Directive.

“hazardous waste” has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005.

“healthcare waste” means waste produced during human or animal healthcare, or related research activities. It covers both clinical and offensive waste. Wastes produced by healthcare in the community, and similar types of waste produced by non-healthcare activities are included, for example:

- cosmetic body piercing and body art

- non-medicinal procedures in the hair and beauty sector
- substance abuse
- crime scene clean-up

“impermeable surface” means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface.

“Industrial Emissions Directive” means Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“medicines” are “medicinal products” as defined in Regulation 130 of Part VIII of the Medicines Act 1968. Waste medicines (or pharmaceutical waste) include:

- expired, unused, spilt and contaminated medical products that are no longer required and need to be disposed of appropriately;
- discarded items contaminated with medicines such as bottles or boxes with residues, gloves, masks, “mixing of hazardous waste” means mixing hazardous waste as defined by Regulation 18 of the Hazardous Waste (England and Wales) Regulations 2005.

“offensive waste” is waste that:

- is not clinical waste
- contains body fluids, secretions or excretions
- falls within waste codes 18 01 04, 18 02 03 or 20 01 99.

“pests” means birds, vermin and insects.

“pollution” includes pollution of the environment, harm to human health and serious detriment to the amenities of the locality, resulting from the permitted activities.

“POPs” means persistent organic pollutants, which are the substances listed in Annexes I and II of the retained Regulation (EU) 2019/1021 as amended by The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020/1358 and The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2022/1293.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“R” means a recovery operation provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

“recovery” means any of the operations provided for in Annex II to the Waste Framework Directive.

“sealed container” for the purposes of this permit, means a container which is fully enclosed, weather proof, does not allow any solid or liquid content to escape and is lockable.

“sealed drainage” in relation to an impermeable surface means a drainage system with impermeable components which does not leak and which will ensure that:

- no liquid will run off the surface otherwise than via the system, and
- except where they may lawfully be discharged to foul sewer, all liquids entering the system are collected in a sealed sump

“sharps” means items that could cause cuts or puncture wounds. They include needles, hypodermic needles, scalpels and other blades, knives, infusion sets, saws, broken glass, and nails.

“waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

'waste oils' means any mineral or synthetic lubrication or industrial oils which have become unfit for the use for which they were originally intended, such as used combustion engine oils and gearbox oils, lubricating oils, oils for turbines and hydraulic oils.

"Waste Framework Directive" or "WFD" means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

"year" means calendar year ending 31 December.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or
- in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.

When the following terms appear in the waste code list in Schedule 2, table 2.2, 2.3, 2.4 and 2.5, for those tables, they have the meaning given below:

"hazardous substance" means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

"heavy metal" means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

# Schedule 7 – Site plan

Figure 1: Site location and permit boundary with emission point







Figure 2: Site Layout Plan



END OF PERMIT

