

# **Review of an Environmental Permit for an Installation subject to Chapter II of the Industrial Emissions Directive under the Environmental Permitting (England & Wales) Regulations 2016 (as amended)**

## **Decision document recording our decision-making process following review of a permit**

The Permit number is:                   EPR/KP3333QJ  
The Operator is:                         Barry Callebaut Manufacturing (UK) Limited  
The Installation is:                       Banbury Chocolate Manufacture  
This Variation Notice number is:       EPR/KP3333QJ/V003

### **What this document is about**

Article 21(3) of the Industrial Emissions Directive (IED) requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication by the European Commission of updated decisions on best available techniques (BAT) Conclusions.

We have reviewed the permit for this installation against the BAT Conclusions for the Food, Drink and Milk Industries published on 4<sup>th</sup> December 2019 in the Official Journal of the European Union. In this decision document, we set out the reasoning for the consolidated variation notice that we have issued.

It explains how we have reviewed and considered the techniques used by the Operator in the operation and control of the plant and activities of the installation. It is our record of our decision-making process and shows how we have taken into account all relevant factors in reaching our position.

As well as considering the review of the operating techniques used by the Operator for the operation of the plant and activities of the installation, the consolidated variation notice takes into account and brings together in a single document all previous variations that relate to the original permit issue. Where this has not already been done, it also modernises the entire permit to reflect the conditions contained in our current generic permit template.

The introduction of new template conditions makes the Permit consistent with our current general approach and with other permits issued to Installations in this sector. Although the wording of some conditions has changed, while others have been deleted because of the new regulatory approach, it does not reduce the level of environmental protection achieved by the Permit in any way. In this document, we therefore address only our determination of substantive issues relating to the new BAT Conclusions.

We try to explain our decision as accurately, comprehensively and plainly as possible. Achieving all three objectives is not always easy, and we would welcome any feedback as to how we might improve our decision documents in future.

### **How this document is structured**

1. Our decision
2. How we reached our decision
3. The legal framework

4. Annex 1 – Review of operating techniques within the Installation against BAT Conclusions.
5. Annex 2 – Review and assessment of changes that are not part of the BAT Conclusions derived permit review
6. Annex 3 – Improvement Conditions

# 1 Our decision

We have decided to issue the Variation Notice to the Operator. This will allow the Operator to continue to operate the Installation, subject to the conditions in the Consolidated Variation Notice that updates the whole permit.

We consider that, in reaching our decision, we have taken into account all relevant considerations and legal requirements and that the varied permit will ensure that a high level of protection is provided for the environment and human health.

The Consolidated Variation Notice contains many conditions taken from our standard Environmental Permit template including the relevant annexes. We developed these conditions in consultation with industry, having regard to the legal requirements of the Environmental Permitting Regulations and other relevant legislation. This document does not therefore include an explanation for these standard conditions. Where they are included in the Notice, we have considered the techniques identified by the Operator for the operation of their installation, and have accepted that the details are sufficient and satisfactory to make those standard conditions appropriate. This document does, however, provide an explanation of our use of “tailor-made” or installation-specific conditions, or where our Permit template provides two or more options.

## 2 How we reached our decision

### 2.1 Requesting information to demonstrate compliance with BAT Conclusion techniques

We issued a Notice under Regulation 61(1) of the Environmental Permitting (England and Wales) Regulations 2016 (a Regulation 61 Notice) on 30/09/2022 requiring the Operator to provide information to demonstrate where the operation of their installation currently meets, or how it will subsequently meet, the revised standards described in the relevant BAT Conclusions document.

The Notice required that where the revised standards are not currently met, the Operator should provide information that:

- describes the techniques that will be implemented before 4 December 2023, which will then ensure that operations meet the revised standards, or
- justifies why standards will not be met by 4 December 2023, and confirmation of the date when the operation of those processes will cease within the Installation or an explanation of why the revised BAT standards are not applicable to those processes, or
- justifies why an alternative technique will achieve the same level of environmental protection equivalent to the revised BAT standards described in the BAT Conclusions.

Where the Operator proposed that they were not intending to meet a BAT standard that also included a BAT Associated Emission Level (BAT-AEL) described in the BAT Conclusions Document, the Regulation 61 Notice required that the Operator make a formal request for derogation from compliance with that BAT-AEL (as provisioned by Article 15(4) of IED). In this circumstance, the Notice identified that any such request for derogation must be supported and justified by sufficient technical and commercial information that would enable us to determine acceptability of the derogation request.

The Regulation 61 Notice response from the Operator was received on 30/01/2023.

We considered it was in the correct form and contained sufficient information for us to begin our determination of the permit review but not that it necessarily contained all the information we would need to complete that determination.

The Operator made no claim for commercial confidentiality. We have not received any information in relation to the Regulation 61 Notice response that appears to be confidential in relation to any party.

## 2.2 Review of our own information in respect to the capability of the Installation to meet revised standards included in the BAT Conclusions document

Based on our records and previous experience in the regulation of the installation we consider that the Operator will be able to comply with the techniques and standards described in the BAT Conclusions other than for those techniques and requirements described in BAT Conclusion 9. In relation to these BAT Conclusion, we do not fully agree with the Operator in respect of their current stated capability as recorded in their response to the Regulation 61 Notice. We have therefore included Improvement Conditions IC1 in the Consolidated Variation Notice to ensure that the requirements of the BAT Conclusion is delivered within 3 months of the variation being issued.

## 2.3 Requests for further information during determination

Although we were able to consider the Regulation 61 Notice response generally satisfactory at receipt, we did in fact need more information in order to complete our permit review assessment, and issued a further information request relating to BAT 1, 2, 3, 5, 6, 9, 11, 14, capacity threshold, boiler capacity and ETP on 19/12/2024. A copy of the further information request was placed on our public register.

# **3 The legal framework**

The Consolidated Variation Notice will be issued under Regulations 18 and 20 of the EPR. The Environmental Permitting regime is a legal vehicle which delivers most of the relevant legal requirements for activities falling within its scope. In particular, the regulated facility is:

- an *installation* as described by the IED;
- subject to aspects of other relevant legislation which also have to be addressed.

We consider that, in issuing the Consolidated Variation Notice, it will ensure that the operation of the Installation complies with all relevant legal requirements and that a high level of protection will be delivered for the environment and human health.

We explain how we have addressed specific statutory requirements more fully in the rest of this document.

## Annex 1: decision checklist regarding relevant BAT Conclusions

BAT Conclusions for the Food, Drink and Milk Industries, were published by the European Commission on 4 December 2019.

There are 37 BAT Conclusions.

BAT 1 – 15 are General BAT Conclusions (Narrative BAT) applicable to all relevant Food, Drink and Milk Installations in scope.

BAT 16 – 37 are sector-specific BAT Conclusions, including Best Available Techniques Associated Emissions Levels (BAT-AELs) and Associated Environmental Performance Levels (BAT-AEPLs):

BAT 16 & 17	BAT Conclusions for Animal Feed
BAT 18 – 20	BAT Conclusions for Brewing
BAT 21 – 23	BAT Conclusions for Dairies
BAT 24	BAT Conclusions for Ethanol Production
BAT 25 & 26	BAT Conclusions for Fish and Shellfish Processing
BAT 27	BAT Conclusions for Fruit and Vegetable Processing
BAT 28	BAT Conclusions for Grain Milling
BAT 29	BAT Conclusions for Meat Processing
BAT 30 – 32	BAT Conclusions for Oilseed Processing and Vegetable Oil Refining
BAT 33	BAT Conclusions for Soft Drinks and Nectar/Fruit Juice Processed from Fruit and Vegetables
BAT 34	BAT Conclusions for Starch Production
BAT 35 – 37	BAT Conclusions for Sugar Manufacturing

This annex provides a record of decisions made in relation to each relevant BAT Conclusion applicable to the installation. This annex should be read in conjunction with the Consolidated Variation Notice.

The overall status of compliance with the BAT conclusion is indicated in the table as:

**NA – Not Applicable**

**CC – Currently Compliant**

**FC – Compliant in the future (within 4 years of publication of BAT Conclusions)**

**NC – Not Compliant**

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the Operator to demonstrate compliance with the BAT Conclusion requirement
<b>GENERAL BAT CONCLUSIONS (BAT 1-15)</b>			
1	<p><b>Environmental Management System - Improve overall environmental performance.</b></p> <p>Implement an EMS that incorporates all the features as described within BATc 1.</p>	CC	<p>The Operator has provided information to support compliance with BATc 1. We have assessed the information provided and we are satisfied that the Operator has demonstrated compliance with BATc 1.</p> <p>The Operator has a EMS which incorporates all the features as listed within BATc1</p>
2	<p><b>EMS Inventory of inputs &amp; outputs. Increase resource efficiency and reduce emissions.</b></p> <p>Establish, maintain and regularly review (including when a significant change occurs) an inventory of water, energy and raw materials consumption as well as of waste water and waste gas streams, as part of the environmental management system (see BAT 1), that incorporates all of the features as detailed within the BATCs.</p>	CC	<p>The operator has provided information to support compliance with BATc 2. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 2.</p> <p>The site holds inventories for water, energy, emissions, raw material consumption and waste.</p>
3	<p><b>Monitoring key process parameters at key locations for emissions to water.</b></p> <p>For relevant emissions to water as identified by the inventory of waste water streams (see BAT 2), BAT is to monitor key process parameters (e.g. continuous monitoring of waste water flow, pH and temperature) at key locations (e.g. at the inlet and/or outlet of the pre-treatment, at the inlet to the final treatment, at the point where the emission leaves the installation).</p>	CC	<p>The operator has provided information to support compliance with BATc 3. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 3.</p> <p>The operator monitors continuously for flow and pH at the discharge point to the foul sewer. Thames Water monitors monthly for COD, BOD, TSS, Total phosphorus, Ammoniacal nitrogen and Sulphide.</p>
4	<p><b>Monitoring emissions to water to the required frequencies and standards.</b></p> <p>BAT is to monitor emissions to water with at least the frequency given [refer to BAT 4 table in BATc] and in accordance with EN standards. If EN standards are not available, BAT is to use ISO, national or other international standards that ensure the provision of data of an equivalent scientific quality.</p>	NA	<p>We are satisfied that BATc 4 is not applicable to this Installation.</p> <p>The site does not discharge process effluent directly to a water body.</p>

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the Operator to demonstrate compliance with the BAT Conclusion requirement
5	<p><b>Monitoring channelled emissions to air to the required frequencies and standards.</b>            BAT is to monitor channelled emissions to air with at least the frequency given and in accordance with EN standards.</p>	NA	<p>We are satisfied that BATc 5 is not applicable to this Installation.</p> <p>Drying is not undertaken at the site. As such the relevant BAT monitoring requirements for the dairy sector do not apply.</p> <p>We are therefore satisfied that BATc 5 is not applicable for this site.</p>
6	<p><b>Energy Efficiency</b>            In order to increase energy efficiency, BAT is to use an energy efficiency plan (BAT 6a) and an appropriate combination of the common techniques listed in technique 6b within the table in the BATc.</p>	CC	<p>The operator has provided information to support compliance with BATc 6. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 6.</p> <p>Operator uses an energy efficiency plan and a combination of techniques such as:</p> <ul style="list-style-type: none"> <li>• Burner regulators</li> <li>• Energy efficient motors</li> <li>• Heat recovery and heat exchanges.</li> <li>• LED and Smart Lighting</li> <li>• Boiler efficiency (several mothballed due to success of heat pump)</li> <li>• Lagged steam distribution network</li> <li>• Reduce heat loss – hot water/product distribution pipes are lagged.</li> </ul>
7	<p><b>Water and wastewater minimisation</b>            In order to reduce water consumption and the volume of waste water discharged, BAT is to use BAT 7a and one or a combination of the techniques b to k given below.</p> <p>(a) water recycling and/or reuse            (b) Optimisation of water flow            (c) Optimisation of water nozzles and hoses</p>	CC	<p>The operator has provided information to support compliance with BATc 7. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 7.</p> <p>The Operator has provided justification to why they cannot apply BAT 7a. They use small</p>

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the Operator to demonstrate compliance with the BAT Conclusion requirement
	(d) Segregation of water streams Techniques related to cleaning operations: (e) Dry cleaning (f) Pigging system for pipes (g) High-pressure cleaning (h) Optimisation of chemical dosing and water use in cleaning-in-place (CIP) (i) Low-pressure foam and/or gel cleaning (j) Optimised design and construction of equipment and process areas (k) Cleaning of equipment as soon as possible		amount of water (proportionately for the Food industry) at the installation as they think water is an ineffective medium to remove chocolate from production equipment.  The Operator has stated that they are using the following techniques on site: <ul style="list-style-type: none"> <li>• Optimisation of water flow</li> <li>• Optimisation of triggers on hoses</li> <li>• Segregation of water streams – all uncontaminated water (surface, car parks, some clean water discharge) is separated and discharged through surface water drainage systems.</li> <li>• Dry cleaning is utilised daily (prior to wet clean).</li> <li>• Catch pots in drainage systems to capture solids.</li> </ul>
8	<b>Prevent or reduce the use of harmful substances</b> In order to prevent or reduce the use of harmful substances, e.g. in cleaning and disinfection, BAT is to use one or a combination of the techniques given below. (a) Proper selection of cleaning chemicals and/or disinfectants (b) Reuse of cleaning chemicals in cleaning-in-place (CIP) (c) Dry cleaning (d) Optimised design and construction of equipment and process areas	CC	The operator has provided information to support compliance with BATc 8. We have assessed this information and we are satisfied the operator has demonstrated compliance with BATc 8.  The Operator stated that they use dry cleaning as the preferred method in the production areas due to the nature of the product.
9	<b>Refrigerants</b> In order to prevent emissions of ozone-depleting substances and of substances with a high global warming potential from cooling and freezing, BAT is to use refrigerants without ozone depletion potential and with a low global warming potential.	FC	The operator has provided information to support compliance with BATc 9. We have assessed the information provided and we are not satisfied that the operator has demonstrated compliance with BATc 9.



BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the Operator to demonstrate compliance with the BAT Conclusion requirement
			The site uses refrigerant with high GWP including R410A. We have included IC1 to ensure a plan is in place to move to refrigerants with lower GWP.
10	<p><b>Resource efficiency</b> In order to increase resource efficiency, BAT is to use one or a combination of the techniques given below:</p> <ul style="list-style-type: none"> <li>(a) Anaerobic digestion</li> <li>(b) Use of residues</li> <li>(c) Separation of residues</li> <li>(d) Recovery and reuse of residues from the pasteuriser</li> <li>(e) Phosphorus recovery as struvite</li> <li>(f) Use of waste water for land spreading</li> </ul>	<b>CC</b>	<p>The operator has provided information to support compliance with BATc 10. We have assessed this information and we are satisfied the operator has demonstrated compliance with BATc 10.</p> <p>The Operator has stated that they are using the following technique on site.</p> <p>(b) The majority of chocolate and associated raw material (i.e. food) is sold as animal feed and is not classified as waste.</p>
11	<p><b>Waste water buffer storage</b> In order to prevent uncontrolled emissions to water, BAT is to provide an appropriate buffer storage capacity for waste water.</p>	<b>CC</b>	<p>The operator has provided information to support compliance with BATc 11. We have assessed the information provided and we are satisfied that the operator has demonstrated compliance with BATc 11.</p> <p>The Operator states that the site has emergency buffer storage (fills overnight in receiving tank as the plant can process far more flow than is currently processed). There are also emergency bypass arrangements in place. There are two storage tanks at the site. In the event of a pump failure alarms are activated and the maintenance team are notified. Storage tanks are bunded with secondary containment &gt;110% capacity. The maintenance team inspects the Effluent Treatment Plant daily.</p>

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the Operator to demonstrate compliance with the BAT Conclusion requirement										
12	<p><b>Emissions to water – treatment</b></p> <p>In order to reduce emissions to water, BAT is to use an appropriate combination of the techniques given below.</p> <p>Preliminary, primary and general treatment</p> <p>(a) Equalisation</p> <p>(b) Neutralisation</p> <p>(c) Physical separate (eg screens, sieves, primary settlement tanks etc)</p> <p>Aerobic and/or anaerobic treatment (secondary treatment)</p> <p>(d) Aerobic and/or anaerobic treatment (eg activated sludge, aerobic lagoon etc)</p> <p>(e) Nitrification and/or denitrification</p> <p>(f) Partial nitrification - anaerobic ammonium oxidation</p> <p>Phosphorus recovery and/or removal</p> <p>(g) Phosphorus recovery as struvite</p> <p>(h) Precipitation</p> <p>(i) Enhanced biological phosphorus removal</p> <p>Final solids removal</p> <p>(j) Coagulation and flocculation</p> <p>(k) Sedimentation</p> <p>(l) Filtration (eg sand filtration, microfiltration, ultrafiltration)</p> <p>(m) Flotation</p>	CC	<p>The operator has provided information to support compliance with BATc 12. We have assessed this information and we are satisfied the operator has demonstrated compliance with BATc 12.</p> <p>The Operator has stated that they are using the following technique on site.</p> <p>(c) Physical separation, (j) Chemical treatment (flocculation and pH adjustment).</p>										
12	<p><b>Emissions to water – treatment</b></p> <p><b>BAT-associated emission levels (BAT-AELs) for direct emissions to a receiving water body</b></p> <table border="1" data-bbox="282 1190 1211 1390"> <thead> <tr> <th data-bbox="282 1190 770 1230">Parameter</th> <th data-bbox="770 1190 1211 1230">BAT-AEL (°) (°) (daily average)</th> </tr> </thead> <tbody> <tr> <td data-bbox="282 1230 770 1270">Chemical oxygen demand (COD) (°) (°)</td> <td data-bbox="770 1230 1211 1270">25-100 mg/l (°)</td> </tr> <tr> <td data-bbox="282 1270 770 1310">Total suspended solids (TSS)</td> <td data-bbox="770 1270 1211 1310">4-50 mg/l (°)</td> </tr> <tr> <td data-bbox="282 1310 770 1350">Total nitrogen (TN)</td> <td data-bbox="770 1310 1211 1350">2-20 mg/l (°) (°)</td> </tr> <tr> <td data-bbox="282 1350 770 1390">Total phosphorus (TP)</td> <td data-bbox="770 1350 1211 1390">0,2-2 mg/l (°)</td> </tr> </tbody> </table>	Parameter	BAT-AEL (°) (°) (daily average)	Chemical oxygen demand (COD) (°) (°)	25-100 mg/l (°)	Total suspended solids (TSS)	4-50 mg/l (°)	Total nitrogen (TN)	2-20 mg/l (°) (°)	Total phosphorus (TP)	0,2-2 mg/l (°)	NA	<p>There is no direct discharge of process effluent to a water body.</p> <p>We are satisfied that BAT AEL is not applicable to this installation.</p>
Parameter	BAT-AEL (°) (°) (daily average)												
Chemical oxygen demand (COD) (°) (°)	25-100 mg/l (°)												
Total suspended solids (TSS)	4-50 mg/l (°)												
Total nitrogen (TN)	2-20 mg/l (°) (°)												
Total phosphorus (TP)	0,2-2 mg/l (°)												

BATC No.	Summary of BAT Conclusion requirement for Food, Drink and Milk Industries	Status NA/ CC / FC / NC	Assessment of the installation capability and any alternative techniques proposed by the Operator to demonstrate compliance with the BAT Conclusion requirement
13	<p><b>Noise management plan</b></p> <p>In order to prevent or, where that is not practicable, to reduce noise emissions, BAT is to set up, implement and regularly review a noise management plan, as part of the environmental management system (see BAT 1), that includes all of the following elements:</p> <ul style="list-style-type: none"> <li>- a protocol containing actions and timelines;</li> <li>- a protocol for conducting noise emissions monitoring;</li> <li>- a protocol for response to identified noise events, eg complaints;</li> <li>- a noise reduction programme designed to identify the source(s), to measure/estimate noise and vibration exposure, to characterise the contributions of the sources and to implement prevention and/or reduction measures.</li> </ul>	NA	<p>We are satisfied that BATc 13 is not applicable to this Installation.</p> <p>BATc 13 is only applicable where a noise nuisance at sensitive receptors is expected or has been substantiated. We agree with the Operator's response that there are minimal receptors in the area where the installation is located and they didn't receive any complaints.</p>
14	<p><b>Noise management</b></p> <p>In order to prevent or, where that is not practicable, to reduce noise emissions, BAT is to use one or a combination of the techniques given below.</p> <ul style="list-style-type: none"> <li>(a) Appropriate location of equipment and buildings</li> <li>(b) Operational measures</li> <li>(c) Low-noise equipment</li> <li>(d) Noise control equipment</li> <li>(e) Noise abatement</li> </ul>	CC	<p>The Operator has provided information to support compliance with BATc 14. We have assessed the information provided and we are satisfied that the Operator has demonstrated compliance with BATc 14.</p> <p>The operator has confirmed the following noise minimisation techniques are used onsite:</p> <ul style="list-style-type: none"> <li>• Appropriate location of plant and equipment (internally)</li> <li>• Use of low noise equipment</li> </ul>
15	<p><b>Odour Management</b></p> <p>In order to prevent or, where that is not practicable, to reduce odour emissions, BAT is to set up, implement and regularly review an odour management plan, as part of the environmental management system (see BAT 1), that includes all of the following elements:</p> <ul style="list-style-type: none"> <li>- a protocol containing actions and timelines;</li> <li>- a protocol for conducting odour monitoring.</li> <li>- a protocol for response to identified odour incidents eg complaints;</li> <li>- an odour prevention and reduction programme designed to identify the source(s); to measure/estimate odour exposure: to characterise the contributions of the sources; and to implement prevention and/or reduction measures.</li> </ul>	NA	<p>We are satisfied that BATc 15 is not applicable to this Installation.</p> <p>BATc 15 is only applicable as there has not been a substantiated odour complaint against the site. The site is within an area of light industry and the Operator thinks the smell of chocolate is considered to be pleasant.</p>

## **Annex 2: Review and assessment of changes that are not part of the BAT Conclusions derived permit review**

### **Updating permit during permit review consolidation**

- Activity name
- Introductory note
- Site plan
- Table S1.1 overhaul
  - Activity Reference (AR) renumbering
  - Updated listed activities
  - Addition of production capacity
  - Directly associated activities (DAAs) standardisation

We have updated permit conditions to those in the current generic permit template as a part of permit consolidation. The conditions will provide the same level of protection as those in the previous permit.

### **Capacity Threshold**

The Environment Agency is looking to draw a “line in the sand” for permitted production capacity; a common understanding between the Operator and regulator for the emissions associated with a (maximum) level of production, whereby the maximum emissions have been demonstrated as causing no significant environmental impact.

We have included a permitted production level (capacity) within table S1.1 of the permit for the section 6.8 listed activity and we need to be confident that the level of emissions associated with this production level have been demonstrated to be acceptable.

The Operator has completed a H1 assessment of emissions for typical figures of production at the time of permitting.

### **Emissions to Air**

We asked the Operator to list all emission points to air from the installation in the Regulation 61 notice. And to provide a site plan indicating the locations of all air emission points.

The Operator has provided an up to date air emission plan.

### **Implementing the requirements of the Medium Combustion Plant Directive**

For the existing combustion plant with a rated thermal input less than 1 MW we will not be including any emission limit values or monitoring requirements within the permit, unless any site specific conditions require us to do this.

There are 3 natural gas boilers and 7 natural gas water heaters operating on site and total capacity of these boilers is 2.16 MW. As per the current permit the use of combustion plants in the process comprising:

- (a) Two 610 kWth boilers fuelled by natural gas supplying heat to the process.
- (b) One 593 kWth backup boiler fuelled by natural gas supplying heat to the process in the event of heat pump failure.

Also there are 7 natural gas water heaters:

- (a) Three 62.3 kW water heaters supplying hot water to the process.
- (b) One 32.2 kW water heater supplying hot water to the process.
- (c) One 49.0 kW water heater supplying hot water to the process.
- (d) One 55.0 kW water heater supplying hot water to the process.
- (e) One 24.0 kW water heater supplying hot water to the process.

### **Emissions to Water and implementing the requirements of the Water Framework Directive**

We asked the Operator to provide information on all emissions to water at the installation in the Regulation 61 Notice as follows;

- Identify any effluents which discharge directly to surface or groundwater;
- Provide an assessment of volume and quality, including results of any monitoring data available;
- and for any discharges to water / soakaway whether a recent assessment of the feasibility of connection to sewer has been carried out.

The Operator has previously provided assessments for all emissions to water at the installation. The Operator declares there has been no change to activities and subsequent effluents generated at the installation since this risk assessment was taken. Consequently, we agree that the original risk assessments remain valid at this time.

### **Soil & groundwater risk assessment (baseline report)**

The IED requires that the Operator of any IED installation using, producing or releasing “relevant hazardous substances” (RHS) shall, having regarded the possibility that they might cause pollution of soil and groundwater, submit a “baseline report” with its permit application. The baseline report is an important reference document in the assessment of contamination that might arise during the operational lifetime of the regulated facility and at cessation of activities. It must enable a quantified comparison to be made between the baseline and the state of the site at surrender.

At the definitive cessation of activities, the Operator has to satisfy us that the necessary measures have been taken so that the site ceases to pose a risk to soil or groundwater, taking into account both the baseline conditions and the site’s current or approved future use. To do this, the Operator has to submit a surrender application to us, which we will not grant unless and until we are satisfied that these requirements have been met.

The Operator submitted a site condition report during the original application received on 05/04/2018. The site condition report included a report on the baseline conditions

as required by Article 22. We reviewed that report and considered that it adequately described the condition of the soil and groundwater at that time.

### **Hazardous Substances**

Hazardous substances are those defined in Article 3 of Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures

The Operator has provided a short risk assessment on the hazardous substances stored and used at the installation. The risk assessment was a stage 1-3 assessment as detailed within EC Commission Guidance 2014/C 136/03.

The stage 1 assessment identified the hazardous substances used / stored on site. The stage 2 assessment identified if hazardous substances are capable of causing pollution. If they are capable of causing pollution they are then termed Relevant Hazardous Substances (RHS). The Stage 3 assessment identified if pollution prevention measures are fit for purpose in areas where hazardous substances are used / stored. This includes drains as well.

The outcomes of the three stage assessment identified that pollution of soil and/or ground water to be unlikely.

### **Climate Change Adaptation**

The Operator has considered if the site is at risk of impacts from adverse weather (flooding, unavailability of land for land spreading, prolonged dry weather / drought) .

The Operator has stated that the installation is not likely to be or has previously not been affected by climate change.

The Operator has submitted a climate change adaptation plan, which considers, as a minimum the impact of severe weather on the operations within the installation.

We consider the climate change adaptation plan to be appropriate for the installation.

### **Containment**

We asked the Operator vis the Regulation 61 Notice to provide details of the each above ground tanks which contain potentially polluting liquids at the site, including tanks associated with the effluent treatment process where applicable.

The Operator provided of all tanks;

- Tank reference/name
- Contents details
- Capacity (litres)
- Location
- Construction material(s) of each tank
- The bunding specification including
  - Whether the tank is banded
  - If the bund is shared with other tanks
  - The capacity of the bund
  - The bund capacity as % of tank capacity

- Construction material of the bund
- Whether the bund has a drain point
- Whether any pipes penetrate the bund wall
- Details of overfill prevention
- Drainage arrangements outside of banded areas
- Tank filling/emptying mitigation measures (drips/splashes)
- Leak detection measures
- Details of when last bund integrity test was carried out
- Maintenance measures in place for tank and bund (inspections)
- How the bund is emptied
- Details of tertiary containment

and whether the onsite tanks currently meet the relevant standard in the Ciria “Containment systems for the prevention of pollution (C736)” report.

We reviewed the information provided by the Operator. We are satisfied that the existing tanks and containment measures on site meet the standards set out in CIRIA C736.

## Annex 3: Improvement Conditions

Based on the information in the Operator's Regulation 61 Notice response and our own records of the capability and performance of the installation at this site, we consider that we need to set improvement conditions so that the outcome of the techniques detailed in the BAT Conclusions are achieved by the installation. These improvement conditions are set out below - justifications for them is provided at the relevant section of the decision document (Annex 1 or Annex 2).

The following improvement conditions have been added to the permit as a result of the variation.

<b>Improvement programme requirements</b>		
<b>Reference</b>	<b>Reason for inclusion</b>	<b>Justification of deadline</b>
IC1	<p>The operator shall use refrigerants without ozone depletion potential and with a low global warming potential (GWP) in accordance with BAT 9 from the Food, Drink and Milk Industries BATCs.</p> <p>To demonstrate compliance against BAT 9, the operator shall produce a plan for the onsite refrigerant system(s) at the installation. The plan is to be assessed by the Environment Agency and shall be incorporated within the existing environmental management system.</p> <p>The plan should include, but not be limited to, the following:</p> <ul style="list-style-type: none"> <li>• Where practicable, retro filling systems containing high GWP refrigerants e.g. R-404A with lower GWP alternatives as soon as possible.</li> <li>• An action log with timescales, for replacement of end-of-life equipment using refrigerants with the lowest practicable GWP.</li> </ul>	<p>3 months from date of issue or as agreed in writing by the Environment Agency</p>