



UK Health
Security
Agency

Public health recommendations for asymptomatic contacts of Marburg virus disease (MVD) or Ebola disease (EBOD) in UK settings

The public health recommendations for contacts of MVD or EBOD are separated according to whether the contact happened in the UK or abroad. This is to allow a more precautionary approach where accurate assessment of exposure risk may be more difficult as a result of missing contact tracing data, different standards in personal protective equipment (PPE), etc.

This document should be used for exposures to MVD or EBOD that have occurred in the UK.

In this guidance, 'case' refers to a confirmed, symptomatic case of either MVD or EBOD unless otherwise specified. 'Body fluids' can include blood, vomit, faeces, urine, saliva and semen.

For PPE requirements for the management of MVD or EBOD cases, please see the [ACDP Guidance on the Management of Patients with Viral Haemorrhagic Fever](#).

Any individual who has not had contact with the case within the last 21 days is not deemed to be a contact. For those individuals identified as potential contacts on a plane, please see the European Centre for Disease Prevention and Control (ECDC) [RAGIDA guidance](#) for contact classification.

The UKHSA Imported Fever Service or UKHSA Emerging Infections and Zoonoses team can provide assistance with contact categorisation on request.

Exposures in the UK		
Category	Example scenarios	Actions
<p>Category 5 (very high risk of exposure)</p> <p>Description Unprotected high risk or protracted contact with a case or infectious material</p>	<p>Household or overnight contact of a case while they were symptomatic</p> <p>Very significant exposure to material from a case such as:</p> <ul style="list-style-type: none"> • needlestick injury • confirmed history of splashes on mucous membranes or broken skin 	<ul style="list-style-type: none"> • inform about risk (very high risk of exposure) • give information sheet for Category 5 contacts <p>For 21 days following last exposure:</p> <ul style="list-style-type: none"> • self-isolate in private accommodation only, unless an alternative has been agreed with UKHSA • self-monitor and record temperature and symptoms twice daily (temperature to be taken before taking any anti-fever medication such as aspirin, paracetamol or ibuprofen) and report to UKHSA designated contact. If there is inability to take temperature, alternative arrangements for consultation with a clinician will be made with the relevant health services • if feeling ill in between reporting to the designated contact, take temperature, and if 37.5°C or higher, or have other symptoms suggestive of MVD or EBOD (as outlined in the contact information sheet) phone designated contact immediately • if any delay in making contact with the UKHSA designated contact phone NHS 111, and state that they have been exposed to Marburg virus or Ebola virus. If seriously ill, dial 999, again reporting contact with Marburg virus or Ebola virus <p>Additionally, for 21 days following the last exposure:</p> <ul style="list-style-type: none"> • avoid contact with other household members • do not share towels, bed linen, toothbrushes, razors or eating and drinking utensils such as cutlery or cups • avoid sexual contact <p>For category 5 contacts of EBOD caused by orthoebolavirus zairense, post-exposure prophylaxis vaccination can be considered and should be discussed on a case-by-case basis with the Imported Fever Service.</p>
<p>Category 4 (high risk of exposure)</p> <p>Description Unprotected close (within 2 metres) or direct contact with a case or infectious material</p>	<p>Direct contact (excluding direct contact with mucous membranes or broken skin) with a case or their body fluids (without appropriate PPE, or where there has been a breach</p> <p>Unprotected sexual contact with a recovered MVD or EBOD case within 3 months of their illness</p> <p>Direct exposure of skin or mucous membranes to an environment contaminated with blood or body fluids of a case without appropriate PPE, including on clothing or bedding (for example in a room after the case has left but before decontamination)</p> <p>Unprotected handling of clinical or laboratory specimens from a case, for example through transporting samples or work in a laboratory without appropriate PPE or laboratory processes</p> <p>Passengers sat directly next to a case on a plane, and any crew or passengers known to have had direct contact with the case</p>	<ul style="list-style-type: none"> • inform about risk (high risk of exposure) • give information sheet for Category 4 contacts <p>For 21 days following last exposure:</p> <ul style="list-style-type: none"> • self-monitor and record temperature and symptoms twice daily (temperature to be taken before taking any anti-fever medication such as aspirin, paracetamol or ibuprofen) and report to UKHSA designated contact. If there is inability to take temperature, alternative arrangements for consultation with a clinician will be made with the relevant health services • if feeling ill in between reporting to the designated person, take temperature, and if 37.5°C or higher, or there are other symptoms suggestive of MVD or EBOD (as outlined in contact information sheet) phone designated contact immediately • if any delay in making contact with the UKHSA designated contact, phone NHS 111, and state that they have been exposed to Marburg or Ebola virus. If seriously ill, dial 999, again reporting possible contact with Marburg virus or Ebola virus <p>If they do not have any symptoms, the following apply:</p> <ul style="list-style-type: none"> • any length of trip by private car within the UK is permitted

		<ul style="list-style-type: none"> travel on local commuter or public transport is permitted, principally for work. Such trips should be as short as possible and avoided if possible no travel internationally or via air within the UK for 21 days after exposure <p>If the contact does not have any symptoms, then they can carry out normal activities during the 21 days after the last exposure, except for:</p> <ul style="list-style-type: none"> if a healthcare worker, no patient contact for 21 days after last exposure advise all contacts to speak to line manager about options to reduce amount of contact with others at work non-essential medical or dental treatment should be postponed. For essential treatment, the healthcare provider must be informed prior to the procedure. do not share towels, bed linen, toothbrushes or razors avoid sexual contact avoid situations where self-isolation would be impossible in the event of becoming ill (such as crowded public places)
Category 3 (medium risk of exposure) Description Unprotected close contact (excluding direct contact)	<p>Someone who has been in the same room as and within 2 metres of the symptomatic case, without known direct contact to them, their body fluids or contaminated surfaces</p> <p>Passengers sat one seat in front of or behind the case on a plane, those sat in the 3 closest seats across the aisle to the case if the case was in an aisle seat, or cabin crew serving in the area where the case was seated, unless it is known that they have had direct contact with the case</p>	<ul style="list-style-type: none"> Reassure (medium risk of exposure) Give information sheet for category 3 contacts <p>Passive monitoring: For 21 days following last exposure</p> <ul style="list-style-type: none"> self-monitor temperature twice daily (temperature to be taken before taking any anti-fever medication such as aspirin, paracetamol or ibuprofen). If temperature is 37.5°C or higher, or if there are other symptoms suggestive of MVD or EBOD (as outlined in contact information sheet), report to designated contact. If seriously ill, dial 999, reporting possible contact with Marburg or Ebola virus <p>If the contact does not have any symptoms, then they can carry out normal activities during the 21 days after the last exposure, except for:</p> <ul style="list-style-type: none"> non-essential medical or dental treatment should be postponed. For essential treatment, the healthcare provider must be informed of the exposure history prior to the procedure do not share towels, bed linen, toothbrushes or razors use barrier contraception or avoid unprotected sexual contact <p>There are no restrictions on work, travel or social activities as long as the contact has no symptoms. However, healthcare workers should inform their line manager that they have been identified as a contact of Marburg virus or Ebola virus, but are able to work with no restrictions as long as they are asymptomatic.</p>
Category 2 (low risk of exposure) Description Protected direct or close (within 2 metres) contact with a case or infectious material outside of a controlled environment	<p>Direct or close (within 2 metres) contact with a case or their body fluids outside of a controlled environment (such as a Trexler, designated HCID unit), but wore appropriate PPE correctly with no known breaches</p> <p>Exposure to an environment contaminated with blood or body fluids of a case while wearing appropriate PPE correctly with no known breaches (for example in a room after the case has left but before decontamination)</p> <p>Laboratory staff in non-containment level 4 facilities handling specimens from a case who have had no breach of laboratory practice/PPE</p>	<ul style="list-style-type: none"> reassure (low risk of exposure) give information sheet for Category 2 contacts <p>For 21 days following last exposure:</p> <ul style="list-style-type: none"> self-monitor temperature twice daily (temperature to be taken before taking any anti-fever medication such as aspirin, paracetamol or ibuprofen). If temperature is 37.5°C or higher, or if there are other symptoms suggestive of MVD or EBOD (as outlined in contact information sheet), report to designated contact. If seriously ill, dial 999, reporting possible contact with Marburg virus or Ebola virus <p>If the contact does not have any symptoms, then they can carry out normal activities during the 21 days after the last exposure, except for:</p> <ul style="list-style-type: none"> non-essential medical or dental treatment should be postponed. For essential treatment, the healthcare provider must be informed of the exposure history prior to the procedure do not share towels, bed linen, toothbrushes or razors

		<ul style="list-style-type: none"> • use barrier contraception or avoid unprotected sexual contact <p>There are no restrictions on work, travel or social activities as long as the contact has no symptoms.</p>
Category 1 (very low risk of exposure) Description Protected contact with a case or infectious material within a controlled environment OR Unprotected household contact with a case in the 21 days prior to symptom onset	Household contact of a case while the case was asymptomatic in the 21 days before symptoms developed, but not after they became symptomatic Clinical staff caring for a case in a controlled environment (e.g., Trexler, designated HCID Unit) wearing appropriate PPE with no known breaches UKHSA laboratory staff in containment level 4 diagnostic laboratory handling specimens from a case who have had no breach of laboratory practice/PPE	<ul style="list-style-type: none"> • reassure (very low risk of exposure) • give information sheet for Category 1 contacts • normal activities (no restrictions) • key clinical advice for contact: if feeling ill (within 21 days of last exposure), take temperature (before taking any anti-fever medication such as aspirin, paracetamol, ibuprofen). If temperature is 37.5°C or higher, or if there are other symptoms suggestive of MVD or EBOD (as outlined in contact information sheet), call NHS 111 or, if very unwell, 999, and state recent contact with Marburg virus or Ebola virus