



### TRACKING LEGEND

- Vehicle Wheel Tracking —
- Vehicle Body Tracking —
- Vehicle Direction —
- Vehicle Type & Body Outline

Volvo FL260 Rescue Pump Fire Appliance	
Overall Length	9.100m
Overall Width	2.200m
Overall Body Height	3.400m
Min Body Ground Clearance	0.300m
Max Tyre Width	1.500m
Lock to lock time	0.005s
Keels to Keels Turning Radius	2.250m

Notes Taken from: Building Regulations The Safety Approved Document VOL3:19 (2013) L1M10/00/00/00

11.2. These should be secure access for a service appliance to within edge of all party walls in the building. 1 foot.


11.3. Every apartment or other residential accommodation is provided in accordance with directly adjacent to the street or the road.

11.4. A vehicle appliance should not be used for the purpose of these rules which, including any impact on cones and the site, meets the standards in Table 8 and 9 (paragraph 11.1).

11.5. Turning facilities should be provided for any road and service roads that do not meet the 20m turning radius (see Diagram 24). This can be by a threshold of turning only.

Diagram 24 Turning facilities

Fire and rescue service vehicles should not have to reverse, more than 20m from the end of an access road.



P1	Preliminary Issue	01.05.25
Rev	Description	Date


### Preliminary Issue

Scale:	1:250@A0	Checked:	Approved:
Date:	May 2025		
Drawn:	IDL	RM	PT

### Vehicle Tracking Layout Fire Tender

Project: Playing Fields Site, Safron Walden			
Dwg No:	File Ref:	Plot Ref:	Date
IDL/1229/10/04	1229-10-04g	1229-10-04	1229-10-04.pdf

33 The Point  
Rockingham Road  
Market Harborough  
Leicestershire LE16 7DU  
Tel: 01858 411570 Fax: 01858 411571  
Email: info@infrades.co.uk URL: www.infrades.co.uk



Chase New Homes Limited  
Jasmine House  
8 Park Way  
Welwyn Garden City  
Hertfordshire, AL8 6HG  
Tel: 01992 766558  
Fax: 01992 715406