

NOTES: 1. The legend is from the Transport Medium alphabet on the top panel and the Transport Heavy alphabet on the 'Northtown' panel at the x-heights shown.


2. The tile outlines do not form part of the sign.

3. The roundel is proportional to the one shown on drawing P 612 and may be varied to one shown on drawing P 613 or P 614.

4. COLOURS :

Top Sign Panel Background	-----	BLUE
" " " Legend	-----	WHITE
Bottom Sign Panel Background	---	DARK GREEN
'Northtown' Panel Legend	-----	BLACK
" " Background	----	WHITE
Route Symbol & Borders	-----	WHITE
Prohibitory roundel as shown on		
P 612 with added WHITE border		

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



This drawing should be used in conjunction with the Traffic Signs Manual Chapter 7

P2010x1


<div style="text-align: center;"> <i>Department for</i> Transport </div>	Title: Primary Route Directional Sign	Issue: Date :	Drawn by :	Dimensions :	Drawing No.
	DISTANCE TO PROHIBITED MOVEMENT	A: 23.2.04	L.W.	SEE	P 2010.1
	AND DIRECTION TO DESTINATION	B: 11.11.11	Approved by:	NOTE 5	
		C:	R.M.		

P 2010.2

P 612

© CROWN COPYRIGHT

The route symbol is always 4sw wide irrespective of the status of the route indicated



This drawing should be used in conjunction with the Traffic Signs Manual Chapter 7

Department for
Transport

Title:	Primary Route Directional Sign
DIRECTION TO DESTINATION SHOWN AVOIDING PROHIBITED MOVEMENT	

Issue:	Date:
A:	26.2.04
B:	11.11.11
C:	


Drawn by :
L.W.
Approved by:
R.M.


SEE
NOTE 5

Drawing No.

P 2010.2

5. DIMENSIONS : x-heights are in millimetres, other dimensions in stroke widths. ($4sw = x\text{-ht}$)





Aside from the colours, all the dimensions required to design this sign are the same as shown on working drawing Schedule 12 Part 28 Item 02 (P2904.2).

P2017x1

© CROWN COPYRIGHT



Department
for Transport

Title: Primary Route Direction Sign
TIGER TAIL SIGN


Issue: Date:
A: 26.1.17
C:
D:

Drawn by :
A.K.
Approved by:
J.B.


Related drawings :
P 2904.2

Drawing No.
P 2017.1



Before using this drawing, confirm
that it has not been superseded.



When length
of destination
panel is less than
34.5sw the panel is
centred on the route
symbol as shown above



- NOTES: 1. The Transport Medium alphabet is used for the
legend at the top of the sign. The Transport Heavy
alphabet is used for the legend in the panel.
2. The tile outlines do not form part of the sign.
3. COLOURS : Sign background ----- DARK GREEN
Upper legend, Border,
Route symbol &
Panel background ----- WHITE
Route number ----- YELLOW
Legend in panel ----- BLACK
4. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)



See chapter 7 of the Traffic Signs
Manual for further design guidance

P2025

Department for
Transport

Title: Primary Route Directional Sign
JUNCTION AHEAD WITH A NON-PRIMARY
ROUTE THROUGH A BY-PASSED TOWN


Issue: Date:
A: 14.6.95
B: 3.9.04
C: 11.11.11

Drawn by :
S.P.
Approved by :
R.M.

Dimensions :
SEE
NOTE 4

Drawing No.
P 2025

- NOTES: 1. The letter 'R' is from the Transport Medium alphabet at the x-heights shown.
2. The tile outline does not form part of the sign.
3. COLOURS : Background --- DARK GREEN
Letter 'R' ---- WHITE
Border ----- YELLOW
4. The proportions are the same for all sizes of sign.
5. See drawing P 2130 for the non-primary route ring road repeater sign.



P2032

Before using this drawing, confirm that it has not been superseded.

Department for Transport	Title: PRIMARY ROUTE RING ROAD REPEATER SIGN	Issue: A: 15.7.94 B: 3.9.04 C: 11.11.11	Date: S.P. Approved by: R.M.	Dimensions : MILLIMETRES	Drawing No. P 2032

Drawing No.
P 2034
Sheet 1 of 2

Related Drawing
S 30

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at
the x-heights shown.

2. Aircraft symbol details are given on drawing S 30.




3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- DARK GREEN
Legend, Symbol & Border ---- WHITE
'(A1)' route number ----- YELLOW

The motorway number is white on a blue
patch with a white border.

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

6. See sheet 2 for other variants. See Chapter 7 of the
Traffic Signs Manual for further design guidance.



VARIANT

P2034-1

Department for
Transport

Title: Primary Route Directional Signs
ROUTE TO BE FOLLOWED FOR
DESTINATIONS NOT OTHERWISE SHOWN

Issue: Date :
A: 31.3.05
B: 11.11.11
C:

Drawn by :
L.W./R.M.
Approved by :
R.M.


Dimensions :
SEE
NOTE 5

Drawing No.
P 2034
Sheet 1 of 2

Drawing No.
P 2034
Sheet 2 of 2






Related Drawings
P 2503
& S 49

© CROWN COPYRIGHT



$\frac{x-ht}{75}$ min
300 max

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. 'Park and Ride' symbol details are given on drawing P 2503. Note that the symbols are 75% of the sizes shown on drawing P 2503 sheet 3. Hospital symbol details are given on drawing S 49.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- DARK GREEN
Legend & Border --- WHITE
- The 'Park and Ride' panel has a blue background with a white border. The hospital symbols are white on red with white borders.
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.




P2034-2

Before using this drawing, confirm that it has not been superseded.


Department for Transport	Title: Primary Route Directional Signs ROUTE TO BE FOLLOWED FOR DESTINATIONS NOT OTHERWISE SHOWN (variants)	Issue: A:	Date: 31.3.05	Drawn by: L.W.	Dimensions: SEE NOTE 5	Drawing No. P 2034
		B:	11.11.11	Approved by: R.M.		Sheet 2 of 2
		C:				

P 2121

© CROWN COPYRIGHT



Technical drawing of a mechanical part with dimensions and a legend. The drawing shows a vertical profile with a total height of 76. The left side has a vertical edge with a width of 4. The top edge has a width of 12.5. The right side features a curved profile with a radius of $20r$ and a thickness of 2.5. The bottom edge has a width of 8.5. The drawing includes a legend box labeled "one line legend". Dimensions are indicated by arrows and numbers: 76 (total height), 35 (height from top to first horizontal line), 10 (height from first horizontal line to second), 31 (height from second horizontal line to third), 8.5 (height from third horizontal line to bottom), 12.5 (width at top), 4 (width at bottom), 2.5 (thickness of curved part), $20r$ (radius of curved part), 1r (radius of small circular feature), 1.5 (height from bottom horizontal line to legend box), 8 (height from legend box to top horizontal line), and 31.5 (height from bottom horizontal line to top horizontal line).



- NOTES:
1. The legend is from the Transport Heavy alphabet at the x-heights shown.
 2. The tile outlines do not form part of the sign.
 3. COLOURS : Background ----- WHITE
Legend, Border
& Route symbol --- BLACK
 4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

P2121

Department for
Transport

Title: Non-Primary Route Directional Sign
JUNCTION AHEAD WITH
ANOTHER NON-PRIMARY ROUTE
THROUGH A BY-PASSED TOWN


Issue :	Date :	Drawn by :
A :	14.6.95	S.P.
B :	3.9.04	Approved by :
C :		R.M.

Dimensions:
SEE
NOTE 4


Drawing No.

P 2121

- NOTES: 1. The legend in the top panel is from the Transport Medium alphabet and from the Transport Heavy alphabet beneath the route symbol, at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. The roundel is proportional to the one shown on drawing P 612 and may be varied to one shown on drawing P 613 or P 614.
4. COLOURS : Top Panel Background ---- BLUE
 " " Legend ----- WHITE
 Main Sign Background ---- WHITE
 " " Legend ----- BLACK
 Route symbol & Border --- BLACK
- Prohibitory roundel as shown on
P 612 with WHITE border added
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



This drawing should be used in conjunction with the Traffic Signs Manual Chapter 7



Note: -
The route symbol is always 4sw wide irrespective of the status of the route indicated


P2123

P 2124


P 612

© CROWN COPYRIGHT

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. ($4sw = x$ -height)



This drawing should be used in conjunction
with the Traffic Signs Manual Chapter 7



Note: –
The route symbol is always
4sw wide irrespective of the
status of the route indicated

P2124

Department for
Transport

Title: Non-Primary Route Directional Sign

DIRECTION TO DESTINATION SHOWN
AVOIDING PROHIBITED MOVEMENT

Issue :	Date :	Drawn by :
A :	15.7.94	S.P.
B :	3.9.04	Approved by :
C :		R.M.

SEE
NOTE 5


Drawing No.

P 2124

Drawing No.
P 2130

© CROWN COPYRIGHT

- NOTES: 1. The letter 'R' is from the Transport Heavy alphabet at the x-heights shown.
2. The tile outline does not form part of the sign.
3. COLOURS : Background ----- WHITE
Letter 'R' & Border --- BLACK
4. The proportions are the same for all sizes of sign.
5. See drawing P 2032 for the primary route ring road repeater sign.



P2130

Before using this drawing, confirm
that it has not been superseded.



Department for
Transport

Title: Informatory Sign
NON-PRIMARY ROUTE
RING ROAD REPEATER SIGN

Issue: Date : Drawn by :
A: 15.7.94 S.P.
B: 3.9.04 Approved by :
C: R.M.


Dimensions:
MILLIMETRES

Drawing No.
P 2130



- NOTES:
1. The legend is from the Transport Heavy alphabet at the x-heights shown. The motorway number is from the Transport Medium alphabet.
 2. Aircraft symbol details are given on drawing S 30.
 3. The tile outlines do not form part of the signs.
 4. COLOURS : Background ----- WHITE
Legend, Symbol & Border --- BLACK

The motorway number is white on a blue patch.
 5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
 6. See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2138-1






P 2138
Sheet 2 of 2

P 2503
& S 49

For Dorfield
Park and Ride
follow
Wilson Green

$\frac{x-ht}{60} \text{ min}$
300 max

6. See sheet 1 for other dimensions and other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2138-2

Department for
Transport

Title:	Non-primary Route Directional Signs
ROUTE TO BE FOLLOWED FOR DESTINATIONS NOT OTHERWISE SHOWN (variants)	

Issue:	Date:
A:	31.3.05
B:	
C:	

Drawn by :
R.M.

Approved by :
R.M.

SEE
NOTE 5

Drawing No.
P 2138
Sheet 2 of 2

Before using this drawing, confirm
that it has not been superseded.

NOTES: 1. The legend is from the Transport Medium alphabet
at the x-heights shown.




2. Details of the tourist attraction symbols are given
on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BROWN
Legend & Border ---- WHITE
Symbol & Arrow ---- WHITE

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

6. See sheet 2 for other variants. See Chapter 7 of
the Traffic Signs Manual for further design
guidance, including symbol sizes.



VARIANT

VARIANT

P2201-1

Issue D : Sheet 2 added

<p>Department for Transport</p>	<p>Title: Tourist Destination Signs</p> <p>DISTANCE AHEAD TO A TOURIST ATTRACTION</p>	<p>Issue: A: 29.7.94 C: 1.10.04 D: 13.7.05</p>	<p>Date: S.P. Approved by: R.M.</p>	<p>Dimensions: SEE NOTE 5</p>	<p>Drawing No. P 2201 Sheet 1 of 2</p>
--	---	--	---	-----------------------------------	--

Before using this drawing, confirm
that it has not been superseded.

NOTES: 1. The legend is from the Transport Medium alphabet
at the x-heights shown.



2. Details of the tourist attraction symbols are given
on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the signs.


4. COLOURS : Background ----- BROWN
Legend & Border ---- WHITE
Symbol & Arrow ----- WHITE

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)


6. See sheet 1 for other dimensions and other
variants. See Chapter 7 of the Traffic Signs
Manual for further design guidance, including
symbol sizes.



Department for Transport	Title: Tourist Destination Signs DISTANCE AHEAD TO A TOURIST ATTRACTION (variants)	Issue:	Date:	Drawn by:	Dimensions:	Drawing No. P 2201 Sheet 2 of 2
		A:	29.7.94	R.M.	SEE	
		C:	1.10.04	Approved by:	NOTE 5	
		D:	13.7.05	R.M.		



- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawing T 1.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend, Symbol & Border ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 2 for other variants.



VARIANT

P2205-1


Drawing No.
P 2205
Sheet 2 of 2

Related Drawing
T 1

Before using this drawing, confirm
that it has not been superseded.


© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawing T 1.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Border ---- WHITE
Symbol & Arrow ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of 'Tourist' unless indicated otherwise. (4sw = x-height)
6. See sheet 1 for other dimensions.



$\frac{x-ht}{40}$ min
150 max

$\frac{x-ht}{50}$ min
187.5 max



P2205-2

Department for
Transport

Title: Tourist Destination Signs
TOURIST INFORMATION POINT
or CENTRE (variants)

Issue: Date:
A: 29.7.94
B: 19.6.95
C: 1.10.04

Drawn by:
S.P./R.M.
Approved by:
R.M.


Dimensions:
SEE
NOTE 5

Drawing No.
P 2205
Sheet 2 of 2

Drawing No.
P 2208

© CROWN COPYRIGHT

- NOTES: 1. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
2. The tile outline does not form part of the sign.
3. COLOURS : Background ----- BROWN
Symbol, Border & Chevron ---- WHITE
4. DIMENSIONS : These are in stroke widths related to nominal x-heights in the range 50mm min and 300mm max. (4sw = x-height)
5. See Chapter 7 of the Traffic Signs Manual for further design guidance, including symbol sizes.



* For symbol heights less than 11sw the width of the chevron is reduced to 3sw and the gap to the border reduced to 1.5sw.

Section 7 in Chapter 7 of the Traffic Signs Manual gives further design details for flag type direction signs.

P2208

Before using this drawing, confirm that it has not been superseded.

Department for Transport	Title: Tourist Destination Sign DIRECTION TO A TOURIST ATTRACTION INDICATED BY A SYMBOL	Issue: Date: A: 29.7.94 B: 19.6.95 C: 1.10.04	Drawn by: S.P. Approved by: R.M.	Dimensions: SEE NOTE 4	Drawing No. P 2208

Drawing No.

P 2209

Before using this drawing, confirm that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.



2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BROWN
Legend, Symbol & Border --- WHITE


5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of 'Archer Castle'. (4sw = x-height)

6. See Chapter 7 of the Traffic Signs Manual for further design guidance, including symbol sizes.



VARIANT

Variable message or cover plate



VARIANT

The opening times legend may be expressed as a period of closure (e.g. Closed : Mondays)

The variant "CLOSED" replacing the distance should not be used when opening times are displayed.

P2209

Department for
Transport



Title: Tourist Destination Signs
DISTANCE AHEAD TO
A TOURIST ATTRACTION

Issue: Date: Drawn by:
A: 29.7.94 S.P.
B: 2.8.95 Approved by:
C: 1.10.04 R.M.


Dimensions:
SEE
NOTE 5

Drawing No.
P 2209


- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Details of the tourist attraction symbol shown are given on drawing T 201. The symbol may be varied to a symbol shown on drawing T 301.1 or T 401, or to an approved local symbol. Details of the cycle symbol are given on drawing S 24.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
 Legend & Border ----- WHITE
 Cycle symbol & Arrow ---- WHITE
 Tourist symbols ----- As shown on 'T' drawings
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See Chapter 7 of the Traffic Signs Manual for further design guidance, including tourist symbol sizes.



VARIANT



VARIANT



VARIANT

P2212

Before using this drawing, confirm that it has not been superseded.

**Department for
Transport**


Title: Tourist Destination Signs
 DIRECTION SIGN INDICATING
 A ROUTE OF INTEREST

Issue: Date :
 A: 29.7.94
 B: 20.6.95
 C: 12.10.04

Drawn by :
 S.P./L.W.
 Approved by :
 R.M.

Dimensions:
 SEE
 NOTE 5

Drawing No.
 P 2212



NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.


2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the sign.

4. COLOURS : Background ----- BROWN
Legend, Symbols & Arrow ---- WHITE
Border & Divider Line ----- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. See sheet 2 for variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2215-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Tourist Destination Sign
JUNCTION AHEAD LEADING TO
PLACE WITH TOURIST ATTRACTIONS

Issue: Date:
A: 29.7.94
B: 21.6.95
C: 14.4.05




Drawn by:
L.W./R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2215
Sheet 1 of 2

Before using this drawing, confirm that it has not been superseded.

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend, Symbols & Arrow --- WHITE
Border & Divider Line ----- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths.
(4sw = x-height)
6. See sheet 1 for other dimensions. See Chapter 7 of the Traffic Signs Manual for further design guidance.



When place name is longer, the 'i' symbol may be moved into the space to the right without moving the other symbols

$$\frac{x\text{-ht}}{60} \text{ min} \\ 300 \text{ max}$$

☺ numerals

P2215-2

Department for
Transport


Title: Tourist Destination Signs
JUNCTION AHEAD LEADING TO PLACE
WITH TOURIST ATTRACTIONS (variants)

Issue: Date:
A: 29.7.94
B: 21.6.95
C: 14.4.05

Drawn by: L.W./R.M.
Approved by: R.M.


Dimensions:
SEE
NOTE 5

Drawing No.
P 2215
Sheet 2 of 2




- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend, Symbol & Border --- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheets 2 and 3 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.

VARIANT



VARIANT



P2217-1



Before using this drawing, confirm that it has not been superseded.

<div>Department for</div> <div>Transport</div>	Title: Tourist Destination Signs		Issue: A:	Date: 13.4.05	Drawn by: R.M.	Dimensions: SEE NOTE 5	Drawing No. P 2217
	ROUTE TO BE FOLLOWED FOR		B:		Approved by:		Sheet 1 of 3
	DESTINATIONS NOT OTHERWISE SHOWN		C:		R.M.		

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend, Symbols & Border --- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and sheets 1 & 3 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2217-2


<p>Department for Transport</p>	<p>Title: Tourist Destination Signs</p> <p>ROUTE TO BE FOLLOWED FOR DESTINATIONS NOT OTHERWISE SHOWN (variants)</p>	<p>Issue: A: 13.4.05 B: C:</p>	<p>Date: 13.4.05</p> <p>Drawn by: R.M.</p> <p>Approved by: R.M.</p>	<p>Dimensions: SEE NOTE 5</p>	<p>Drawing No. P 2217 Sheet 2 of 3</p>
--	---	--	---	-----------------------------------	--

P 2217
Sheet 3 of 3

P 2503
& S 43

© CROWN COPYRIGHT

6. See sheet 1 for other dimensions and sheets 1 & 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



Department for
Transport





Issue:	Date:
A:	13.4.05
B:	
C:	

Drawn by :
R.M.


Approved by :
R.M.

SEE
NOTE 5

Drawing No.
P 2217
Sheet 3 of 3



- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawings T 6 and T 7. Note that larger sizes are used when only one symbol is shown on the sign. The caravan symbol is non-directional and should not be reversed when the arrow points to the right.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Border --- WHITE
Symbols & Arrow --- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



P2301

Department for
Transport



Title: Tourist Facility Signs
DISTANCE AHEAD TO A CAMPING
& CARAVAN SITE (and variants)

Issue: Date: Drawn by:
A: 2.5.95 S.P.
B: 14.10.04 Approved by:
C: R.M.


Dimensions:
SEE
NOTE 5

Drawing No.
P 2301


- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawings T 6 and T 7.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend, Symbols, Chevron & Border --- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheets 2 & 3 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



VARIANT



VARIANTS



VARIANTS





The caravan symbol may be varied to the tent symbol. Where a distance is shown, but not a place name, the symbol is always placed to the left of the legend and the distance expressed as 'mile', 'miles', 'yards' or 'yds' as appropriate.

Drawing No.
P 2302
Sheet 2 of 3

Related Drawings
T 6 & T 7

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawings T 6 and T 7.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend, Symbols, Chevron & Border --- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and sheets 1 & 3 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2302-2

Before using this drawing, confirm that it has not been superseded.

Department for
Transport







Title: Tourist Facility Signs
DIRECTION TO A CAMPING
& CARAVAN SITE (variants)

Issue: Date:
A: 2.5.95
B: 21.10.04
C:

Drawn by: R.M.
Approved by: R.M.

Dimensions:
SEE
NOTE 5


Drawing No.
P 2302
Sheet 2 of 3




NOTE: Where a place name is positioned alongside the symbol(s), the distance in miles may be shown as numerals only.




P2302-3

Department for Transport	Title: Tourist Facility Signs DIRECTION TO A CAMPING & CARAVAN SITE (variants)	Issue: A: 2.5.95 B: 21.10.04 C:	Date: R.M. Approved by: R.M.	Dimensions: SEE NOTE 5	Drawing No. P 2302 Sheet 3 of 3
-------------------------------------	--	---------------------------------------	---------------------------------	------------------------	--





- NOTES:
1. The legend is from the Transport Medium alphabet at the x-heights shown.
 2. Symbol details are given on drawing T 5.
 3. The tile outlines do not form part of the signs.
 4. COLOURS : Background ----- BROWN
Legend & Border ---- WHITE
Symbol & Chevron --- WHITE
 5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
 6. See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2304-1

Department for
Transport

Title: Tourist Facility Signs
DIRECTION TO A YOUTH HOSTEL

Issue: A: 2.5.95
B: 20.10.04
C:

Drawn by: S.P./R.M.
Approved by: R.M.

Dimensions: SEE
NOTE 5

Drawing No.
P 2304
Sheet 1 of 2

Drawing No.
P 2304 sheet
2 of 2

Related Drawing
T 5

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet
at the x-heights shown.






2. Symbol details are given on drawing T 5.

3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BROWN
Legend & Border ----- WHITE
Symbol & Chevron ---- WHITE

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

6. See sheet 1 for other dimensions and other
variants. See Chapter 7 of the Traffic Signs Manual
for further design guidance.



P2304-2

Department for
Transport

Title: Tourist Facility Signs
DIRECTION TO A YOUTH HOSTEL
(variants)




Issue: Date:
A: 2.5.95
B: 20.10.04
C:

Drawn by:
R.M.
Approved by:
R.M.


Dimensions:
SEE
NOTE 5

Drawing No.
P 2304
Sheet 2 of 2

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawing T 4.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
 Legend & Border ---- WHITE
 Symbol & Arrow ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)






VARIANT



VARIANT

P2305


- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawing T 4.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Border ----- WHITE
Symbol & Chevron ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.




NOTE: Where a distance is shown, but not a place name, the symbol is always placed to the left of the legend and the distance expressed as 'mile', 'miles', 'yards' or 'yds' as appropriate.

VARIANTS



Place name with distance in yards.
See sheet 2 for place name with distance in miles.



- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawing T 4.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Border ----- WHITE
Symbol & Chevron ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



NOTE: Where a place name is added, the distance in miles is expressed as a numeral only. Where distances are expressed as 'mile', 'miles', 'yards' or 'yds', the symbol and legend are positioned as shown on sheet 1.



P2306-2

Issue D : Sheet 1 amended

<div> Department for Transport </div>	Title: Tourist Facility Signs DIRECTION TO A PICNIC AREA (variants)	Issue:	Date:	Drawn by:	Dimensions:	Drawing No. P 2306 Sheet 2 of 2
		A:	2.5.95	L.W./R.M.	SEE	
		C:	22.11.04	Approved by:	NOTE 5	
		D:	11.7.05	R.M.		

Drawing No.
P 2307
Sheet 1 of 2

Related Drawings
S 41, S 43, S 44, S 45,
S 59, T 1, T 4 & T 9

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at
the x-heights shown.


2. Symbol details are given on drawings S 41, S 43,
S 44, S 45, S 59, T 1, T 4 & T 9.

3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BROWN
Legend, Border & Symbols --- WHITE
'P' symbol tile ----- BLUE
Recycling symbol ----- DARK GREEN
on white tile

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-ht)

6. See sheet 2 for other variants.




Symbols may be centred above
each other where there is an
equal number of symbols on
each line.

HORIZONTAL SPACING:
Minimum space between
any two symbols is 4 sw.

x-ht
60 min
250 max

VARIANT



The disabled
symbol, when
shown, is always
placed alongside
the 'WC' symbol

P2307-1

Department for
Transport

Title: Services and Tourist Facility Signs
DISTANCE TO PARKING PLACE
WITH VARIOUS FACILITIES

Issue: Date:
A: 4.5.95
B: 8.12.04
C: 11.11.11

Drawn by :
S.P.
Approved by :
R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2307
Sheet 1 of 2

Drawing No.
P 2307
Sheet 2 of 2

Related Drawings
S 41, S 43, S 44, S 45,
S 59, T 1, T 4 & T 9

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at
the x-heights shown.


2. Symbol details are given on drawings S 41, S 43,
S 44, S 45, S 59, T 1, T 4 & T 9.

3. The tile outlines do not form part of the signs.



4. COLOURS : Background ----- BROWN
Legend, Border & Symbols --- WHITE
'P' symbol tile ----- BLUE
Recycling symbol ----- DARK GREEN
on white tile

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-ht)

6. See sheet 1 for other dimensions.



x-ht
60 min
250 max



P2307-2

Department for
Transport

Title: Services and Tourist Facility Signs
DISTANCE TO PARKING PLACE
WITH VARIOUS FACILITIES (variants)

Issue: Date :
A: 4.5.95
B: 8.12.04
C: 11.11.11

Drawn by :
S.P.
Approved by :
R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2307
Sheet 2 of 2

Drawing No.
P 2308.1
Sheet 1 of 2

Related Drawings
S 44, S 46,
S 47 & T 1

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Symbol details are given on drawings S 44, S 46, S 47 & T 1.

3. The tile outlines do not form part of the sign.


4. COLOURS: –
Background ----- WHITE
Legend & Border ---- BLACK
Symbols & Arrow ---- BLACK

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES: –
All symbols are 14sw high (tiles where shown). Symbol widths are as follows.

WC ----- 14sw
Pump ----- 9sw
Cup ----- 10sw
Spoon & Fork ---- 8sw
'i' information ---- 14sw
Bed ----- 26sw

7. See sheet 2 for variants.



P2308x1-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport



Title: Services and Tourist Facility Sign
FACILITIES AVAILABLE AT A SMALL TOWN OR
VILLAGE REACHED FROM JUNCTION AHEAD

Issue: Date:
A: 28.2.05
B:
C:



Drawn by:
R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2308.1
Sheet 1 of 2



The wheelchair and bed symbols are directional



The wheelchair symbol, when shown, is always placed alongside the 'WC' symbol

P2308x1-2

Department for
Transport

Title: Services and Tourist Facility Signs
FACILITIES AVAILABLE AT A SMALL TOWN OR
VILLAGE REACHED FROM JUNCTION AHEAD

Issue: Date:
A: 28.2.05
B:
C:

Drawn by: R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2308.1
Sheet 2 of 2

Drawing No.	Related Drawings
P 2310.1	S 45, S 46, S 47 & T 1

Before using this drawing, confirm that it has not been superseded.

© CROWN COPYRIGHT

Pump -----	9sw	Wheelchair -----	12sw
LPG -----	19sw	'i' information ---	14sw
Cup -----	10sw	Bed -----	26sw
Spoon & Fork ---	8sw		


P2310x1

Title: Services Signs

OFF-LINE MOTORWAY SERVICE AREA AHEAD
(Sign on all-purpose road)

SEE
NOTE 5

Drawing No. P 2310.2	Related Drawings S 46, S 47, T 1 & T 4	Before using this drawing, confirm that it has not been superseded.	© CROWN COPYRIGHT
-------------------------	--	--	-------------------



NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.

2. Symbol details are given on drawings S 46, S 47, T 1 & T 4.


3. The tile outlines do not form part of the signs.

4. COLOURS: –
Background ----- BLUE
Legend, Border & Symbols --- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES: –
All symbols are 14sw high (tiles where shown). Symbol widths are as follows.

Pump -----	9sw	Picnic Area -----	14sw
LPG -----	19sw	'i' information -----	14sw
Cup -----	10sw	Bed -----	26sw
Spoon & Fork -----	8sw		



P2310x2

Department for Transport	Title: Services Signs OFF-LINE MOTORWAY SERVICE AREA AHEAD (Sign on all-purpose road)	Issue: Date : A: 11.11.11 B: C:	Drawn by : R.M. Approved by: R.M.	Dimensions : SEE NOTE 5	Drawing No. P 2310.2
-------------------------------------	---	--	--	-------------------------------	-------------------------

Drawing No.
P 2313.1
Sheet 1 of 2

Related Drawings
S 44, S 46,
S 47 & T 1

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the
x-heights shown.

2. Symbol details are given on drawings S 44, S 46, S 47 & T 1.

3. The tile outlines do not form part of the signs.



4. COLOURS:—
Background ----- WHITE
Legend, Border & Symbols --- BLACK

5. DIMENSIONS : x-heights are in millimetres, other dimensions
are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES:—
All symbols are 14sw high (tiles where shown). Symbol widths
are as follows.

WC ----- 14sw Spoon & Fork ---- 8sw
Pump ---- 9sw 'i' information ---- 14sw
Cup ----- 10sw

7. See sheet 2 for another variant.



P2313x1-1

Department for
Transport

Title: Services Signs
SERVICES AHEAD OPEN 24 HOURS
ON ALL-PURPOSE ROAD

Issue: Date :
A: 1.3.05
B: 11.11.11
C:

Drawn by :
R.M.
Approved by :
R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2313.1
Sheet 1 of 2

Drawing No.
P 2313.1
Sheet 2 of 2

Related Drawings
S 44, S 46,
S 47 & T 1

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Symbol details are given on drawings S 44, S 46, S 47 & T 1.



3. The tile outlines do not form part of the sign.

4. COLOURS: –
Background ----- WHITE
Legend, Border & Symbols ---- BLACK

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES: –
All symbols are 14sw high (tiles where shown).
Symbol widths are as follows.

WC -----	14sw	Spoon & Fork ----	8sw
Pump ----	9sw	'i' information ----	14sw
LPG -----	19sw	Bed -----	26sw



P2313x1-2

Before using this drawing, confirm that it has not been superseded.

Department for
Transport


Title: Services Sign
SERVICES AHEAD OPEN 24 HOURS
ON ALL-PURPOSE ROAD (variant)

Issue: Date:
A: 1.3.05
B: 11.11.11
C:

Drawn by: R.M.
Approved by: R.M.


Dimensions: SEE
NOTE 5

Drawing No.
P 2313.1
Sheet 2 of 2



- NOTES:
- The legend is from the Transport Heavy alphabet at the x-heights shown.
 - Symbol details are given on drawings S 44, S 46, S 47 & T 1.
 - The tile outlines do not form part of the sign.
 - COLOURS: –
Background ----- WHITE
Legend & Border ---- BLACK
Symbols & Arrow ---- BLACK
 - DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
 - SYMBOL SIZES: –
All symbols are 14sw high (tiles where shown).
Symbol widths are as follows.

WC ----- 14sw 'i' information ---- 14sw
Pump ---- 9sw Bed ----- 26sw
Cup ----- 10sw
 - See sheet 2 for variants.



P2313x2-1

Drawing No.

P 2313.2

Sheet 2 of 2

Related Drawings

S 44, S 46,
S 47 & T 1

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Symbol details are given on drawings S 44, S 46, S 47 & T 1.

3. The tile outlines do not form part of the signs.




4. COLOURS:—
Background ----- WHITE
Legend & Border --- BLACK
Symbols & Arrow --- BLACK

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES:—
All symbols are 14sw high (tiles where shown).
Symbol widths are as follows.

WC -----	14sw	Spoon & Fork ----	8sw
Pump ----	9sw	'i' information ----	14sw
LPG ----	19sw	Bed -----	26sw
Cup ----	10sw		

7. See sheet 1 for other dimensions.



P2313x2-2

Before using this drawing, confirm that it has not been superseded.

Department for
Transport


Title: Services Signs
DIRECTION TO SERVICES OPEN 24 HRS
ON ALL-PURPOSE ROAD (variants)

Issue: Date :
A: 1.3.05
B: 11.11.11
C:
Drawn by : R.M.
Approved by: R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2313.2
Sheet 2 of 2



- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Symbol details are given on drawings S 44, S 46, S 47 & T 1.
3. The tile outlines do not form part of the signs.
4. COLOURS: –
Background ----- WHITE
Legend, Borders & Symbols ---- BLACK
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. SYMBOL SIZES: –
All symbols are 14sw high (tiles where shown).
Symbol widths are as follows.
- WC ----- 14sw Cup ----- 10sw
Pump ---- 9sw 'i' information ---- 14sw
7. See drawing P 2313.1 for variants of the upper panel.



P2313x3

Before using this drawing, confirm that it has not been superseded.

- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Symbol details are given on drawings S 44, S 46, S 47, & T 1.
3. The tile outlines do not form part of the sign.
4. COLOURS : Background ----- WHITE
 Legend & Borders ---- BLACK
 Symbols & Arrow ---- BLACK
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. SYMBOL SIZES: –
 All symbols are 14sw high (tiles where shown). Symbol widths are as follows.
- | | | | |
|-----------|------|----------------------|------|
| WC ----- | 14sw | Spoon & Fork ---- | 8sw |
| Pump ---- | 9sw | 'i' information ---- | 14sw |
| | | Bed ----- | 26sw |
7. See sheet 2 for variant including 'Fuel only 24 hrs'. See drawing P 2313.2 for other variants of the upper panel.



Drawing No.

P 2313.4
Sheet 2 of 2

Related Drawings

S 44, S 46, S 47,
T 1 & P 2313.2

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Symbol details are given on drawings S 44, S 46, S 47 & T 1.

3. The tile outlines do not form part of the sign.



4. COLOURS : Background ----- WHITE
Legend & Borders ---- BLACK
Symbols & Arrow ---- BLACK

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES: -
All symbols are 14sw high (tiles where shown). Symbol widths are as follows.

WC ----- 14sw Cup ----- 10sw
Pump ---- 9sw 'i' information ---- 14sw

7. See drawing P 2313.2 for further variants of the upper panel.



Before using this drawing, confirm that it has not been superseded.

P2313x4-2

Department for
Transport

Title: Services Sign
DIRECTION TO SERVICES ON ALL-PURPOSE
ROAD - NOT OPEN 24 HOURS (variant)

Issue: Date:
A: 3.3.05
B: 11.11.11
C:

Drawn by :
R.M.
Approved by:
R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2313.4
Sheet 2 of 2



Drawing No.
P 2313.5
Sheet 1 of 2

Related Drawings
S 32, S 44, S 46,
S 47 & T 1

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Symbol details are given on drawings S 32, S 44, S 46, S 47 & T 1.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- WHITE
Legend, Border & Symbols ---- BLACK
Bar through lorry ----- RED
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. SYMBOL SIZES (other than lorry symbols) : Symbols are 14sw high (tiles where shown). Symbol widths are as follows.
- WC ----- 14sw Cup ----- 10sw
Pump ---- 9sw 'i' information ---- 14sw
7. See sheet 2 for other variants.



P2313x5-1

Department for
Transport

Title: Services Signs
SERVICES AHEAD FOR SPECIFIC
CLASSES OF VEHICLE

Issue: Date :
A : 3.3.05 R.M.
B : 11.11.11 Approved by:
C : R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2313.5
Sheet 1 of 2

Drawing No.

P 2313.5
Sheet 2 of 2

Related Drawings

S 32, S 44, S 46,
S 47 & T 1.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Symbol details are given on drawings S 32, S 44, S 46, S 47 & T 1.

3. The tile outlines do not form part of the signs.

4. COLOURS: –
Background ----- WHITE
Legend & Border ---- BLACK
Symbols ----- BLACK
Bar through lorry ---- RED






5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES
(other than lorry symbols): –
Symbols are 14sw high (tiles where shown). Symbol widths are as follows.

WC ----- 14sw
Pump ----- 9sw
LGP ----- 19sw
Cup ----- 10sw
Spoon & Fork ---- 8sw
'i' information ---- 14sw
Bed ----- 26sw

7. See sheet 1 for other dimensions.

Before using this drawing, confirm that it has not been superseded.



P2313x5-2

Department for
Transport

Title: Services Signs
SERVICES AHEAD FOR SPECIFIC
CLASSES OF VEHICLE (variants)

Issue: Date:
A: 3.3.05
B: 11.11.11
C:

Drawn by: R.M.
Approved by: R.M.

Dimensions: SEE
NOTE 5

Drawing No.
P 2313.5
Sheet 2 of 2

Drawing No.

P 2313.6
Sheet 1 of 3

Related Drawings

S 32, S 44, S 46,
S 47 & T 1

Before using this
drawing, confirm
it has not been
superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Symbol details are given on drawings S 32, S 44, S 46, S 47 & T 1.

3. The tile outlines do not form part of the signs.




4. COLOURS : Background ----- WHITE
Legend, Border, Symbols & Arrow --- BLACK
Bar through lorry ----- RED

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)


6. SYMBOL SIZES (other than lorry symbols) : Symbols are 14sw high (tiles where shown). Symbol widths are as follows.

WC ----- 14sw Spoon & Fork --- 8sw Bed ----- 26sw
Pump --- 9sw 'i' information --- 14sw

7. See sheets 2 and 3 for other variants.



VARIANT



P2313x6-1

Department for
Transport

Title:

Services Signs

DIRECTION TO SERVICES FOR
SPECIFIC CLASSES OF VEHICLE

Issue: Date:

A: 4.3.05
B: 11.11.11
C:

Drawn by:

R.M.
Approved by:
R.M.

Dimensions:

SEE
NOTE 5


Drawing No.

P 2313.6
Sheet 1 of 3


Drawing No.
P 2313.6
Sheet 2 of 3

Related Drawings
S 32, S 44, S 46,
S 47 & T 1

© CROWN COPYRIGHT



The lorry, wheelchair
and bed symbols
are directional



- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Symbol details are given on drawings S 32, S 44, S 46, S 47 & T 1.
3. The tile outlines do not form part of the signs.
4. COLOURS:—
Background ----- WHITE
Legend & Border ---- BLACK
Symbols & Arrow --- BLACK
Bar through lorry --- RED
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. SYMBOL SIZES
(other than lorry symbols):—
Symbols are 14sw high (tiles where shown). Symbol widths are as follows.
- WC ----- 14sw
Pump ----- 9sw
LGP ----- 19sw
Spoon & Fork --- 8sw
'i' information --- 14sw
Bed ----- 26sw
7. See sheet 1 for other dimensions and sheets 1 & 3 for other variants.

P2313x6-2

Before using this drawing, confirm
that it has not been superseded.

Department for
Transport

Title: Services Signs
DIRECTION TO SERVICES FOR SPECIFIC
CLASSES OF VEHICLE (variants)

Issue: Date :
A : 4.3.05
B : 11.11.11
C :
Drawn by :
R.M.
Approved by:
R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2313.6
Sheet 2 of 3

Drawing No.
P 2313.6
Sheet 3 of 3

Related Drawings
S 32, S 44,
S 46 & S 47

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Symbol details are given on drawings S 32, S 44, S 46 & S 47.

3. The tile outlines do not form part of the signs.



4. COLOURS: –
Background ----- WHITE
Legend & Borders ---- BLACK
Symbols & Arrow ---- BLACK

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)


6. SYMBOL SIZES
(other than lorry symbols): –
Symbols are 14sw high (tiles where shown). Symbol widths are as follows.

WC ----- 14sw
Pump ---- 9sw
Cup ----- 10sw

7. See sheets 1 and 2 for other variants.



Lorries only
2.5



P2313x6-3

Before using this drawing, confirm that it has not been superseded.

Department for
Transport



Title: Services Signs
DIRECTION TO SERVICES FOR SPECIFIC
CLASSES OF VEHICLE (variants)









Issue: Date :
A: 4.3.05 R.M.
B: 11.11.11 Approved by:
C: R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2313.6
Sheet 3 of 3

- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Symbol details are given on drawing S 41 (Tile A).
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- WHITE
 Legend & Border ----- BLACK
 Symbol & Chevron ----- BLACK
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See Chapter 7 of the Traffic Signs Manual for further design guidance.





- NOTES:
1. The legend is from the Transport Heavy alphabet at the x-heights shown.
 2. Symbol details are given on drawing S 44 & S 45 (sheet 2).
 3. The tile outlines do not form part of the signs.
 4. COLOURS : Background ----- WHITE
Legend, 'WC' symbol,
Chevron & Border ---- BLACK
Wheelchair symbol ---- WHITE on BLACK tile
 5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
 6. See Chapter 7 of the Traffic Signs Manual for further design guidance.

P2323

Drawing No.
P 2328
Sheet 1 of 3

Related Drawings
T 1 & T 12

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.




2. Symbol details are given on drawings T 1 & T 12. Details of the tourist attraction symbols that may be added are given on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the sign.

4. COLOURS : Background ----- BROWN
Legend & Border --- WHITE
Symbols & Arrow --- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of 'Winford Cross'.
(4sw = x-height)

6. See sheets 2 and 3 for variants.



P2328-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Services and Tourist Facility Sign
TOURIST FACILITIES AVAILABLE
AT A SMALL TOWN OR VILLAGE
REACHED FROM JUNCTION AHEAD

Issue: Date:
A: 15.3.05
B:
C:

Drawn by:
L.W./R.M.
Approved by:
R.M.



Dimensions:
SEE
NOTE 5

Drawing No.
P 2328
Sheet 1 of 3

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Border ---- WHITE
Symbols & Arrow ---- WHITE
5. DIMENSIONS : x-heights are in millimetres,
other dimensions are in stroke widths.
(4sw = x-height)
6. See sheet 1 for other dimensions and sheet 3
for other variants.



P2328-2

Department for
Transport

Title: Services and Tourist Facility Signs
TOURIST FACILITIES AVAILABLE AT
A SMALL TOWN OR VILLAGE REACHED
FROM JUNCTION AHEAD (variants)

Issue: Date:
A: 15.3.05
B:
C:



Drawn by:
L.W./R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2328
Sheet 2 of 3

Before using this drawing, confirm
that it has not been superseded.

- NOTES: 1. The legend is from the Transport Medium
alphabet at the x-heights shown.
2. Details of the tourist attraction symbols are
given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Border ---- WHITE
Symbols & Arrow ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths based on the
x-height of 'Winford Cross'. (4sw = x-height)
6. See sheet 1 for other dimensions and sheet 2
for other variants.



P2328-3

<p>Department for Transport</p>	<p>Title: Services and Tourist Facility Signs TOURIST FACILITIES AVAILABLE AT A SMALL TOWN OR VILLAGE REACHED FROM JUNCTION AHEAD (variants)</p>	<p>Issue: A: 15.3.05 B: C:</p>	<p>Date: R.M. Approved by: R.M.</p>	<p>Dimensions: SEE NOTE 5</p>	<p>Drawing No. P 2328 Sheet 3 of 3</p>
--	--	--	---	-----------------------------------	--

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet
at the x-heights shown.


2. Details of the tourist attraction symbols are given
on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the signs.


4. COLOURS : Background ----- BROWN
Legend & Border ----- WHITE
Symbols & Chevron ----- WHITE

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)


6. See sheet 2 for other variants. See Chapter 7 of
the Traffic Signs Manual for further design
guidance.



VARIANT



Applies to
all symbols



VARIANT

P2329-1

Department for
Transport

Title: Services and Tourist Facility Signs
DIRECTION TO A SMALL TOWN OR
VILLAGE WITH TOURIST FACILITIES

Issue: Date:
A: 15.3.05
B:
C:

Drawn by:
R.M.
Approved by:
R.M.





Dimensions:
SEE
NOTE 5

Drawing No.
P 2329
Sheet 1 of 2

Before using this drawing, confirm that it has not been superseded.

© CROWN COPYRIGHT




- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Border ----- WHITE
Symbols & Chevron ----- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths.
(4sw = x-height)
6. See sheet 1 for other dimensions and other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2329-2

<p>Department for Transport</p>	<p>Title: Services and Tourist Facility Signs</p> <p>DIRECTION TO A SMALL TOWN OR VILLAGE WITH TOURIST FACILITIES (variants)</p>	<p>Issue: A: 15.3.05 B: C:</p>	<p>Date: 15.3.05</p> <p>Drawn by: R.M.</p> <p>Approved by: R.M.</p>	<p>Dimensions: SEE NOTE 5</p>	<p>Drawing No. P 2329 Sheet 2 of 2</p>
--	--	--	---	-------------------------------	--

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. The tile outlines do not form part of the signs.
3. COLOURS : Background ----- BLUE
Legend & Border ---- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



P2330

Before using this drawing, confirm that it has not been superseded.

<div>Department for</div> <div>Transport</div>	<div>Title:</div> <div>Informatory Signs</div> <div>SERVICES NOT AVAILABLE</div> <div>ON MOTORWAY AHEAD</div>	<div>Issue: Date:</div> <div>A: 22.11.04</div> <div>B:</div> <div>C:</div>	<div>Drawn by:</div> <div>L.W.</div> <div>Approved by:</div> <div>R.M.</div>	<div>Dimensions:</div> <div>SEE</div> <div>NOTE 4</div>	<div>Drawing No.</div> <div>P 2330</div>

Drawing No.
P 2401

© CROWN COPYRIGHT



NOTES: 1. The legend shown is from the Transport Heavy alphabet. Other lettering style, with capital letter heights as shown, may be used.

2. The tile outlines do not form part of the signs.

3. COLOURS : Any contrasting colours, except red, may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.

4. DIMENSIONS : Letter heights are in millimetres, other dimensions are in stroke widths based on the height of the larger letters (5.6sw = capital letter height). The smaller legends in the examples shown have been drawn at $\frac{5}{7}$ th of the letter size of the place name.

5. The sign may be varied in accordance with the Traffic Signs Regulations and General Directions 2002.



P2401

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Informatory Signs
BOUNDARY SIGN

Issue: Date: Drawn by:
A: 22.5.95 R.M.
B: 30.3.05 Approved by:
C: R.M.


Dimensions:
SEE
NOTE 4

Drawing No.
P 2401

Drawing No.
P 2402.1



Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT



CAPITAL
LETTER
HEIGHTS

- NOTES: 1. The legend is from the Transport Heavy alphabet.
2. The tile outlines do not form part of the signs.
3. COLOURS: Background ----- WHITE
Legend & Border ---- BLACK
4. DIMENSIONS: Letter heights are in millimetres, other dimensions in stroke widths (5.6sw = capital letter height). Dimensions of the 'Axtley' (only) sign are based on the letter height. Those on the other signs are based on the height of the smaller letters. The smaller legends in the examples shown have been drawn at half the letter size of the place name.



CAPITAL
LETTER
HEIGHT



P2402x1

Department for
Transport

Title: Informatory Signs
TOWN or VILLAGE
BOUNDARY SIGN

Issue: Date :
A: 29.3.05
B:
C:

Drawn by :
L.W./R.M.
Approved by :
R.M.



Dimensions:
SEE
NOTE 4

Drawing No.
P 2402.1

P 2403.1

© CROWN COPYRIGHT

6. The sign may be varied in accordance with the Traffic Signs Regulations and General Directions 2002.



P2403x1

Department for
Transport

Title:	Informatory Sign
TOWN or VILLAGE BOUNDARY SIGN with EXTRA INFORMATION	

Issue: Date:
A: 30.3.05
B:
C:

Drawn by :
L.W.
Approved by :
R.M.

Dimensions:
SEE
NOTE 5





Drawing No.

P 2403.1

Drawing No.	Related Drawing
P 2501	S 43

© CROWN COPYRIGHT


- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. 'P' symbol details are given on drawing S 43.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLUE
Legend & Border ----- WHITE
'P' symbol & Arrow ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



P2501


Before using this drawing, confirm that it has not been superseded.

Department for Transport	Title: Directional Signs PARKING PLACE AHEAD AND VARIANTS	Issue: Date : A: 30.5.95 B: 11.11.04 C:	Drawn by : S.P. Approved by : R.M.	Dimensions : SEE NOTE 5	Drawing No. P 2501



Symbols of differnt widths may be centred above each other where there is an equal number of symbols on each line.

HORIZONTAL SPACING:
Minimum space between any two symbols is 4 sw.





P2502-1

Drawing No.
P 2502
Sheet 2 of 2

Related Drawings
S 32, S 41, S 43,
S 44, S 59 & T 1

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Symbol details are given on drawings S 32, S 41, S 43, S 44, S 59 & T 1.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- WHITE
Legend, Border & Symbols ---- BLACK
'P' symbol ----- WHITE
'P' symbol tile ----- BLUE
Recycling symbol ----- DARK GREEN
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-ht)
6. See sheet 1 for other dimensions and for another variant.



P2502-2

Before using this drawing, confirm that it has not been superseded.

<p>Department for Transport</p>	<p>Title: Directional Signs</p> <p>DISTANCE TO PARKING PLACE WITH VARIOUS FACILITIES (variants)</p>	<p>Issue: Date :</p> <p>A: 30.5.95</p> <p>B: 15.3.05</p> <p>C: 11.11.11</p>	<p>Drawn by : R.M.</p> <p>Approved by: R.M.</p>	<p>Dimensions : SEE NOTE 5</p>	<p>Drawing No. P 2502 Sheet 2 of 2</p>
--	---	---	---	--------------------------------	--

Before using this drawing, confirm
that it has not been superseded.

NOTES: 1. The legend is from the Transport Heavy alphabet at the
x-heights shown.





2. Symbol details are given on drawings S 25 sheet 1,
S 38 and S 43.

3. The tile outlines do not form part of the signs.

4. COLOURS : Main sign background ----- WHITE
Legend, Border & Arrow ---- BLACK
Symbol panel ----- BLUE
'P' & Bus symbols ----- WHITE
Railway station symbol ----- see dwg S 38


5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

6. See sheet 2 for other variants and sheet 3 for details
of symbol panels.





P2503


© CROWN COPYRIGHT

 Department for Transport	<p>Title: Directional Signs</p> <p>PARK AND RIDE SCHEME PROVIDING ONWARD TRAVEL BY PUBLIC TRANSPORT</p>	<p>Issue: Date:</p> <p>A: 31.5.95 C: 6.4.05 D: 30.3.23</p>	<p>Drawn by : A.K Approved by: J.B</p>	<p>Related drawings :</p> <p>S 25 Sheet 1, S 38 & S 43</p>	<p>Drawing No.</p> <p>P 2503 Sheet 1 of 3</p>
---	---	--	--	--	---

Before using this drawing, confirm
that it has not been superseded.



- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Symbol details are given on drawings S 25 sheet 1 and S 43.
3. The tile outlines do not form part of the signs.
4. COLOURS : Main sign background ----- WHITE
Legend, Border & Arrow ---- BLACK
Symbol panel ----- BLUE
'P' & Bus symbols ----- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and sheet 3 for details of symbol panels. Details of the U-turn arrow are given in Chapter 7 of the Traffic Signs Manual.
7. See Chapter 7 of the Traffic Signs Manual for further details of time periods.



P2503

© CROWN COPYRIGHT

Before using this drawing, confirm
that it has not been superseded.

NOTES: 1. Symbol details are given on drawings S 25 sheet 1,
S 26, S 38, S 39 and S 43.

2. COLOURS: -

Panel background ----- BLUE





Bus, Tram, 'P' and '+' symbols --- WHITE

Railway station symbol ----- see dwg S 38

London Underground symbol ----- see dwg S 39


3. DIMENSIONS : All dimensions are in stroke widths.

(4sw = x-height of sign to which the panel is applied)




P2503

© CROWN COPYRIGHT


 Department for Transport	<p>Title: Directional Signs</p> <p>PARK AND RIDE (panel details)</p>	<p>Issue: Date:</p> <p>A: 31.5.95</p> <p>C: 6.4.05</p> <p>D: 30.3.23</p>	<p>Drawn by : A.K</p> <p>Approved by: J.B</p>	<p>Related drawings :</p> <p>S 25 Sheet 1, S 26, S 38, S 39 & S 43</p>	<p>Drawing No.</p> <p>P 2503</p> <p>Sheet 3 of 3</p>
--	--	--	---	--	--




Park and Ride
300 yds



Free Park & Ride
300 yds →



Park & Ride
←



Park & Ride



Drawing No.	Related Drawings
P 2504	S 25 Sheet 1, S 38, S 43 & P 2503

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Symbol details are given on drawings S 25 sheet 1, S 38 & S 43.


3. The tile outlines do not form part of the signs.

4. COLOURS : Background & Symbols --- WHITE
Legend & Border ----- BLACK
Symbol panel ----- BLUE


5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. See drawing P 2503 for details of symbol panels, including the tram symbol and the London Underground symbol. Drawing P 2503 also shows design details for place names and times of operation.

7. See section 7 of Chapter 7 of the Traffic Signs Manual for further details of direction sign design. Note that the width of the chevron and distance to border varies according to the height of the sign.



* see note 7



P2504

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Directional Signs
DIRECTION TO A
PARK AND RIDE SITE


Issue: Date: Drawn by: Dimensions:
A: 31.5.95 S.P./L.W.
B: 4.2.05 Approved by:
C: R.M.

SEE
NOTE 5



Drawing No.
P 2504

Before using this drawing, confirm
 that it has not been superseded.



- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown. The numerals on the symbol are from the Transport Medium alphabet.
2. The tile outlines do not form part of the signs.
3. COLOURS : Background ----- WHITE
 Legend, Arrow & Border ----- BLACK
 Symbol background ----- BLUE
 'P' character & Numerals --- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
5. See sheet 2 for symbol details.



VARIANT



VARIANT



P2506-1





<p>Department for Transport</p>	<p>Title: Directional Signs</p> <p>DIRECTION TO PARKING PLACE SHOWING TOTAL NUMBER OF SPACES</p>	<p>Issue: A: 1.6.95 B: 12.4.05 C: 11.11.11</p>	<p>Date: R.M. Approved by: R.M.</p>	<p>Drawn by : Dimensions : SEE NOTE 4</p>	<p>Drawing No. P 2506 Sheet 1 of 2</p>
---	---	--	--	--	---

Drawing No.
P 2506
Sheet 2 of 2

Related Drawing
S 43

© CROWN COPYRIGHT

- NOTES: 1. The numerals are from the Transport Medium alphabet.
2. Further details of the 'P' character are given on drawing S 43.
3. The tile outlines do not form part of the symbol.
4. COLOURS : Tile background ----- BLUE
'P' character & Numerals --- WHITE
5. DIMENSIONS : All dimensions, including the x-height of the numerals are in stroke widths based on the x-height of the sign on which the symbol is placed.
(4sw = x-height of main sign)



P2506-2

Before using this drawing, confirm
that it has not been superseded.

Department for
Transport

Title: Directional Signs
DETAILS OF PARKING SYMBOL

Issue: Date :
A: 1.6.95
B: 12.4.05
C: 11.11.11
Drawn by :
R.M.
Approved by:
R.M.


Dimensions :
SEE
NOTE 5

Drawing No.
P 2506
Sheet 2 of 2

© CROWN COPYRIGHT



7. See sheet 2 for an alternative layout. See Chapter 7 of the Traffic Signs Manual for further design guidance.



- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown. The availability of spaces shall have the style of lettering shown in Schedule 13 Part V to the Regulations where the method of varying the legend does not permit the use of Transport alphabet. The Transport alphabet is not used for displaying the number of available spaces.
2. 'P' symbol details are given on drawing S 43.
3. The tile outlines do not form part of the sign.
4. COLOURS : Background ----- WHITE
 Legend, Arrows & Borders ---- BLACK
 Symbol background ----- BLUE
 'P' character ----- WHITE
- The availability of spaces shall have red or green characters when Transport Heavy alphabet is used. Where the method of varying the legend requires the use of characters from Schedule 13 Part V to the Regulations these shall be either white, off-white or yellow on a black background.
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. The dimensions relating to the position of the legend indicating the availability of spaces may be adjusted to accommodate the means of varying the legend.
7. See sheet 1 for other dimensions. See Chapter 7 of the Traffic Signs Manual for further design guidance.

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. The tile outlines do not form part of the sign.




3. Symbol details are given in drawing S 43.

4. COLOURS : Background ----- WHITE
 Legend, Arrow & Border ----- BLACK
 'P' symbol background ----- BLUE
 'P' character ----- WHITE
 'Park Mark' symbol ----- see S43

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. See Chapter 7 of the Traffic Signs Manual for further design guidance.

7. See sheet 2 for other variants.



Drawing No.
P 2511.1
Sheet 2 of 2

Related Drawing
S 43

Before using this drawing, confirm
that it has not been superseded.

$$\frac{x-h_t}{60 \text{ min}} \\ 250 \text{ max}$$

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet
at the x-heights shown.

2. The tile outlines do not form part of the sign.



3. Symbol details are given in drawing S 43.

4. COLOURS : Background ----- WHITE
Legend, Arrow & Border ----- BLACK
'P' symbol background ----- BLUE
'P' character ----- WHITE
'Park Mark' symbol ----- WHITE
'Park Mark' symbol ----- see S43




5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

6. See Chapter 7 of the Traffic Signs Manual for
further design guidance.

7. See sheet 1 for other dimensions.



Distance
expressed
in miles



P2511x1-2

Department for
Transport

Title: Directional Signs
DIRECTION TO A SECURED CAR PARK
APPROVED UNDER THE PARK MARK SCHEME

Issue: Date :
A: 11.11.11
B:
C:

Drawn by :
A.K.
Approved by:
J.B.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2511.1
Sheet 2 of 2

Drawing No.
P 2512.1
Sheet 1 of 2

Related Drawings
S 43

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the
x-heights shown.

2. Symbol details are given on drawing S 43.




3. The tile outlines do not form part of the sign.

4. COLOURS : Background ----- WHITE
Legend, Chevron & Border ----- BLACK
Symbol background ----- BLUE
'P' character ----- WHITE
'Tick' symbol and legend ----- WHITE

5 DIMENSIONS : x-heights are in millimetres, other dimensions
are in stroke widths. (4sw = x-height)

6. See Chapter 7 of the Traffic Signs Manual for further design
guidance.

7. See Sheet 2 for other variants.



P2512x1-1

Department for
Transport

Title: Directional Signs
DIRECTION TO A SECURED CAR PARK
APPROVED UNDER THE PARK MARK SCHEME


Issue: Date:
A: 11.11.11
B:
C:

Drawn by :
A.K.
Approved by:
J.B.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2512.1
Sheet 1 of 2

- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Symbol details are given on drawing S 43.
3. The tile outlines do not form part of the sign.
4. COLOURS : Background ----- WHITE
Legend, Chevron & Border ----- BLACK
Symbol background ----- BLUE
'P' character ----- WHITE
'Tick' symbol and legend ----- WHITE
- 5 DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See Chapter 7 of the Traffic Signs Manual for further design guidance.
7. See Sheet 1 for other dimensions.



2.5

1 mile

Distance
expressed
in miles




P2512x1-2

Department for Transport	Title: Directional Signs DIRECTION TO A SECURED CAR PARK APPROVED UNDER THE PARK MARK SCHEME	Issue: Date : A: 11.11.11 B: C:	Drawn by : A.K. Approved by: J.B.	Dimensions : SEE NOTE 5	Drawing No. P 2512.1 Sheet 2 of 2

P 2513

Related Drawings
S 23 & S 43

© CROWN COPYRIGHT



6. See Chapter 7 of the Traffic Signs Manual for further design guidance. The width of each route arm is related to the status of the route indicated; 6sw for primary routes, 4sw for numbered non-primary routes (the route number is not shown on the sign) and 2.5sw for unnumbered non-primary routes. When the sign is situated on a primary route the colours remain as indicated in note 4 above (the sign does not have a green background). The sign shall be used to indicate parking places only; no other destinations shall be shown. The map type route symbol shall be varied to accord with the junction layout.

Before using this drawing, confirm
that it has not been superseded.

P2513

Department for
Transport

Title: Directional Sign
DIRECTIONS TO PARKING PLACES
AT JUNCTION AHEAD

Issue:	Date:
A:	12.4.05
B:	
C:	


Drawn by :
R.M.
Approved by :
R.M.

SEE
NOTE 5

Drawing No.






P 2513

- NOTES: – 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Cycle symbol details are given on drawing S 24. Pedestrian symbol details are given on drawing S 2.
3. The tile outlines do not form part of the signs.
4. COLOURS :
Background to main signs ----- BLUE
Legend, Symbols, Borders & Arrows ---- WHITE
Background to route number patches :
National route ----- RED
Regional route ----- BLUE
5. DIMENSIONS : These are in stroke widths based on a main sign x-height of 30mm min and 60mm max. (4 sw = x-height)
The x-height of the route number is 24mm min and 48mm max (ie 80% of the main sign x-height).
6. See sheets 2 and 3 for further details of advance direction signs. See sheet 4 for details of the route number patch.
7. See Traffic Signs Manual Chapter 7 for further details on stack type sign design.



Before using this drawing, confirm
that it has not been superseded.

- NOTES:—
1. The legend is from the Transport Medium alphabet at the x-heights shown on Sheet 1.
 2. Cycle symbol details are given on drawing S 24. Pedestrian symbol details are given on drawing S 2.
 3. The tile outlines do not form part of the signs.
 4. COLOURS :
Background to main signs ----- BLUE
Legend, Symbols, Borders & Arrows ----- WHITE
Background to route number patches :
National route ----- RED
Regional route ----- BLUE
 5. DIMENSIONS : X-heights are in millimetres, other dimensions are in stroke widths based on the x-height of 30mm min and 60mm max.
(4 sw = x-height)
 6. See sheets 1 and 3 for other dimensions and sheet 4 for details of the route number patch.



P2601x1-2

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES:— 1. The legend is from the Transport Medium alphabet
at the x-heights shown on Sheet 1.




2. Cycle symbol details are given on drawing S 24.
Pedestrian symbol details are given on drawing S 2.

3. The tile outlines do not form part of the signs.

4. COLOURS :
Background to main signs ----- BLUE
Legend, Symbols, Borders & Arrows ---- WHITE
Background to route number patches :
National route ----- RED
Regional route ----- BLUE

5. DIMENSIONS : These are in stroke widths based on a
main sign x-height of 30mm min and 60mm max.
(4 sw = x-height)
The x-height of the route number is 24mm min
and 48mm max (ie 80% of the main sign x-height).

6. See sheets 1 and 2 for further details of advance
direction signs. See sheet 4 for details of the route
number patch.



P2601x1-3

Department for
Transport

Title: Cycle Route Signs
DIRECTION OF CYCLE ROUTE
AT JUNCTION AHEAD

Issue: Date:
A: 20.1.04
C: 11.11.11
D: 27.3.15

Drawn by:
L.W.
Approved by:
R.M.

Dimensions:
SEE
NOTE 6

Drawing No.
P 2601.1
sheet 3 of 4

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT



NOTES:— 1. Numerals and brackets are from the Transport Medium alphabet.

2. The tile outlines do not form part of the route number patches.

3. COLOURS :
 Numerals, Brackets & Borders ----- WHITE
 Background to route number patches :
 National route ----- RED
 Regional route ----- BLUE




4. **DIMENSIONS** : Unbracketed dimensions are in stroke widths based on the x-height of the main sign. Bracketed dimensions are in stroke widths based on the x-height of the cycle route number which is 80% of the main x-height. See sheet 1 for x-heights. (4 sw = x-height)

5. See sheets 1, 2 and 3 for details of advance direction signs with destinations, cycle route names and distances.



P2601x1-4

- NOTES:—
- The legend is from the Transport Medium alphabet at the x-heights shown.
 - Cycle symbol details are given on drawing S 24.
 - The tile outlines do not form part of the signs.
 - COLOURS :
Background to main signs ----- BLUE
Legend, Symbols, Borders & Arrows --- WHITE
Background to route number patches :
National route ----- RED
Regional route ----- BLUE
 - DIMENSIONS : These are in stroke widths based on a main sign x-height of 30mm min and 60mm max. (4 sw = x-height)
 - See sheet 2 for further details of advance direction signs. See drawing P 2601.1 (sheet 4) for details of the route number patch.
 - See Traffic Signs Manual Chapter 7 for further details on stack type sign design.



P2601x1A-1




<div>Department for Transport</div>	Title: Cycle Route Signs DIRECTION OF CYCLE ROUTE WITH INDICATION OF JOURNEY TIMES FROM A JUNCTION AHEAD	Issue:	Date:	Drawn by:	Dimensions:	Drawing No. P 2601.1A sheet 1 of 2
		A:	11.11.11	A.K.	SEE NOTE 5	
		B:		Approved by:		
		C:		J.B.		

NOTES:— 1. The legend is from the Transport Medium alphabet.

2. Cycle symbol details are given on drawing S 24.
3. The tile outlines do not form part of the signs.

4. COLOURS :
- | | |
|--------------------------------------|-------|
| Background to main signs ----- | BLUE |
| Legend, Symbols, Borders & Arrows -- | WHITE |
| Background to route number patches : | |
| National route ----- | RED |
| Regional route ----- | BLUE |

5. **DIMENSIONS** : These are in stroke widths based on a main sign x-height of 30mm min and 60mm max.
(4 sw = x-height)
The x-height of the route number is 24mm min and 48mm max (ie 80% of the main sign x-height).
6. See sheet 1 for further details of advance direction signs. See drawing P 2601.1 (sheet 4) for details of the route number patch.
7. See Traffic Signs Manual Chapter 7 for further details on stock type sign design.



P2601x1A-2

Department for
Transport

Title: Cycle Route Signs



DIRECTION OF CYCLE ROUTE WITH INDICATION
OF JOURNEY TIMES FROM A JUNCTION AHEAD

Issue:	Date:
A:	11.11.11
B:	
C:	

Drawn by :
A.K.
Approved by :
J.B.


SEE
NOTE 5

Drawing No.
P 2601.1A
sheet 2 of 2



See Traffic Signs Manual Chapter 7 for further details relating to place names and the addition of distances. Note that very short destination blocks (less than 23 sw in length) shall be centred over the ahead route arm.



- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Details of the cycle symbol is on dwg S 24.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLUE
Legend, Border & Symbols --- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. The route symbol shall not be varied.





P2601x2

2. Cycle symbol details are given on drawing S 24.
3. The tile outlines do not form part of the signs.
4. COLOURS :
 - Background to main signs ----- BLUE
 - Legend, Symbols, Borders & Chevrons --- WHITE
 - Background to route number patches
 - National route ----- RED
 - Regional route ----- BLUE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the main sign. ($4sw = x\text{-height}$)
6. CYCLE ROUTE PATCH : Unbracketed dimensions are in stroke widths based on x-height of main sign. Bracketed dimensions are in stroke widths based on x-height of cycle route number which is 80% of main x-height.

See Traffic Signs Manual
chapter 7 for further
details on flag type sign
design.



1.5
→|← Route name may be on more than one line.



- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown on sheet 1.
2. Cycle symbol details are given on drawing S 24.
3. Pedestrian symbol details are given on drawing S 2.
4. The tile outlines do not form part of the signs.
5. COLOURS :


Background to main signs ----- BLUE

Legend, Symbols, Borders & Chevrons --- WHITE

Background to route number patches

National route ----- RED

Regional route ----- BLUE
6. DIMENSIONS : These are in stroke widths based on the x-height of the main sign shown on sheet 1. (4sw = x-height)
7. See sheet 1 for other dimensions.



P2602x1-2

Drawing No. P 2602.1A	Related Drawing S 24, P2602.1	Before using this drawing, confirm that it has not been superseded.	© CROWN COPYRIGHT		
			<p>NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.</p> <p>2. Cycle symbol details are given on drawing S 24.</p> <p>3. The tile outlines do not form part of the signs.</p> <p>4. COLOURS : Background to main signs ----- BLUE Legend, Symbols, Borders, Arrows & Chevrons ---- WHITE Background to route number patches National route ----- RED Regional route ----- BLUE</p> <p>5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the main sign. (4sw = x-height)</p> <p>6. CYCLE ROUTE PATCH : Unbracketed dimensions are in stroke widths based on x-height of main sign. Bracketed dimensions are in stroke widths based on x-height of cycle route number which is 80% of main x-height.</p>		
			<p>main sign x-height = 30 min 60 max</p>		
Route name may be on more than one line.					
			<p>route name x-height = 24 min 48 max</p>		
<p>route number x-height = 24 min 48 max</p>			<p>See Traffic Signs Manual chapter 7 for further details on flag type sign design.</p>		
P2602x1A					
Department for Transport			Title: Cycle Route Signs		
DIRECTION OF CYCLE ROUTE			Issue: Date: Drawn by: Dimensions: Drawing No.		
			A: 26.1.04 L.W. SEE NOTES P 2602.1A		
			C: 11.11.11 Approved by: 5 & 6		
			D: 27.3.15 R.M.		

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.

2. Cycle symbol details are given on drawing S 24.


3. The tile outlines do not form part of the signs.

4. COLOURS :





Background to main signs ----- BLUE
Legend, Symbols, Borders & Chevrons ---- WHITE
Background to route number patches
National route ----- RED
Regional route ----- BLUE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the main sign. (4sw = x-height)

6. CYCLE ROUTE PATCH : Unbracketed dimensions are in stroke widths based on x-height of main sign. Bracketed dimensions are in stroke widths based on x-height of cycle route number which is 80% of main x-height.



See Traffic Signs Manual
chapter 7 for further
details on flag type sign
design.



P2602x1B-1

Department for
Transport

Title: Cycle Route Signs
DIRECTION OF CYCLE ROUTE WITH
INDICATION OF JOURNEY TIMES

Issue: Date:
A: 11.11.11
B: 27.3.15
C:

Drawn by:
A.K.
Approved by:
J.B.

Dimensions:
SEE NOTES
5 & 6


Drawing No.
P 2602.1B
Sheet 1 of 2

Before using this drawing, confirm that it has not been superseded.

route name
x-height
24 min
48 max

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Cycle symbol details are given on drawing S 24.
3. The tile outlines do not form part of the signs.
4. COLOURS :
Background to main signs ----- BLUE
Legend, Symbols, Borders & Chevrons --- WHITE
Background to route number patches
National route ----- RED
Regional route ----- BLUE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the main sign. (4sw = x-height)
6. See sheet 1 for other dimensions.

1.5
Route name may be on more than one line.




2.5 2.5




2 hours
2.5

2.5



4 2.5



*This dimension is increased to 1sw when legend includes a descender above the cycle symbol.

route number
x-height
24 min
48 max

P2602x1B-2

<p>Department for Transport</p>	<p>Title: Cycle Route Signs</p> <p>DIRECTION OF CYCLE ROUTE</p>	<p>Issue: A: 11.11.11 B: 27.3.15 C:</p>	<p>Date: A.K. Approved by: J.B.</p>	<p>Drawn by: SEE NOTE 5</p>	<p>Dimensions: SEE NOTE 5</p> <p>Drawing No. P 2602.1B Sheet 2 of 2</p>
--	---	---	---	---------------------------------	---

NOTES: 1. The legend is from the Transport Medium alphabet at
the x-heights shown.

2. Cycle symbol details are given on drawing S 24.


3. The tile outlines do not form part of the signs.

4. COLOURS :





Background to main signs ----- BLUE
Legend, Symbols, Borders, Arrows & Chevrons --- WHITE
Background to route number patches
National route ----- RED
Regional route ----- BLUE

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths based on the x-height
of the main sign. (4sw = x-height)

6. CYCLE ROUTE PATCH : Unbracketed dimensions are in
stroke widths based on x-height of main sign. Bracketed
dimensions are in stroke widths based on x-height of
cycle route number which is 80% of main x-height.





See Traffic Signs Manual chapter 7 for further
details on flag type sign design.




P2602x1C-1

MENDIP CYCLEWAY =
route name
x-height
24 min
48 max

1.5
Route name may be on more than one line.



- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown on this sheet and on sheet 1.
2. Cycle symbol details are given on drawing S 24.
3. The tile outlines do not form part of the signs.
4. COLOURS :
Background to main signs ----- BLUE
Legend, Symbols, Borders, Arrows & Chevrons --- WHITE
Background to route number patches
National route ----- RED
Regional route ----- BLUE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the main sign shown on sheet 1. (4sw = x-height)
6. See sheet 1 for other dimensions.



3 = route number x-height
24 min
48 max

P2602x1C-2

Department for
Transport

Title: Cycle Route Signs
DIRECTION OF CYCLE ROUTE WITH
INDICATION OF JOURNEY TIMES

Issue: Date:
A: 11.11.11
B: 27.3.15
C:

Drawn by:
A.K.
Approved by:
J.B.

Dimensions:
SEE NOTE
5

Drawing No.
P 2602.1C
Sheet 2 of 2

Drawing No.

P 2602.2

Related Drawing

S 24

Before using this drawing, confirm that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. Numerals are from the Transport Medium alphabet at the x-heights shown.

2. Cycle symbol details are given on drawing S 24.

3. The tile outlines do not form part of the signs.

4. COLOURS :

Background to main signs ----- BLUE




Numerals, Symbols & Borders ----- WHITE

Background to route number patches

National route ----- RED

Regional route ----- BLUE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



DETAILS OF ROUTE NUMBER PATCH

P2602x2

Department for
Transport

Title:

Cycle Route Signs

NATIONAL CYCLE ROUTE NUMBER

Issue: Date:

A: 27.1.04

B:

C:

Drawn by:

L.W.

Approved by:

R.M.

Dimensions:

SEE
NOTE 5

Drawing No.


P 2602.2

Drawing No.
P 2602.3

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT


- NOTES: 1. Numerals are from the Transport Medium alphabet
at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background
National Route ----- RED
Regional route ----- BLUE
Numerals & Border ---- WHITE
4. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)








P2602x3

Issue B : Note 4 amended


Department for Transport	Title: Cycle Route Sign CYCLE ROUTE NUMBER (Supplementary Plate)	Issue: Date :	Drawn by :	Dimensions:	Drawing No. P 2602.3
		A: 5.9.03	L.W.	SEE	
		B: 27.1.04	Approved by :	NOTE 4	
		C:	R.M.		




- NOTES: 1. The legends are from the Transport Medium alphabet at the x-heights shown.
2. Cycle symbol details are given on drawing S 24 and 'P' symbol details on drawing S 43. See the 'S' series of drawings for other symbols.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLUE
Legend, 'P' and Cycle symbols, Arrow & Border ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See Chapter 7 of the Traffic Signs Manual for further design guidance.





P2603



Special spacing rule for chevron applies only to 'P' symbol







- NOTES: 1. The legends are from the Transport Medium alphabet at the x-heights shown.
2. Cycle symbol details are given on drawing S 24 and 'P' symbol details on drawing S 43. See the 'S' series of drawings for other symbols.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLUE
Legend, Chevron & Border ---- WHITE
'P' and Cycle symbols ----- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See chapter 7 of the Traffic signs Manual for further design guidance.



P2604

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawings S 2 (pedestrian), S 24 (cycle), S 38 (railway station) and S 39 (London Underground).
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLUE
Legend, Chevron & Border ---- WHITE
Pedestrian & cycle symbols --- WHITE
- See drawings S 38 and S 39 respectively for colours of railway station and London Underground symbols.
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.





Drawing No.
P 2606
Sheet 2 of 2

Related Drawings
S 2, S 24, S 38 & S 39

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawings S 2 (pedestrian), S 24 (cycle), S 38 (railway station) and S 39 (London Underground).
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLUE
Legend, Chevron & Border ----- WHITE
Pedestrian & cycle symbols ---- WHITE
- See drawings S 38 and S 39 respectively for colours of railway station and London Underground symbols.
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and other variants.
See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2606-2

Department for
Transport


Title: Directional Signs
DIRECTION OF ROUTE TO STATION FOR
PEDESTRIANS & PEDAL CYCLES (variants)

Issue: Date:
A: 15.7.94
B: 3.5.05
C:

Drawn by:
R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2606
Sheet 2 of 2




For the sign without a border
all corners have a radius of
1.5sw (may be zero)

- NOTES:
1. The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.
 2. Symbol details are given on drawing S 2.
 3. The tile outlines do not form part of the signs.
 4. COLOURS : Any contrasting colours may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.
 5. DIMENSIONS : x-heights and capital letter heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height) (5.6sw = capital letter height)
 6. See sheets 2, 3 and 4 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



VARIANT




Capital letters are centred
vertically on the sign


Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT


capital
letter
height
 $\frac{x-ht}{25 \text{ min}}$
35 min
70 max
 $\frac{x-ht}{50 \text{ max}}$




For the sign without a border all
corners have a radius of 1.5sw
(may be zero as shown below)



*These dimensions
apply when place
name is all in
capitals



These dimensions also
apply when place names
are all in capitals



- NOTES: 1. The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.
2. Symbol details are given on drawing S 2.
3. The tile outlines do not form part of the signs.
4. COLOURS : Any contrasting colours may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.
5. DIMENSIONS : x-heights and capital letter heights are in millimetres, other dimensions are in stroke widths.
(4sw = x-height) (5.6sw = capital letter height)
6. See sheet 1 for other dimensions and sheets 1, 3 & 4 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.

P2607-2

Department for
Transport

Title: Directional Signs
DIRECTION OF ROUTE
FOR PEDESTRIANS (variants)

Issue: A: 2.6.95
B: 14.6.05
C:

Drawn by: R.M.
Approved by: R.M.

Dimensions: SEE
NOTE 5

Drawing No.
P 2607
Sheet 2 of 4



Drawing No.
P 2607
Sheet 3 of 4

Related Drawing
S 2


Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

- NOTES: 1. The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.
2. Symbol details are given on drawing S 2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Any contrasting colours may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.
5. DIMENSIONS : x-heights and capital letter heights are in millimetres, other dimensions are in stroke widths.
(4sw = x-height) (5.6sw = capital letter height)
6. See sheet 1 for other dimensions and sheets 1, 2 & 4 for other variants.
See Chapter 7 of the Traffic Signs Manual for further design guidance.



* These dimensions apply
when legend includes
lower case letters



P2607-3

<p>Department for Transport</p>	<p>Title: Directional Signs</p> <p>DIRECTION OF ROUTE FOR PEDESTRIANS (variants)</p>	<p>Issue: A: 2.6.95 B: 14.6.05 C:</p>	<p>Date: R.M. Approved by: R.M.</p>	<p>Drawn by: SEE NOTE 5</p>	<p>Dimensions: Drawing No. P 2607 Sheet 3 of 4</p>
--	--	---	---	---------------------------------	--


P 2607
Sheet 4 of 4

Before using this drawing, confirm that it has not been superseded.


NOTES: 1. The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.

6. See sheets 1 & 2 for other dimensions and sheets 1, 2 & 3 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.

<u>weight</u>	<u>x-h_t</u>
35 min	25 min
70 max	50 max



```
# These dimensions apply
  when place names are
  all in capitals
```



Typical value of border width 'W' is 1sw
with inner corner radius of 1sw and
outer radius of 2sw when sign does not
have a chevron



*12sw min when
symbol omitted

Department for
Transport

Title : Directional Signs
DIRECTION OF ROUTE
FOR PEDESTRIANS (variants)

Issue:	Date:
A:	2.6.95
B:	14.6.05
C:	

Drawn by :
R.M.

Approved by :
R.M.

SEE
NOTE 5

Drawing No.
P 2607
Sheet 4 of 4

Drawing No.
P 2608
Sheet 1 of 4

Related Drawings
S 2 & S 45 sheet 2

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.



2. Pedestrian symbol details are given on drawing S 2 and disabled symbol details on drawing S 45 sheet 2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BROWN
Legend & Symbols ----- WHITE
Chevron & Border ----- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)


6. See sheets 2 to 4 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



VARIANT



VARIANT



VARIANT

P2608-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Directional Signs for Pedestrians
DIRECTION OF PEDESTRIAN ROUTE
TO A TOURIST ATTRACTION

Issue: Date:
A: 1.6.95
B: 11.3.05
C:

Drawn by:
S.P/R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2608
Sheet 1 of 4







Drawing No.
P 2608
Sheet 2 of 4

Related Drawings
S 2 & S 45 sheet 2

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Pedestrian symbol details are given on drawing S 2 and disabled symbol details on drawing S 45 sheet 2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Symbols ---- WHITE
Chevron & Border ----- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and sheets 1, 3 & 4 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2608-2

Department for
Transport

Title: Directional Signs for Pedestrians
DIRECTION OF PEDESTRIAN ROUTE
TO A TOURIST ATTRACTION (variants)

Issue: Date:
A: 1.6.95
B: 11.3.05
C:

Drawn by:
R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2608
Sheet 2 of 4

Drawing No.
P 2608
Sheet 3 of 4

Related Drawing
S 2

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at
the x-heights shown.




2. Pedestrian symbol details are given on drawing S 2.
Details of the tourist attraction symbols are given on
the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BROWN
Legend & Symbols ----- WHITE
Chevron & Border ----- WHITE

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

6. See sheet 1 for other dimensions and sheets 1, 2 & 4
for other variants. See Chapter 7 of the Traffic Signs
Manual for further design guidance.



P2608-3

Department for
Transport

Title: Directional Signs for Pedestrians
DIRECTION OF PEDESTRIAN ROUTE
TO A TOURIST ATTRACTION (variants)

Issue: Date:
A: 1.6.95
B: 11.3.05
C:

Drawn by:
R.M.
Approved by:
R.M.





Dimensions:
SEE
NOTE 5

Drawing No.
P 2608
Sheet 3 of 4

Before using this drawing, confirm that it has not been superseded.

© CROWN COPYRIGHT



- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Pedestrian symbol details are given on drawing S 2 and cycle symbol details on drawing S 24. See drawing P 2602.1 for details of the cycle route number patch. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Symbols ----- WHITE
Chevron & Border ----- WHITE
- Cycle Route Number Patch
- Numeral & Border --- WHITE
Background ----- RED (national route)
 BLUE (regional route)
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and sheets 1, 2 & 3 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.




P2608-4


<div> Department for Transport </div>	Title: Directional Signs for Pedestrians DIRECTION OF PEDESTRIAN & CYCLE ROUTE TO A TOURIST ATTRACTION (variants)	Issue: Date:	Drawn by:	Dimensions:	Drawing No.
		A: 1.6.95	R.M.	SEE	P 2608
		B: 11.3.05	Approved by:	NOTE 5	Sheet 4 of 4
		C:	R.M.		

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Pedestrian symbol details are given on drawing S 2, 'P' symbol details on drawing S 43 sheet 1 and disabled symbol details on drawing S 45 sheet 2.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Symbols ----- WHITE
Chevron & Border ----- WHITE
'P' symbol & border ---- WHITE
'P' symbol patch ----- BLUE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.







- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Pedestrian symbol details are given on drawing S 2, 'P' symbol details on drawing S 43 sheet 1 and disabled symbol details on drawing S 45 sheet 2.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BROWN
Legend & Symbols ----- WHITE
Chevron & Border ----- WHITE
'P' symbol & border ---- WHITE
'P' symbol patch ----- BLUE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.




P2609-2

- NOTES:
- The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.
 - Symbol details are given on drawings S 2 and S 8.
 - The tile outlines do not form part of the signs.
 - COLOURS : Any contrasting colours, except red, may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.
 - DIMENSIONS : x-heights and capital letter heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height) (5.6sw = capital letter height)
 - See sheets 2 and 3 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.





- NOTES:
- The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.
 - Symbol details are given on drawings S 2 and S 8.
 - The tile outlines do not form part of the signs.
 - COLOURS : Any contrasting colours, except red, may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.
 - DIMENSIONS : x-heights and capital letter heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height) (5.6sw = capital letter height)
 - See sheet 1 for other dimensions and sheets 1 & 3 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P 2610
Sheet 3 of 3

Before using this drawing, confirm that it has not been superseded.




NOTES:

1. The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.
2. Symbol details are given on drawings S 2 and S 8.
3. The tile outlines do not form part of the signs.
4. COLOURS : Any contrasting colours, except red, may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.
5. DIMENSIONS : x-heights and capital letter heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height) (5.6sw = capital letter height)
6. See sheet 1 for other dimensions and sheets 1 & 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



Diagram illustrating the layout and dimensions of a rectangular sign with a chevron on the left. The sign contains the word "HAMLEY" and a pedestrian symbol. The dimensions are specified as follows:

- Overall height: 19"
- Overall width: 2.5"
- Height of the text area: Equal
- Height of the symbol area: Equal
- Width of the text area: 2.5"
- Width of the symbol area: 2.5"

*12sw min when
symbol omitted



For the sign without a border the corners may have a radius of $1.5s_w$



Issue C : Borderless sign dimensions amended

P2610-3

Department for
Transport

Title: Directional Signs for Pedestrians


DIRECTION OF PUBLIC FOOTPATH
OR BRIDLEWAY (variants)

Issue:	Date:
A:	2.6.95
B:	17.3.05
C:	24.5.05

Drawn by :
S.P/R.M.
Approved by :
R.M.

SEE
NOTE 5

Drawing No.
P 2610
Sheet 3 of 3



capital letter height

35 min


70 max

x-ht

25 min


50 max

VARIANT





NOTES: 1. The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.

- Symbol details are given on drawings S 2 and S 8.
- The tile outlines do not form part of the signs.
- COLOURS : Any contrasting colours, except red, may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.
- DIMENSIONS : x-heights and capital letter heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height) (5.6sw = capital letter height)
- See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



VARIANT

VARIANT



P2610x1-1

Before using this drawing, confirm that it has not been superseded.

<div> <div>Department for</div> <div>Transport</div> </div>	<div> <div>Title:</div> <div>Directional Signs for Pedestrians</div> <div>DIRECTION OF PUBLIC FOOTPATH OR BRIDLEWAY</div> </div>	<div> <div>Issue:</div> <div>A: 2.6.95</div> <div>B: 24.3.05</div> <div>C:</div> </div>	<div> <div>Date:</div> <div>S.P/R.M.</div> <div>Approved by:</div> <div>R.M.</div> </div>	<div> <div>Drawn by:</div> <div>SEE NOTE 5</div> </div>	<div> <div>Dimensions:</div> <div>P 2610.1</div> <div>Sheet 1 of 2</div> </div>

Drawing No.
P 2610.1
Sheet 2 of 2

Related Drawings
S 2 & S 8

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend shown is from the Transport Medium alphabet. Other lettering style, with capital letter heights as shown, may be used. x-heights shown apply to the Transport alphabet.

2. Symbol details are given on drawings S 2 and S 8.

3. The tile outlines do not form part of the signs.



4. COLOURS : Any contrasting colours, except red, may be used. Where Transport Alphabet is used, Transport Medium should be used for light characters on a dark background and Transport Heavy for dark characters on a light background.

5. DIMENSIONS : x-heights and capital letter heights are in millimetres, other dimensions are in stroke widths.
(4sw = x-height)
(5.6sw = capital letter height)




6. See sheet 1 for other dimensions and other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.

capital
letter
height
35 min
70 max

x-ht
25 min
50 max



For the sign without a
border the corners may
have a radius of 1.5sw



P2610x1-2

Department for
Transport

Title: Directional Signs for Pedestrians
DIRECTION OF PUBLIC FOOTPATH
OR BRIDLEWAY (variants)

Issue: Date:
A: 2.6.95
B: 24.3.05
C:

Drawn by:
R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2610.1
Sheet 2 of 2

Drawing No.
P 2610.2


© CROWN COPYRIGHT

COLOURS : Arrow

Footpath ----- YELLOW
Bridleway ----- BLUE
Byway ----- RED
Restricted byway ----- RED
Cycle route ----- WHITE

Background ----- any contrasting colour

Legend where added ---- any contrasting colour



The arrow shall be rotated to point in the appropriate direction

Where any legend is added, there is no specific size and any style of lettering may be used. The legend may be placed on or adjacent to the arrow.

P2610x2

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Directional Sign for Pedestrians
WAYMARK SIGN FOR
FOOTPATHS, BRIDLEWAYS etc



Issue: Date:
A: 2.6.95
B: 24.3.05
C:

Drawn by: S.P.
Approved by: R.M.

Dimensions:
MILLIMETRES






Drawing No.
P 2610.2

- NOTES:
- The legend is from the Transport Heavy alphabet at the x-height shown.
 - Details of the house symbol are given on drawing S 53 and the lorry symbol on drawing S 32 (sheet 1).
 - The tile outlines do not form part of the signs.
 - COLOURS : Background ----- YELLOW
Legend, Symbols, Chevron & Border --- BLACK
 - DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
 - See sheet 2 for variants showing distances. See Chapter 7 of the Traffic Signs Manual for further design guidance.



The lorry symbol points in the direction of the chevron but the house symbol stays the same. The lorry always points away from the house.

- NOTES:
- The legend is from the Transport Heavy alphabet at the x-height shown.
 - Details of the house symbol are given on drawing S 53 and the lorry symbol on drawing S 32 (sheet 1).
 - The tile outlines do not form part of the signs.
 - COLOURS : Background ----- YELLOW
Legend, Symbols, Chevron & Border --- BLACK
 - DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
 - See sheet 1 for other dimensions and for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.






- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-height shown.
2.

Details of the house symbol are given on drawing S 53 and the lorry symbol on drawing S 32 (sheet 1). The lorry symbol is directional and always points away from the house symbol.
3. The tile outlines do not form part of the signs.
4.

COLOURS : Background ----- YELLOW

Legend, Symbols, Arrow & Border --- BLACK
5.

DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2701x1


Before using this drawing, confirm that it has not been superseded.

<div>Department for</div> <div>Transport</div>	<div>Title: Temporary Directional Signs</div> <div>JUNCTION AHEAD LEADING TO A NEW HOUSING DEVELOPMENT</div>	<div>Issue: Date:</div> <div>A: 27.10.04</div> <div>B: 3.02.17</div> <div>C:</div>	<div>Drawn by: L.W.</div> <div>Approved by: R.M.</div>	<div>Dimensions: SEE NOTE 5</div>	<div>Drawing No.</div> <div>P 2701.1</div>
---	--	--	--	-----------------------------------	--



Drawing No.
P 2702




© CROWN COPYRIGHT




NOTES: 1. The legend is from the Transport Heavy alphabet at the x-height shown.

2. The tile outlines do not form part of the signs.

3. COLOURS : Background ----- YELLOW
Legend, Arrow & Border ---- BLACK



Distances up to, but not exceeding 400 yds to the nearest 10 yds may be shown.



Before using this drawing, confirm that it has not been superseded.

P2702

Department for
Transport

Title: Temporary Signs
TEMPORARY DIVERSION
AND VARIANTS

Issue: Date: Drawn by:
A: 5.6.95 S.P./R.M.
B: 2.11.04 Approved by:
C: R.M.



Dimensions:
MILLIMETRES

Drawing No.
P 2702


Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Details of the U-turn arrow are given in section 14 of Chapter 7 of the Traffic Signs Manual.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- YELLOW
Legend, Arrow & Border --- BLACK
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 2 for other variants.



VARIANT



VARIANT

P2703-1

Department for
Transport

Title: Temporary Signs
ROUTE FOR DIVERTED TRAFFIC
AT JUNCTION AHEAD

Issue: Date: Drawn by:
A: 6.6.95 S.P./R.M.
B: 10.2.05 Approved by:
C: R.M.

Dimensions:
SEE
NOTE 5



Drawing No.
P 2703
Sheet 1 of 2

Sheet 2 of 2






Before using this drawing, confirm that it has not been superseded.

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.

2. Details of diversion route symbols are given on drawing S 56 sheet 1. Details of the U-turn arrow are given in section 14 of Chapter 7 of the Traffic Signs Manual.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- YELLOW
Legend, Arrow & Border --- BLACK
Diversion route symbol ---- BLACK
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 1 for other dimensions and other variants.



* This dimension applies only when arrow is pointing vertically upwards alongside a symbol, otherwise the length of the arrow is 16sw.



Department for
Transport




Title: Temporary Signs
ROUTE FOR DIVERTED TRAFFIC
AT JUNCTION AHEAD (variants)

Issue:	Date:
A:	6.6.95
B:	10.2.05
C:	

Drawn by :
S.P./R.M.
Approved by :
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2703
Sheet 2 of 2



- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. Details of diversion route symbols are given on drawing S 56 sheet 1.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- YELLOW
Legend, Chevron & Border --- BLACK
Diversion route symbol ----- BLACK
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See section 7 of Chapter 7 of the Traffic Signs Manual for further details of direction sign design.

P2704

Department for
Transport

Title: Temporary Signs
DIRECTION OF ROUTE
FOR DIVERTED TRAFFIC

Issue: Date: Drawn by: Dimensions:
A: 6.6.95 S.P.
B: 10.2.05 Approved by:
C: R.M.

SEE
NOTE 5


Drawing No.
P 2704

Drawing No.

P 2706

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- YELLOW
Legend, Route symbol & Border --- BLACK
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
5. See Chapter 7 of the Traffic Signs Manual for further details of map type sign design, including the addition of warning triangles and regulatory roundels. Route arm widths (including stubs) are generally 4sw and are not related to the status of the route indicated as they are on permanent map type advance direction signs. Where the route symbol is varied to indicate a grade separated junction (similar to the route symbols shown in diagrams 2101.1 and 2101.2, TSRGD 2002) the arm width is 5sw.



DESIGN ILLUSTRATED IN TSRGD 2002

The route symbol shall be varied as appropriate and need not necessarily indicate a roundabout (see note 5)

Before using this drawing, confirm that it has not been superseded.

P2706

Department for
Transport

Title: Temporary Sign
MAP TYPE ADVANCE DIRECTION SIGN
INDICATING TEMPORARY DIVERSION

Issue: Date: Drawn by: Dimensions:
A: 6.6.95 S.P.
B: 10.2.05 Approved by:
C: R.M.

Dimensions:
SEE
NOTE 4

Drawing No.
P 2706

Drawing No.

P 2708

Before using this drawing, confirm that it has not been superseded.


© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the x-height shown.


2. The tile outlines do not form part of the signs.

3. COLOURS : Background ----- RED
Legend, Arrow & Border ---- WHITE


4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



VARIANT



VARIANT



P2708

Department for
Transport

Title: Temporary Directional Signs
ROUTE FOR EMERGENCY VEHICLES
TO TEMPORARY INCIDENT POINT

Issue: Date: Drawn by: S.P./L.W.
A: 6.6.95
B: 2.11.04
C: Approved by: R.M.

Dimensions:
SEE
NOTE 4

Drawing No.
P 2708

Drawing No.
P 2709

Before using this drawing, confirm
that it has not been superseded.



© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet
at the x-heights shown.

2. The tile outlines do not form part of the signs.

3. COLOURS : Background ----- GREEN (formerly
LIGHT GREEN)
Legend & Arrow ---- WHITE
Border ----- YELLOW

4. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)



VARIANT

P2709

Department for
Transport

Title: Emergency Directional Signs
ROUTE FOR EMERGENCY VEHICLES
TO PERMANENT INCIDENT POINT

Issue: Date:
A: 7.6.95
B: 2.11.04
C: 11.11.11


Drawn by :
S.P./L.W.
Approved by:
R.M.

Dimensions :
SEE
NOTE 4

Drawing No.
P 2709

Drawing No.
P 2710

© CROWN COPYRIGHT




NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.

2. The tile outlines do not form part of the signs.

3. COLOURS : Background ----- GREEN (formerly LIGHT GREEN)
Legend & Chevron ---- WHITE
Border ----- YELLOW

4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

5. See Chapter 7 of the Traffic signs Manual for further design guidance.



P2710

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Emergency Directional Signs
DIRECTION OF ROUTE FOR EMERGENCY
VEHICLES TO PERMANENT INCIDENT POINT

Issue: Date :
A: 7.6.95
B: 2.11.04
C: 11.11.11

Drawn by :
S.P./L.W.
Approved by:
R.M.

Dimensions :
SEE
NOTE 4

Drawing No.
P 2710

Drawing No.
P 2711

Related Drawing
S 50

Before using this drawing, confirm
that it has not been superseded.





© CROWN COPYRIGHT

NOTES: 1. The sign is based on 50 min – 100 max x-heights
with dimensions of the symbol and positioning on the
sign given in stroke widths. (4sw = x-height) Overall
min/max dimensions are in millimetres.

2. Symbol details are given on drawing S 50.

3. The tile outline does not form part of the signs.

4. COLOURS : Background ----- GREEN (formerly
LIGHT GREEN)
Symbols & Arrow ---- WHITE
Border ----- YELLOW



P2711

Department for
Transport

Title: Emergency Directional Signs
DIRECTION TO EMERGENCY EXIT
FOR PEDESTRIANS FROM A TUNNEL

Issue: Date :
A: 8.6.95
B: 2.11.04
C: 11.11.11

Drawn by :
S.P.
Approved by:
R.M.

Dimensions :
SEE
NOTE 1



Drawing No.
P 2711

Sheet 1 of 2

S 50

© CROWN COPYRIGHT

5. See sheet 2 for other variants.



VARIANT

Department for
Transport

Drawing No. P 2711.1
Sheet 1 of 2



Drawing No. P 2711.1 Sheet 2 of 2		Related Drawing S 50	Before using this drawing, confirm that it has not been superseded.		© CROWN COPYRIGHT	
<p>VARIANT</p>			<p>NOTES: 1. The sign is based on 50 mm nominal x-height. Dimensions of the symbol and positioning on the sign given in stroke widths (4sw = x-height). X-height of 40mm is 80% of nominal. Overall dimensions are in millimetres.</p> <p>2. Symbol details are given on drawing S 50.</p> <p>3. The tile outlines do not form part of the signs.</p> <p>4. COLOURS : Background ----- GREEN Symbols, Arrows & Legend ---- WHITE Border ----- YELLOW</p> <p>VARIANT</p>			
P2711x1-2						
Department for Transport	Title: Emergency Directional Signs DIRECTION & DISTANCE TO EMERGENCY EXIT FOR PEDESTRIANS FROM A TUNNEL		Issue: A: 11.11.11 B: C:	Date: A.K. Approved by: J.B.	Dimensions : SEE NOTE 1	Drawing No. P 2711.1 Sheet 2 of 2

P 2712

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.

2. Where the second line of legend is too long to fit inside the panel the x-height is reduced to 50mm. The vertical spacing is adjusted as shown.
3. The tile outlines do not form part of the sign.
4. COLOURS : Legend ----- WHITE
Centre panel --- GREEN (formerly
LIGHT GREEN)
Border ----- YELLOW

VARIANT
see Note 2



Before using this drawing, confirm
that it has not been superseded.

Department for
Transport

Title: Emergency Signs

FIRE RENDEZVOUS POINT

Issue:	Date:
A:	7.6.95
B:	2.11.04
C:	11.11.11

Drawn by :
S.P.
Approved by:
R.M.

Dimensions :
MILLIMETRES

Drawing No.

P 2712

NOTES: 1. Symbol details are given on drawing S 41 (Tile A).

2. The tile outline does not form part of the signs.



3. The proportions of the arrow remain the same when the length is varied within the range shown.

4. COLOURS: –

MOTORWAYS Background ----- WHITE
 Symbol & Arrow ---- BLUE

PRIMARY ROUTES Background ----- WHITE
 Symbol & Arrow ---- GREEN

NON-PRIMARY ROUTES Background ----- WHITE
 Symbol & Arrow ---- BLACK



P2713

Before using this drawing, confirm that it has not been superseded.

Sheet 1 of 3



Before using this drawing, confirm that it has not been superseded.

NOTES: 1. The distance is from the Transport Medium alphabet at the x-heights shown. 'SOS' is from the Transport Heavy alphabet and is dimensioned in stroke widths relating to the distance x-height.


4. COLOURS : Sign background ---- BLUE
 Tile background ----- ORANGE
 Border, distance
 & 'P' symbol ---- WHITE
 'SOS' & telephone --- BLACK

6. See sheets 2 and 3 for other variants.

DETAIL OF TILE DESIGN



VARIANT: EMERGENCY
TELEPHONE ONLY



Department for
Transport

Title: Informatory Signs

EMERGENCY TELEPHONE AHEAD

Issue:	Date:
A:	7.6.95
B:	29.3.05
C:	

Drawn by :
S.P.
Approved by :
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2713.1
Sheet 1 of 3

Drawing No.
P 2713.1
Sheet 2 of 3

Related Drawings
S 41 & S 43

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The distance is from the Transport Medium alphabet at the x-heights shown. 'SOS' is from the Transport Heavy alphabet and is dimensioned in stroke widths relating to the distance x-height.

2. Symbol details are given on drawings S 41 (tile B) and S 43.

3. The tile outlines do not form part of the signs.


4. COLOURS : Sign background ----- BLUE
Tile background ----- ORANGE
Border, Distance, Arrow & 'P' symbol ---- WHITE
'SOS' & telephone ----- BLACK

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = distance x-height)

6. See sheet 1 for other dimensions and details of 'SOS' tile.
See sheets 1 & 3 for other variants.





(75)
100 x-ht
(125)
(150)
(200)



x-ht
2.4

1.5
8
2.5



P2713x1-2

Department for
Transport

Title: Informatory Signs
EMERGENCY TELEPHONE
AHEAD (variants)

Issue: Date:
A: 7.6.95
B: 29.3.05
C:

Drawn by:
S.P./L.W.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2713.1
Sheet 2 of 3

Drawing No.
P 2713.1
Sheet 3 of 3

Related Drawings
S 41 & S 43

© CROWN COPYRIGHT

NOTES: 1. The legend 'SOS' is from the Transport Heavy alphabet and is dimensioned in stroke widths relating to the distance x-height shown on sheets 1 and 2.


2. Symbol details are given on drawings S 41 (tile B) and S 43.

3. The tile outlines do not form part of the signs.

4. COLOURS : Sign background ----- BLUE
Tile background ----- ORANGE
Border, Arrow & 'P' symbol ---- WHITE
'SOS' & telephone ----- BLACK


5. DIMENSIONS : These are in stroke widths based on the x-height of the distance shown on sheets 1 and 2. (4sw = distance x-height)

6. See sheet 1 for details of 'SOS' tile. See sheets 1 & 2 for other variants.



EMERGENCY TELEPHONE
AT A PARKING PLACE

EMERGENCY
TELEPHONE ONLY



P2713x1-3

Before using this drawing, confirm
that it has not been superseded.

Department for
Transport

Title : Informatory Signs
LOCATION OF
EMERGENCY TELEPHONE

Issue : Date :
A : 7.6.95
B : 29.3.05
C :

Drawn by :
S.P.
Approved by :
R.M.


Dimensions :
SEE
NOTE 5

Drawing No.
P 2713.1
Sheet 3 of 3

Drawing No.	Related Drawing
P 2714	S 41

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium (White letters) or Transport Heavy (Black letters) alphabet at the letter height shown.
2. Details of the telephone symbol are given on drawing S 41 (Tile A).
3. The tile outlines do not form part of the sign.
4. COLOURS : Background ----- ORANGE
Legend & Symbol ----- WHITE or BLACK
5. The position of the alphanumeric characters (other than SOS) may be adjusted horizontally to suit the numerals used.



P2714


Before using this drawing, confirm that it has not been superseded.

Department for Transport	Title: Emergency Sign SIDE OF EMERGENCY TELEPHONE BOX	Issue:	Date:	Drawn by:	Dimensions:	Drawing No. P 2714
		A:	19.7.94	S.P.	MILLIMETRES	
		B:	2.11.04	Approved by:		
		C:		R.M.		

Drawing No.	Related Drawing
P 2715	S 41

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium (White letters) or Transport Heavy (Black letters) alphabet at the letter height shown.
2. Details of the telephone symbol are given on drawing S 41 (Tile A).
3. The tile outlines do not form part of the sign.
4. COLOURS : Background ----- ORANGE
Legend & Symbol ----- WHITE or BLACK
5. The position of the alphanumeric characters (other than SOS) may be adjusted horizontally to suit the numerals used.




P2715

Before using this drawing, confirm that it has not been superseded.


Department for Transport	Title: Emergency Sign BACK OF EMERGENCY TELEPHONE BOX	Issue:	Date:	Drawn by:	Dimensions:	Drawing No. P 2715
		A:	19.7.94	S.P.	MILLIMETRES	
		B:	2.11.04	Approved by:		
		C:		R.M.		

DIVERSION BY SYMBOLS




- NOTES:
1. The legend is from the Transport Heavy alphabet at the x-heights shown.
 2. Details of diversion route symbols are given on drawing S 56 sheet 1.
 3. The tile outlines do not form part of the signs.
 4. COLOURS: -
 Background ----- YELLOW
 Legend, Arrow & Border ---- BLACK
 Underline & Symbol ----- BLACK
 5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths related to the x-height of 'M1 North closed'. (4sw = x-ht)

DIVERSION BY ROUTE NUMBERS



See Traffic Signs Manual Chapter 7
for further details on sign design.



P2716-1

Department for
Transport

Title: Emergency Signs
DIVERSION ROUTE AHEAD

Issue:	Date:
A:	8.6.95
B:	25.2.05
C:	11.11.11


Drawn by :
S.P.
Approved by:
R.M.

Dimensions :
SEE
NOTE 5

Drawing No.
P 2716
Sheet 1 of 3

Before using this drawing, confirm
that it has not been superseded.


VARIANT



- NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown on this sheet.
2. Details of diversion route symbols are given on drawing S 56 sheet 1.
3. The tile outlines do not form part of the signs.
4. COLOURS: –
Background ----- YELLOW
Legend, Arrow & Border --- BLACK
Underline & Symbol ----- BLACK
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-ht)

See Traffic Signs Manual Chapter 7 for further details on sign design.

VARIANT





P2716-2

Before using this drawing, confirm that it has not been superseded.

<p>Department for Transport</p>	<p>Title: Emergency Signs</p> <p>DIVERSION ROUTE AHEAD</p>	<p>Issue: A: 8.6.95 B: 25.2.05 C: 11.11.11</p>	<p>Date: A.K. Approved by: J.B.</p>	<p>Drawn by : Dimensions : SEE NOTE 5</p>	<p>Drawing No. P 2716 Sheet 2 of 3</p>
--	--	--	---	---	--

VARIANT



NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown.


2. The tile outlines do not form part of the signs.

3. COLOURS:—
Background ————— YELLOW
Legend & Border ————— BLACK
Underline ————— BLACK

4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-ht)

See Traffic Signs Manual Chapter 7 for further details on sign design.

The underline is moved down by 0.5sw when the legend immediately above has a decender.



P2716-3

Before using this drawing, confirm that it has not been superseded.

**Department for
Transport**

Title: Emergency Signs
DIVERSION ROUTE AHEAD

Issue: Date:
A: 8.6.95
B: 25.2.05
C: 11.11.11

Drawn by :
A.K.
Approved by:
J.B.

Dimensions :
SEE
NOTE 4





Drawing No.
P 2716
Sheet 3 of 3

Drawing No.
P 2717
Sheet 1 of 2

Related Drawings
P 2713 & S 41

© CROWN COPYRIGHT

- NOTES:— 1. The legend is from the Transport Medium alphabet at the x-height shown.
2. Details of the telephone symbol are given on S 41 (Tile A).
3. The tile outlines do not form part of the sign.
4. COLOURS : As indicated.
5. Elevation B is shown on sheet 2.



P2717-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Emergency Sign
PRIMARY ROUTE MARKER POST

Issue: Date:
A: 2.11.04
B: 11.1.11
C:


Drawn by : L.W.
Approved by : R.M.

Dimensions :
MILLIMETRES



Drawing No.
P 2717
Sheet 1 of 2

Before using this drawing, confirm that it has not been superseded.

- NOTES:—
1. The legend is from the Transport Medium alphabet at the x-height shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : As indicated.
4. Elevation A is shown on sheet 1.



ELEVATION B




P2717-2

<div> Department for Transport </div>	<div> Title: Emergency Sign PRIMARY ROUTE MARKER POST </div>	<div> Issue: A: 2.11.04 B: 11.11.11 C: </div>	<div> Date: L.W. Approved by: R.M. </div>	<div> Dimensions : MILLIMETRES </div>	<div> Drawing No. P 2717 Sheet 2 of 2 </div>

Before using this drawing, confirm
that it has not been superseded.

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background --- BLUE
Legend ----- YELLOW
Border ----- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



NP426

<i>Department for Transport</i>	Title:	Informatory Sign	Issue:	Date:	Drawn by:	Dimensions:	Drawing No.
	ROAD NUMBER & REFERENCE		A:	31.1.03	AK	SEE NOTE 4	NP 426
			B:	21.5.03	Approved by:		
			C:	02.2.10	JB		

Drawing No.
P 2805
Sheet 1 of 2

Related Drawing
S 32 sheet 1

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.

2. Symbol details are given on drawing S 32 sheet 1.



3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BLACK
Legend & Symbol ---- WHITE
Arrow & Border ---- WHITE

Route number patches are green with yellow characters for primary routes and blue with white characters for motorway numbers. The patches have white borders.


5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



VARIANT:
SIGN INDICATING A
NON-PRIMARY ROUTE
(route number has
white characters
directly on the
black background)

This dimension is reduced to 0.5sw when the route number does not have brackets



* This dimension is increased to 1sw when there is a descender in the line of legend above the lorry symbol

P2805-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Directional Signs
ROUTE AHEAD ADVISED FOR GOODS
VEHICLES (sign on all-purpose road)

Issue: Date:
A: 29.7.94
B: 22.6.95
C: 31.3.05

Drawn by: S.P./L.W.
Approved by: R.M.



Dimensions:
SEE
NOTE 5

Drawing No.
P 2805
Sheet 1 of 2

P 2805
Sheet 2 of 2
Related Drawing S 32 sheet 1

NOTES:

1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawing S 32 sheet 1.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLACK
Legend & Symbol --- WHITE
Arrow & Border ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the 60min/300max x-height.
(4sw = x-height)
6. See sheet 1 for other dimensions and for another variant. See Chapter 7 of the Traffic Signs Manual for further design guidance. The alternative route message has an x-height of 80% of the main sign x-height.



Before using this drawing, confirm
that it has not been superseded.

P 2806
Sheet 1 of 2

VARIANT

NOTES:

1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawing S 32 sheet 1.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLACK
Legend & Symbol --- WHITE
Chevron & Border --- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the 50min/300max x-height.
(4sw = x-height)
6. See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance. The alternative route message has an x-height of 80% of the main sign x-height.

* This dimension is increased to 1sw when there is a descender in the line of legend above the lorry symbol

Before using this drawing, confirm
that it has not been superseded.

P2806-1

Department for
Transport

Title:	Directional Signs
DIRECTION OF ROUTE ADVISED FOR GOODS VEHICLES (sign on all-purpose road)	

Issue:	Date:
A:	29.7.94
B:	22.6.95
C:	31.3.05

Drawn by :
S.P./R.M.
Approved by :
R.M.

SEE
NOTE 5

Drawing No.
P 2806
Sheet 1 of 2

Drawing No.
P 2806
Sheet 2 of 2

Related Drawing
S 32 sheet 1

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the
x-heights shown.

2. Symbol details are given on drawing S 32 sheet 1.




3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BLACK
Legend & Symbol ---- WHITE
Chevron & Border --- WHITE

Route number patches are green with yellow
characters for primary routes and blue with
white characters for motorway numbers. The
patches have white borders. Non-primary route
numbers are white and placed directly on the
black background.

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

6. See sheet 1 for other dimensions and another variant.
See Chapter 7 of the Traffic Signs Manual for further
design guidance.



P2806-2

Department for
Transport


Title: Directional Signs
DIRECTION OF ROUTE ADVISED
FOR GOODS VEHICLES
(sign on all-purpose road) (variants)

Issue: Date:
A: 29.7.94
B: 22.6.95
C: 31.3.05



Drawn by:
L.W./R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5



Drawing No.
P 2806
Sheet 2 of 2





- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Lorry symbol details are given on drawing S 32.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLACK
Legend, Symbol & Borders ---- WHITE
Motorway patch background --- BLUE
- Note: Green route number patches are not used.
Primary route numbers are indicated as white characters on the black background.
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-heights)
6. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2806x1



- NOTES:
- The legend is from the Motorway alphabet at the x-heights shown.
 - Details of the motorway symbol are given on drawing S 55.
 - The tile outlines do not form part of the signs.
 - COLOURS: –
Background ----- BLUE
Legend, Symbol & Border --- WHITE
 - DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-ht)



P2901


Department for
Transport

Title: Motorway Regulatory Signs
POINT AT WHICH MOTORWAY
REGULATIONS START TO APPLY

Issue: Date: Drawn by: Dimensions:
A: 6.7.94 S.P./R.M.
B: 3.11.04 Approved by:
C: R.M.

SEE
NOTE 5

Drawing No.
P 2901



NOTES:

1. The route numbers are from the Motorway alphabet and the distance from the Transport Medium Alphabet at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Distance patch ----- BLUE
Legend & Border ----- WHITE
Arrows & Symbols ---- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the legend 'A 46'. (4sw = x-height)

P2904x2

© CROWN COPYRIGHT



Department
for Transport


Title: Motorway Direction Sign
TIGER TAIL SIGN

Issue: Date :
A: 3.12.11
C: 1.12.15
D: 26.1.17

Drawn by :
A.K.
Approved by:
J.B.

Related drawings :

Drawing No.
P 2904.2
Sheet 1 of 5



NOTES:

1. The route numbers are from the Motorway alphabet and the distance from the Transport Medium Alphabet at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Distance patch ----- BLUE
Legend & Border ----- WHITE
Arrows & Symbols ----- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the legend 'A 46'. (4sw = x-height)

P2904x2

© CROWN COPYRIGHT



Department
for Transport


Title: Motorway Direction Sign
TIGER TAIL SIGN

Issue: Date:
A: 3.12.11
C: 1.12.15
D: 26.1.17

Drawn by :
A.K.
Approved by:
J.B.

Related drawings :

Drawing No.
P 2904.2
Sheet 2 of 5



NOTES:

1. The route numbers are from the Motorway alphabet and the distance from the Transport Medium Alphabet at the x-heights shown. Destinations may be varied or added.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Distance patch ----- BLUE
Legend & Border ----- WHITE
Arrows & Symbols ---- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the legend 'A 14'. (4sw = x-height)

P2904x2

© CROWN COPYRIGHT



Department
for Transport


Title: Motorway Direction Sign
TIGER TAIL SIGN

Issue: Date:
A: 3.12.11
C: 1.12.15
D: 26.1.17

Drawn by :
A.K.
Approved by:
J.B.

Related drawings :

Drawing No.
P 2904.2
Sheet 3 of 5



NOTES:

1. The route numbers are from the Motorway alphabet and the distance from the Transport Medium Alphabet at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Distance patch ----- BLUE
Legend & Border ----- WHITE
Arrows & Symbols ---- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the legend 'A 46'. (4sw = x-height)

P2904x2

© CROWN COPYRIGHT



Department
for Transport


Title: Motorway Direction Sign
TIGER TAIL SIGN

Issue: Date :
A: 3.12.11
C: 1.12.15
D: 26.1.17



Drawn by :
A.K.
Approved by:
J.B.

Related drawings :

Drawing No.
P 2904.2
Sheet 4 of 5



NOTE: The minimum number of chevrons is 2.



NOTES:

1. The route numbers are from the Motorway alphabet and the distance from the Transport Medium Alphabet at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Distance patch ----- BLUE
Legend & Border ----- WHITE
Arrows & Symbols ---- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the legend 'A 46'. (4sw = x-height)

P2904x2

© CROWN COPYRIGHT



Department
for Transport


Title: Motorway Direction Sign
TIGER TAIL SIGN

Issue: Date :
A: 3.12.11
C: 1.12.15
D: 26.1.17

Drawn by :
A.K.
Approved by:
J.B.

Related drawings :

Drawing No.
P 2904.2
Sheet 5 of 5



Drawing No.
P 2910

Before using this drawing, confirm
that it has not been superseded.





© CROWN COPYRIGHT

NOTES: 1. The legend 'Services' is from the Transport Medium
alphabet and the route numbers from the Motorway
alphabet at the x-heights shown.

2. The tile outlines do not form part of the signs.

3. COLOURS : Background ----- BLUE
Legend, Arrow & Border --- WHITE

4. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)



Arrow size : 16 x 8 stroke widths

P2910

Issue C : In upper drawing,
2.5sw dimension added top right

Department for
Transport

Title: Motorway Directional Signs
ROUTE NUMBER DIRECTION SIGN
INDICATING MOTORWAY EXIT ROAD

Issue: Date: Drawn by:
A: 15.7.94 S.P.
B: 3.11.04 Approved by:
C: 12.7.05 R.M.





Dimensions:
SEE
NOTE 4

Drawing No.
P 2910

P 2910.1

NOTES:

1. The legend 'Services' is from the Transport Medium alphabet and the route numbers from the Motorway alphabet at the x-heights shown.
2. The tile outlines do not form part of the signs.
3. COLOURS : Background ----- BLUE
Legend, Arrow & Border --- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



Before using this drawing, confirm
that it has not been superseded.

P2910x1

Department for
Transport

Title: Motorway Directional Signs

ROUTE NUMBER DIRECTION SIGN
INDICATING MOTORWAY EXIT ROAD


Issue:	Date:	Drawn by:
A:	15.7.94	S.P.
B:	3.11.04	Approved by:
C:		R.M.

SEE
NOTE 4


Drawing No.

P 2910.1


- NOTES:
- The legend is from the Transport Medium alphabet at the x-heights shown.
 - Aircraft symbol details are given on drawing S 30.
 - The tile outlines do not form part of the signs.
 - COLOURS : Background ----- BLUE
Legend, Symbol & Border --- WHITE
 - DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
 - See Chapter 7 of the Traffic Signs Manual for further design guidance.



VARIANT



VARIANT



x-ht
250 min
400 max

Details of numeral alignment are given in Chapter 7 of the Traffic Signs Manual

P2911

Drawing No.
P 2912

Before using this drawing, confirm
that it has not been superseded.


© CROWN COPYRIGHT

NOTES: 1. The legend in the upper line is from the Motorway
alphabet and from the Transport Medium alphabet
in the two lower lines at the x-heights shown.


2. The tile outlines do not form part of the signs.

3. COLOURS : Background ----- BLUE
Legend & Border --- WHITE

4. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)



2.5
Junction 5



VARIANT

P2912

Department for
Transport


Title: Motorway Informatory Signs
JUNCTION AHEAD
WITH ANOTHER MOTORWAY

Issue: Date: Drawn by:
A: 6.7.94 S.P.
B: 8.12.04 Approved by:
C: R.M.


Dimensions:
SEE
NOTE 4

Drawing No.
P 2912

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Aircraft symbol details are given on drawing S 30.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLUE
Legend, Symbol & Border ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 2 for other variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



VARIANT



P2915-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Motorway Directional Signs
ROUTE TO BE FOLLOWED FOR
DESTINATIONS NOT OTHERWISE SHOWN

Issue: Date:
A: 1.4.05
B:
C:

Drawn by: R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2915
Sheet 1 of 2

Drawing No.
P 2915
Sheet 2 of 2

Related Drawing
S 38

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.

2. Railway station symbol details are given on drawing S 38.



3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BLUE
Legend & Border ---- WHITE

The railway station symbol is white on red
with a white border.

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in
stroke widths. (4sw = x-height)

6. See sheet 1 for other dimensions and another variant. See Chapter 7
of the Traffic Signs Manual for further design guidance.



x-ht
250 min
400 max

P2915-2

Department for
Transport


Title: Motorway Directional Signs
ROUTE TO BE FOLLOWED FOR DESTINATIONS
NOT OTHERWISE SHOWN (variants)

Issue: Date:
A: 1.4.05
B:
C:

Drawn by:
R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2915
Sheet 2 of 2



NOTES: 1. The route numbers are from the Motorway alphabet and other legend from the Transport Medium alphabet at the x-heights shown.

2. The tile outlines do not form part of the sign.

3. COLOURS : Background ----- BLUE
Legend & Border --- WHITE

4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the 175min/280max x-height.
(4sw = x-height)

5. See sheets 2 and 3 for variants.

P2917-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Motorway Informatory Sign
DISTANCES TO MOTORWAY
SERVICE AREAS AHEAD

Issue: Date:
A: 14.6.95
B: 14.3.05
C:

Drawn by:
S.P.
Approved by:
R.M.

Dimensions:
SEE
NOTE 4

Drawing No.
P 2917
Sheet 1 of 3

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT



NOTES: 1. The route numbers are from the Motorway
alphabet and other legend from the Transport
Medium alphabet at the x-heights shown.

2. The tile outlines do not form part of the sign.

3. COLOURS : Background ----- BLUE
Legend & Border --- WHITE

4. DIMENSIONS : x-heights are in millimetres,
other dimensions are in stroke widths based
on the 175min/280max x-height.
(4sw = x-height)

5. See sheet 1 for other dimensions and sheet 3
for other variants.



P2917-2

Department for
Transport

Title: Motorway Informatory Sign
DISTANCES TO MOTORWAY
SERVICE AREAS AHEAD (variant)

Issue: A: 14.6.95
B: 14.3.05
C:

Date: R.M.
Approved by: R.M.

Dimensions: SEE
NOTE 4

Drawing No.
P 2917
Sheet 2 of 3

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The route numbers are from the Motorway alphabet and other
legend from the Transport Medium alphabet at the x-heights shown.



2. The tile outlines do not form part of the signs.

3. COLOURS : Background ----- BLUE
Legend & Border ---- WHITE

4. DIMENSIONS : x-heights are in millimetres, other dimensions are in
stroke widths based on the 175min/280max x-height.
(4sw = x-height)

5. See sheet 2 for another variant.

* tiles in each column (tens, units
and 'm') are centred above each
other but no tiles to overlap



P2917-3

Department for
Transport

Title: Motorway Informatory Signs
DISTANCES TO MOTORWAY
SERVICE AREAS AHEAD (variants)

Issue: Date:
A: 14.6.95
B: 14.3.05
C:

Drawn by:
R.M.
Approved by:
R.M.


Dimensions:
SEE
NOTE 4

Drawing No.
P 2917
Sheet 3 of 3

Drawing No.
P 2918

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Legend & Border --- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



P2918

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Motorway Informatory Sign
DISTANCE TO NEXT
MOTORWAY SERVICE AREA

Issue: Date:
A: 14.6.95
B: 22.11.04
C:

Drawn by: S.P.
Approved by: R.M.


Dimensions:
SEE
NOTE 4

Drawing No.
P 2918

Drawing No.
P 2918.1

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Legend & Border --- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



P2918x1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Motorway Informatory Sign
SERVICES NOT AVAILABLE
ON MOTORWAY

Issue: Date :
A: 22.11.04
B:
C:

Drawn by :
L.W.
Approved by :
R.M.

Dimensions:
SEE
NOTE 4

Drawing No.
P 2918.1

P 2919.1
Sheet 1 of 2

S 45, S 46,
S 47 & T 1

© CROWN COPYRIGHT

2. Symbol details are given on drawings S 45, S 46, S 47 & T 1.

3. The tile outlines do not form part of the sign.

4. COLOURS (main panel) :-

Background ----- BLUE

Legend, Border & Symbols --- WHITE

Pump symbol ----- WHITE
GREEN on white tile

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES (other than the pump symbol):—

All symbols are 14sw high (tiles where shown). Symbol widths are as follows.

LPG ----- 19sw

Wheelchair ----- 12sw

Cup ----- 10sw



'i' information --- 14sw

Spoon & Fork --- 8sw

Bed ----- 26sw

7. The upper panel may be in any style of lettering, in any contrasting colours and may include the operator's logo. The border to the upper panel may be omitted. The upper panel, excluding the border to the main sign, may be omitted.

8. See sheet 2 for variant.



Department for
Transport

Title: Motorway Informatory Sign

MOTORWAY SERVICE AREA AHEAD

Issue:	Date:
A:	4.3.05
B:	23.2.12
C:	

Drawn by :
R.M.
Approved by :
R.M.

SEE
NOTE 5

Drawing No.
P 2919.1
Sheet 1 of 2

P 2919.1
Sheet 2 of 2

Related Drawings
S 45, S 46
& S 47

© CROWN COPYRIGHT

NOTES: 1. The legend in the main panel is from the Transport Medium alphabet at the x-heights shown.

2. Symbol details are given on drawings S 45, S 46 & S 47.

3. The tile outlines do not form part of the sign.

4. COLOURS (main panel) :-

Background ----- BLUE

Legend, Border & Symbols --- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES: –

All symbols are 14sw high (tiles where shown). Symbol widths are as follows.



Pump --- 9sw

Cup ----- 10sw

Spoon & Fork --- 8sw

Wheelchair ----- 12sw

7. The upper panel may be in any style of lettering, in any contrasting colours and may include the operator's logo. A border may be added to the upper panel. The upper panel may be omitted.



P2919x1-2

Department for
Transport

Title: Motorway Informatory Sign
MOTORWAY SERVICE AREA AHEAD
(variant)

Issue:	Date:
A:	4.3.05
B:	23.2.12
C:	

<p>Drawn by : R.M.</p> <p>Approved by : R.M.</p>
--

SEE
NOTE 5

Drawing No.
P 2919.1
Sheet 2 of 2


P 2919.2
Sheet 1 of 2

S 46, S 47,
T 1 & T 4

© CROWN COPYRIGHT

2. Symbol details are given on drawings S 46, S 47, T 1 & T 4.

7. The upper panel may be in any style of lettering, in any contrasting colours and may include the operator's logo. The border to the upper panel may be omitted. The upper panel, excluding the border to the main sign, may be omitted.



P2919x2-1

Department for
Transport

Title: Motorway Informatory Sign

MOTORWAY SERVICE AREA AHEAD

Issue:	Date:
A:	11.11.11
B:	17.1.12
C:	

Drawn by :
R.M.
Approved by:
R.M.

SEE
NOTE 5

Drawing No.
P 2919.2
Sheet 1 of 2

P 2919.2
Sheet 2 of 2

Related Drawings
S 46, S 47
& T 4

Before using this drawing, confirm that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend in the main panel is from the Transport Medium alphabet at the x-heights shown.

2. Symbol details are given on drawings S 46, S 47 & T 4.

3. The tile outlines do not form part of the sign.

4. COLOURS (main panel) :-

Background ----- BLUE

Legend, Border & Symbols --- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)

6. SYMBOL SIZES: –

All symbols are 14sw high (tiles where shown). Symbol widths are as follows.


Pump --- 9sw

Cup ----- 10sw

Spoon & Fork --- 8sw

Picnic Area ----- 14sw

7. The upper panel may be in any style of lettering, in any contrasting colours and may include the operator's logo. A border may be added to the upper panel. The upper panel may be omitted.



P2919x1-2

Department for
Transport

Title:	Motorway Informatory Sign
	MOTORWAY SERVICE AREA AHEAD (variant)

Issue:	Date:
A:	11.11.11
B:	17.1.12
C:	

Drawn by :
R.M.

Approved by:
R.M.

SEE
NOTE 5

Drawing No.

P 2919.2
Sheet 2 of 2

Drawing No.
P 2920.1

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT


NOTES: 1. The legend in the main panel is from the Transport
Medium alphabet at the x-heights shown.

2. The tile outlines do not form part of the signs.



3. COLOURS (main panel) : -
Background ----- BLUE
Legend, Border & Arrow --- WHITE

4. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

5. The upper panel may be in any style of lettering, in any
contrasting colours and may include the operator's logo.
The upper panel, excluding the border to the main sign,
may be omitted.



* This dimension is increased when
the upper panel determines the
width of the sign



VARIANT

P2920x1

Department for
Transport

Title: Motorway Directional Signs
DIRECTION TO
MOTORWAY SERVICE AREA

Issue: Date: Drawn by:
A: 4.3.05 R.M.
B: Approved by:
C: R.M.

Dimensions:
SEE
NOTE 4




Drawing No.
P 2920.1

Drawing No.
P 2922

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet
at the x-heights shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Legend, Arrow & Border ---- WHITE
4. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)



P2922

Department for
Transport



Title: Motorway Direction Sign
ENTRANCE TO WORKS UNIT

Issue: Date: Drawn by: S.P.
A: 6.7.94
B: 3.11.04 Approved by: R.M.
C:

Dimensions:
SEE
NOTE 4

Drawing No.
P 2922

2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.
3. The tile outlines do not form part of the sign.
4. COLOURS : Background ----- BROWN
Legend, Symbols & Arrow --- WHITE
Border & Divider Line ----- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See sheet 2 for variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



Before using this drawing, confirm
that it has not been superseded.

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.



2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BROWN
Legend, Symbols & Arrow ---- WHITE
Border & Divider Line ----- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths.
(4sw = x-height)

6. See sheet 1 for other dimensions. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2927-2

Department for
Transport

Title: Motorway Direction Signs
JUNCTION AHEAD LEADING TO TOWN
WITH TOURIST ATTRACTIONS (variants)

Issue: Date:
A: 15.6.95
B: 14.4.05
C:

Drawn by:
R.M.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2927
Sheet 2 of 2

Drawing No.

P 2927.1

Before using this drawing, confirm that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.


2. Details of the tourist attraction symbols are given on the 'T' and 'AT' series of drawings.

3. The tile outlines do not form part of the signs.


4. COLOURS : Background ----- BROWN
Legend, Symbol & Border --- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)


6. See Chapter 7 of the Traffic Signs Manual for further design guidance.



VARIANT



VARIANT



VARIANT

P2927x1

Department for
Transport

Title: Motorway Directional Signs
ROUTE TO BE FOLLOWED FOR TOURIST
DESTINATIONS NOT OTHERWISE SHOWN



Issue: Date: Drawn by:
A: 13.4.05 R.M.
B: Approved by:
C: R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2927.1

Drawing No.
P 2928

© CROWN COPYRIGHT



- NOTES: 1. The legend is from the Transport Medium alphabet when white letters and a blue background are used. The legend is from the Transport Heavy alphabet when black letters and a white background are used.
2. The tile outlines do not form part of the signs.
3. COLOURS:—
Background ----- BLUE
Legend & Border --- WHITE
or
Background ----- WHITE
Legend & Border --- BLACK
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the larger letters (4sw = x-height). The smaller legends in the examples shown have been drawn at 80% of the x-height of the place name.
5. The sign may be varied in accordance with the Traffic Signs Regulations and General Directions 2002.

P2928

Before using this drawing, confirm that it has not been superseded.

Department for
Transport




Title: Motorway Informatory Signs
COUNTY BOUNDARY SIGN

Issue: Date: Drawn by: Dimensions:
A: 6.7.94 R.M.
B: 30.3.05 Approved by:
C: R.M.

Dimensions:
SEE
NOTE 4

Drawing No.
P 2928

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Symbol details are given on drawing S 32 sheet 1.
3. The tile outlines do not form part of the signs.
4. COLOURS : Background ----- BLACK
Legend & Symbols ---- WHITE
Arrows & Borders ----- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
6. See Chapter 7 of the Traffic Signs Manual for further design guidance.
Note that when the signs are placed on an exit slip road of a motorway, primary route (green) and motorway (blue) bracketed route number patches may be used. All route numbers are white when the sign is used on the main carriageway of a motorway or on a motorway to motorway link road.



P2929

Before using this drawing, confirm that it has not been superseded.


<div> <div>Department for</div> <div>Transport</div> </div>	Title: Motorway Directional Sign ROUTE AHEAD ADVISED FOR GOODS VEHICLES	Issue:	Date:	Drawn by:	Dimensions:	Drawing No. P 2929
		A:	6.7.94	L.W.	SEE	
		B:	11.3.05	Approved by:	NOTE 5	
		C:		R.M.		

Drawing No.
P 2929.1
Sheet 1 of 2

Related Drawing
S 32

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-heights shown.
2. Lorry symbol details are given on drawing S 32.
3. The tile outlines do not form part of the sign.
4. COLOURS : Background ----- BLACK
Legend, Symbol & Border ---- WHITE
5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)
- 6 See sheet 2 for variants. See Chapter 7 of the Traffic Signs Manual for further design guidance.



P2929x1-1

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Motorway Directional Sign
ROUTE ADVISED
FOR GOODS VEHICLES

Issue: Date:
A: 11.11.04
B:
C:

Drawn by:
L.W.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2929.1
Sheet 1 of 2

Drawing No.
P 2929.1
Sheet 2 of 2

Related Drawing
S 32

Before using this drawing, confirm
that it has not been superseded.

© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet at
the x-heights shown.



2. Lorry symbol details are given on drawing S 32.

3. The tile outlines do not form part of the signs.

4. COLOURS : Background ----- BLACK
Legend, Symbol & Border ---- WHITE

5. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)

6 See sheet 1 for other dimensions. See Chapter 7 of
the Traffic Signs Manual for further design guidance.



P2929x1-2

Department for
Transport


Title: Motorway Directional Signs
ROUTE ADVISED FOR
GOODS VEHICLES (variants)


Issue: Date:
A: 11.11.04
B:
C:

Drawn by:
L.W.
Approved by:
R.M.

Dimensions:
SEE
NOTE 5

Drawing No.
P 2929.1
Sheet 2 of 2






Drawing No.
P 2932

© CROWN COPYRIGHT

- NOTES: 1. The legend is from the Transport Medium alphabet at the x-height shown.
2. The tile outlines do not form part of the sign.
3. COLOURS : Background ----- BLUE
Legend & Border --- WHITE
4. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. (4sw = x-height)



P2932

Before using this drawing, confirm that it has not been superseded.

Department for
Transport

Title: Motorway Regulatory Sign
END OF MOTORWAY REGULATIONS AT
THE ENTRANCE TO A SERVICE AREA

Issue: Date: Drawn by: S.P.
A: 6.7.94
B: 13.9.04 Approved by: R.M.
C:

Dimensions:
SEE
NOTE 4

Drawing No.
P 2932

P 2933

S 60


© CROWN COPYRIGHT

2. Symbol details are given on drawing S 60.

3. The tile outlines do not form part of the sign.

4. COLOURS : Background ----- BLUE
Legend, Symbol & Border --- WHITE

5. DIMENSIONS : x-heights are in millimetres, other dimensions are in stroke widths. ($4sw = x$ -height)



Before using this drawing, confirm
that it has not been superseded.

Department for
Transport

Title: Motorway Informatory Sign

KEEP APART TWO CHEVRONS

Issue:	Date:
A:	3.9.04
B:	
C:	

Drawn by :
R.M.

Approved by :
R.M.

SEE
NOTE 5

Drawing No.

P 2933

Drawing No.
P 2934

Before using this drawing, confirm
that it has not been superseded.



© CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Medium alphabet
at the x-heights shown.

2. The tile outlines do not form part of the signs.

3. COLOURS : Background ----- BLUE
Legend & Border --- WHITE

4. DIMENSIONS : x-heights are in millimetres, other
dimensions are in stroke widths. (4sw = x-height)



VARIANT

P2934

Department for
Transport

Title: Motorway Informatory Signs
SIGNS USED IN CONJUNCTION WITH
CHEVRON ROAD MARKINGS

Issue: Date :
A: 3.9.04 L.W.
B: Approved by :
C: R.M.

Dimensions:
SEE
NOTE 4

Drawing No.
P 2934