

Annual Medical Discharges in the UK Regular Armed Forces

1 April 2020 to 31 March 2025

Published 17 July 2025

This official statistic provides information on medical discharges among UK regular service personnel. The bulletin focuses on medical discharges within the most recent financial year including demographic factors and the medical causes leading to the discharge, as well as providing time trends for the last ten years.

When a medical condition or fitness issue affects a member of the UK armed forces, their ability to perform their duties is assessed. If they are unable to perform their duties and alternative employment within the armed forces is not available, personnel may be medically discharged. Medically discharged personnel leave the armed forces prior to the completion of their contract and may be entitled to additional payments as part of their military pension.

The medical reason for the discharge is recorded and categorised. It is possible for personnel to be medically discharged for multiple reasons.

Key Points and Trends

In 2024/25:

In 2024/25:		
Royal Navy	Army	RAF
426 medical discharges 13 per 1,000 personnel	1,250 medical discharges 15 per 1,000 personnel	199 medical discharges 7 per 1,000 personnel
=	=	=
(Not significantly different to last year when the rate was 12 per 1,000)	(Not significantly different to last year when the rate was 16 per 1,000)	(Not significantly different to last year when the rate was 8 per 1,000)
Groups at significantly higher risk of medical discharge:	Groups at significantly higher risk of medical discharge:	Groups at significantly higher risk of medical discharge:
Aged 30-34 years	Aged 40-44 years	Aged 40-44 years
Females	Females	Females
Other ranks	Other ranks	Other ranks
	Untrained	!

For all three services, the most common principal causes of medical discharge were *Mental and Behavioural Disorders* and *Musculoskeletal Disorders and Injuries*. This was in line with findings from previous years.



Around **2** in **5** (43%) of all medical discharges were the result of more than one medical condition.

Responsible statistician: Deputy Head of Defence Statistics Health Further Information/mailing list: <u>Analysis-Health-PQ-FOI@mod.gov.uk</u> Enquiries: Press Office: 020 72183253 Background quality report: <u>https://www.gov.uk/government/collections/medical-discharges-among-uk-service-personnel-statistics-index</u> Would you like to be added to our contact list, so that we can inform you about undates to these statistics and contact list.

Would you like to be added to our **contact list**, so that we can inform you about updates to these statistics and consult you if we are thinking of making changes? Subscribe to updates by emailing <u>Analysis-Publications@mod.gov.uk</u>

Contents

Key Points and Trends 1
Contents 2
Introduction
Main Points 4
Royal Navy/Royal Marines 5
Trends in Medical Discharges5 Demographic Risk Groups
Army
Trends in Medical Discharges
RAF
Trends in Medical Discharges 24 Demographic Risk Groups 25 Causes of Medical Discharges 29
Glossary
Methodology
Further Information
Contact Us
Annex A
References43

Past publications and supplementary tables containing all data presented in this publication can be found at:

https://www.gov.uk/government/collections/medical-discharges-among-uk-service-personnelstatistics-index.

The MOD also publishes the following related annual statistics:

- claims and awards made under the <u>Armed Forces Compensation Scheme (AFCS)</u> for compensation paid for injury/illness caused by service in the Armed Forces.
- MOD compensation payments under the War Pension Scheme (WPS).
- <u>Mental health</u> among UK Armed Forces personnel.

Our statistical practice is regulated by the Office for Statistics Regulation (OSR). The OSR sets the standards of trustworthiness, quality and value in the <u>Code of Practice for Statistics</u> that all producers of official statistics should adhere to.

You are welcome to contact us directly with any comments about how we meet these standards. Please contact us at <u>Analysis-Publications@mod.gov.uk</u>. Alternatively, you can contact OSR by emailing <u>regulation@statistics.gov.uk</u> or via the <u>OSR website</u>.

Introduction

Service personnel with medical conditions or fitness issues which affect their ability to perform their duties will generally be referred to a medical board for a medical examination and review of their medical grading. In clear cut cases where the individual's fitness falls below the service employment and retention standards the board will recommend a medical discharge; as laid down in the medical policy and/or the single services retention standards for their career group. In many cases however, the patient will first be downgraded to allow for treatment, recovery, and rehabilitation. For personnel who do not make a total recovery, the board may recommend the patient is retained as permanently downgraded with limited duties, or they may recommend a medical discharge. The recommendation is then forwarded to personnel administration units or an employment board for ratification or decision and action.

This report provides the Ministry of Defence (MOD), the general public, and the media with information on medical discharges in the UK regular armed forces. In addition, this information is used to prioritise resources used for the rehabilitation and reintegration of personnel leaving the armed forces for medical reasons and to help inform discussions on injury prevention in the armed forces. Each of the three services are presented separately as comparisons between the services are considered invalid. This is because practices and protocols for recommending and awarding a medical discharge differ. This is particularly true for untrained personnel.

Please note that this report focuses exclusively on medical discharges that have occurred; personnel who exit the forces for any other reason¹, or medically downgraded personnel who are retained in service are excluded. In addition, as these statistics relate only to the population of personnel who medically discharged, the proportions of medical reasons leading to discharge are not necessarily indicative of the prevalence of such conditions in the entire UK armed forces population. It is possible for personnel to be medically discharged for multiple reasons; this document focuses on principal cause of medical discharge and information on principal and contributory cause can be found in the supplementary tables.

This official statistic includes medical discharges of regular UK armed forces personnel only and excludes all reservist personnel. This is because the medical discharge process and medical record information for reservist personnel is not comparable to that of regular personnel. Most reserve personnel do not receive their primary medical care from MOD, but instead receive their primary medical care from the NHS. Therefore, Defence Statistics Health are unable to verify the quality of information relating to the discharge of reservist personnel and it has not been deemed appropriate to include information on this population until further understanding is gained.

Since 2019/20, the primary source of the cause of medical discharge is the electronic medical record (DMICP), supplemented by paperwork in the form of FMed 23s. Please see the methodology (page 34) and the annual medical discharges in the UK regular armed forces background quality report for further information².

Main Points

Between 1 April 2024 to 31 March 2025 (2024/25), of the UK regular armed forces population:

Royal Navy	426 Royal Navy/Royal Marines personnel were medically discharged, a rate of 13 per 1,000 personnel . The rate was not significantly different than last year (12 per 1,000 personnel).
Army	1,250 army personnel were medically discharged, a rate of 15 per 1,000 personnel . The rate was not significantly different than last year (16 per 1,000 personnel).
RAF	199 RAF personnel were medically discharged, a rate of 7 per 1,000 personnel . The rate was not significantly different than last year (8 per 1,000 personnel).

A total of **1,875 medical discharges** occurred in 2024/25, representing approximately 5 UK regular armed forces personnel medically discharged each day.

There was no statistically significant difference in the rate of medical discharge among the Royal Navy/Marines, army and RAF compared to 2023/24. Any changes in rates do not necessarily reflect prevalence of injury and/or illness, and instead may reflect changes in medical boarding practices, retention policies or changes to employment standards.

When looking at trends, caution should be taken when comparing rates of medical discharges over the last five years. As a result of the COVID-19 pandemic, there was a reduction in some routine and training activities. This, along with temporary amendments to medical employment policy, to reduce the pressure on the military medical chain and the NHS, may have resulted in fewer medical discharges in 2020/21 and had subsequent impact in the years following the pandemic. Following a return to pre-COVID routine and activities, the rates of medical discharges in 2024/25 were significantly higher in all three services compared to the rate prior to the pandemic.

Mental and Behavioural Disorders and **Musculoskeletal Disorders and Injuries** were the two most common principal causes of medical discharge for each service. This finding is likely to be due to the physical demands of the UK armed forces; the challenges in retaining personnel with severe or enduring mental ill-health given the nature of their role and access to weapons, as well as the commonality of these conditions among the general population. The United States Army³ and Canadian military⁴ also report these two causes as the most common reasons for medical release.

Historically Musculoskeletal Disorders and Injuries were the most common principal cause of medical discharge across all three services. In more recent years this has varied, with the proportion of medical discharges due to Mental and Behavioural Disorders at times being higher than that of Musculoskeletal Disorders and Injuries in all services. This may be the result of a number of factors including; temporary amendments to medical employment policy due to COVID-19, reduced military activity impacting the number of Musculoskeletal Disorders and Injuries throughout the pandemic, and MOD led anti-stigma campaigns improving awareness and detection of mental ill health. In 2024/25 the largest principal cause of medical discharges in the Royal Navy and the RAF was Mental and Behavioural Disorders, and for the army was Musculoskeletal Disorders and Injuries. Further explanations for this are explored within the Causes of Medical Discharge section for each service.

In 2024/25 the following demographic groups were significantly more likely to medically discharge:

- Other ranks in all services.Females in all services.
- Royal Navy/Royal Marines aged **30-34** years.
- **Untrained** personnel in the army.
- Army and RAF aged 40-44 years.

The demographic groups with higher rates of discharge were broadly consistent with the results from previous reports. These findings also align with the risk groups seen in musculoskeletal disorders and injuries and mental health presentations in military healthcare settings^{5,6,7}.

Royal Navy/Royal Marines

Trends in Medical Discharges

In 2024/25, there were **426** medical discharges from the Royal Navy/Royal Marines; a rate of **13 per 1,000** personnel. This rate was not significantly different than last year.

The rates of medical discharge by demographic groups can be found for the Royal Navy and Royal Marines as individual populations in **Annex A** (pages 39 to 42).

Figure 1 shows the number and rate of Royal Navy/Royal Marines medical discharges over time from 2015/16 to 2024/25.

Figure 1: UK Regular Royal Navy/Royal Marines medical discharges by financial year, numbers and rates per 1,000 personnel

1 April 2015 to 31 March 2025



Source: DMICP, FMed 23 and JPA

¹ March 2020 - start of COVID-19 pandemic; Defence, in line with the rest of the country followed guidance on restrictions from the UK Government and devolved administrations.

▼ The rate of medical discharges fell between 2017/18 and 2020/21 from 15.0 to 10.1 per 1,000. The reasons for this are unclear, however the fall in 2020/21 may partially be explained by COVID-19 restrictions on routine and clinical activity, and a deferral of discharges to minimise burden on the NHS.

▲ The rate of medical discharges significantly increased in 2021/22 to 14.2 in 1,000. This rise may in part have been due to a review of the management and retention of long-term downgraded personnel.

▲ The rate of medical discharges fell to 11.9 per 1,000 in 2022/23 and has since increased to 13.4 per 1,000 in 2024/25. Whilst the rate in 2024/25 was not significantly different compared to the previous year, the rate was significantly higher than that seen prior to COVID-19. This increase may partially be due to increased capacity of Royal Navy medical board resulting in more timely decisions on future employment based on an individual's functional capacity and fitness to work.

Demographic Risk Groups

In 2024/25, the rate of medical discharge was significantly higher for regular **Royal Navy/Royal Marines** personnel within the following demographic groups (Table 1):

- Aged 30-34 years
- Females
- Other ranks

Royal Navy personnel only:

- Aged 30-34 years
- Females
- Other ranks
- Trained

Royal Marines personnel only:

- Other ranks
- Untrained

Table 1: UK Regular Royal Navy/Royal Marines medical discharges by demographics¹, numbers and rates per 1,000 personnel

1 April 2024 to 31 March 2025

Rate of UK regular Royal n rate Marines personnel medica	
Number of UK regular RoyalNavy/Royal Marines personnelmedically discharged42613.4	
Age	
Aged under 20 ⁻ 7 4.5	
Aged 20-24 70 10.1	
Aged 25-29 98 14.5	
Aged 30-34 + 98 19.7	
Aged 35-39 71 15.7	
Aged 40-44 47 14.1	
Aged 45-49 19 10.2	
Aged 50 and over ⁻ 16 8.2	
Gender	
Male 358 12.6	
Female * 68 19.2	
Rank	
Officer 30 4.2	
Other Rank * 396 16.0	
Training Status	
Trained 387 13.8	
Untrained 39 10.1	
Service	
Royal Navy 342 13.4	
Royal Marines 84 13.1	

Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

+/- Age groups found to be at a statistically significantly higher (+) or lower (-) risk than the remaining age groups combined using a z-test for a single proportion at a 95% confidence level.

* Groups found to be at a statistically significantly higher risk using a z-test for proportions at a 95% confidence level

Figures 2 to **6** present the Royal Navy/Royal Marines medical discharges by demographic group from 2020/21 to 2024/25 with possible explanations for the differences observed.

The rates of medical discharge by demographic groups can be found for the Royal Navy and Royal Marines as individual populations in **Annex A** (pages 39 to 42).

Figure 2: UK Regular Royal Navy/Royal Marines medical discharges by age group¹ and financial year², rates per 1,000 personnel



Source: DMICP, FMed 23 and JPA

¹As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² March 2020 - start of COVID-19 pandemic.

In 2024/25, the rate of medical discharge for personnel **aged 30-34 years** was **significantly higher** than other age groups and the rate for those **aged under 20 years**, **aged 20-24 years** and **aged over 50 years** were **significantly lower** compared to other age groups.

Figure 3: UK Regular Royal Navy/Royal Marines medical discharges by gender¹ and financial year, rates per 1,000 personnel

1 April 2020 to 31 March 2025



Females had a **significantly higher** rate of medical discharges in 2024/25 and has been higher than males for all years presented.

The higher rate of medical discharges in female personnel may be due to their higher risk of sustaining Musculoskeletal Disorders and Injuries⁶, reporting injury⁵ and higher presentation of mental health disorders⁷ (the leading two causes of medical discharge).

Figure 4: UK Regular Royal Navy/Royal Marines medical discharges by rank¹ and financial year, rates per 1,000 personnel

1 April 2020 to 31 March 2025



¹As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² March 2020 - start of COVID-19 pandemic.

The rate of medical discharge among other ranks was significantly higher than officers throughout the period presented. The reason for this is unclear, however it may in part be due to role requirements. Officers may have more opportunities to be placed in an ashore role where it is easier to deliver medical care and assess treatment. There are complexities of retaining personnel with medical needs in roles on-board ship.

Figure 5: UK Regular Royal Navy/Royal Marines medical discharges by training status¹ and financial year, rates per 1,000 personnel

1 April 2020 to 31 March 2025



¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² March 2020 - start of COVID-19 pandemic.

There was **no significant difference** in the rate of medical discharges **between untrained and trained personnel for Royal Navy/Royal Marines** combined.

When considering the Royal Navy and Royal Marines separately; the rate of medical discharge was **significantly higher** among **trained Royal Navy** personnel and **untrained Royal Marines** throughout the period presented.

The higher rate of medical discharges among untrained Royal Marines may be due to the intensive nature of the training programme.

In 2022/23, the rate of medical discharge for untrained Royal Marines fell, driven by a reduction of medical discharges due to Musculoskeletal Disorders and Injuries. Rates have remained similar for the last two years.

Additionally, where the standard of physical fitness associated with training and deployment is not met in the Royal Marines, personnel are given the option to transfer to the Royal Navy provided they meet the Royal Navy standard.

Figure 6: UK Regular Royal Navy/Royal Marines medical discharges by service¹ and financial year, rates per 1,000 personnel



Historically, the rate of medical discharges were higher among Royal Marines compared to the Royal Navy, however in 2024/25, the Royal Navy rate was higher than the Royal Marines.

Please note, whilst rates were higher in the Royal Navy compared to the Royal Marines in 2024/25, the rates were **not statistically significant different.**

² March 2020 - start of COVID-19 pandemic.

Causes of Medical Discharge

When UK armed forces personnel are medically discharged, the medical reason for the discharge is recorded and categorised using a coding system known as ICD-10 (see glossary). **Principal cause** is the main medical cause of the discharge. **Contributory causes** include any other conditions identified that would result in a medical discharge. Unless otherwise stated, all further information presented in the cause of medical discharge section will be relating to principal cause of discharge only.

In 2024/25, the two most common principal causes of medical discharges in the Royal Navy/Royal Marines were Mental and Behavioural Disorders and Musculoskeletal Disorders and Injuries. Of the **426** medical discharges:

46% of medical discharges (approx. 1 in 2) were due to Mental and Behavioural Disorders.

33% of medical discharges (approx. 1 in 3) were due to Musculoskeletal Disorders and Injuries.

Royal Navy personnel only:

- **54%** of medical discharges were due to Mental and Behavioural Disorders.
- **25%** of medical discharges were due to Musculoskeletal Disorders and Injuries.

Royal Marines personnel only:

- **13%** of medical discharges were due to Mental and Behavioural Disorders.
- 63% of medical discharges were due to Musculoskeletal Disorders and Injuries.

Table 2 presents Royal Navy/Royal Marines medical discharges by principal ICD-10 cause code group (the chapter within which the condition is categorised) for 2024/25 and the total for the latest five year period, 2020/21 to 2024/25. The five year total is provided as a comparator for the cause group percentages in the latest year. For a breakdown of each of the five years, please see the supplementary tables (Table 3).

Table 2: UK Regular Royal Navy/Royal Marines medical discharges by principal ICD-10 cause code group¹ and financial year, numbers and percentages²

1 April 2020 to 31 March 2025

	5 Year Total 2020/21-2024/25		2024/25	
	n	%	n	%
All medical discharges	2,039		426	
All cause coded medical discharges	2,036	100	424	100
Infectious and parasitic diseases	~	<1	~	<1
Neoplasms	33	2	9	2
Blood disorders	~	<1	0	0
Endocrine, nutritional and metabolic diseases	36	2	5	1
- Of which diabetes	27	1	~	<1
 Of which insulin-dependent 	15	<1	~	<1
- Of which non-insulin-dependent	9	<1	0	0
Mental and behavioural disorders	644	32	195	46
- Of which mood disorders	205	10	68	16
- Of which depression	185	9	62	15
- Of which neurotic, stress related and somatoform	376	18	113	27
- Of which post-traumatic stress disorder (PTSD)	172	8	60	14
- Of which adjustment disorder	36	2	11	3
Nervous system disorders	76	4	12	3
- Of which epilepsy	13	<1	~	<1
Eye and adnexa diseases	16	<1	0	0
- Of which blindness, low vision and visual disturbance	~	<1	0	0
Ear and mastoid process diseases	47	2	8	2
- Of which hearing loss	37	2	6	1
- Of which noise-induced hearing loss	~	<1	0	0
- Of which tinnitus	~ 70	<1	~	<1
Circulatory system disorders	73	4	17	4
Respiratory system disorders	21	1	~	<1
- Of which asthma	17	<1	~	<1
Digestive system disorders	57	3	11	3
Skin and subcutaneous tissue diseases	41	2	8	2
Musculoskeletal disorders and injuries	875	43	138	33
- Of which injuries and disorders of the knee	206	10	29	7
- Of which knee pain	103	5	15	4
- Of which back pain	150	7	15	4
- Of which low back pain	132	6	14	3 3
 Of which injuries and disorders of the ankle and foot Of which heat injury 	117	6	14	-
- Of which real injury	~ 12	<1 <1	0	0 <1
Genitourinary system diseases	12	<1	~	<1
Pregnancy, childbirth and puerperium	~	0	0	•
	0	-	0	0
Congenital malformations	5	<1	~	<1
Clinical and laboratory findings ³	54	3	8	2
External causes of morbidity and mortality	~	<1	0	0
Factors influencing health status	22	1	~	<1
No details held on principal condition for medical boarding	3		2	
Withheld consent Source: DMICP. FMed 23 and JPA	0		0	

Source: DMICP, FMed 23 and JPA

¹ Each cause of discharge category has been compiled using ICD-10 codes, please see the supplementary tables for specific codes. ² Percentages are calculated from the total of all cause-coded medical discharges. Data presented as "<1%" represent a percentage

greater than 0% but smaller than 1%.

³ Clinical and laboratory findings include symptoms and abnormal clinical findings - such as irregular heartbeat and abdominal pain - which are ill-defined and may not have a diagnosis that can be elsewhere classified

~ In line with JSP 200 on statistical disclosure, figures fewer than five have been suppressed. Where there was only one cell in a column that was fewer than five, the next smallest number has also been suppressed so that numbers cannot simply be derived from totals.

Figure 7 shows the main principal cause coded medical discharges between 2020/21 and 2024/25.

Musculoskeletal Disorders and Injuries was the largest principal cause of Royal Navy/Royal Marines medical discharges over the last five years, accounting for approximately 2 in 5 of all discharges (43%). The proportion of Musculoskeletal Disorders and Injuries discharges over the last five years was higher among Royal Marines personnel (68%) than Royal Navy personnel (34%), which may be due to the physically intensive nature of many of the roles within this service.

Mental and Behavioural Disorders remained the second largest principal cause of Royal Navy/Royal Marines medical discharges across the reporting period. The proportion of medical discharges for these disorders increased between 2020/21 and 2024/25, with Mental and Behavioural Disorders becoming the largest principal cause in the latest year. This increase was driven by discharges in the Royal Navy, and is in line with a rise in clinical presentations in military healthcare for mental health related reasons⁷. Royal Marine rates of both clinical presentations and medical discharge due to mental ill-health remain low, this may be attributed to their selection processes, tight unit cohesion and high levels of preparedness.

Nervous System Disorders was the third largest principal cause of Royal Navy/Royal Marines medical discharges accounting for around 4% of all medical discharges since 2020/21.

Please note that each medical discharge can only have one principal condition, and a decrease in one cause code group may appear as an increase in another. Therefore, it is important to consider all cause code groups when looking at trends over time.





1 April 2020 to 31 March 2025

Source: DMICP, FMed 23 and JPA

¹ Percentages are calculated from the total of all cause-coded medical discharges.

² Due to rounding, percentages might not add to 100%.

³ Includes 12 cause code groups; each accounting for a maximum of 4% of all Royal Navy/Royal Marines cause coded medical discharges.

Figure 8 shows the proportions of cause coded medical discharges by principal ICD-10 cause code groups in 2024/25.

The majority of medical discharges as a result of Mental and Behavioural Disorders in 2024/25 were due to Neurotic, Stress and Somatoform Disorders (including Adjustment, PTSD and Anxiety) (n = 113, 58%), and Mood Disorders (including Depression) (n = 68, 35%). Neurotic Disorders were the most prevalent mental disorders assessed at MOD Specialist Mental Health services in $2024/25^7$.

In 2024/25, the proportion of Royal Navy/Royal Marines medical discharges due to Post-Traumatic Stress Disorder (PTSD) increased compared to previous years. Whilst the reasons for this are unclear, rates remain low. In the latest year PTSD accounted for approximately 1 in 3 Mental and Behavioural Disorder medical discharges whereas PTSD only accounted for approximately 1 in 9 initial assessments by MOD specialist mental health clinicians⁷ for Royal Navy/Royal Marines personnel. This difference may reflect the severity of PTSD and the impact that a continued role in the military may have on the individual's condition.

2 in 5 of the medical discharges as a result of Musculoskeletal Disorders and Injuries in 2024/25 were linked to injuries and disorders of the knee, ankle and foot, as well as back pain (n = 58, 42%). The high numbers of medical discharges for these conditions is likely due to the physical activity required in many areas of the Royal Navy/Royal Marines; training on uneven ground carrying heavy loads, adopting firing positions, climbing ladders and working on a moving platform aboard ship. Back pain is also the leading cause of global disability⁸.

The remaining medical discharges due to Musculoskeletal Disorders and Injuries (n = 80, 58%) were distributed across a wide range of disorders and injuries, with no large numbers of discharges in one particular body region or medical condition.





Source: DMICP, FMed 23 and JPA

¹ Due to rounding, percentages might not add to 100%.

² Total number of army discharges were 426, however 2 personnel had no details on principal condition for medical discharge.

³ Post-traumatic stress disorder discharges are shown as a percentage of Mental and Behavioural Disorders and not Neurotic, Stressrelated and Somatoform Disorders.

⁴ Includes 12 cause code groups; each accounting for a maximum of 3% of all Royal Navy/Royal Marines cause coded medical discharges.

When considering both the principal and contributory causes of discharge in the Royal Navy/Royal Marines in 2024/25:

- Mental and Behavioural Disorders were present in over half of discharges (n = 228, 54%).
- Musculoskeletal Disorders and Injuries were present in just under half of discharges (n = 193, 46%).
- Whilst the top two principal and contributory causes of discharge were consistent in both the Royal Navy and Royal Marines, the third most common causes differed:
 - In the Royal Navy, Digestive system disorders were the third most common cause (n = 29, 9%).
 - \circ In the Royal Marines, Ear and Mastoid Process Diseases were the third most common cause (n = 7, 8%).

Further information on the principal and contributory causes of medical discharge in the UK regular Royal Navy/Royal Marines can be found in the supplementary tables to this report (**Table 4, 15, and 18**).

Army

Trends in Medical Discharges

In 2024/25, there were **1,250** medical discharges from the army; a rate of **15 per 1,000** personnel. This rate was not significantly different than last year.

Figure 9 shows the number and rate of army medical discharges over time from 2015/16 to 2024/25.

Figure 9: UK Regular army medical discharges by financial year, numbers and rates per 1,000 personnel

1 April 2015 to 31 March 2025



Source: DMICP, FMed 23 and JPA

¹ March 2020 - start of COVID-19 pandemic; Defence, in line with the rest of the country followed guidance on restrictions from the UK Government and devolved administrations.

▼ The rate of medical discharges fell between 2016/17 and 2021/22 from 20.9 per 1,000 to 7.6 per 1,000. This may be due to an increased availability of roles suitable for personnel with medical restrictions. In 2019/20, the army updated their medical employment policy placing greater emphasis on retention and transfer for personnel with medical limitations into roles suitable for their individual needs, thus retaining personnel who may previously have been medically discharged.

Between 2020/21 and 2021/22, as a result of COVID-19, army medical employment policy was temporarily amended to reduce the pressure on the military medical chain and the NHS. Changes included medical extensions and deferrals of a person's last day of service. Additionally, a reduction in some routine and training activities may have resulted in fewer injuries and subsequently impacted the number of discharges in these years.

▲ Between 2021/22 and 2023/24 the rate of medical discharges increased for the first time since 2016/17. This may be a result of a number of factors including a return to pre-COVID routine and training activities, increased capacity of medical boards to review personnel recommended for discharge, and a change in the definition for how those who choose not to accept an alternative employment offer are categorised.

▼ In 2024/25, at 15.4 per 1,000 personnel, there was no statistically significant change in the rate compared to last year; however, the rate remains significantly higher than pre COVID pandemic.

Demographic Risk Groups

In 2024/25, the rate of medical discharge was significantly higher for regular army personnel within the following demographic groups (**Table 3**):

- Aged 40-44 years
- Females
- Other ranks
- Untrained

Table 3: UK Regular Army medical discharges by demographics¹, numbers and rates per 1,000 personnel

1 April 2024 to 31 March 2025

				Rate of UK regular army personnel
Number	of UK regular army	<u> </u>	rate	medically discharged
	el medically			
discharg		1,250	15.4	
Age				
I	Aged under 20	91	17.8	
1	Aged 20-24	249	15.3	
1	Aged 25-29 ⁻	213	13.0	
	Aged 30-34	207	15.0	
	Aged 35-39	201	15.4	
	Aged 40-44 +	171	19.7	
	Aged 45-49	74	16.3	
	Aged 50 and over	44	13.7	
Gender				
I	Male	1,069	14.6	
I	Female *	181	23.1	
Rank				
(Officer	95	7.4	
(Other Rank *	1,155	16.9	
Training	Status			
-	Trade Trained ²	1,052	14.2	
I	Untrained *	198	27.9	

Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² Army personnel are considered trade trained when they have completed both phase 1 and 2 training.

+/- Age groups found to be at a statistically significantly higher (+) or lower (-) risk than the remaining age groups combined using a z-test for a single proportion at a 95% confidence level.

* Groups found to be at a statistically significantly higher risk using a z-test for proportions at a 95% confidence level.

The higher rates of presentation among the demographic groups seen in Table 3 were broadly consistent to those seen in previous years.

Figures 10 to 13 present the Army medical discharges by demographic group from 2020/21 to 2024/25 with possible explanations for the differences observed.

Figure 10: UK Regular Army medical discharges by age group¹ and financial year², rates per 1,000 personnel



Financial Year

Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² March 2020 - start of COVID-19 pandemic.

In 2024/25, army personnel **aged 40-44 years** had a **significantly higher** rate of medical discharge than the remaining age groups. The rate for personnel **aged 25-29 years** was **significantly lower** than the remaining age groups.

Figure 11: UK Regular Army medical discharges by gender¹ and financial year, rates per 1,000 personnel





Army **females** had **significantly higher rates** of medical discharge than males throughout the period presented.

The higher rate of medical discharges in female personnel may be due to their higher risk of sustaining Musculoskeletal Disorders and Injuries⁶, reporting injury⁵ and higher presentation of mental health disorders⁷ (the leading two causes of medical discharge).

Figure 12: UK Regular Army medical discharges by rank¹ and financial year, rates per 1,000 personnel

1 April 2020 to 31 March 2025

² March 2020 - start of COVID-19 pandemic.



² March 2020 - start of COVID-19 pandemic.

The rates of medical discharge among **other ranks** were **significantly higher** than for officers throughout the period presented.

Officers are more likely to be employed in office-based roles than other ranks and are more likely to be employed in or can be reassigned to duties that are compatible with their individual medical limitations.

Figure 13: UK Regular Army medical discharges by training status^{1,2} and financial year, rates per 1,000 personnel

1 April 2020 to 31 March 2025



¹As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² Army personnel are considered trade trained when they have completed both phase 1 and 2 training. ³ March 2020 - start of COVID-19 pandemic.

The rate of medical discharge among untrained personnel remained significantly higher than trade trained personnel throughout the period presented. The rates of medical discharges were also higher among untrained Royal Marines which may be due to the similarly intensive nature of the army and Royal Marines training programmes.

In 2024/25 the rate of army untrained medical discharges 27.9 1,000 increased to per personnel, reasons for this are unclear.

Causes of Medical Discharges

When UK armed forces personnel are medically discharged, the medical reason for the discharge is recorded and categorised using a coding system known as ICD-10 (see glossary). **Principal cause** is the main medical cause of the discharge. **Contributory causes** include any other conditions identified that would result in a medical discharge. Unless otherwise stated, all information presented in the cause of medical discharge section will be relating to principal cause of discharge only.

In 2024/25, the two most common principal causes of medical discharges in the army were Musculoskeletal Disorders and Injuries and Mental and Behavioural Disorders. Of the **1,250** medical discharges:

40% of medical discharges (approx. 2 in 5) were due to Musculoskeletal Disorders and Injuries.37% of medical discharges (approx. 2 in 5) were due to Mental and Behavioural Disorders.

Table 4 presents army medical discharges by principal ICD-10 cause code group (the chapter within which the condition is categorised) for 2024/25 and the total for the latest five year period, 2020/21 to 2024/25. The five year total is provided as a comparator for the cause group percentages in the latest year. For a breakdown of each of the five years, please see the supplementary tables (Table 7).

Table 4: UK Regular Army medical discharges by principal ICD-10 cause code group¹ and financial year, numbers and percentages²

1 April 2020 to 31 March 2025

	5 Year Total 2020/21-2024/25		2024	/25	
	n	%	n	%	
All medical discharges	4,866		1,250		
All cause coded medical discharges	4,806	100	1,223	100	
Infectious and parasitic diseases	26	<1	~	<1	
Neoplasms	60	1	19	2	
Blood disorders	14	<1	~	<1	
Endocrine, nutritional and metabolic diseases	45	<1	18	1	
- Of which diabetes	32	<1	14	1	
 Of which insulin-dependent 	16	<1	7	<1	
- Of which non-insulin-dependent	8	<1	~	<1	
Mental and behavioural disorders	1,964	41	452	37	
- Of which mood disorders	744	15	153	13	
- Of which depression	596	12	115	9	
- Of which neurotic, stress related and somatoform	1,066	22	257	21	
- Of which post-traumatic stress disorder (PTSD)	651	14	138	11	
- Of which adjustment disorder	169	4	52	4	
Nervous system disorders	110	2	24	2	
- Of which epilepsy	28	<1	~	<1	
Eye and adnexa diseases	18	<1	~	<1	
- Of which blindness, low vision and visual disturbance	~	<1	~	<1	
Ear and mastoid process diseases	185	4	62	5	
- Of which hearing loss	142	3	51	4	
- Of which noise-induced hearing loss	35	<1	12	<1	
- Of which tinnitus	26	<1	~	<1	
Circulatory system disorders	110	2	39	3	
Respiratory system disorders	27	<1	8	<1	
- Of which asthma	18	<1	5	<1	
Digestive system disorders	94	2	32	3	
Skin and subcutaneous tissue diseases	40	<1	10	<1	
Musculoskeletal disorders and injuries	1,856	39	494	40	
- Of which injuries and disorders of the knee	432	9	114	9	
- Of which knee pain	255	5	54	4	
- Of which back pain	273	6	73	6	
- Of which low back pain	232	5 5	62	5 6	
- Of which injuries and disorders of the ankle and foot	256 11		71		
 Of which heat injury Of which cold injury 	53	<1 1	~ 7	<1 <1	
Genitourinary system diseases	18	<1	6	<1	
	0	0	0	0	
Pregnancy, childbirth and puerperium	0		0	-	
Congenital malformations	~ 105	<1	~	<1	
Clinical and laboratory findings ³	185	4	40	3	
External causes of morbidity and mortality	~	<1	~	<1	
Factors influencing health status	42	<1	8	<1	
No details held on principal condition for medical boarding	59		27		
Withheld consent	1		0		

Source: DMICP, FMed 23 and JPA

¹ Each cause of discharge category has been compiled using ICD-10 codes, please see the supplementary tables for specific codes.

² Percentages are calculated from the total of all cause-coded medical discharges. Data presented as "<1%" represent a percentage greater than 0% but smaller than 1%. ³ Clinical and laboratory findings include sumptome and chapter a laborate laboratory findings.

³ Clinical and laboratory findings include symptoms and abnormal clinical findings - such as irregular heartbeat and abdominal pain - which are ill-defined and may not have a diagnosis that can be elsewhere classified.

 \sim In line with JSP 200 on statistical disclosure, figures fewer than five have been suppressed. Where there was only one cell in a column that was fewer than five, the next smallest number has also been suppressed so numbers cannot simply be derived from totals.

Figure 14 shows the main principal cause coded medical discharges between 2020/21 and 2024/25.

In the last five years, Mental and Behavioural Disorders and Musculoskeletal Disorders and Injuries were the leading principal causes, accounting for four out of five (79%) of army medical discharges. This finding is in line with the United States³ and Canadian Militaries⁴ who also reported these causes as the two most common reasons for medical release.

In 2020/21, Mental and Behavioural Disorders became the largest principal cause of army medical discharges, with Musculoskeletal Disorders and Injuries becoming the second largest principal cause. This could have been the result of the temporary amendments to the army medical employment policy and restricted clinical activity in rehabilitation services due to COVID-19, which may have led to more discharge deferrals for personnel with Musculoskeletal Disorders and Injuries than Mental and Behavioural Disorders. Since 2022/23, the proportion of Mental and Behavioural Disorders and Injuries discharges have been similar, each accounting for approximately 2 in 5 of medical discharges. Numbers of medical discharges due to Musculoskeletal Disorders and Injuries have since returned to pre-COVID levels, and in 2024/25 Musculoskeletal Disorders and Injuries was the largest principal cause of army medical discharges.

Please note that each medical discharge can only have one principal condition and a percentage decrease reduction in one cause code group may appear as an increase in another. Therefore, it is important to consider all cause code groups when looking at trends over time.

Figure 14: UK Regular Army medical discharges by principal ICD-10 cause code group and financial year, percentages^{1,2}



1 April 2020 to 31 March 2025

Source: DMICP, FMed 23 and JPA

¹ Percentages are calculated from the total of all cause-coded medical discharges.

² Due to rounding, percentages might not add to 100%

³ Includes 15 cause code groups; each accounting for a maximum of 4%

⁴ Clinical and laboratory findings include symptoms and abnormal clinical findings - such as irregular heartbeat and abdominal pain - which are ill-defined and may not have a diagnosis that can be elsewhere classified

Figure 15 presents the proportions of cause coded medical discharges by principal ICD-10 cause code groups in 2024/25.

In 2024/25, half of the medical discharges as a result of Musculoskeletal Disorders and Injuries were linked to injuries and disorders of the knee, ankle and foot, as well as back pain (n = 258, 52%). Injuries to the knee, ankle and foot may be the result of the physical activity required of many army personnel, such as training on hard ground carrying heavy loads, marching and assuming fire positions. Back pain is also the leading cause of global disability⁸.

The remaining half of medical discharges due to Musculoskeletal Disorders and Injuries (n = 236 48%) were distributed across a wide range of disorders and injuries, with no large numbers in one particular body region or medical condition.

The majority of medical discharges due to Mental and Behavioural Disorders in 2024/25 were the result of Neurotic, Stress Related and Somatoform Disorders (including Adjustment, PTSD and Anxiety) (n = 257, 57%), and Mood Disorders (including Depression) (n = 153, 34%). Neurotic Disorders were the most prevalent mental disorders assessed at MOD specialist health services in $2024/25^7$.

Post-Traumatic Stress Disorder (PTSD) accounted for approximately a third of Mental and Behavioural Disorder medical discharges, whereas PTSD only accounted for approximately 1 in 7 assessments seen at MOD specialist mental health services⁷ for the Army. This difference may reflect the severity of PTSD and the impact that a continued role in the military may have on the individual's condition.

Figure 15: UK Regular Army medical discharges by principal ICD-10 cause code group, numbers and percentages¹ 1 April 2024 to 31 March 2025

Injuries and disorders of the knee (23% Back pain **Musculoskeletal** disorders Injuries and disorders and injuries of the ankle and foot 494 (40%) Cause Coded Medical Ear and mastoid Discharges² process diseases 2024/25 62 (5%) n = 1,223Post-traumatic somator lisorders stress disorder³ Mental and behavioural disorders 4<u>52</u> (37%) Other mental and behavioural disorders

Source: DMICP, FMed 23 and JPA

¹ Due to rounding, percentages might not add to 100%.

² Total number of army discharges were 1,250, however 27 personnel had no details on principal condition for medical discharge.

³ Post-traumatic stress disorder discharges are shown as a percentage of Mental and Behavioural Disorders and not Neurotic, Stressrelated and Somatoform Disorders.

⁴ Includes 15 cause code groups; each accounting for a maximum of 3% of all regular army cause coded medical discharges.

When considering both the principal and contributory cause of discharge in 2024/25:

- Musculoskeletal Disorders and Injuries were present in over half of discharges (n = 686, 56%).
- Mental and Behavioural Disorders were present in nearly half of all discharges (n = 541, 44%).
- Ear and Mastoid Process Diseases were the third most prevalent cause (n = 101, 8%).

Further information on the principal and contributory causes of medical discharge in the UK regular army can be found in the supplementary tables to this report (**Table 8**).

Trends in Medical Discharges

In 2024/25, there were **199** medical discharges from the RAF; a rate of **7 per 1,000** personnel. This rate was not significantly different compared to last year.

Figure 16 shows the number and rates of RAF medical discharges over time from 2015/16 to 2024/25. In 2023/24 the rate was the highest it had been in the reporting period presented.

Figure 16: UK Regular RAF medical discharges by financial year, numbers and rates per 1,000 personnel

1 April 2015 to 31 March 2025



Source: DMICP, FMed 23 and JPA

¹ March 2020 - start of COVID-19 pandemic; Defence, in line with the rest of the country followed guidance on restrictions from the UK Government and devolved administrations.

▲ The rate of medical discharge rose from 2016/17 and 2017/18. This may have been due to an increase in the capacity of RAF medical boards where the medical boards were clearing a backlog of medical boards from the previous year.

▼ The rate of medical discharge fell from 5.2 in 2019/20 to 3.7 per 1,000 in 2020/21. The reason for this is unclear, however may in part be due to COVID-19 restrictions which led to a reduction in some routine and training activities and may have resulted in fewer injuries. A deferral of discharges to minimise burden on the NHS may also be a potential reason for the fall.

▲ The rate of medical discharge rose to 7.8 per 1,000 in 2023/24, in line with the upward trend in RAF overall outflow¹ since 2020/21. During this time, the RAF revised their discharge policy for untrained personnel, improving awareness of the discharge process at Phase 2 training establishments, which may, in part, have contributed to the rise in medical discharges (See Figure 20). Personnel being medically discharged who had previously had their date of discharge deferred during the COVID-19 pandemic may also partially account for this rise.

▼ In 2024/25 the rate of RAF medical discharge fell to 6.5 per 1,000 personnel. The rate was not significantly different compared to the previous year, however, the rate remains significantly higher than the pre-COVID period.

Demographic Risk Groups

In 2024/25, the rate of medical discharge was significantly higher for regular RAF personnel within the following demographic groups (**Table 5**):

- Aged 40-44 years
- Females
- Other ranks

Table 5: UK Regular RAF medical discharges by demographics¹, numbers² and rates per 1,000 personnel

1 April 2024 to 31 March 2025

				Rate of UK regular RAF personnel
Numbe	r of UK regular RAF	n	rate	medically discharged
	nel medically	199	6.5	
Age				
	Aged under 20	3	2.8	
	Aged 20-24	34	6.5	
	Aged 25-29 ⁻	26	4.6	
	Aged 30-34	28	5.7	
	Aged 35-39	31	6.3	
	Aged 40-44 +	38	9.2	
	Aged 45-49	20	8.7	
	Aged 50 and over	19	8.3	
Gender				
	Male	145	5.7	
	Female *	54	11.0	
Rank				
	Officer	25	3.2	
	Other Rank *	174	7.6	
Training	g Status			
	Trained	189	6.8	
	Untrained	10	3.7	

Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² In line with JSP 200, numbers fewer than five were not suppressed in demographics tables as Defence Statistics assessed that these figures did not disclose sensitive personal information.

+/ Age groups found to be at a statistically significantly higher (+) or lower (-) risk than the remaining age groups combined using a z-test for a single proportion at a 95% confidence level. Due to small numbers, a Fisher's exact test was used to determine significance for the aged under 20 group.

* Groups found to be at a statistically significantly higher risk using a z-test for proportions at a 95% confidence level.

Figures 17 to **20** present RAF medical discharges for each demographic group between 2020/21 and 2024/25 with possible explanations for the differences observed.

Figure 17: UK Regular RAF medical discharges by age group¹ and financial year², rates per 1,000 personnel

1 April 2020 to 31 March 2025



Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² March 2020 - start of COVID-19 pandemic.

In 2024/25, the rate of medical discharge for personnel **aged 40-44 years** was **significantly higher** than the remaining age groups. RAF personnel **aged 25-29 years** had **significantly lower** rates of medical discharge compared to the remaining age groups. It should be noted that the numbers in some age groups were low and a small change in numbers can have a large effect on the rates.

Figure 18: UK Regular RAF medical discharges by gender¹ and financial year, rates per 1,000 personnel

1 April 2020 to 31 March 2025



Females had **significantly higher** rates of medical discharge than males for all years presented.

The higher rate of medical discharges in female personnel may be due to their higher risk of sustaining Musculoskeletal Disorders and Injuries⁶, reporting injury⁵ and higher presentation of mental health disorders⁷ (the leading two causes of medical discharge).

Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² March 2020 - start of COVID-19 pandemic.

Figure 19: UK Regular RAF medical discharges by rank¹ and financial year, rates per 1,000 personnel

1 April 2020 to 31 March 2025



Other ranks had significantly higher rates of medical discharge than officers for all years presented.

Officers are more likely to be employed in or can be reassigned to alternative duties that can be continued with certain injuries and illnesses.

Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² March 2020 - start of COVID-19 pandemic.

Figure 20: UK Regular RAF medical discharges by training status¹ and financial year, rates per 1,000 personnel

1 April 2020 to 31 March 2025



Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² March 2020 - start of COVID-19 pandemic.

2021/22, untrained RAF In significantly personnel had higher rates of medical discharge than trained personnel. This is likely due to the RAF revising their discharge policy for untrained personnel, improving awareness of the discharge process at Phase 2 training establishments, which may have led to this increase in untrained medical discharges.

The fluctuation over time shown in the rate among the untrained population may be a result of the small numbers involved which can have a large effect on the rate; in total over the five year period presented 114 untrained RAF personnel were medically discharged, compared to 837 trained personnel.

Causes of Medical Discharges

When UK armed forces personnel are medically discharged, the medical reason for the discharge is recorded and categorised using a coding system known as ICD-10 (see glossary). **Principal cause** is the main medical cause of the discharge. **Contributory causes** include any other conditions identified that would result in a medical discharge. Unless otherwise stated, all information presented in the cause of medical discharge section will be relating to principal cause of discharge only.

In 2024/25, the two most common principal causes of medical discharges in the RAF were Musculoskeletal Disorders and Injuries and Mental and Behavioural Disorders. Of the **199** medical discharges:

59% of medical discharges (approx. 3 in 5) were due to Mental and Behavioural Disorders.22% of medical discharges (approx. 1 in 5) were due to Musculoskeletal Disorders and Injuries.

Table 6 presents RAF medical discharges by principal ICD-10 cause code group (the chapter within which the condition is categorised) for 2024/25 and the total for the latest five year period, 2020/21 – 2024/25. The five year total is provided as a comparator for the cause group percentages in the latest year. For a breakdown of each of the five years, please see the supplementary tables (Table 11).

Table 6: UK Regular RAF medical discharges by principal ICD-10 cause code group¹ and financial year, numbers and percentages²

1 April 2020 to 31 March 2025

	5 Year Total 2020/21-2024/25		2024	/25
	n	%	n	%
All medical discharges	950		199	
All cause coded medical discharges	947	100	198	100
Infectious and parasitic diseases	10	1	~	<1
Neoplasms	23	2	~	1
Blood disorders	~	<1	0	0
Endocrine, nutritional and metabolic diseases	5	<1	0	0
- Of which diabetes	~	<1	0	0
- Of which insulin-dependent	~	<1	0	0
- Of which non-insulin-dependent	0	0	0	0
Mental and behavioural disorders	481	51	117	59
- Of which mood disorders	185	20	34	17
- Of which depression	158	17	30	15
- Of which neurotic, stress related and somatoform	251	27	69	35
- Of which post-traumatic stress disorder (PTSD)	89 48	9 5	21 18	11 9
- Of which adjustment disorder Nervous system disorders	40	5	10	5
- Of which epilepsy	44	<1	~	3
Eye and adnexa diseases	7	<1	۲ ۲ ۲	<1
- Of which blindness, low vision and visual disturbance	~	<1	~ ~	<1
Ear and mastoid process diseases	7	<1	~	<1
- Of which hearing loss	5	<1	0	0
- Of which noise-induced hearing loss	0	0	0	0
- Of which tinnitus	~	<1	~	<1
Circulatory system disorders	21	2	~	2
Respiratory system disorders	~	<1	0	0
- Of which asthma	~	<1	0	0
Digestive system disorders	18	2	~	1
Skin and subcutaneous tissue diseases	11	1	~	1
Musculoskeletal disorders and injuries	246	26	43	22
- Of which injuries and disorders of the knee	44	5	7	4
- Of which knee pain	29	3	~	3
- Of which back pain	48	5	8	4
- Of which low back pain	45	5	7	4
- Of which injuries and disorders of the ankle and foot	28	3	5	3
- Of which heat injury	0	0	0	0
- Of which cold injury	~	<1	0	0
Genitourinary system diseases	11	1	~	<1
Pregnancy, childbirth and puerperium	0	0	0	0
Congenital malformations	~	<1	0	0
Clinical and laboratory findings ³	51	5	14	7
External causes of morbidity and mortality	0	0	0	0
Factors influencing health status	6	<1	~	<1
No details held on principal condition for medical boarding	3		1	
Withheld consent	0		0	

Source: DMICP, FMed 23 and JPA

¹ Each cause of discharge category has been compiled using ICD-10 codes, please see the supplementary tables for specific codes.

² Percentages are calculated from the total of all cause-coded medical discharges. Data presented as "<1%" represent a percentage greater than 0% but smaller than 1%. ³ Clinical and leverators indicate include a state of the state of

³ Clinical and laboratory findings include symptoms and abnormal clinical findings - such as irregular heartbeat and abdominal pain - which are ill-defined and may not have a diagnosis that can be elsewhere classified

~ In line with JSP 200 on statistical disclosure, figures fewer than five have been suppressed. Where there was only one cell in a column that was fewer than five, the next smallest number has also been suppressed so that numbers cannot simply be derived from totals.

Figure 21 shows the main principal cause coded medical discharges between 2020/21 and 2024/25.

Over the last five years, both Musculoskeletal Disorders and Injuries and Mental and Behavioural Disorders have accounted for three quarters (77%) of all discharges. Mental and Behavioural Disorders has been the largest principal cause of RAF medical discharges with the second largest cause being Musculoskeletal Disorders and Injuries for the entire reporting period.

Please note that each medical discharge can only have one principal condition and a decrease in one cause code group may appear as an increase in another. Therefore, it is important to consider all cause code groups when looking at trends over time.

Figure 21: UK Regular RAF medical discharges by principal ICD-10 cause code group and financial year, percentages^{1,2}

1 April 2020 to 31 March 2025



Source: DMICP, FMed 23 and JPA

¹ Percentages are calculated from the total of all cause-coded medical discharges.

² Due to rounding, percentages might not add to 100%.

³ Includes 14cause code groups; each accounting for a maximum of 5% of all RAF cause coded medical discharges.

Figure 22 shows the proportions of cause coded medical discharges by principal ICD-10 cause code groups in 2024/25.

The majority of medical discharges as a result of Mental and Behavioural Disorders were due to Neurotic, Stress and Somatoform Disorders (including Adjustment, PTSD and Anxiety) (n = 69, 59%), and Mood Disorders (including Depression) (n = 34, 29%). Neurotic Disorders were the most prevalent mental disorders assessed at MOD specialist health services in $2024/25^7$.

In 2024/25, Post-Traumatic Stress Disorder (PTSD) accounted for approximately 1 in 5 Mental and Behavioural Disorder medical discharges whereas PTSD only accounted for 1 in 11 initial assessments at MOD specialist mental health services⁷ for RAF personnel. This difference may reflect the severity of PTSD and the impact that a continued role in the military may have on the individual's condition.

Nearly half of medical discharges as a result of Musculoskeletal Disorders and Injuries were linked to injuries and disorders of the knee, ankle and foot, as well as back pain (n = 20, 47%). The number of personnel medically discharged for these conditions may be the result of the physical activity required of many RAF personnel, such as training on hard ground carrying heavy loads. Back pain is also the leading cause of global disability⁸.

The remaining discharges due to Musculoskeletal Disorders and Injuries (n = 23, 53%) were distributed across a range of disorders and injuries.

Figure 22: UK Regular RAF medical discharges by principal ICD-10 cause code group, numbers and percentages¹

1 April 2024 to 31 March 2025



Source: DMICP, FMed 23 and JPA

¹ Due to rounding, percentages might not add to 100%.

² Total number of RAF discharges were 199, however 1 personnel had no details on principal condition for medical discharge.

³ Post-traumatic stress disorder discharges are shown as a percentage of Mental and behavioural disorders and not Neurotic, stress related and somatoform disorders.

⁴ Clinical and laboratory findings include symptoms and abnormal clinical findings - such as irregular heartbeat and abdominal pain - which are ill-defined and may not have a diagnosis that can be elsewhere classified

⁵ Includes 10 cause code groups; each accounting for a maximum of 5% of all RAF cause coded medical discharges

When considering both the principal and contributory causes of discharge in 2024/25:

- Mental and Behavioural Disorders were present in nearly three quarters of discharges (n = 143, 72%)
- Musculoskeletal Disorders and Injuries were present in just over a third of discharges (n = 70, 35%).
- Clinical and laboratory findings were the third most prevalent cause (n = 26, 13%).

Further information on the principal and contributory causes of medical discharge in the UK regular RAF can be found in the supplementary tables to this report (**Table 12**).

Glossary

Defence Medical Information Capability Programme (DMICP) is the MOD electronic primary health care patient record.

Departments of Community Mental Health (DCMH) are specialised psychiatric services based on community mental health teams closely located with primary care service at sites in the UK and abroad.

FMed 23 is the form completed to record the outcome of a medical board held for members of the UK armed forces leading to medical discharge.

International Statistical Classification of Diseases and Health-Related Disorders 10th edition (ICD-10) is the standard diagnostic tool for epidemiology, health management and clinical purposes.

Joint Personnel Administration (JPA) is the system used by the UK armed forces to deal with matters of pay, leave and other personnel administrative tasks. JPA replaced a number of single-service IT systems and was implemented in April 2006 for the RAF, November 2006 for the Royal Navy and April 2007 for the army.

Officer An officer is a member of the armed forces holding the Monarch's Commission to lead and command elements of the forces. Officers form the middle and senior management of the armed forces. This includes ranks from Sub-Lt/2nd Lt/Pilot Officer up to Admiral of the Fleet/Field Marshal/Marshal of the Royal Air Force, but excludes Non-Commissioned officers.

Other Rank Other ranks are members of the Royal Navy, army and Royal Air Force who are not officers but other ranks include Non-Commissioned officers.

Principal/Contributory Condition/Cause of Discharge

Principal condition/cause

The principal condition is the first principal ICD-10 code on medical discharge documents.

Contributory condition/cause

Contributory cause contains all other principal conditions and any contributory conditions on the medical discharge documents.

Trade Trained personnel are army personnel who have completed both Phase 1 and 2 training. From 1 October 2017, UK regular forces and Gurkha personnel in the army who have completed both their Phase 1 (basic service training) and Phase 2 training (trade training), are considered trade trained personnel.

Trained personnel are Royal Navy and RAF personnel who have completed both Phase 1 and Phase 2 training.

UK regulars are full time service personnel, including Nursing Services, Gurkhas and Military Provost Guarding Service (MPGS) but excluding FTRS personnel, naval activated reservists, mobilised reservists, and Non Regular Permanent Service (NRPS). Unless otherwise stated, includes trained and untrained personnel. This definition may differ from other MOD reports.

Untrained personnel in this report are personnel who are in Phase 1 and Phase 2 training.

Methodology

This section provides a brief summary of the methodology and data sources; more detailed information is available in the background quality report for this bulletin²:

https://www.gov.uk/government/collections/medical-discharges-among-uk-service-personnelstatistics-index

Data are compiled by Defence Statistics from three sources:

- Medically discharged personnel were identified from the Joint Personnel Administration System (JPA). JPA is used to hold the administration data for all regular forces.
- Principal and contributory causes of medical discharge are taken from the electronic patient record (DMICP) and FMed 23s (digitally scanned paper medical documents used to record all medical board proceedings).
- Prior to 2019/20, FMed 23 forms were the primary source of cause information using the electronic medical record (DMICP) where FMed 23s were unavailable.
- Since 2019/20, the electronic patient record was the primary source of cause information, supplemented where necessary by the FMed 23 forms. This is in line with the Defence Medical Services drive to move to paper free records.

This bulletin includes regular service personnel (trained and untrained). Army regular personnel include Gurkha Regiments and Military Provost Guard Service (MPGS). Reserve personnel were not included.

This bulletin reports on personnel that have already left the UK regular armed forces on a medical discharge only; downgraded personnel that are expected to be medically discharged after the reporting period, and personnel discharged under administrative categories on medical grounds were excluded.

Trends in the statistics presented do not directly reflect actual occupational health morbidity within the armed forces. Medical discharges are presented by year of discharge, and not year of onset of condition that led to medical discharge. Therefore, trends may only correspond to changes in boarding practice, retention policies or changes to employment standards.

The length of time between detecting and diagnosing a medical condition and the date at which an individual is eventually released under a medical discharge varies for each individual. The timing of a discharge medical board must strike an appropriate balance between the needs of the individual service and those of the patient. The date of the medical discharge board should allow the timely provision of occupational health advice following the initial referral, and time elapsed waiting for further treatment may affect this board process.

The International Classification of Diseases and Related Health Problems version 10 (ICD-10) was used to classify medical discharges and causes are presented by ICD-10 chapter. As a result of interest, some ICD-10 groups were provided in more detail allowing the presentation of specific conditions. Please see the supplementary tables to this report (Tables 3, 4, 7, 8, 11, 12, 14, 15, 17 & 18) for a full list of ICD-10 codes for each chapter and specific condition.

Medical boards do not make decisions on possible causes for medical conditions leading to discharge. Therefore, the report does not offer analysis of external causes of injuries or illnesses.

Medical boards also do not make decisions on attributability to service. These decisions are made by administrators of the MOD pension and compensation schemes at Veterans-UK. Defence Statistics produce annual reports on the Armed Forces Compensation Scheme⁹ and annual reports on War Pension Scheme¹⁰.

Rates enable comparisons between groups and over time, taking account of the number of personnel in a group (personnel at risk) at a particular point in time. The number of events (i.e. medical discharges) is then divided by the number of personnel at risk per annum and multiplied by 1,000 to calculate the rate per 1,000 personnel at risk.

Methodology Continued

The z test for independent proportions was used to evaluate if two rates are different to a statistically significant degree, and where appropriate, a Fisher's exact test was used. A Fisher's exact test is the more accurate statistical test when one of the numerators in the rates is fewer than five. A 95% confidence level was used for this report; this means that if the test determines two populations to have significantly different medical discharge rates, this will be true in greater than 95% of cases.

Further Information

Symbols

~ Data has been suppressed due to Statistical Disclosure Control (greater than zero, fewer than 5). ^r Indicates data has been revised from previously published data.

Disclosure Control

In line with JSP 200 (March 2020), the suppression methodology has been applied to ensure individuals are not inadvertently identified dependent on the risk of disclosure. Numbers greater than zero but fewer than five have been suppressed and presented as '~'. Where there was only one cell in a row or column that was fewer than five, the next smallest number has also been suppressed so that numbers cannot simply be derived from totals. For further information on statistical disclosure control see Background Quality Report.

If Defence Statistics Health are asked to release further information on medical discharges the information provided may require further disclosure control to ensure individuals cannot be identified.

Revisions

Since the last release of this statistical bulletin in July 2024, an error was identified during the medical discharge validation process, where the third contributory cause was not included in the final collated dataset for a two-month period. This error was caused by interaction issues between analytical systems used to process the data and caused a maximum change of <1 percentage point. This had no significant impact on key findings presented in previous reports and did not affect total number of discharges by year, service, or by principal ICD-10 chapter.

- The following chapters were affected, when contributory cause of discharge was considered: Infectious and parasitic diseases; Neoplasms; Endocrine, nutritional and metabolic diseases; Mental and behavioural disorders; Nervous system disorders; Eye and adnexa diseases; Circulatory system disorders; Respiratory system disorders; Skin and subcutaneous tissue diseases; Musculoskeletal disorders and injuries; Genitourinary system diseases; and Clinical and laboratory findings.
- The following subgroups were affected, when contributory cause of discharge was considered: diabetes (non-insulin-dependent); neurotic, stress related and somatoform (adjustment disorder); epilepsy; hearing loss; asthma; injuries and disorders of the knee (knee pain); back pain (low back pain); and injuries and disorders of the ankle and foot

The following changes were made to subgroups after a review of the clinical codes to ensure they accurately reflect the injury/ disorder type reported:

- ICD-10 codes M62, M76, M793, M796, M798, M799 and M91 were removed from injuries and disorders of the knee and M765, M924, S870 as well as any of M65 with '6' as the fifth digit were added. The maximum percentage point change seen for principal cause was 5%.
- ICD-10 codes M17, M22, M23 and M91 were removed from injuries and disorders of the ankle and foot and T25 as well as any of M60 and M61 with '7' as the fifth digit were added. This led to no change in numbers or percentages.
- ICD-10 codes M540, M541 and M543 were added to back pain. This maximum percentage point change seen for principal cause was 1%.

Revised figures have been represented with an 'r'. Where figures previously marked as provisional have been revised and updated no marker has been used.

Revisions can be addressed in two ways. For this report, the first of these two methods has been applied:

- Where the number of figures updated in a table is small, figures will be updated and those which have been revised will be identified with the symbol "r". An explanation for the revisions will be provided in Revisions section.
- Where the number of figures updated in a table is substantial, the revisions to the table, together with the reason for the revisions will be identified in the commentary at the beginning of the relevant chapter / section, and in the commentary above the affected tables. Revisions

will not be identified by the symbol "r" since where there are a large number of revisions in a table this could make them more difficult to read.

Occasionally updated figures will be provided to the editor during the course of the year. Since this bulletin is published electronically, it is possible to revise figures during the course of the year. However, to ensure continuity and consistency, figures will only be adjusted during the year where it is likely to substantially affect interpretation and use of the figures.

Contact Us

Defence Statistics welcome feedback on our statistical products. If you have any comments or questions about this publication or about our statistics in general, you can contact us as follows:

Defence Statistics Health

Email: Analysis-Health-PQ-FOI@mod.gov.uk

If you require information which is not available within this or other available publications, you may wish to submit a Request for Information under the Freedom of Information Act 2000 to the Ministry of Defence. For more information, see:

www.gov.uk/make-a-freedom-of-information-request/the-freedom-of-information-act

Other contact points within Defence Statistics are:

Defence Expenditure Analysis	Analysis-Expenditure-PQ-FOI@mod.gov.uk
Price Indices	Analysis-Econ-PI-Contracts@mod.gov.uk
Royal Navy Workforce	Analysis-Navy@mod.gov.uk
Army Workforce	Def Strat-Stat-Army-Enquiries@mod.gov.uk
RAF Workforce	Analysis-Air@mod.gov.uk
Tri-Service Workforce	Analysis-Tri-Service@mod.gov.uk
Civilian Workforce	Analysis-Civilian-Enquiries@mod.gov.uk

If you wish to correspond by mail, our postal address is:

Defence Statistics Health Ministry of Defence, Abbey Wood (North) #6028, Oak, 0, West Bristol **BS34 8QW**

For general MOD enquiries, please call: 020 7218 9000

For press enquiries, please call our Press Office: 020 72183253

Annex A

Due to interest in the differences between Royal Navy and Royal Marines personnel, Table 1 and Table 2 from the main report have been presented with a Royal Navy and Royal Marines split and are provided this annex; Annex A.

Further tables on the demographic risk groups and principal and contributory causes of medical discharge in the Royal Navy and Royal Marines can be found in the supplementary tables to this report (Table 13-18).

Royal Navy

Demographic Risk Groups

In 2024/25, **342** Royal Navy personnel were medically discharged, a rate of **13** per 1,000. This was not significantly different to last year (12 per 1,000).

During 2024/25 the rate of medical discharge was significantly higher for regular Royal Navy personnel within the following specific demographic groups (Table A2.1):

Aged 30-34 years

Other ranks

Females •

Trained

Table A2.1: UK Regular Royal Navy medical discharges by demographics¹, numbers² and rates per 1,000 personnel

1 April 2024 to 31 March 2025

			Rate of UK regular Royal Navy personnel
Number of LIK regular Devel	n	rate	medically discharged
Number of UK regular Royal Navy personnel medically discharged	342	13.4	
Age			
Aged under 20 ⁻	1	0.8	
Aged 20-24 ⁻	59	10.7	
Aged 25-29	80	15.5	
Aged 30-34 ⁺	79	20.5	
Aged 35-39	58	15.9	
Aged 40-44	36	13.1	
Aged 45-49	17	10.8	
Aged 50 and over ⁻	12	7.1	
Gender			
Male	275	12.5	
Female *	67	19.5	
Rank			
Officer	26	4.2	
Other Rank *	316	16.5	
Training Status			
Trained *	324	14.5	
Untrained	18	5.7	

Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² In line with JSP 200, numbers fewer than five were not suppressed in demographics tables as Defence Statistics assessed that these figures did not disclose sensitive personal information.

+⁻Age groups found to be at a statistically significantly higher (+) or lower (-) risk than the remaining age groups combined using a z-test for a single proportion at a 95% confidence level. Due to small numbers, a Fisher's exact test was used to determine significance for the aged under 20 group.

* Groups found to be at a statistically significantly higher risk using a z-test for proportions at a 95% confidence level.

Causes of Medical Discharge

Table A2.2: UK Regular Royal Navy medical discharges by principal ICD-10 cause code group¹ and financial year, numbers and percentages²

1 April 2020 to 31 March 2025

1 April 2020 to 31 March 2025	5 Year Total		2024/25	
	2020/21-		2024	
	n	%	n	%
All medical discharges	1,510		342	
All cause coded medical discharges	1,508	100	340	100
Infectious and parasitic diseases	~	<1	~	<1
Neoplasms	25	2	~	2
Blood disorders	~	<1	0	0
Endocrine, nutritional and metabolic diseases	26	2	~	<1
- Of which diabetes	23	2	~	<1
 Of which insulin-dependent 	~	<1	~	<1
 Of which non-insulin-dependent 	9	<1	0	0
Mental and behavioural disorders	582	39	184	54
- Of which mood disorders	192	13	~	19
- Of which depression	173	11	~	18
- Of which neurotic, stress related and somatoform	337	22	105	31
- Of which post-traumatic stress disorder (PTSD)	148	10	~	16
- Of which adjustment disorder	~	2	11	3
Nervous system disorders	58	4	~	3
- Of which epilepsy	~	<1	~	<1
Eye and adnexa diseases	~	<1	0	0
- Of which blindness, low vision and visual disturbance	~	<1 2	0	0
Ear and mastoid process diseases	23 16	2	~	1
 Of which hearing loss Of which noise-induced hearing loss 	0	0	$\tilde{0}$	1 0
- Of which tinnitus	0	<1	0	<1
Circulatory system disorders	58	4	12	4
Respiratory system disorders	16	1	~	<1
- Of which asthma	12	<1	~	<1
Digestive system disorders	51	3	~	3
Skin and subcutaneous tissue diseases	~	3	8	2
Musculoskeletal disorders and injuries	518	34	85	25
- Of which injuries and disorders of the knee	125	8	17	5
- Of which knee pain	68	5	~	3
- Of which back pain	95	6	8	2
- Of which low back pain	83	6	8	2
- Of which injuries and disorders of the ankle and foot	66	4	6	2
- Of which heat injury	0	0	0	0
- Of which cold injury	~	<1	0	0
Genitourinary system diseases	~	1	~	<1
Pregnancy, childbirth and puerperium	0	0	0	0
Congenital malformations	5	<1	~	<1
Clinical and laboratory findings ³	41	3	~	2
External causes of morbidity and mortality	~	<1	0	0
Factors influencing health status	~	1	~	<1
No details held on principal condition for medical boarding	2		2	
Withheld consent	0		0	
Source: DMICP. FMed 23 and JPA	0		0	

Source: DMICP, FMed 23 and JPA

¹ Each cause of discharge category has been compiled using ICD-10 codes, please see the supplementary tables for specific codes. ² Percentages are calculated from the total of all cause-coded medical discharges. Data presented as "<1%" represent a percentage of cause coded medical discharges of greater than 0% but smaller than 1%.

³ Clinical and laboratory findings include symptoms and abnormal clinical findings - such as irregular heartbeat and abdominal pain - which are ill-defined and may not have a diagnosis that can be elsewhere classified.

~ In line with JSP 200 on statistical disclosure, figures fewer than five have been suppressed. Where there was only one cell in a column that was fewer than five, the next smallest number has also been suppressed so that numbers cannot simply be derived from totals.

Demographic Risk Groups

In 2024/25, **84** Royal Marines personnel were medically discharged, a rate of **13** per 1,000. This was not significantly different compared to last year (14 per 1,000).

During 2024/25 the rate of medical discharge was significantly higher for regular Royal Marines personnel within the following specific demographic groups (**Table A3.1**):

- Other ranks
- Untrained

Table A3.1: UK Regular Royal Marines medical discharges by demographics¹, numbers² and rates per 1,000 personnel

1 April 2024 to 31 March 2025

Number of UK regular Royal Marines personnel medically discharged		n	rate	Rate of UK regular Royal Marines personnel medically discharged
		84	13.1	
Age				
Ag	ed under 20	6	22.3	
Ag	ed 20-24	11	7.9	
Ag	ed 25-29	18	11.3	
Ag	ed 30-34	19	16.9	
Ag	ed 35-39	13	14.5	
Ag	ed 40-44	11	18.7	
Ag	ed 45-49	2	7.0	
Ag	ed 50 and over	4	16.0	
Gender				
Ma	ale	83	13.2	
Fe	male	1	8.3	
Rank				
Of	ficer	4	4.5	
Otl	her Rank *	80	14.5	
Training Status				
Tra	ained	63	11.1	
Un	trained *	21	28.7	

Source: DMICP, FMed 23 and JPA

¹ As recorded on the Joint Personnel Administration System (JPA) at the time of discharge.

² In line with JSP 200, numbers fewer than five were not suppressed in demographics tables as Defence Statistics assessed that these figures did not disclose sensitive personal information.

 $+^{7}$ Age groups found to be at a statistically significantly higher (+) or lower (-) risk than the remaining age groups combined using a z-test for a single proportion at a 95% confidence level. Due to small numbers, a Fisher's exact test was used to determine significance for the aged 45-49 and aged 50 and over groups.

* Groups found to be at a statistically significantly higher risk using a z-test for proportions at a 95% confidence level. Due to small numbers, a Fisher's exact test was used to determine significance for the gender and rank groups.

Causes of Medical Discharge

Table A3.2: UK Regular Royal Marines medical discharges by principal ICD-10 cause code¹ group and financial year, numbers and percentages²

1 April 2020 to 31 March 2025

April 2020 to 31 March 2025		5 Year Total			
	2020/21-2024/25		2024/25		
	n	%	n	%	
All medical discharges	529		84		
All cause coded medical discharges	528	100	84	100	
Infectious and parasitic diseases	~	<1	~	<5	
Neoplasms	8	2	~	<5	
Blood disorders	0	0	0	0	
Endocrine, nutritional and metabolic diseases		2	~	<5	
- Of which diabetes		<1	~	<5	
- Of which insulin-dependent	~	<1	~	<5	
- Of which non-insulin-dependent	0	0	0	0	
Mental and behavioural disorders	62	12	11	<15	
- Of which mood disorders	13	2	~	<5	
- Of which depression	12	2	~	<5	
- Of which neurotic, stress related and somatoform	39	7	8	<15	
- Of which post-traumatic stress disorder (PTSD)	24	5	~	<5	
- Of which adjustment disorder	~	<1	0	0	
Nervous system disorders	18	3	~	<5	
- Of which epilepsy	~	<1	0	0	
Eye and adnexa diseases	~ 0	<1 0	0	0	
- Of which blindness, low vision and visual disturbance	24	5		-	
Ear and mastoid process diseases - Of which hearing loss	24	5	~	<5 <5	
- Of which noise-induced hearing loss	~	<1	õ	< <u>5</u>	
- Of which tinnitus	~	<1	~	<5	
Circulatory system disorders	15	3	5	<15	
Respiratory system disorders		<1	~	<5	
- Of which asthma	5 5	<1	~	<5	
Digestive system disorders	6	1	~	<5	
Skin and subcutaneous tissue diseases	~	<1	0	0	
Musculoskeletal disorders and injuries	357	68	53	63	
- Of which injuries and disorders of the knee	81	15	12	<15	
- Of which knee pain	35	7	~	<15	
- Of which back pain	55	10	7	<15	
- Of which low back pain	49	9	6	<15	
- Of which injuries and disorders of the ankle and foot	51	10	8	<15	
- Of which heat injury	~	<1	0	0	
- Of which cold injury	~	2	~	<5	
Genitourinary system diseases		<1	~	<5	
Pregnancy, childbirth and puerperium		0	0	0	
Congenital malformations ³		0	0	0	
Clinical and laboratory findings		2	~	<5	
External causes of morbidity and mortality		0	0	0	
Factors influencing health status	~ 1	<1	~	<5	
No details held on principal condition for medical boarding			0		
Withheld consent			0		

Source: DMICP, FMed 23 and JPA

¹ Each cause of discharge category has been compiled using ICD-10 codes, please see the supplementary tables for specific codes. ² Percentages are calculated from the total of all cause-coded medical discharges. Data presented as "<5%" or "<15%" represent values greater than 0% but smaller than 5%, or values greater than 5% but smaller than 15% respectively.

³ Clinical and laboratory findings include symptoms and abnormal clinical findings - such as irregular heartbeat and abdominal pain - which are ill-defined and may not have a diagnosis that can be elsewhere classified

~ In line with JSP 200 on statistical disclosure, figures fewer than five have been suppressed. Where there was only one cell in a column that was fewer than five, the next smallest number has also been suppressed so that numbers cannot simply be derived from totals.

References

- 1. <u>https://www.gov.uk/government/collections/quarterly-service-personnel-statistics-index</u>
- 2. <u>https://www.gov.uk/government/statistics/uk-service-personnel-medical-discharges-background-quality-report</u>
- Molloy JM *et al.* (2020) Musculoskeletal Injuries and United States Army Readiness Part I: Overview of Injuries and their Strategic Impact. *Military Medicine*. Available at: <u>https://academic.oup.com/milmed/article/doi/10.1093/milmed/usaa027/5805225#20078086</u> <u>4</u>
- 4. Serré L (2019) A comparative analysis of medically released men and women from the Canadian Armed Forces. *Journal of Military, Veteran and Family Health.* **5**, 115-124.
- 5. <u>https://www.gov.uk/government/collections/defence-health-and-safety-statistics-index</u>
- 6. <u>https://www.gov.uk/government/publications/women-in-ground-close-combat-roles-review-</u>2017
- 7. https://www.gov.uk/government/collections/defence-mental-health-statistics-index
- Ferrari AJ *et al.* (2024) Global incidence, prevalence, years lived with disability (YLDs), disability-adjusted life-years (DALYs), and healthy life expectancy (HALE) for 371 diseases and injuries in 204 countries and territories and 811 subnational locations, 1990–2021: a systematic analysis for the Global Burden of Disease Study 2021. *The Lancet.* 403, 2133-2161.
- 9. <u>https://www.gov.uk/government/collections/armed-forces-compensation-scheme-statistics-index</u>
- 10. https://www.gov.uk/government/collections/war-pension-recipients-index