



Maximum Residue Limits in Great Britain

Pharmacologically active substance and their classification regarding maximum residue limits (MRLs) in foodstuffs of animal origin in Great Britain.

To protect public health, substances used in veterinary medicines, on the basis of scientific assessment of the risk to consumers of those substances, are classified into three groups and provided in this document. The three groups are:

- [Allowed substances](#): for which an MRL is established, holds a provisional MRL, or it was not necessary to establish an MRL
- [Prohibited substances](#): for which an MRL could not be established because residues of those substances, at whatever limit, constitute a hazard to human health
- [Out of scope](#): Substances (including biological substances) that do not require an MRL evaluation

Navigation:

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

Last updated:

August 2025	Addition of hydrogenated castor oil to the 'out-of-scope' list.
July 2025	Addition of dibutyl sebacate to the 'out-of-scope' list.
August 2024	Correction of Sheep Muscle MRL for Closantel.
August 2022	Addition of Bambermycin for poultry and Pentosan Polysulfate Sodium for equidae.
December 2021	Minor corrections
February 2021	First Published

Allowed substances

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Abamectin	Avermectin B1a	Bovine	10 µg/kg 20 µg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Ovine	20 µg/kg 50 µg/kg 25 µg/kg 20 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	
<i>Absinthium</i> extract	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Acetylmethionine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Acetylsalicylic acid	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.	NO ENTRY
Acetylsalicylic acid DL-lysine	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.	NO ENTRY
Adenosine and its 5'-mono-, 5'-di-and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Adonis vernalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
<i>Aesculus hippocastanum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per ten only.	NO ENTRY
<i>Agnus castus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Ailanthus altissima</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Alanine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Alarelin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	Agents acting on the reproductive system
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	All ruminants	100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Alfalcicidol	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For parturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABLE	Bovine, porcine, rabbit, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Allantoin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Allium cepa</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Aloe vera</i> gel and whole leaf extract of <i>Aloe vera</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Aloes, Barbados and Capae, their standardised dry extract and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Alphacypermethrin	Cypermethrin (sum of isomers)	Bovine, ovine	20 µg/kg 200 µg/kg 20 µg/kg 20 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Altrenogest	Altrenogest	Porcine	4 µg/kg 2 µg/kg	Skin and fat Liver	Only for zootechnical use and in accordance with the provisions of Directive 96/22/EC	Agents acting on the reproductive system
		<i>Equidae</i>	4 µg/kg 4 µg/kg	Fat Liver		
Aluminium distearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Aluminium hydroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium monostearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium salicylate, basic	Salicylic acid	Bovine, caprine, <i>Equidae</i> , rabbit	200 µg/kg 500 µg/kg 1 500 µg/kg 1 500 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antidiarrheal and intestinal anti-inflammatory agents
		Bovine, caprine, <i>Equidae</i>	9 µg/kg	Milk		
	NOT APPLICABLE	All food producing species except bovine, caprine, <i>Equidae</i> , rabbit and fin fish	No MRL required	NOT APPLICABLE	For topical use only	
Aluminium tristearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
2-Aminoethanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
2-Aminoethanol glucuronate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
2-Aminoethyl dihydrogenphosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Amitraz	Sum of amitraz and all metabolites containing the 2,4-DMA moiety, expressed as amitraz	Bovine	200 µg/kg 200 µg/kg 200 µg/kg 10 µg/kg	Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	400 µg/kg 100 µg/kg 200 µg/kg 10 µg/kg	Fat Liver Kidney Milk		
		Caprine	200 µg/kg 100 µg/kg 200 µg/kg 10 µg/kg	Fat Liver Kidney Milk		
		Porcine	400 µg/kg 200 µg/kg 200 µg/kg	Skin and fat Liver Kidney		
		Bees	200 µg/kg	Honey		
Ammonium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ammonium lauryl sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Ammonium sulfate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Amoxicillin	Amoxicillin	All food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Ampicillin	Ampicillin	All food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Amprolium	NOT APPLICABLE	Poultry	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
<i>Angelicae radix aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Anisi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Anisi stellati fructus</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Apocynum cannabinum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. For oral use only.	NO ENTRY
Apramycin	Apramycin	Bovine	1 000 µg/kg 1 000 µg/kg 10 000 µg/kg 20 000 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Ovine, porcine, chicken, rabbit	No MRL required	NOT APPLICABLE	For oral use only. Not for use in animals from which milk or eggs are produced for human consumption.	
<i>Aqua levici</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias only.	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Arginine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Arnica montana</i> (<i>arnicae flos</i> and <i>arnicae planta tota</i>)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Arnicae radix</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only.	NO ENTRY
<i>Artemisia abrotanum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Asparagine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aspartic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Atropa belladonna</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
Atropine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Avilamycin	Dichloroisoever-ninic acid	Porcine, poultry, rabbit	50 µg/kg 100 µg/kg 300 µg/kg 200 µg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Azagly-nafarelin	NOT APPLICABLE	<i>Salmonidae</i>	No MRL required	NOT APPLICABLE	Not for use in fish from which eggs are produced for human consumption.	NO ENTRY
Azamethiphos	NOT APPLICABLE	Fin fish	No MRL required	NOT APPLICABLE	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Azaperone	Sum of azaperone and azaperol	Porcine	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
Bacitracin	Sum of	Bovine	100 µg/kg	Milk	NO ENTRY	Anti-infectious

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
	bacitracin A, bacitracin B, and bacitracin C	Rabbit	150 µg/kg 150 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidney		agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE	For intramammary use in lactating cows only.	
<i>Balsamum peruvianum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Bambermycin	NOT APPLICABLE	Rabbit	No MRL required	NOT APPLICABLE	For oral use only	Anti-infectious agent/ Antibiotics
	Flavo-phospholipol A	Poultry	100 µg/kg 100 µg/kg 3000 µg/kg 20 000 µg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption	
Baquiloprim	Baquiloprim	Bovine	10 µg/kg 300 µg/kg 150 µg/kg 30 µg/kg	Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Chemotherapeutics
		Porcine	40 µg/kg 50 µg/kg 50 µg/kg	Skin and fat Liver Kidney		
Barium selenate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Not for administration by injection	Alimentary tract and metabolism/ mineral supplements
Beclomethasone dipropionate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For inhalation use only.	NO ENTRY
<i>Bellis perennis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Benzalkonium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as an excipient at concentrations up to 0.05% only.	NO ENTRY
Benzocaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as local anaesthetic only.	NO ENTRY
		<i>Salmonidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	
Benzyl alcohol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Benzyl p-hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Benzylpenicillin	Benzylpenicillin	All food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Betaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Betamethasone	Betamethasone	Bovine, porcine	0.75 µg/kg 2.0 µg/kg 0.75 µg/kg	Muscle Liver Kidney	NO ENTRY	Corticoids/ Glucocorticoids
		Bovine	0.3 µg/kg	Milk		
Biotin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Bismuth subcarbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Bismuth subgallate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Bismuth subnitrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
		Bovine	No MRL required	NOT APPLICABLE	For intramammary use only.	NO ENTRY
Bismuth subsalicylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Bituminosulfonates, ammonium and sodium salts	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Boldo folium</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Bromelain	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	NO ENTRY	Antidiarrheal agents
Bromhexine	NOT APPLICABLE	Bovine, porcine, poultry	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.	NO ENTRY
Bromide, potassium salt	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Bromide, sodium salt	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Bronopol	NOT APPLICABLE	Fin fish	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Brotizolam	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For therapeutic uses only.	NO ENTRY
Bupivacaine	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	For use in piglets up to 7 days of age only. For cutaneous and epilesional use only.	Local anaesthetic
		Bovine			For use in calves up to 2 months of age only. For cutaneous and epilesional use only.	
Buserelin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Butafosfan	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	Alimentary tract and metabolism/mineral supplements
n-Butane	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
n-Butanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Butorphanol tartrate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intravenous administration only.	NO ENTRY
Butyl 4-hydroxy-benzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Butylscopolaminium bromide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cabergoline	Cabergoline	Bovine	0.10 µg/kg 0.25 µg/kg 0.50 µg/kg 0.15 µg/kg 0.10 µg/kg	Fat Liver Kidney Muscle Milk	NO ENTRY	Prolactin inhibitor
Caffeine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium aspartate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium benzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium borogluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Calcium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium citrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium glucoheptonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium glucono glucoheptonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium gluconolactate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium hydroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium hypophosphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium malate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium phosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium polyphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium propionate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium silicate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Calendula officinalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only.	NO ENTRY
<i>Calendulae flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Camphor	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	External use only.	NO ENTRY
<i>Camphora</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
<i>Capsici fructus acer</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 µg/kg 5 µg/kg 15 µg/kg 15 µg/kg 1 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous system
		Porcine	5 µg/kg 5 µg/kg 25 µg/kg 25 µg/kg	Muscle Skin and fat Liver Kidney		
Carbasalate calcium	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.	NO ENTRY
Carbetocin	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cardamon extract	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cardiospermum halicacabum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Carlinae radix</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Carnitine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, <i>Equidae</i>	500 µg/kg 1 000 µg/kg 1 000 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
	NOT APPLICABLE	Bovine	No MRL required for milk	NOT APPLICABLE		
<i>Carvi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Caryophylli aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cefacetrile	Cefacetrile	Bovine	125 µg/kg	Milk	For intramammary use only.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE		
Cefalexin	Cefalexin	Bovine	200 µg/kg 200 µg/kg 200 µg/kg 1 000 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 µg/kg	Milk	For intramammary use and eye treatment only.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE		
Cefapirin	Sum of cephapirin and desacetylcephapirin	Bovine	50 µg/kg 50 µg/kg 100 µg/kg 60 µg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 µg/kg	Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine, ovine, caprine	No MRL required for all tissues except milk.	NOT APPLICABLE	For intramammary use, except if the udder may be used as food for human consumption.	
Cefoperazone	Cefoperazone	Bovine	50 µg/kg	Milk	For intramammary use in lactating cows only.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE		
Cefquinome	Cefquinome	Bovine, porcine, <i>Equidae</i>	50 µg/kg 50 µg/kg 100 µg/kg 200 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		Bovine	20 µg/kg	Milk		
Ceftiofur	Sum of all residues retaining the beta lactam structure expressed as desfuroylceftiofur	All mammalian food producing species	1 000 µg/kg 2 000 µg/kg 2 000 µg/kg 6 000 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
<i>Centellae asiaticae extractum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Cetostearyl alcohol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cetrimide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Chlorhexidine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Chlormadinone	Chlormadinone	Bovine	4 µg/kg 2 µg/kg 2.5 µg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocresol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Chloroform	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	Only to be used as an excipient in vaccines and only at concentrations not exceeding 1%w/v and total doses not exceeding 20 mg per animal.	NO ENTRY
Chlorphenamine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Chlortetracycline	Sum of parent drug and its 4-epimer	All food producing species	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics
Choline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Chrysanthemi cinerariifolii flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Chymotrypsin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ciclesonide	The sum of ciclesonide and desisobutyrylciclesonide, measured as desisobutyrylciclesonide after hydrolysis of ciclesonide to desisobutyrylciclesonide	<i>Equidae</i>	0.6 µg/kg 4.0 µg/kg 0.6 µg/kg 0.6 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Corticoids/ Glucocorticoids
<i>Cimicifugae racemosae rhizoma</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Not for use in animals from which milk is produced for human consumption.	NO ENTRY
<i>Cinchonae cortex</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cinnamomi cassiae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Cinnamomi cassiae</i> cortex, standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cinnamomi ceylanici aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cinnamomi ceylanici</i> cortex, standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Citri aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Citronellae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Citrulline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 µg/kg 100 µg/kg 200 µg/kg 400 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		Bovine	200 µg/kg	Milk		
Clazuril	NOT APPLICABLE	Pigeon	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Clenbuterol hydrochloride	Clenbuterol	Bovine, <i>Equidae</i>	0.1 µg/kg 0.5 µg/kg 0.5 µg/kg	Muscle Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous system
		Bovine	0.05 µg/kg	Milk		
Clodronic acid (in the form of disodium salt)	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	Not for use in animals from which milk is produced for human consumption	Musculoskeletal system/ drugs for treatment of bone diseases
Cloprostenol	NOT APPLICABLE	Bovine, porcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
R-Cloprostenol	NOT APPLICABLE	Bovine, porcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Clorsulon	Clorsulon	Bovine	35 µg/kg 100 µg/kg 200 µg/kg 16 µg/kg	Muscle Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Closantel	Closantel	Bovine	1 000 µg/kg 3 000 µg/kg 1 000 µg/kg 3 000 µg/kg 45 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	1 500 µg/kg 2 000 µg/kg 1 500 µg/kg 5 000 µg/kg 45 µg/kg	Muscle Fat Liver Kidney Milk		

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Cloxacillin	Cloxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Cobalt carbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt dichloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt trioxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 µg/kg 150 µg/kg 150 µg/kg 200 µg/kg 50 µg/kg 300 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Condurango cortex, standardised extracts, and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Convallaria majalis	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
Copper carbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	Alimentary tract and metabolism/ Mineral supplement
Copper chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Copper gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Copper heptanoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Copper methionate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Copper oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Copper sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Coriandri aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Corticotropin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 µg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
<i>Crataegus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Cupressi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 µg/kg 50 µg/kg 10 µg/kg 10 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 µg/kg 50 µg/kg 50 µg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cypermethrin	Cypermethrin (sum of isomers)	All ruminants	20 µg/kg 200 µg/kg 20 µg/kg 20 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
		<i>Salmonidae</i>	50 µg/kg	Muscle and skin in natural proportions.		
Cyromazine	Cyromazine	Ovine	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Cytidine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Danofloxacin	Danofloxacin	Bovine, ovine, caprine, poultry	200 µg/kg 100 µg/kg 400 µg/kg 400 µg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		All other food producing species	100 µg/kg 50 µg/kg 200 µg/kg 200 µg/kg	Muscle Fat Liver Kidney		
		Bovine, ovine, caprine	30 µg/kg	Milk		
Decoquinat	NOT APPLICABLE	Bovine, ovine	No MRL required	NOT APPLICABLE	For oral use only. Not for use in animals from which milk is produced for human consumption.	NO ENTRY
Deltamethrin	Deltamethrin	All ruminants	10 µg/kg 50 µg/kg 10 µg/kg 10 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Fin fish	10 µg/kg	Muscle and skin in natural proportions.		
Dembrexine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Denaverine hydrochloride	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Derquantel	Derquantel	Ovine	2 µg/kg 40 µg/kg 20 µg/kg 5 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against endoparasites
Deslorelin acetate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Detomidine	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For therapeutic use only.	NO ENTRY
Dexamethasone	Dexamethasone	Bovine, caprine, porcine, <i>Equidae</i>	0.75 µg/kg 2 µg/kg 0.75 µg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine, caprine	0.3 µg/kg	Milk		
Dexpanthenol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Diazinon	Diazinon	Bovine, ovine, caprine, porcine	20 µg/kg 700 µg/kg 20 µg/kg 20 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against ectoparasites
		Bovine, ovine, caprine	20 µg/kg	Milk		
Diclazuril	NOT APPLICABLE	All ruminants, porcine	No MRL required	NOT APPLICABLE	For oral use only	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
	Diclazuril	Poultry	500 µg/kg 500 µg/kg 1 500 µg/kg 1 000 µg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals from which eggs are produced for human consumption	Antiparasitic agents/ Agents acting against protozoa
		Rabbit	150 µg/kg 300 µg/kg 2 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney		
Diclofenac	Diclofenac	Bovine	5 µg/kg 1 µg/kg 5 µg/kg 10 µg/kg 0.1 µg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Porcine	5 µg/kg 1 µg/kg 5 µg/kg 10 µg/kg	Muscle Skin and fat Liver Kidney		
Dicloxacillin	Dicloxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Dicopper oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil and 2, 4, 6-triamino-pyrimidine-5-carbonitrile	Ovine	200 µg/kg 150 µg/kg 400 µg/kg 400 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against ectoparasites
Diethyl phthalate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Diethyl sebacate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Diethylene glycol monethyl ether	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Difloxacin	Difloxacin	Bovine, ovine, caprine	400 µg/kg 100 µg/kg 1 400 µg/kg 800 µg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which milk is produced for human consumption. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		Porcine	400 µg/kg 100 µg/kg 800 µg/kg 800 µg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	300 µg/kg 400 µg/kg 1 900 µg/kg 600 µg/kg	Muscle Skin and fat Liver Kidney		

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
		All other food producing species	300 µg/kg 100 µg/kg 800 µg/kg 600 µg/kg	Muscle Fat Liver Kidney		
Diflubenzuron	Diflubenzuron	<i>Salmonidae</i>	10 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Dihydrostreptomycin	Dihydrostreptomycin	All ruminants, porcine, rabbit	500 µg/kg 500 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		All ruminants	200 µg/kg	Milk		
3,5-Diiodo-L-tyrosine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dimanganese trioxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Dimethicone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dinoprost	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dinoprost tromethamine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dinoprostone	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Diprophylline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food producing species	40 µg/kg 150 µg/kg 100 µg/kg 60 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents acting against endo- and ectoparasites

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus	NOT APPLICABLE	Bees	No MRL required	Honey	NO ENTRY	NO ENTRY
Doxapram	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Doxycycline	Doxycycline	All food producing species	100 µg/kg 300 µg/kg 300 µg/kg 600 µg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
D-Phenylalanine (6) – luteinising hormone releasing hormone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Echinacea</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only.	NO ENTRY
<i>Echinacea purpurea</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Emamectin	Emamectin B1a	Fin fish	100 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Enilconazole	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Enrofloxacin	Sum of enrofloxacin and ciprofloxacin	Bovine, ovine, caprine	100 µg/kg 100 µg/kg 300 µg/kg 200 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics
		Porcine, rabbit	100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from	

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
		Poultry	100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg	Muscle Skin and fat Liver Kidney	which eggs are produced for human consumption.	
		All other food producing species	100 µg/kg 100 µg/kg 200 µg/kg 200 µg/kg	Muscle Fat Liver Kidney		
Epinephrine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Eprinomectin	Eprinomectin B1a	All ruminants, <i>equidae</i>	50 µg/kg 250 µg/kg 1 500 µg/kg 300 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Fin fish	50 µg/kg	Muscle and skin in natural proportions		
		Rabbits	50 µg/kg 250 µg/kg 1 500 µg/kg 300 µg/kg	Muscle Fat Liver Kidney		
Ergometrine maleate	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For use in parturient animals only.	NO ENTRY
Erythromycin	Erythromycin A	All food producing species	200 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 40 µg/kg 150 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Etamiphylline camsylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Etamsylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ethanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Ethyl lactate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ethyl oleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ethylenediaminetetraacetic acid and salts	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Etiproston tromethamine	NOT APPLICABLE	Bovine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Eucalypti aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Eucalyptol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Eucalyptus globulus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Euphrasia officinalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Febantel	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, <i>Equidae</i>	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against endoparasites
		All ruminants	10 µg/kg	Milk		
Fenbendazole	Sum of extractable residues which may be oxidised to oxfendazole sulfone	All food producing species except fin fish	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg 10 µg/kg 1 300 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against endoparasites
Fenpipramide hydrochloride	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 µg/kg 250 µg/kg 25 µg/kg 25 µg/kg 40 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Firocoxib	Firocoxib	<i>Equidae</i>	10 µg/kg 15 µg/kg 60 µg/kg 10 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
Florfenicol	Sum of florfenicol and its metabolites measured as florfenicol-amine	Bovine, ovine, caprine	200 µg/kg 3 000 µg/kg 300 µg/kg	Muscle Liver Kidney	Not for animals from which milk is produced for human consumption. Not for animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		Porcine	300 µg/kg 500 µg/kg 2 000 µg/kg 500 µg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	100 µg/kg 200 µg/kg 2 500 µg/kg 750 µg/kg	Muscle Skin and fat Liver Kidney		
		Fin fish	1 000 µg/kg	Muscle and skin in natural proportions.		
		All other food producing species	100 µg/kg 200 µg/kg 2 000 µg/kg 300 µg/kg	Muscle Fat Liver Kidney		

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Fluazuron	Fluazuron	All ruminants except bovine and ovine	200 µg/kg 7 000 µg/kg 500 µg/kg 500 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents (acting) against ectoparasites
		Bovine	200 µg/kg 7 000 µg/kg 500 µg/kg 500 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	
		Fin fish	200 µg/kg	Muscle and skin in natural proportions	NO ENTRY	
Flubendazole	Sum of flubendazole and (2-amino 1H-benzimidazol-5-yl) (4fluorophenyl) methanone	Poultry, porcine	50 µg/kg 50 µg/kg 400 µg/kg 300 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
	Flubendazole	Poultry	400 µg/kg	Eggs		
Flugestone acetate	Flugestone acetate	Ovine, caprine	0.5 µg/kg 0.5 µg/kg 0.5 µg/kg 0.5 µg/kg 1.0 µg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 µg/kg 300 µg/kg 500 µg/kg 1 500 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		Bovine, ovine, caprine	50 µg/kg	Milk		
		Poultry	400 µg/kg 250 µg/kg 800 µg/kg 1 000 µg/kg	Muscle Skin and fat Liver Kidney		
		Fin Fish	600 µg/kg	Muscle and skin in natural proportion.		
		All other food producing species	200 µg/kg 250 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney		
Flumethrin	Flumethrin (sum of trans-Z-isomers)	Bovine	10 µg/kg 150 µg/kg 20 µg/kg 10 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 µg/kg 150 µg/kg 20 µg/kg 10 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	
	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY	
Flunixin	Flunixin	Bovine	20 µg/kg 30 µg/kg 300 µg/kg 100 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Porcine	50 µg/kg 10 µg/kg 200 µg/kg 30 µg/kg	Muscle Skin and fat Liver Kidney		

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
		<i>Equidae</i>	10 µg/kg 20 µg/kg 100 µg/kg 200 µg/kg	Muscle Fat Liver Kidney		
	5-Hydroxy-flunixin	Bovine	40 µg/kg	Milk		
Fluralaner	Fluralaner	Poultry	65 µg/kg 650 µg/kg 650 µg/kg 420 µg/kg 1 300 µg/kg	Muscle Skin and fat in natural proportions Liver Kidney Eggs	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
<i>Foeniculi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Folic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from all species and their synthetic analogues)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Only substances approved as additives in foodstuffs for human consumption, with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.	NO ENTRY
Formaldehyde	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Formic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Frangulae cortex</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Furosemide	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For intravenous administration only.	NO ENTRY
Gamithromycin	Gamithromycin	All ruminants except bovine	50 µg/kg 50 µg/kg 300 µg/kg 200 µg/kg	Muscle Fat Liver Kidney	Not for use in animals producing milk for human consumption	Anti-infectious agents/ Antibiotics
		Bovine	20 µg/kg 200 µg/kg 100 µg/kg	Fat Liver Kidney		
		Porcine	100 µg/kg 100 µg/kg 100 µg/kg 300 µg/kg	Muscle Skin and fat in natural proportions Liver Kidney	NO ENTRY	
Gentamicin	Sum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2a	All mammalian food producing species and fin fish	50 µg/kg 50 µg/kg 200 µg/kg 750 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. For porcine species the fat relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Gentianae radix</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Ginkgo biloba</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
<i>Ginseng</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Ginseng</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glutamic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glutamine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glutaraldehyde	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glycerol formal	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glycine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Gonadotrophin releasing hormone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Guaiacol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Guanosine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Halofuginone	Halofuginone	Bovine	10 µg/kg 25 µg/kg 30 µg/kg 30 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents acting against protozoa
<i>Hamamelis virginiana</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per ten only.	NO ENTRY
		All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Harpagophytum procumbens</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Harunga madagascariensis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only	NO ENTRY
Heparin and its salts	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Heptaminol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hesperidin	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hexaflumuron	Hexaflumuron	Fin fish	500 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites
Hexetidine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Hippocastani semen</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Histidine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Human chorion gonadotrophin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Human chorionic gonadotropin (natural HCG and its synthetic analogues)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Human menopausal urinary gonadotrophin	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Humic acids and their sodium salts	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Hyaluronic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hydrochloric acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Hydrochlorothiazide	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Hydrocortisone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Hydrocortisone aceponate	Sum of hydrocortisone and its esters after alkaline hydrolysis expressed as hydrocortisone	All ruminants, <i>Equidae</i>	10 µg/kg	Milk	For intramammary use only	Corticosteroids
	NOT APPLICABLE	All ruminants, <i>Equidae</i>	No MRL required for all tissues except milk	NOT APPLICABLE		
Hydrogen peroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hydroxyethyl salicylate	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
8-Hydroxyquinoline	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For topical use in new-born animals only.	NO ENTRY
<i>Hyperici oleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Hypericum perforatum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Imidacloprid	Imidacloprid	Fin fish	600 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Imidocarb	Imidocarb	Bovine	300 µg/kg 50 µg/kg 2 000 µg/kg 1 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against protozoa
		Ovine	300 µg/kg 50 µg/kg 2 000 µg/kg 1 500 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	
Inosine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Inositol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Iodine and iodine inorganic compounds including: Sodium and potassium-iodide Sodium and potassium-iodate Iodophors including polyvinylpyrrol-iodone-iodine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iodine organic compounds — Iodoform	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron ammonium citrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron dextran	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron dichloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron fumarate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron glucoheptonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Isobutane	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Isoeugenol	Isoeugenol	Fin fish	6 000 µg/kg	Muscle and skin in natural proportions	NOT APPLICABLE	Agents acting on the nervous system/ Agents acting on the central nervous system
Isoflurane	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For use by inhalation	General anaesthetics
		Porcine	No MRL required	NOT APPLICABLE	For use by inhalation in piglets up to 7 days of age	
Isoleucine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Isopropanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For therapeutic use only in accordance with Council Directive 96/22/ EEC.	NO ENTRY
Ivermectin	22, 23-Dihydro-avermectin B 1a	All mammalian food producing species	30 µg/kg 100 µg/kg 100 µg/kg 30 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents acting against endo and ectoparasites
<i>Jecoris oleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Juniperi fructus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 µg/kg 100 µg/kg 600 µg/kg 2 500 µg/kg 150 µg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Ketamine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ketoprofen	NOT APPLICABLE	Bovine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Lachnanthes tinctoria</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
Lactic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lanolin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lasalocid	Lasalocid A	Poultry	60 µg/kg 300 µg/kg 150 µg/kg 300 µg/kg 150 µg/kg	Muscle Liver Kidney Skin and fat in natural proportions Eggs	NO ENTRY	Anti-infectious agents/ Antibiotics
		Bovine	10 µg/kg 20 µg/kg 100 µg/kg 20 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
<i>Lauri folii aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Lauri fructus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Lavandulae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Lecirelin	NOT APPLICABLE	Bovine, <i>Equidae</i> , rabbit	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lectin extracted from red kidney beans <i>Phaseolus vulgaris</i>	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
<i>Lespedeza capitata</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Leucine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 µg/kg 10 µg/kg 100 µg/kg 10 µg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption.	Antiparasitic agents/ Agents against endoparasites
Levomethadone	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intravenous use only.	NO ENTRY
Levothyroxine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lidocaine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For local/ regional anaesthesia only.	Local anaesthetic
		Porcine			For use in piglets up to 7 days of age only. For cutaneous and epilesional use only.	
	Lidocaine	Bovine	150 µg/kg 200 µg/kg 1 µg/kg 200 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	NOT APPLICABLE	
Lincomycin	Lincomycin	All food producing species	100 µg/kg 50 µg/kg 500 µg/kg 1 500 µg/kg 150 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C ₉ to C ₁₃ , containing less than 2,5 % of chains longer than C ₁₃	NOT APPLICABLE	Bovine, ovine	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Lini oleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Lobaria pulmonaria</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Lobeline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lufenuron (RS-isomers)	Lufenuron (RS-isomers)	Fin fish	1 350 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Luprostiol	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lysine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium aluminium silicate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium aspartate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium carbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium citrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium glutamate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium hydroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium hypophosphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium orotate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium phosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Magnesium sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Majoranae herba</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Malic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Manganese carbonate	NOT APPLICABLE	All food producing species	NO MRL REQUIRED	NOT APPLICABLE	NO ENTRY	Alimentary tract and metabolism/ mineral supplements
Manganese chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese pidolate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese ribonucleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Mannitol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Marbofloxacin	Marbofloxacin	Bovine, porcine	150 µg/kg 50 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		Bovine	75 µg/kg	Milk		
<i>Matricaria recutita</i> and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Matricariae flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Mebendazole	Sum of mebendazole methyl (5-(1-hydroxy, 1-phenyl) methyl-1H-benzimidazol-2-yl) carbamate and (2-amino-1H-benzimidazol-5-yl) phenylmethanone, expressed as mebendazole equivalents	Ovine, caprine, <i>Equidae</i>	60 µg/kg 60 µg/kg 400 µg/kg 60 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against endoparasites
Mecillinam	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For intrauterine use only.	NO ENTRY
<i>Medicago sativa extractum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Medroxyprogesterone acetate	NOT APPLICABLE	Ovine	No MRL required	NOT APPLICABLE	For intravaginal use for zootechnical purposes only.	NO ENTRY
Melatonin	NOT APPLICABLE	Ovine, caprine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Melissae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Melissae folium</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, <i>Equidae</i>	20 µg/kg 65 µg/kg 65 µg/kg	Muscle Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Bovine, caprine	15 µg/kg	Milk		
Menadione	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Menbutone	NOT APPLICABLE	Bovine, ovine, caprine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Menthae arvensis aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Menthae piperitae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Menthol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Mepivacaine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intra-articular and epidural use as local anaesthetic only.	NO ENTRY
Mercaptamine hydrochloride	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Metamizole	4-Methylaminoantipyrin	Bovine, porcine, <i>Equidae</i>	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
		Bovine	50 µg/kg	Milk		
Methionine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Methyl nicotinate	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Methyl salicylate	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Methylbenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Methylprednisolone	Methylprednisolone	Equidae	10 µg/kg 10 µg/kg 10 µg/kg 10 µg/kg 2 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoids/ Glucocorticoids
		Bovine	10 µg/kg 10 µg/kg 10 µg/kg 10 µg/kg 2 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	
1-Methyl-2-pyrrolidone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Millefolii herba</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Mineral hydrocarbons, low to high viscosity including microcrystalline waxes, approximately C10-C60, aliphatic, branched aliphatic and alicyclic compounds	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Excludes aromatic and unsaturated compounds.	NO ENTRY
Monensin	Monensin A	Bovine	2 µg/kg 10 µg/kg 50 µg/kg 10 µg/kg 2 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
Monepantel	Monepantel sulfone	Ovine, caprine	700 µg/kg 7 000 µg/kg 5 000 µg/kg 2 000 µg/kg 170 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents (acting) against endoparasites
		Bovine	300 µg/kg 7 000 µg/kg 2 000 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	Not for use in animals producing milk for human consumption	
Monothioglycerol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Montanide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Morantel	Sum of residues which may be hydrolysed to N-methyl-1,3-propanediamine and expressed as morantel equivalents	All ruminants	100 µg/kg 100 µg/kg 800 µg/kg 200 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Moxidectin	Moxidectin	Bovine, ovine, <i>Equidae</i>	50 µg/kg 500 µg/kg 100 µg/kg 50 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Bovine, ovine	40 µg/kg	Milk		
Myglyol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Myristicae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in new-born animals only.	NO ENTRY
Nafcillin	Nafcillin	All ruminants	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For intramammary use only.	Anti-infectious agents/ Antibiotics
Natamycin	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Neomycin (including framycetin)	Neomycin B	All food producing species	500 µg/kg 500 µg/kg 5 500 µg/kg 9 000 µg/kg 1 500 µg/kg 500 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Neostigmine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	For oral use only.	Antiparasitic agents/ Agents against endoparasites
Nickel gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Nickel sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Nicoboxil	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Nitroxinil	Nitroxinil	Bovine, ovine	400 µg/kg 200 µg/kg 20 µg/kg 400 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk		Antiparasitic agents/ agents against endoparasites
Nonivamide	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Norgestomet	Norgestomet	Bovine	0.2 µg/kg 0.2 µg/kg 0.2 µg/kg 0.2 µg/kg 0.12 µg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical purposes only.	Agents acting on the reproductive system
Novobiocin	Novobiocin	Bovine	50 µg/kg	Milk	For intramammary use only.	Anti-infectious agents/Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk	NOT APPLICABLE	NO ENTRY	
Octenidine dihydrochloride	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For cutaneous use only.	Anti-infectious agents/ Antiseptics
17β-Oestradiol	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For therapeutic and zootechnical use only.	NO ENTRY
<i>Okoubaka aubrevillei</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Oleylolate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Omeprazole	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Orgotein	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ornithine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Orotic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ovotransferrin	NOT APPLICABLE	Chicken	No MRL required	NOT APPLICABLE	For inhalation use only	Anti-infectious agent
		All poultry except chicken	No MRL required	NOT APPLICABLE	For inhalation use only. Not for use in animals from which eggs are produced	
Oxacillin	Oxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Oxalic acid	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY	Anti-infectious agent

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Oxfendazole	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, <i>Equidae</i>	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against endoparasites
		All ruminants	10 µg/kg	Milk		
Oxibendazole	Oxibendazole	Porcine	100 µg/kg 500 µg/kg 200 µg/kg 100 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxidation products of <i>Terebinthinae oleum</i>	NOT APPLICABLE	Bovine, ovine, caprine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Oxolinic acid	Oxolinic acid	All food producing species	100 µg/kg 50 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Oxyclozanide	Oxyclozanide	All ruminants	20 µg/kg 20 µg/kg 500 µg/kg 100 µg/kg 10 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxytetracycline	Sum of parent drug and its 4-epimer	All food producing species	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics
Oxytocin	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Pancreatin	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Papain	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Papaverine	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	New-born calves only.	NO ENTRY
Paracetamol	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Parconazole	NOT APPLICABLE	Guinea fowl	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Paromomycin	Paromomycin	All food producing species	500 µg/kg 1 500 µg/kg 1 500 µg/kg 200 µg/kg	Muscle Liver Kidney Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which milk is produced for human consumption.	Anti-infectious agents/ Antibiotics

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Peforelin	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Pegylated bovine granulocyte colony stimulating factor	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	Biological/ Immuno-modulator
Penethamate	Benzylpenicillin	All mammalian food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Pentosan Polysulfate Sodium	NOT APPLICABLE	Equidae	No MRL required	Not applicable	Not for use in animals from which milk is produced for human consumption	NO ENTRY
Pepsin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Peracetic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 µg/kg 500 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Phenol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Phenoxymethylpenicillin	Phenoxymethylpenicillin	Porcine	25 µg/kg 25 µg/kg 25 µg/kg	Muscle Liver Kidney	NO ENTRY	Anti-infectious agents/ Antibiotics
		Poultry	25 µg/kg 25 µg/kg 25 µg/kg 25 µg/kg 25 µg/kg	Muscle Skin and fat Liver Kidney Eggs		
Phenylalanine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Phloroglucinol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Phoxim	Phoxim	All food producing species except fin fish.	25 µg/kg 550 µg/kg 50 µg/kg 30 µg/kg 60 µg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against ectoparasites.
<i>Phytolacca americana</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
Phytomenadione	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Piceae turiones recentes extractum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Piperazine	Piperazine	Porcine	400 µg/kg 800 µg/kg 2 000 µg/kg 1 000 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Chicken	2 000 µg/kg	Eggs		
Piperazine dihydrochloride	NOT APPLICABLE	Chicken	No MRL required for all tissues except eggs	NOT APPLICABLE	NO ENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABLE	Bovine, ovine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Pirlimycin	Pirlimycin	Bovine	100 µg/kg 100 µg/kg 1 000 µg/kg 400 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
Policresulen	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Poloxalene	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Poloxamer	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Polyethylene glycol 15 hydroxystearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Polyethylene glycol stearates with 8-40 oxyethylene units	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Polyoxyethylene sorbitan mono-oleate and trioleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Polyoxyl hydro-genated castor oil with 40 to 60 oxyethylene units	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Polysorbate 80	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Polysulphated glycosaminoglycan	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Porcine prolactin	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	For oral use in new-born piglets at a dose of up to 0.2 mg/animal. For use in sows at a total dose of up to 5 mg/animal.	Agents acting on the reproductive system
Potassium DL-aspartate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium glucuronate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium nitrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium selenate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Praziquantel	NOT APPLICABLE	Ovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Prednisolone	Prednisolone	Bovine	4 µg/kg 4 µg/kg 10 µg/kg 10 µg/kg 6 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoids/ Glucocorticoids
		<i>Equidae</i>	4 µg/kg 8 µg/kg 6 µg/kg 15 µg/kg	Muscle Fat Liver Kidney		
Pregnant mare serum gonadotrophin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	O ENTRY
Prethcamide (crotethamide and cropropamide)	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Procaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Progesterone	NOT APPLICABLE	Bovine, ovine, caprine, <i>Equidae</i> (female)	No MRL required	NOT APPLICABLE	Only for intra-vaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/ EC.	NO ENTRY
Proline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Propane	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Propyl 4-hydroxybenzoate and its sodium salt	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as a preservative only	NO ENTRY
Propylene glycol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Prunus laurocerasus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
Purified semi-solid extract from <i>Humulus lupulus</i> L. containing approximately 48 % of beta acids (as potassium salts)	NOT APPLICABLE	Bees	No MRL required	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Pyrantel embonate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Pyrethrum</i> extract	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
2-Pyrrolidone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	At parenteral doses up to 40 mg/kg bw.	NO ENTRY
Quatresin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as preservative only at concentrations of up to 0.5%.	NO ENTRY
<i>Quercus cortex</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Quillaia</i> saponins	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Rafoxanide	Rafoxanide	Bovine	30 µg/kg 30 µg/kg 10 µg/kg 40 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	100 µg/kg 250 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidney		
<i>Rhei radix</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Ricini oleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Rifaximin	Rifaximin	Bovine	60 µg/kg	Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk	NOT APPLICABLE	For intramammary use, except if the udder may be used as food for human consumption, and intrauterine use only.	
	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For topical use only.	
Romifidine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For therapeutic uses only.	NO ENTRY
<i>Rosmarini aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Rosmarini folium</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Ruscus aculeatus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Ruta graveolens</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption.	NO ENTRY
Salicylic acid	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Salviae folium</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Sambuci flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 µg/kg 100 µg/kg	Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		<i>Salmonidae</i>	30 µg/kg	Muscle and skin in natural proportions		
<i>Selenicereus grandiflorus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
<i>Serenoa repens</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Serine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Serotonin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Silybum marianum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Sinapis nigrae semen</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sisapronil	Sisapronil	Bovine, caprine	100 µg/kg 2 000 µg/kg 200 µg/kg 100 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against ectoparasites
Sodium 2- methyl-2-phenoxy-propanoate	NOT APPLICABLE	Bovine, porcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium acetylsalicylate	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.	NO ENTRY
Sodium benzyl 4-hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium butyl 4-hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium cetostearyl sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Sodium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium chlorite	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Sodium cromoglycate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium dichloroisocyanurate	NOT APPLICABLE	Bovine, ovine, caprine	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Sodium dioctyl sulphosuccinate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium formal dehyde sulphoxylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium hypophosphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium nitrite	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Sodium propionate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Sodium pyrosulphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium salicylate	NOT APPLICABLE	Bovine, porcine	No MRL required	NOT APPLICABLE	For oral use. Not for use in animals from which milk is produced for human consumption.	NO ENTRY
		All food producing species except fin fish	No MRL required	NOT APPLICABLE	For topical use only.	
	Salicylic acid	Turkey	400 µg/kg 2 500 µg/kg 200 µg/kg 150 µg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals producing eggs for human consumption.	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
Sodium selenate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium selenite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Solidago virgaurea</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Solvent naphtha, light aromatic, with cumene concentration not exceeding 2.5 %, and benzene concentration not exceeding 0.0002%.	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For cutaneous use only. Only at volume not exceeding 15 µl solvent naphtha/kg bw.	NO ENTRY
Somatosalm	NOT APPLICABLE	Salmon	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Spectinomycin	Spectinomycin	Ovine	300 µg/kg 500 µg/kg 2 000 µg/kg 5 000 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
		All other food producing species	300 µg/kg 500 µg/kg 1 000 µg/kg 5 000 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	
Spiramycin	Sum of spiramycin and neospiramycin	Bovine	200 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
		Chicken	200 µg/kg 300 µg/kg 400 µg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption.	
	Spiramycin 1	Porcine	250 µg/kg 2 000 µg/kg 1 000 µg/kg	Muscle Liver Kidney	NO ENTRY	
Streptomycin	Streptomycin	All ruminants, porcine, rabbit	500 µg/kg 500 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		All ruminants	200 µg/kg	Milk		
<i>Strychni semen</i>	NOT APPLICABLE	Bovine, ovine, caprine	No MRL required	NOT APPLICABLE	For oral use only at doses up to the equivalent of 0.1 mg strychnine/kg bw.	NO ENTRY
Strychnine	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For oral use only at dose to 0.1 mg/kg bw.	NO ENTRY
Substances used in homeopathic veterinary medicines	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	All substances used in homeopathic veterinary medicinal products provided that their concentration in the product does not exceed one part per ten thousand.	NO ENTRY
Sulfogaiacol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sulfonamides (all substances belonging to the sulfonamide group)	Parent drug	All food producing species	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidney	The combined total residues of all substances within the sulfonamide group should not exceed 100 µg/kg. For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Chemotheurapeutics
		Bovine, ovine, caprine	100 µg/kg	Milk		
Sulphur	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Symphyti radix</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use on intact skin only.	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
<i>Syzygium cumini</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Tanninum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Tau fluvalinate	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Teflubenzuron	Teflubenzuron	<i>Salmonidae</i>	500 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
<i>Terebinthinae aetheroleum rectificatum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Terebinthinae laricina</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Terpin hydrate	NOT APPLICABLE	Bovine, ovine, caprine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tetracaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as anaesthetic only.	NO ENTRY
Tetracycline	Sum of parent drug and its 4-epimer	All food producing species	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics
Theobromine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Theophylline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Bovine, caprine	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Thiamphenicol	Thiamphenicol	All food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Thiamylal	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For intravenous administration only.	NO ENTRY
Thioctic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Thiomersal	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use only as preservatives in multidose vaccines at a concentration not exceeding 0.02%.	NO ENTRY
Thiopental sodium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For intravenous administration only.	NO ENTRY
Threonine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Thuja occidentalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
<i>Thymi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Thymidine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Thymol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tiamulin	Sum of metabolites that may be hydrolysed to 8- α -hydroxy-mutilin	Porcine, rabbit	100 $\mu\text{g/kg}$ 500 $\mu\text{g/kg}$	Muscle Liver	NO ENTRY	Anti-infectious agents/ Antibiotics
		Chicken	100 $\mu\text{g/kg}$ 100 $\mu\text{g/kg}$ 1 000 $\mu\text{g/kg}$	Muscle Skin and fat Liver		
		Turkey	100 $\mu\text{g/kg}$ 100 $\mu\text{g/kg}$ 300 $\mu\text{g/kg}$	Muscle Skin and fat Liver		
		Tiamulin	Chicken	1 000 $\mu\text{g/kg}$	Eggs	
Tiaprost	NOT APPLICABLE	Bovine, ovine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tildipirosin	Tildipirosin	Bovine, caprine	400 $\mu\text{g/kg}$ 200 $\mu\text{g/kg}$ 2 000 $\mu\text{g/kg}$ 3 000 $\mu\text{g/kg}$	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Anti-infectious agents/ Antibiotics
		Porcine	1 200 $\mu\text{g/kg}$ 800 $\mu\text{g/kg}$ 5 000 $\mu\text{g/kg}$ 10 000 $\mu\text{g/kg}$	Muscle Skin and fat in natural proportions Liver Kidney		
<i>Tiliae flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Tilmicosin	Tilmicosin	Poultry	75 µg/kg 75 µg/kg 1 000 µg/kg 250 µg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		All other food producing species	50 µg/kg 50 µg/kg 1 000 µg/kg 1 000 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk		
Tiludronic acid (in the form of disodium salt)	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intravenous use only.	NO ENTRY
		Poultry	No MRL required	NOT APPLICABLE	For parenteral use only and for use in laying and breeder birds only.	
Timerfonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use only as preservatives in multidose vaccines at a concentration not exceeding 0.02%.	NO ENTRY
Toldimfos	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 µg/kg 400 µg/kg 100 µg/kg	Muscle Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Bovine	50 µg/kg	Milk		
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 µg/kg 150 µg/kg 500 µg/kg 250 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption. Not for use in animals from which eggs are produced for human consumption.	Antiparasitic agents/ Agents acting against protozoa
		Poultry	100 µg/kg 200 µg/kg 600 µg/kg 400 µg/kg	Muscle Skin and fat Liver Kidney		
Tosylchloramide sodium	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
		Fin fish	No MRL required	NOT APPLICABLE	For water-borne use only.	
Tragacanth	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tricaine mesilate	NOT APPLICABLE	Fin fish	No MRL required	NOT APPLICABLE	For water borne use only.	NO ENTRY
Trichlormethiazide	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Triclabendazole	Sum of the extractable residues that may be oxidised to ketotriclabendazole	All ruminants	225 µg/kg 100 µg/kg 250 µg/kg 150 µg/kg 10 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Trimethoprim	Trimethoprim	<i>Equidae</i>	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney	Anti-infectious agents/ Chemotherapeutics

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
		All other food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	
Trimethylphloroglucinol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Triptorelin acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	Agents acting on the reproductive system
Trypsin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tryptophan	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tulathromycin	(2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetra-hydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylo-hexopyranosyl]oxy]-1-oxa-6-azacyclopent-decan-15-one expressed as tulathromycin equivalents	Ovine, caprine	450 µg/kg 250 µg/kg 5 400 µg/kg 1 800 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Anti-infectious agents/ Antibiotics
		Bovine	300 µg/kg 200 µg/kg 4 500 µg/kg 3 000 µg/kg	Muscle Fat Liver Kidney		
		Porcine	800 µg/kg 300 µg/kg 4 000 µg/kg 8 000 µg/kg	Muscle Skin and fat in natural proportions Liver Kidney		
<i>Turnera diffusa</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Tylosin	Tylosin A	All food producing species	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg 50 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Tylvalosin	Sum of tylvalosin and 3-O-acetyl-tylosin	Porcine	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Anti-infectious agents/ Antibiotics
		Poultry	50 µg/kg 50 µg/kg	Skin and fat Liver		
	Tylvalosin	Poultry	200 µg/kg	Eggs		

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Tyrosine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Urea	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Urginea maritima</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. For oral use only.	NO ENTRY
Uridine and its 5'-mono-5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Urticae herba</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Valine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Valnemulin	Valnemulin	Porcine, rabbit	50 µg/kg 500 µg/kg 100 µg/kg	Muscle Liver Kidney	NO ENTRY	Anti-infectious agents/ Antibiotics
Vedaprofen	Vedaprofen	<i>Equidae</i>	50 µg/kg 20 µg/kg 100 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
Vetrabutine hydrochloride	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vincamine	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For use in new-born animals only.	NO ENTRY
Virginiamycin	Virginiamycin factor S1	Poultry	10 µg/kg 30 µg/kg 10 µg/kg 60 µg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
<i>Viola sebifera</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
<i>Viscum album</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Vitamin A	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B1	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Pharmacologically active Substance	Marker residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Vitamin B2	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B3	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B5	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B6	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B12	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin D	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin E	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Wool alcohols	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Xylazine hydrochloride	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc aspartate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc oleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Prohibited substances

Pharmacologically active substance	MRL
<i>Aristolochia spp.</i> and preparations thereof	MRL cannot be established
Chloramphenicol	MRL cannot be established
Chlorpromazine	MRL cannot be established
Colchicine	MRL cannot be established
Dapsone	MRL cannot be established
Dimetridazole	MRL cannot be established
Metronidazole	MRL cannot be established
Nitrofurans (including furazolidone)	MRL cannot be established
Ronidazole	MRL cannot be established

Substances (including biological substances) that do not require an MRL evaluation (out of scope)

Excipients

- Acetone (CAS No: 67-64-1): for cutaneous use only
- Alcohols, C9-11, ethoxylated (CAS 68439-46-3)
- Aqua purificata (CAS No: 7732-18-5)
- Bentonite (CAS No: 1302-78-9): for cutaneous and oral use only
- Benzethonium chloride (CAS 121-54-0): for use as a preservative at concentrations of up to 0.01% resulting in target animal doses of up to 8 µg/kg bw
- 1,2-Benzisothiazol-3(2H)-one (CAS No 2634-33-5): for cutaneous use only
- Bis(2,6-diisopropylphenyl) carbodiimide (CAS No: 2162-74-5): for cutaneous or in-hive use only
- 2-(2-n-Butoxyethoxy) ethanol (CAS No: 112-34-5)
- Carbomer (CAS No: 9003-01-4)
- Carbomer copolymer A (CAS No: 1456857-02-1): for topical administration at doses of up to 1.6 mg/kg bw
- Casein hydrolysate (CAS No: 65072-00-6)
- Cetearyl ethylhexanoate (CAS No: 59130-70-7): for cutaneous use only at doses of up to 35.0 mg/kg bw
- Chlorobutanol (CAS No: 57-15-8): at concentrations up to 1%
- Coconut oil (CAS No: 8001-31-8)
- Collagen hydrolysate (CAS No: 9007-34-5)
- Copolymer of polyvinylpyrrolidone and vinyl acetate (CAS No: 25086-89-9): for cutaneous use only
- Corn oil (CAS No: 8001-30-7)
- Cotton seed oil (CAS No: 8001-29-4)
- Cytosine-phosphate-guanine 23877: for use as an adjuvant at concentrations of up to 100 µg per dose
- Denatonium benzoate (CAS No: 3734-33-6): for topical administration at doses of up to 0.25 mg/kg bw
- N-(2-deoxy-2-L-leucylamino-β-D-glucopyranosyl)-N-octadecyl-dodecanoylamide hydroacetate: for use as an adjuvant at concentrations of up to 1 mg per dose
- Dibutyl sebacate (CAS No: 109-43-3)
- Didodecyl 3,3'-sulfanedioldipropionate (CAS No: 693-36-7): for in-hive use only
- Diethylaminoethyl (DEAE)-dextran (CAS No: 9015-73-0) and diethylaminoethyl (DEAE)- dextran hydrochloride (CAS No: 9064-91-9): at concentrations up to 150 mg/ml
- Diethylhexyladipate (DEHA) (CAS No: 103-23-1): for cutaneous use only at doses of up to 45 mg/kg bw
- Dimethyldioctadecylammonium bromide (CAS No: 3700-67-2): for use as an adjuvant at a total dose of not greater than 21 mg/animal
- Dimethyl ether (CAS No: 115-10-6): for use as a propellant for topical administration
- di-n-butyl-adipate (CAS No: 105-99-7)
- Di-polyethylene glycol-6 ester of oleic acid (CAS No: 879124-92-2): at doses of up to 1 mg/kg bw
- Dipropylene glycol (CAS No 106-62-7, 110-98-5, 108-61-2 and 25265-71-8): for cutaneous use only
- Dipropylene glycol methyl ether (CAS No: 34590-94-8)
- 2-[2-(dodecyloxy)ethoxy]ethanol (CAS No: 3055-93-4): for cutaneous use only
- Dolomite (CAS No: 16389-88-1)
- Erucamide (CAS No: 112-84-5): for in-hive use only
- Ethoxylated nonylphenol with an average of 9–10 ethylene oxide moieties (generic CAS No: 9016-45-9): at a total dose not greater than 1 mg per animal
- Ethoxylated octylphenol with an average of 7–9 ethylene oxide moieties (generic CAS No: 9036-19-5): at a total dose not greater than 1 mg per animal
- Ethoxyquin (CAS No: 91-53-2): at concentrations up to 0.1 mg/g
- N-Ethylglucamine (CAS No 14216-22-9)
- Fatty acid methyl esters (CAS No: 67762-38-3): for topical administration
- Fibrous materials of plant origin
- Gamma hexalactone (CAS No: 685-06-7): for topical administration at doses of up to 14 mg/kg bw
- Gelatin (CAS No: 9000-70-8)
- Glycerol dimethylketal (CAS No: 100-79-8): at concentrations up to 150 mg/ml
- Natural crystalline graphite (CAS No: 7782-42-5): for use as anionic material in intraruminal devices
- 4-(2-Hydroxyethyl)-1-piperazineethanesulfonic acid (HEPES) (CAS No: 7365-45-9): for use as a buffering agent in vaccines and vaccine diluents
- Hydrogenated castor oil (CAS no: 8001-78-3)
- Isopropyl myristate (CAS No: 110-27-0): at doses up to 5 mg/kg bw
- Isotridecanol ethoxylates (CAS no. 69011-36-5)

- Macrogol cetostearyl ether (CAS No: 68439-49-6): for administration by the intramammary route at doses of up to 0.95 mg/kg bw
- Maleic acid (CAS No: 110-16-7): for use in buffering systems at doses up to 0.39 mg/kg bw
- Meglumine (CAS No: 6284-40-8): at doses up to 1.5 mg/kg bw
- Metacresol (CAS No: 108-39-4): at concentrations up to 0.2%
- Methacrylic acid - ethyl acrylate copolymer (CAS No 25212-88-8): for oral use only
- Monophosphoryl lipid A (CAS No 1246298-63-4): for use as an adjuvant at concentrations of up to 6 µg per dose
- Nonwoven polyester fabric consisting of fibres made of polyethylene terephthalate (CAS No: 25038-59-9) and polyethylene terephthalate copolymer (isophthalic acid terephthalic acid ethylene glycol polymer; CAS No 24938-04-3): for cutaneous use only
- Octadecenoyloxyethyl-heptadecenyl-hydroxyethylimidazolium chloride (DOTIM) (CAS: 214909-22-5): for intramuscular use as part of a vector for immunostimulants at doses up to 356 µg/animal
- 2-Octyl-dodecanol (CAS No: 5333-42-6): when administered topically at doses up to 20 mg/kg bw
- Oleic acid (CAS No: 112-80-1)
- Olive oil (CAS No: 8001-25-0)
- Peanut oil (CAS No: 8002-03-7)
- Pentaerythrityl tetrakis[3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate (CAS No: 6683-19-8): for in-hive use only
- Phosphodiester oligodeoxynucleotides: for use as adjuvant
- Pine wood flour: for in-hive use only
- Polybutene (CAS No: 9003-29-6)
- Polydimethylsiloxane, dimethylvinyl-terminated (CAS No: 68083-19-2): for in-hive use only
- Polydimethylsiloxane, hydroxy-terminated (CAS No 70131-67-8): for cutaneous use only
- Polyethylene (CAS No: 9002-88-4): for cutaneous use only
- Polyethylene glycol-8 beeswax
- Polyethylene glycol-75 lanolin (CAS no 8039-09-6 and 61790-81-8): for topical use only
- Poly(ethylene-vinyl acetate) (CAS No: 24937-78-8)
- Poly(lactic-co-glycolic acid)
- Polysaccharides naturally occurring such as celluloses and hydroxycelluloses, dextrans and glucans
- Polymyxin B (CAS No: 1404-26-8): for use as an endotoxin neutralising agent in vaccines at doses of not more than 500 µg/dose (approximately 5000 IU per dose) or not more than 8 µg/kg bw (approximately 80 IU/kg bw), whichever is the lower
- Polyvinyl chloride homopolymer (PVC) (CAS No: 9002-86-2), with a vinyl chloride limit <1 ppm
- Polyoxyethylene cetyl ethers (ceteths, CAS No 9004-95-9): at doses up to 1 mg/kg bw
- Polyoxyethylene (9) lauryl ether (CAS No: 3055-99-0): for cutaneous use only
- Polyoxyethylene oleate (CAS No. 9004-96-0): at doses up to 1.15 mg/kg bw
- Polyoxyethylene oleic alcohol (CAS No 9004-98-2): at doses up to 0.95 mg/kg bw
- Polyoxyethylene (40) sorbitol septaoleate (CAS No: 63089-85-0): for cutaneous use only
- Polyoxypropylene (PPG-2) myristyl ether propionate (CAS No: 74775-06-7): for cutaneous use only
- Polypropylene (CAS No: 9003-07-0)
- Propolis
- Propylene carbonate (CAS No: 108-32-7): at doses up to 16 mg/kg bw when applied by injection, and with no dose restriction when administered cutaneously or orally
- Sesame oil (CAS No: 8008-74-0)
- Silicones (CAS No: 9006-65-9)
- Simethicone (CAS No: 8050-81-5)
- Sodium lauryl ether sulfate (CAS No 68891-38-3): for cutaneous use only
- Sodium polynaphthalene sulfonate (CAS No 9084-06-4): for cutaneous use only
- Sodium starch glycolate (CAS: 9063-38-1): for oral and cutaneous use only
- Soybean (milled and hulled)
- Soybean oil, including epoxidized soybean oil (CAS No: 8001-22-7 and 8013-07-8)
- Squalane (CAS No: 111-01-3): as a component of the adjuvant system
- Starches normally found in food and food grade starches
- Styrene-butadiene block copolymer (CAS No: 9003-55-8): with a butadiene limit of less than 1 ppm
- Sulfolipo-cyclodextrin
- Triethanolamine (CAS No: 102-71-6)
- Tris(nonylphenyl) phosphite (CAS No: 26523-78-4)
- Trometamol (CAS No: 77-86-1): for use in buffering systems at doses up to 0.65 mg/kg bw
- Vanillin (CAS No: 121-33-5)
- Vermiculite (CAS No: 1318-00-9), including expanded vermiculite

- Zymosan A (CAS No: 58856-93-2): for use as an adjuvant at doses of up to 0.12 mg/kg bw

Normal foodstuffs

- Avena (oats)
- Carbohydrates naturally occurring
- Cereals
- Chocolate flavour
- Coffea arabica
- Honey
- Lipids as constituents of the human diet
- Royal jelly
- Petroselinum crispum (parsley)
- Peptides and proteins as constituents of the human diet
- Pulses
- Chemically complex substances of natural origin
- Organ autolysates
- Immunoglobulins
- Dried dialysate derived from blood
- Lyophilised ruminal fluid

Natural substances essential for animal and human life

- Oxygen (CAS No: 7782-44-7)

Substances that act by purely physical mechanisms

- Cross-linked polyacrylamide hydrogel (CAS no. 9003-05-8), with impurity concentrations of acrylamide ≤ 1.5 ppm, and N,N-methylene-bis-acrylamide ≤ 1 ppm, for intra-articular use in horses up to a dose of 0.08 ml/kg bw

Biological substances considered as not requiring an MRL evaluation

- Bovine casein hydrolysate (bCNH), produced from sodium caseinate hydrolysed with trypsin, heat treated, for intramammary use in cows
- Probiotic components including bacteria and yeasts
- Recombinant bovine IL-8 (His-tag) for intrauterine use in cattle at a dose of up to 1,000 µg per animal
- Stem cells