

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
1GP_fatigue	Any DASOR where human fatigue has been a factor.	Accommodation Shift Pattern Crew Duty ORM Operational Risk Matrix CRP Crew Rest Period Crew Rest Drowsy Sleep Tiredness Tired Fatigue	Global
3rd_party_animals	Any occurrence where an animal or animals have been startled resulting in an injury or potential injury to a 3rd party.	dog pig cow startled spooked stampede charge bolt sheep bolted	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
3rd_party_horse	Any occurrence where a horse or horse rider has been startled resulting in injury or potential injury to a 3rd party. Any occurrence where a horse rider has been affected by the operation of an aircraft.	stampede bolt charge stampede bolt bolted horse rider jockey equine equestrian horsey stallion stables mare foal colt filly horseman horsecowoman spooked startled mare jockey horse racing jump startle	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
3rd_party_people	Any occurrence where a person or people have been startled resulting in an incident injury or potential injury to a 3rd party.	startled spooked people individuals stampede charge bolt humans bolted run	Global
4worlds_aircrew	4 worlds approach to reporting involving aircrew and aircraft operators in the delivery of defence aviation capability.	aircrew operating operators	Global
4worlds_airspace_ATM	4 worlds approach to reporting involving air traffic managers/controllers and battle space managers in the delivery of defence aviation capability.	ATM ABM airspace air traffic manager battle space manager battle space management	Global
4worlds_maintainers	4 worlds approach to reporting involving engineers, technicians and maintainers in the delivery of defence aviation capability.	engineer technician maintainer maintenance technical	Global
4worlds_support_staff	4 worlds approach to reporting involving ground handlers, movers and all other support staff operators in the delivery of defence aviation capability.	handlers movers support staff	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
56SQN_crew	Any DASOR relating involving 56Sqn personnel or with a direct and important link to 56Sqn	T&E Trial Task RA2375 Airseeker RJ Poseidon Reaper P-8A MQ-9 Protector Shadow MQ-9B Wedgetail E7 E-3D Sentry sUAS	Global
AAR	Air to Air refuelling operations	tanking AAR refuelling tanker basket drogue diversion probe turbulence	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
abort	Any DASOR relating to an aborted or rejected take-off.	abort aborted reject rejected abandoned RTO	Global
ACAWS	Advisory Caution and Warning System	Warnings Cautions Attention Getting System Alerts Emergency	Global
AC_damage	Any DASOR where damage to an as is an outcome	Damage unserviceable	Global
AEA	Aircrew Equipment Assembly - Clothing and Equipment worn by Aircrew	aircraft overalls helmet visor boots LSJ immersion suit gloves rollneck thermals socks NSN stores WESS flying suit flying clothing FACs AEA	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Aeronautical Information	Any DASOR relating to the navigational information (including digital mapping or databases and paper charts and publications) provided for use during actual or simulated flight or related functions (air traffic or battlespace management for example).	terrain mapping airspace depicted uncharted aeronautical obstruction chart map not_shown_on_the_map moving_map digital_map cockpit_map_display mission_planning_system 50K 250K 500K 1_Million 1_mil scale Low_Flying_Chart VFR_chart En_Route_Chart Danger_Area Restricted_Airspace Low_Flying_Handbook nav_computer	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AFOA	Articles Falling Off Aircraft	Articles Falling Off Degraded Airframe FOD Fell Departed Left Loose lost dropped	Global
Aircraft Stall	Any DASOR relating to an event where an aircraft stalled or where the stall warning system was activated.	stall stall warner incipient audible alarm stall protect	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
aircraft_documentation	<p>All documentation relating to the maintenance, care and operation of an aircraft</p> <p>Any occurrence were anomalies were found with the accuracy of recording maintenance or shortfalls in the type of documentation mandated</p>	<p>policy</p> <p>procedure</p> <p>RTS</p> <p>engineering</p> <p>data</p> <p>signatures</p> <p>documentation</p> <p>F700</p> <p>ESS</p> <p>MWO</p> <p>map</p> <p>FRC</p> <p>ERC</p> <p>F731</p> <p>paperwork</p> <p>MF700C</p> <p>ADF</p> <p>limitation</p> <p>MF724</p> <p>MF700A</p> <p>flight servicing certificate</p> <p>acceptable deferred fault</p> <p>accuracy</p> <p>recording</p> <p>ADS</p> <p>checklist</p> <p>CSTO</p>	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
aircrew_carry_on_equipme	Any DASOR relating to aircrew carry on equipment.	Routine flying Operational flying Synthetic flying Flying Display Display Flypast RoleDemo AirDisplay Flight Deck equipment Pilot Equipment Mission Crew equipment Rear-crew Equipment	Global
aircrew_equipment_assem	Survival Equipment & AEA	survival equipment flying clothing g-suit G-Suit g suit G-suit helmet	Global
airfield_incident	Airfield incidents that don't result in a runway incursion.	Aerodrome Incursion Incursion Airfield Manoeuvring Area Aerodrome	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
airfield_operations	Any occurrence involving issues associated with the operation of an MoD airfield or civilian airfield as detailed within the BINA or overseas equivalent.	airfield civilian BINA fuelling bowser bower contractor foreign unknown	Global
airfield_services	Any occurrence involving issues associated with the support services provided by an MoD airfield or civilian airfield as detailed within the BINA or overseas equivalent.	services airfield civilian BINA support fuelling weapons bomb dump emergency services tower bird control	Global
airframe	The body of an aircraft as distinct from its engine.	Maintenance Fault integral stress structure support	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
airmove_message	Any discrepancies in the data/information provided on an airmove message.	airmove message data information departure arrival email telephone signal	Global
airspace	Airspace is the portion of the atmosphere controlled by a country above its territory	airprox foreign aircraft territory ATC incursion airspace MAC altitude diviation Separation Excursion level bust RPS SPS altimeter	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
airspace_infringement	The penetration by an aircraft into a portion of airspace without prior permission of the appropriate authorities, when such prior permission is required (EUROCONTROL HEIDI).	MATZ ATZ Controlled Airspace CAS unauthorised incursion danger area entry range CTA CTZ CTR RLLC car cyclist person vehicle infringement area danger surface EGD	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
air_movements	Any DASOR relating to Air Movements duties	Pax Passengers Cargo Freight Trim pallets onload offload movements DG dangerous goods AMW AMS	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
air_system	Any DASOR relating to Infringement of the Air Danger Area	ADA Air Danger Area Infringement Pilot AS Air System GA General Aviation GAT General Air Transport OAT Operational Air Transport Microlight Balloon Glider Airship Captain Lightening Typhoon Chinook Wildcat F35 F15 F16 F18 GR4 Tornado	Global
Air_System_Safety_Case	Any DASOR relating to potential to impact the platform Air System Safety Case claims, evidence or discrepancies	Safety Safety Case System Risk	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Albion	Embarked in HMS Albion	LPD HMS Albion	Global
ALM	All occurrences involving Paveway (all variants), Brimstone (all variants), Stormshadow, ASRAAM, AMRAAM, Meteor and Mauser 27mm.	Paveway Brimstone Stormshadow ASRAAM AMRAAM Meteor Mauser 27mm	Global
anomalous_occurrence	Any DASOR relating to any Anomalous Occurrence	Switches Release Anomalous Accidental Unintended Consequence Unintentional Hang-up Hang up Unobserved Inadvertent Irregular Jettison	Global
Arctic_Challenge	Any DASOR relating to Coningsby typhoons, brize deploying in support of Ex Arctic Challenge, Draken aircraft, operational, tactical manoeuvres	arctic_challenge	Global
Argus	Embarked in RFA Argus	RFA Argus PCRS	Global
armament	Any DASOR involving weapons/weapon systems	Weapons gun missile bomb	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
armbays	All occurrence reports originating within any armament support bay e.g. pylons, release units, ejection seat.	pylons release units ejection seat	Global
ASP	Any DASOR issue which takes place on the ASP	ASP pan	Global
ASWC_DHF	Any occurrence that involves the Duty Holder Facing organisations of the ASWC. Includes JADTEU, 744 NAS	trial flight trial ASWC ATEC Test & Evaluation T&E	Global
ASWC_FgDiv	Any occurrence that involves the Flying Division of ASWC. Includes but not limited to 17 Sqn, 41 Sqn, 56 Sqn, 206 Sqn, RWTES, PTT.	ATEC ASWC Test & Evaluation flight trial T&E trial	Global
ASWC_T&E	Any occurrence during formal ASWC or ATEC T&E activity, including associated engineering and planning activities but excluding routine CT.	trial Test & Evaluation T&E flight trial ASWC ATEC	Global
ATC	Air Traffic Control	taxiing emergancy landing take-off circuits incursion ATC clearance confliction host nation	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC Console Overload	Any DASOR where there has been the need to open an overload console or when it has not been possible due to console capacity and set up.	Overload Deps Overload Sup Overload SRA TATCC Sup Bank Capacity	Global
ATC Hub_Satellite Co-Op	Any DASOR where the co-operation between TATCC/Hub and Satellite Aerodromes has contributed to a safety occurrence	Satellite TATCC Twr VCR Sup TATCC Sup Bank Liaison Airspace Confliction Comms Capacity Confliction SA	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC Sup Overload	Any DASOR relating to ATC Supervisors reaching capacity or becoming overloaded.	ATC Sup Sup Capacity TATCC Sup Overload Complexity Reduced SA Controller Overload High Traffic Workload Airspace Complexity Runway Direction Console availability Manning Resource Training Supervision Workforce	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC equip	Air traffic Control Equipment failures. Loss of a surveillance, navigation or communication facilities, with no backup system available.	loss of PSR rader failure SRE failure primary radar unservicable power failure SSR u/s loss of SSR loss of ATC systems ATC equipment traffic light failure airfield lighting Watchman PSR SSR radio transmit radar comms power failure MSSR PAR MTI stud channel UHF VHF	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC_info	Any internal or external information used or broadcast by ATC. Includes weather, Flight Information Code Letter (FICL) or warnings	weather info FICL ATIS Flight Log NOTAM	Global
ATC_procedures	An incident where an aircraft is in breach of airfield procedures or ATC manoeuvre an aircraft not iaw published procedures.	clearance land runway	Global
ATGL	Worldwide Navigational Database	RNAV Navigation waypoint database procedures procedural separation	Global
ATLANTIC_TRIDENT	Any DASOR relating to Ex ATLANTIC TRIDENT	AtlanticTrident ExAtlanticTrident AT25 FRUKUS	Global
ATM_regs	Any occurrence where military or civil ATM procedures are breached.		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
authorisations	<p>Permission to conduct an activity</p> <p>Any occurrences where a flight was not authorised, non authorised correctly, or the sortie was flown outside the scope of what was authorised.</p>	<p>authorisations</p> <p>un-authorised</p> <p>unauthorised</p> <p>competencies</p> <p>competent</p> <p>not authorised</p> <p>non authorised</p> <p>sortie</p> <p>authorisation</p> <p>authorised</p> <p>authoriser</p> <p>paperwork</p> <p>documentation</p> <p>brief</p> <p>permission</p> <p>endorsement</p> <p>sanction</p>	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
autopilot	System used to control the aircraft without hands on - autopilot systems and associated switches.	limits hover engage disengage attentive interference procedure channel AP auto pilot auto-pilot AP1 AP2 holds mode drop out failure to engage autopilot	Global
autorotation	Any occurrences where there were issues with conducting practise autorotations or the aircraft was forced to conduct an autorotation due to an aircraft emergency.	autorotation emergency exercise practise freewheel aerodynamic decent rapid	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
aviation_facilities_embarked	Any issues associated with aviation facilities provided on ships. For airfield use Airfield_Services	facilities ship fuelling weapons water flight deck flight deck nets lashings horizon bar GPI fire fighting equipment hydrant hangar sprays hangar hangar lighting comms FDO helmet harpoon grid mag loop lashing points ramp telebrief hangar door	Global
awareness	Knowledge or perception of a situation or fact.	Situation Attention Consciousness Knowledge Mindfulness Note Notice Observe Perceive	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BALCS	Any issue relating to BALCS.	BALCS AEA	Global
bandboxing	Any DASOR relating to the Bandboxing or splitting out of control positions in ATM.	Bandboxing Bandbox Bandboxed Overload Combinded Band-boxing Band-box Band-boxed Band box Band boxing Band boxed Multiple frequencies Splitting out Control position Roster	Global
Bay_Class	Embarked in Bay_Class	RAF Cardigan Bay RAF Lyme Bay RFA Mounts Bay LSD(A) Bay Class	Global
BOLTHOLE	Any DASOR relating to BOLTHOLE due to BZZ Airfield rectification work	BHX STN WADDINGTON BOLTHOLE Lossiemouth	Global
brakes	Any DASOR relating to braking, brake issues, brake failures and/or fires	brake fire brake failure brake overheat hot brakes braking	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
brake_chute	Any DASOR relating to Brake chute issues	chute brakechute brake chute	Global
breach	A breach of Airworthiness limitation on a development (non-RTS) aircraft	Exceedance AWFL RTS	Global
C17_AG17	C17 DASORs related to training.	Train Supervision SQEP Authorisation Auth	Global
canopy	A transparent enclosure over the cockpit of the Air System that provides a controlled environment for the aircraft's occupants.	canopy cockpit canopy	Global
CASA			Global
CASA	Any DASOR relating to Crew Aviation Situational Awareness	Apache Merlin Wildcat Navigation Tablet Unmarked Obstruction Electronic Maps	Global
CFIT	Controlled Flight Into Terrain	flight into terrain terrain CFIT fuel starvation engine low level approach	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
CFS_exam_wing	Any DASOR where a CFS examiner is part of the crew.	Examiner Exam Wing Central Flying School CFS	Global
chaff	Any DASOR relating to Chaff	Radar Radar Chaff Flare Switches Air Picture	Global
CHT	Cylinder Head Temperature out of limits	CHT Cylinder Head Temperature Hot Cold Cold soaked Out of Limits Overheat Cooling	Global
circuits	Any occurrence within an airfield's visual circuit	take off landing	Global
civilians	Any occurrences that involve of affect 3rd party civilians, with the exception of civilians formally contracted to the MoD.	3rd party third party civilian civilians hours routine contractor driving permit incursion	Global
COBRA_WARRIOR	Any DASOR relating to Ex COBRA WARRIOR (large scale UK based multi domain Ex involving RAF, Army and RN assets)	COBRA WARRIOR EX COBRA WARRIOR EX CW	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
cognitive_error	Error which occurs due to an unexpected deviation from the norm Any occurrence where an individual conducted an unintentional action or decision.	checks procedure distraction human factors error unintentional slip lapse misjudgment skill based	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
communications	Way of sending and receiving information	CASS box radio hand signals marshal signals frequency net crew communication CASS box flashing occult anti-collision landing signal colour communication lack understanding understood communicated raise frequency poor excellent good radio unworkable	Global
complacency	A state of self-satisfaction with one's own performance coupled with an unawareness of danger, trouble, or controversy.	Complacence Assumption Self-satisfaction Complacent	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
composites	Material made from two or more materials	airframe engineering structure gas cylinder	Global
config_control	Any DASOR involving ac component lifing, electronic documentation or RTS limits	Lifing ESS RTI RTS	Global
connectivity	Any issues associated with the ability to operate any IT system as necessary due to difficulties with connectivity.	communication MODNET STARS signal comms wires circuit black spot computer laptop IT system connectivity	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
contamination	unwanted pollution of something by another substance Any occurrences were water, FLAP, aircraft systems or GSE have been contaminated with the incorrect substance	oil chemical skin corrosion water contaminated contamination mixed oils mixing fluids cross contaminated different label tin risbridger juniper rig inflam pollution quarantine compwash freshwater impurity	Global
continuing_airworthiness	Any DASOR relating to RA4947 Requirements to manage the Aircraft Maintenance Programme, including those that may affect any reliability programme or proposed changes to the AMP.	Fleet Plan Extension Capability Reliability	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
continuing_airworthiness_	Any DASOR relating to RA4947 requirements to manage and archive all Continuing Airworthiness records, including Information Management Systems.	ESS Resolve ASIMS Safety Meetings CAMR ASSC MARC Engineering Authorisations Defence STARS System Enquiry Form 765 (F765) ERC Log Cards F731	Global
continuing_airworthiness_1	"Any DASOR relating to RA4947 requirements to manage Faults reported, or discovered during Scheduled Maintenance"	Authorised Personnel SQEP Emergent Work Deviation Waiver DHAN ROAN No Limit Fault ADF LIM Out of Limit Fault Limitation ADM Concession Asset Deviation UFCM Control Restrictions Damage	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
continuing_airworthiness_	Any DASOR relating to RA4947 requirements to ensure maintenance is carried out to the correct quality.	Technical Information (TI) Engineering Authorisation Limitation Deferral Deviation Maintenance issue Quality Audit Aircraft Allocation Aircraft Allotment Input Standard Output Standard Approved Data ADS QOR Maintenance Error Aircraft Release Component Release	Global
continuing_airworthiness_	Any DASOR relating to RA4947 requirements to manage the embodiment of Modifications and Repairs.	Modification Embodiment Strategy Repair Service Modification (SM) ADOM DO Mod ISDC Repair Manual RI 7I Sqn	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
continuing_airworthiness_	Any DASOR relating to RA4947 requirements to ensure that applicable SI(T)s are applied.	Special Instruction UTI Overfly Embodiment SI(T) RTI CTI CN CD CAMI AD	Global
continuing_airworthiness_	Any DASOR relating to RA 4947 requirements to assure that the weight and moment statement reflects the current status of the Air System.	Weight Moment Upload Mass Property (UMP) Centre of Gravity Aircraft Weight	Global
contractors	Effect of additional contractors on site Any occurrences involving civilian contractors, including but not limited to contractors embedded within a maintenance organisation, contractor working parties, equipment/aircraft manufacturers, contractor provided airfield services, civilian equipment maintenance organisations, civilian logistics organisations.	Contractor incursion Contractor FOD contractor equipment maintenance logistics hours routine driving permit incursion	Global
controller_overload	This will depend upon the experience and currency of the controller.	Fatigue workload refuse	Global
controller_report	When a civilian MOR or DASOR has been filled against a military controller.		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
control_restriction	Any occurrence where there is a restriction with the flying controls. This includes during flight, functional testing and ground runs.	flight functional functional testing ground runs rigging rig collective yaw cyclic loose article stuck restriction functional check ground run control rod mixing flying controls	Global
corrosion	The process of corroding a material Any occurrence where corrosion is found on the aircraft, equipment, ship or airfield services/buildings.	damage contamination wear chemical oxidation corrosion rust decay delamination salt pitting erosion	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
COVID-19	Any DASOR relating to an event where COVID-19 or Op RESCRIPT measures are considered to have had a cause or effect.	COVID-19 CV-19 Virus lock down	Global
crack	A line on the surface of something along which it has split without breaking apart.	crack split break split partially	Global
CSAT	Crew Situational Awareness Tool.	SA Crew Situational Awareness Tool CSAT	Global
currency	Any occurrence where a lack of currency (either mandatory or recommended) is highlighted as a contributing factor.	mandatory mandated aircrew aircrewman STARS flying log currency current flying hours night day drills currency medical authorisations	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
damaged	<p>The past tense for an article having been altered from it's designed state</p> <p>Any damage noted to aircraft, equipment, tools, building, airfield services and buildings and ship.</p>	<p>broken</p> <p>dent</p> <p>nick</p> <p>scratched</p> <p>split</p> <p>chaffed</p> <p>punctured</p> <p>holed</p> <p>failed</p> <p>damaged</p> <p>routing</p> <p>wiring</p> <p>mis-aligned</p> <p>misaligned</p> <p>snagged</p> <p>ingested</p> <p>damage</p> <p>break</p> <p>bent</p> <p>corroded</p> <p>worn</p> <p>perished</p> <p>crack</p> <p>impact</p> <p>stress</p> <p>crazed</p> <p>smashed</p>	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
dangerous_goods	An instance involving the carriage of Dangerous goods & associated paperwork	DG DAC dangerous air cargo IATA dangerous goods	Global
DAS	Defensive Aid Suite	Defensive Systems Defensive Aids MAWS EW LAIRCM LIRCM IRCM Electronic Warfare Flares CHAFF	Global
DATA	Aircraft Electronic DATA.	software RDIT DCRs DMC	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
data_integrity	Accuracy and consistency of data Any issues with the accuracy of data supporting aviation, including but not limited to aircraft maintenance records, aircrew currency records, equipment running logs, maintenance scheduling, personnel records	entry error data inaccuracy database PAIRs ALIS Information Integrity maintenance records currency records maintenance correct GOLDesp checks life lifing details	Global
DDHTopEvent	Any DASOR relating to DDH or ODH's Top risks and events.	DDHTopRisk ODHTopRisk ODHTopEvent	Global
DDHTopRisk	Any DASOR relating to DDH or ODH's Top risks and events.	DDHTopEvent ODHTopRisk ODHTopEvent	Global
deck_landing	Landing on the deck of a ship	FOD heavy landing deck landing unsuitable weather	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
defensive_systems	Defensive Systems	DAS Defensive Aids MAWS EW LAIRCM LIRCM IRCM Electronic Warfare Flares CHAFF	Global
depth	An occurrence that is related depth maintenance activity	maintenance depth maint 3rd line 4th line third line fourth line work package survey C1 C2	Global
DESERT KHANJAR	Any DASOR relating to flying whilst on Ex DESERT KHANJAR/PINION OMAN, Oman.	#DESERTKHANJAR #Oman #PINIONOMAN #DESERT	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
discomfort	Any occurrences where personnel involved with activity are suffering from physical discomfort that has affected the ability to conduct their role safely.	discomfort physical pain ache cramp numb tight loose sweat wet dry hot cold	Global
display	Any DASOR originating from a flying display issue	Display	Global
distraction	Prevention of concentrating on task that prevents someone from concentrating on something else.	human factors cognitive error fatigue laser checks airprox Noise Disturb Confusion	Global
DMC	Issue relating to Data Management Cells.	DMC docs F700 ESS MWO	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
door_gunnery	Any occurrence that involved an airborne gunnery serial.	airborne gunnery gun door door latch magazine basket chute trigger bullets links arc security stowage barrel hang up misfire stoppage	Global
downwash	Any incident or potential incident due to the downwash of a hovering helicopter in proximity to other aircraft, personnel or infrastructure. Any occurrence where the downwash of an aircraft affected a 3rd party, terrain, buildings, wildlife or ship.	proximity blade sail taxiing downwash force rigger marshaller marshaller power blow wind	Global
dragon_light	Failure of Dragon Light.	NVG NVD Night Dragon Light	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
drills	Any occurrence where a drill was being conducted by any branch. This includes airborne drills, simulator drills, pool drills and hangar drill such as emergency egress.	airborne simulator pool hangar drill egress SE survival equipment dry wet life jacket immersion suit leak STASS underwater escape unit dunker MS5 MS10 harbour ingress lever door window jettison abandon passenger escape	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
drone	Reports where a civilian operated Drone or UAV had presented a Hazard; a ground controlled unmanned aerial vehicle.	RPAS RPAV drone UAV collision Unmanned Aerial Vehicle VLOS Visual Line Of Sight BVLOS Beyond Visual Line Of Sight Operator UAS Unmanned Aerial System	Global
EFB	Any DASOR relating to Electronic Flight Bags or where an EFB would have mitigated the issue.	EFB Charts Maps TAP iPad Tablet Paperless Document Flight bag Booklet	Global
EFCS	electronic flight control system	WAP warning reset EFCS control FCC	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ejection_seat	Ejection seat, Pins errors and command eject selection errors	drop ejection seat seat pin firing handle safety pin ESFHSP insecure command eject selector forgotten AAES ejection seat backpad ejection handle parachute arm restraints leg restraints ASE arm safe egress Arm Safe Egress	Global
El Centro			Global
embarked_experience	Any occurrences that occur in the embarked environment where personnel involved have little experience operating in the embarked environment.	experience SQEP personnel inexperience embarked	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
embarked_operations	Operations that are conducted whilst embarked on a ship or vessel Any occurrence involving the control of aircraft from ATC/AC that are embarked within a ship.	maritime operations deck landing support deck landings support currency flight deck flyco control embarked runway tower ATC equipment circuit emergency PAN take off landing finals	Global
emergency_exit	DASORs relating to emergency exits, or that may affect exit from an air system in an emergency	#Exits #Egress #Exit #Escape #Door #Doors #Slide #Hatch #Ladder #Window #Break out #Jettisonable #Emergency	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
engineering_maintenance	Any occurrence resulting in a maintenance caption illuminating within the aircraft.	maintenance caption illuminating amber red green attention audio warning oil hydraulics light fuel pressure avionics ancillaries utility	Global
engineering_paperwork	Engineering Paperwork	F700 Engineering Records Eng Maintenance Paperwork	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
engines	A machine with moving parts that converts power into motion	propulsion system turbines components inspection FOD F135 engine F135-600 engine start flame oil propeller idle rpm EGT	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
engine_failure	Any occurrence involving the failure of an aircraft engine in failure in flight or on the ground.	engine flight ground PAN misfire stall failure malfunction shut down start LP HP surge emergency fire NG NF NH fuel oil dipstick intake birdstrike	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
eng_standards	Performance of ground personnel falling below minimum standard.	engineering supervision auths human factors authorisation tools paperwork recording manning standards	Global
environment	The atmospheric surroundings and location that pilots and maintainers operate in	cold heat temperature freezing warm hot	Global
ePLB	Any DASOR relating to issues with an ePLB	EPLB Locator beacon	Global
error_management			Global
ESA	All occurrences within the physical boundaries of an ESA or during transportation of OME by ESA personnel.	OME ESA	Global
EVCS	Any DASOR relating to the use of or serviceability of EVCS	Stby Radios Network Frequencies EVCS GFX	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
exceedance	An exceedance of Airworthiness limitations on a development (non-RTS) aircraft	Breach AWFL RTS Exceed exceedance	Global
exercise_red_flag_nellis	Any DASOR relating to Exercise RED FLAG hosted at NELLIS AFB, USA.	Exercise NTTR Nellis Test and Training Range NELLIS Red Flag	Global
ExRIMPAC24	Any report referring to exercise Rim of the Pacific 2024, used for collation of any Flight Safety issues occurring during the RIMPAC exercise, Hawaii.	#Hawaii #RIMPAC #Pacific #Hickam #Kaneohe #Poseidon #P8A	Global
F15	Any DASOR relating to F15 activity or USAFE activity	F15 F-15	Global
F2FP_Aircrew/ATC	An Aircrew/ATC associated Incident/Hazard Observation or Accident attributed/caused to/by Human Mistake, Error or Violation	procedure aircrew procedure procedures aircrew procedures aircrew process aircrew processes process processes failure to follow procedure failure to follow process F2FP	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
F2FP_Aircrew/ATC_Process	Any occurrence relating to failure to follow procedure Air (F2FP (A)) as a result of processing error	F2FP FTFP Process Error	Global
F2FP_Aircrew_ATC_Cognis	Any occurrence relating to Failure to follow procedure Air (F2FP (A)) as a result of cognisance failure	F2FP FTFP Cognisance	Global
F2FP_Aircrew_ATC_Resour	Any occurrence relating to Failure to follow procedure Air (F2FP (A)) as a result of a resource issue	F2FP FTFP Resource	Global
F2FP_Aircrew_Cognisance	An occurrence relating Aircrew failing to follow procedure as a result of cognisance failure.	F2FP Failure Cognisance Error Aircrew Error Procedure SOP's	Global
F2FP_ATC_Cognisance	An occurrence relating Air Traffic Control failing to follow procedure as a result of cognisance failure.	F2FP Failure Cognisance Error ATC Error Procedure SOP's	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
F2FP_Groundcrew	A Ground associated Incident/Hazard Observation or Accident attributed/caused to/by Human Mistake, Error or Violation	procedure groundcrew procedure procedures groundcrew procedures groundcrew process groundcrew processes process processes failure to follow procedure failure to follow process F2FP ground procedure ground procedures	Global
F2FP_Groundcrew_Cognisa	Any occurrence relating to Failure to follow procedure Air (F2FP (G)) as a result of cognisance failure	F2FP FTFP Cognisance Groundcrew	Global
F2FP_Groundcrew_Process	Any occurrence relating to Failure to follow procedure Air (F2FP (G)) as a result of processing error	F2FP FTFP Process Groundcrew Error	Global
F2FP_Groundcrew_Resource	Any occurrence relating to Failure to follow procedure Air (F2FP (G)) as a result of a resource issue.	F2FP FTFP Resource Groundcrew	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
F2FP_Maintenance	A Engineering associated Incident/Hazard Observation or Accident attributed/caused to/by Human Mistake, Error or Violation	procedure maintenance procedure maintenance procedures maintenance process maintenance processes engineering process engineering processes engineering procedure engineering procedures F2FP	Global
F2FP_Maintenance_Cognis	Any occurrence relating to Failure to follow procedure Air (F2FP (M)) as a result of cognisance failure	F2FP FTFP Cognisance	Global
F2FP_Maintenance_Proces	Any occurrence relating to Failure to follow procedure Air (F2FP (M)) as a result of processing error	FTFP Process Error F2FP	Global
F2FP_Maintenance_Resour	Any DASOR relating to Failure to follow procedure Air (F2FP (M)) as a result of a resource issue	F2FP FTFP Resource	Global
Face_Shield	Any DASOR relating to Aircrew face shields	Faceshield Face_Shield Maxillo Rearcrew_face_shield Lack_of_faceshield Wind_Noise Mic_Boom	Global
FADEC	Malfunction in Fully Automated Digital Engine Controller	FADEC fadec Engine warnings_caution	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
falling_article	An object that is Falling from a height	working at height harness FOD incorrect lashing unsecure panels AFOA	Global
farmer	Any DASOR relating to Farmers or Farming	tractor SUV landrover crop herd combine harvester discovery 4x4	Global
FCM	All Flare and Chaff Counter Measure occurrences.	chaff counter measure flare	Global
FDM	Flight Data Monitoring - Used when aircraft data should be requested from the RAF FDM Cell in order to support the investigation into the DASOR.	exceedance overspeed over-rotation under speed overstress Flight Data Monitoring Flight Data Analysis FDM FDA Data Exploitation RTS SOP Flight Envelope Exceedance	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
FDR_evidence	An event where the presence of a FDR would be able to provide important information to help mitigate future occurrences.	Overspeed Exceedance Heavy Landing Limitation RTS	Global
ferry	Ferry flight to deliver aircraft	Ferry transit customer delivery	Global
fire	A process in which substances combine chemically with oxygen from the air and typically give out bright light, heat, and smoke; combustion or burning	heat suppression smoke flames burning oxygen extinguish firefighting fire station stress support components integral fire smell	Global
flare	Any DASOR relating to Flares	Flare Chaff Defensive Aids Defensive Aid High Tide Release	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
flare_danger_zone	Flare Danger Zone	infringement Danger Zone Flares Flare	Global
flight_deck	Any occurrence involving the flight deck of a ship. This includes RN, RFA, merchant or foreign military.	deck ship embarked RN RFA merchant ring bolts markings flight deck nets harpoon grid pins bum line camrex hatch wires	Global
flight_display_systems	Flight Display Systems	HUD HDD Head up display head down display instruments	Global
flight_folder	Aircraft documentation set	ESS F700 Flight Folder Aquila IMS Sapphire	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
flight_planning	The planning of sorties and other air operations Any occurrences were there was issues associated with the quality of flight planning by aircrew.	human factors flight planning checks fatigue aircrew planning preparation sortie nav briefing maps	Global
flight_servicing	Maintenance activities that determine the condition of an aircraft post flying and those that prepare it for its next flying period to ensure safety and efficiency Any occurrences were there was an issues associated with the quality of flight servicing or the ability of the flight servicing to be conducted thoroughly.	current in date BFS AFS engineering procedures quality servicing routine BF AFS TRS before flight after flight turn around ground run prep 5B1 bubble jacket toolbox	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
FLIM	Flight Line Inspection Manual	Pre-flight A/F B/F	Global
flying_controls	Controls relating to the flying and operating of an aircraft	collective cyclic control column rudder pedals yoke throttle trim air brakes stick ailerons elevator rudde elevons tailplane throttle flying controls	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
flying_display	<p>All flying display/air show related activity including event flying, practices, role demonstrations, flypasts and transit to and from</p> <p>This hashtag replaces #air_display</p>	<p>air display</p> <p>air show</p> <p>Families</p> <p>Family</p> <p>Role Demo</p> <p>Fly Past</p> <p>Flypast practice</p> <p>airshow</p> <p>flying display</p> <p>role demo</p> <p>Role Demonstration</p> <p>Flypasts</p> <p>Display</p> <p>Special Event</p> <p>PDA</p> <p>DA</p> <p>Display Pilot</p> <p>Display Flying</p> <p>Display Area</p> <p>Drone</p> <p>FDD</p> <p>Flying Display Director</p> <p>Display Director</p> <p>EO</p> <p>Event Organiser</p> <p>EO</p> <p>Event Organiser</p>	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
FOD	Foreign object debris causing hazard	loose article ice guard article in flight intake blocked restricted visibility flying controls bin stowages debris FOD grass foreign object loose article FOD Foreign Object Damage HLS Helicopter Landing Site AS Air System Rubbish Litter Inspection FOD Form Helipad Casing Casings Link Round	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
folding_spreading	Any occurrences where a helicopter head was spread/folded, the tail spread/folded or fixed wing aircraft where the wings can fold.	head spread folded wings fold lock pins hydraulics tail main rotor blades tail rotor automatic infringement obstruction blade poles restraint gear spectacles through bars	Global
force_protection	Any DASOR relating to Force Protection, Guard, Security	RAF Regiment Regiment RAF Police Military Police Police Guard Force MPGS Military Provost Guard Service Military Working Dogs MWD RAFP	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
foreign_military	Any occurrence were a member of a non-UK military person or asset were involved.	foreign non-UK rules regulations embassy	Global
Fort_Victoria	Embarked in RFA Fort Victoria	AOR Fort Victoria	Global
FOST	Any DASOR relating to FOST (Ships) Aviation Activity, FHSU Operations, FOST Training and Assurance Activity, FOST AEA Equipment.	FLYEX Flying Exercise PACR Platform Aviation Currency Res CODEX Crash On Deck Exercise SARC AV Safety and Readiness Checks MAT Check Material Check Dauphin Assurance Training FHSU FOST Helicopter Support Unit FOST Fleet Operational Standards	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
FOST_directed	Any DASOR relating to FOST directed Air Safety Occurrence Report (RN/IDT Units).	Flying Exercise FLYEX PACR Platform Aviation Currency CODEX Crash On Deck Exercise SARC AV Safety and Readiness Checks MAT Check Material Check Dauphin Assurance Training FHSU FOST Helicopter Support Unit FOST Fleet Operational Standards	Global
frequencies	Any DASOR relating to VHF or UHF Frequencies	Frequency Frequencies UHF VHF ICF BINA Breakthrough DOC Designated Operational Cover Licence	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
fuel	<p>Fuel caption, Fuel leak or Engine icing / Incidents or hazard/observations related to the fuel state of an aircraft including low fuel, fuel leak or fumes.</p> <p>Any occurrence were there was issues associated with accurately/safety managing aircraft fuel. This includes but not limited to incorrectly refuelling quantities, issues when transferring fuel between tanks, fuel leaks, mismanagement of fuel affecting returning to a ship/station below MLA or having to divert unplanned to refuel.</p>	<p>fuel fltr filter minima fuel pressure intermittent FUEL P asymetry asymmetry leak engine icing fumes filler cap pump fuel refuelling fuel management fuel gauge weight refuel defuel bowser leak high float switch transfer pump contents unit low MLA</p>	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
fuelling	To replenish the aircrafts fuel tanks	PPE AVCAT AVTUR bowser fuel vents fuel spill HIFR RADHAZ	Global
fuel_and_lubes			Global
fumes	Fumes in cockpit	smell vapour fume smoke fuel odour	Global
GEF	Issue relating to Ground Engineering Trade.	GEF workshops RHAG GPU steps arrestor	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
GOLDesp	Any data integrity issues with GOLDesp Any occurrence were the use of GOLD ESP or the associate data integrity have affected the outcome of the event.	data gold GOLDesp data integrity electronic data task codes overflown incorrect out of date error transfer seg code serviceable unserviceable code locate	Global
GoPro	Any DASOR relating to the Camera within a case	GoPro camera	Global
GPS	For occurences involving the aircraft GPS.	Aerials Pins fix position GPS Signal interference space weather	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ground_collision	Any occurrence where an aircraft impacts another object when the wheels are on the ground. This include when the aircraft is under its own power or being towed.	impact ground collision injury damage runway structure blades infrastructure hangar doors	Global
ground_equipment	Equipment used to support aircraft operation on the ground	hyd rig juniper rig power rig tractor trailer ground equipment	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ground_moves	Moving something on the ground Any occurrence involving the movement of an aircraft on the ground including ac movements under its own power and ac towed.	towing driving moving ground moves crane positioned positioning communication vehicle vehicles towed movements steering arm tractor marshaller supervisor chocks whistles ram handler safety number driver brake rating safety rating	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ground_ops	Any DASOR issue that resulted in Ground Ops/would most likely result in Ground Ops if all barriers failed	Group Ops taxi snow ice sand wildlife vehicle person CofG AuW all up weight mass balance undetected incursion	Global
ground_run	Any occurrence that takes place during a ground run, or where a previous ground run has failed to detect an issue with the airworthiness of the ac.	ground ground run maintenance test functional checks spill	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ground_troops	Any DASOR relating to Ground Troops	Ground troops JTAC SA80 Weapon Round ND Laser Hand held laser LTD28A Blank JTAC-I JTAC-E Magazine Sniper RASP Police Battalion Regiment FOB FOP Target Firing point	Global
GSE	Ground Servicing Equipment	Ground Power Ground Equipment	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
hangar	Any occurrence that takes place in a hangar. This includes on land and on a ship.	hangar ship hangarage building storage trip fall crash mats power lighting heating hot cold doors FOD	Global
harness	Set of straps and fittings designed to restrain the crew in the aircraft	buckle straps incorrect fit tight harness Harness restraint	Global
hawk	Enable the Hawk specific ASORs to be easily located by Occ Mgrs	Hawk	Global
Helicopter_Landing_Site	Any occurrence that occurs at or near a helicopter landing site or other remote landing site or issues with any support services as detailed within the HLS Directory or overseas equivalent.	HLS landing helicopter remote landing site rogue	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
helmet	Protection ancillary. Mandated to be worn when conducting JSAT Parachuting for safety reasons.	protection G3 full face visor open face kiss thrap hat vent mist goggles chin strap cracked fell off	Global
HIFR	Any occurrences involving helicopter in flight refuelling.	in flight in flight refuelling helicopter refuelling HIFR fuel spillage hose selection switch fuel farm pressure aircrewman maintainers winch	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
HLS_sterile_area	Any DASOR relating to the HLS Sterile Area	HLS Barrier Road Markings Overhang Engine running Crew change Helicopter Landing Site Rotary Vehicle MOP Member of the public Weapon change FOD Markings	Global
hook_open_caption	Any DASOR relating to undemanded hook operation.	USL Caption Hook	Global
hostile_action	Incidents due to Hostile Action	hostile laser high powered torch dazzle lasered blinded hostile action	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
human_factors	Any DASOR relating to Human Factors	HumanFactors HF EM human factor error management distraction environment fatigue human stress workload check missed error incorrect clearance misinterpretation mistake non tech potential error by	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
human_resources	An incident or hazard/observation due to a shortage of personnel.	personnel sick leave manning babcock engineer FTRS gapped LAE OC PVR QFI retire SOM student undermanned vacant manpower manning lack of man power gapped JPAN gapped post gapped PID	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
hums	Any occurrence where an issue with the aircraft is discovered by an indication or interrogation from the health and usage monitoring system (HUMS).	health usage monitor monitoring magwipe magplug sensor wiring oil vibration chip detector filter	Global
IFRP	In flight refuel probe.	probe retract flow basket ADT	Global
In-Form	For all DASORs originally raised as In-Forms	Inform In-Form	Global
Incorrect Mode/Configurat	Any event relating to an incorrectly configured AV Mode for Landing or Take Off during STOVL operations	#mode 4 selection #STOVL #VL #Short take off	Global
Incorrect Muting	Any DASOR where a UK RPAS was incorrectly muted resulting in a Lost Link Situation	#muted #muting #LL #Lost Link #FSST #mute	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
incorrect_ac_flown	Any occurrence where the aircrew have operated a different aircraft to either the aircraft that was briefed or MF700 that was signed for.	incorrect wrong MF700 side number MF700C brief dispersal walk out line spot board	Global
incorrect_assembly	Any occurrence where any part of the aircraft system, role equipment or survival equipment was assembled incorrect in accordance with the ADS.	assembled incorrect wrong ADS loose overtightened over torqued under torqued tight missing damaged wirelocking nut bolt washer incorrect split pin wrong	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
incorrect_pob	Any occurrence where the incorrect number and details of personnel were recorded within an operating aircraft. (incorrect personnel on board)	incorrect wrong personnel passed message signal number passengers STARS	Global
incursion	Airfield Incursion: The incorrect or unauthorised presence of an aircraft, vehicle, person, animal, or object within the boundary of an aerodrome or para-drop site that has the potential to affect safety, security, disrupt operations, or incur the protected area of a surface designated for the landing and take-off of aircraft. Runway Incursion: Any occurrence at an aerodrome involving the incorrect presence of an aircraft, vehicle, or person on the protected area of a surface designated for the landing and take-off of aircraft.	Driving regulations ATC regulations incursion taxiway airfield crossing unauthorised runway pedestrian personnel vehicle ATC SMRE contractor cyclist runway hounds dog loose on airfield failed to stop	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
independent_inspections	Any occurrence that either occurred during an maintenance independent inspection, where an independent inspection was not completed correctly or where an independent inspection failed to detach an issue with the assembly, locking and function of an aircraft flight critical system.	maintenance inspection independent assembly flight critical system missed incorrect check supervision independence 707 IND functional check safety	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
infrastructure	Physical and organizational structures and facilities to support aviation	stores heirachy base support contractors electrical water infrastructure hangar airfield runway DIO SSS WSF building hangar office construction falling object lighting roof Sqn ROC floor plate briefing room facilities Ops	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
injury	A wound or harm caused to the body Any occurrence were 1st/2nd/3rd party were injured regardless of the level of injury.	personal hurt injured personnel wound harm cut bruise fracture broken concuss blind break split sprain unconscious dislocation electric shock burn poison asphyxia inhalation ingestion hypothermia	Global
instruments	Any DASOR relating to instrument failure or inaccuracy	ASI AI EHSI Turn and Slip Compass	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Instrument_Landing_System	For occurrences involving the Instrument Landing System , either a fault with ground based system or the equipment on a receiving aircraft.	ILS ILS Glideslope ILS Localizer ILS Hawk	Global
internal_loading	Any DASOR relating to aircraft damage or cargo damage when loading cargo or loading equipment.	internal damage cargo load vehicle	Global
in_flight_catering	Any DASOR relating to in-flight catering	In flight Rations catering Meals	Global
IT_systems	Any occurrences where an IT system or database affected the safe execution of an activity, where the IT did not function as designed, or the IT is not fit for purpose.	IT system database computer electrical laptop GOLDesp ASIMS STARS MJDI email office	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_AEA3P	Aircraft Emissions Affecting Third Party - An event which has resulted in Third Party persons or property being endangered or hurt/damaged by the operation of the aircraft.	Blown Over Downwash Horse Fallen Fell Rider Moved People Startled	Global
JAC_CFIT/O	Controlled Flight Into Terrain/Obstacle - Any DASOR relating to CFIT/O.	CFIT Chartered DVE Flight-Into Terrain IMC Low Level Mapping MSC Obstacle RADALT Terrain Uncharted Unchartered Under- Wires-Crossing VFR VMC	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_F2FP	Failure to Follow Procedure - Any DASOR relating to Failure to follow Procedure.	CFIT F2FP Aircrew Procedure Aircrew Procedures Aircrew Processes Aircrew Process Failure-To-Follow-Procedure Failure-To-Follow-Process FRCs Groundcrew Procedures Groundcrew Process Groundcrew Processes Logbook MRCs Procedure Procedures Process TRF	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_FAIP	Fallen Article Impacts Persons - Any DASOR relating to an object that falls from an Air System.	Departed Despatch Fastener Fell FOD Impact Rope Stores Strop AFOA Airframe Ammunition Articles Degraded Dropped Falling Off Harness HUSLE Incorrect Lashing Jettison Karabinier Lost Low-Level-Despatch Release Trooping Unsecure Panels Winching	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_HF	Any DASOR relating to an incident or hazard/observation due to a personnel related issue.	Conspicuity Crew-Rest-Period Defiant Deliberate Engaged Error Fatigue HF Honest Human Intended Just Learning Manifest Pressure Procedure Purpose Violation Winching Culture Dangerous FRCs Hidden Logbook Mistake MRCs Negligent Open	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_INFRA	Any DASOR relating to physical and organizational structures and facilities to support aviation.	Accommodation Area Airfield Base Support Briefing Room Building Construction Contractors Crewroom DIO Electrical Exercise Facilities Falling Object Floor Plate Hangar Hierarchy Incursion Infestation Infrastructure IT Lighting Mess Office Ops PATA Quarters	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_MAC	Mid Air Collison ? Any DASOR relating to a perceived loss of safe separation with another Air System.	Approach Airprox Airspace Alert Clearance Confliction CSAT Dragon Light FDM Formation Glider IMC Mapping MSC Navigation Near Miss NDV Reversionary Separation TCAS VFR VMC	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_MAPPING	Any DASOR relating to an event involving map overlays	CADS Charted Crane Height Mapping Marked Mast NOTAM Obstacle Obstruction Pylon Unmarked Uncharted Vertical Wires Antenna	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_PERSONNEL	Any DASOR relating to resources or human factors	Actual Administration Aircraft External Flypro Groundcrew Organisational Panic Perceived Personnel Pressure Resource Self STARS Stores Stress Tasking Manpower Medical Work Force Working-at-Height	Global
JAC_PG_MARSHALL	Any DASOR relating to Programme MARSHALL (Project MARSHALL previously) or ATC systems.	ATC Power Primary PSR RADAR Secondary Service Feed SSR Surveillance Provision Approach	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_TECHNICAL	Any DASOR relating to technical failure or issue.	Caution Documentation Engineer F700 Failure Faulty GOLDesp Instruction Maintenance Maintainer Routine Technical Instruction SI SI(T) Special Technical Instruction Tech Technician Technical Technical Instruction Tools Urgent Unserviceable UTI Warning	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JAC_TIES	Any DASOR relating activities using Troop Insertion and Extraction Systems	Abseil BUI Dispatcher Equipment Extraction Extract Fast Roping Gloves Inserting Insertion JADTEU Karabinier Rope Roping Strop System TIES Troop Uncontrolled Winching RTES LTES Beam Harness Descent Tangle	Global
JAC_UFIT/O	Any DASOR relating to Uncontrolled impact with Terrain or Obstacle.	Caution Impact Maintenance Terrain Uncontrolled Warning	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JDA	Operating with Marine Nationale (French Navy)	french dixmude mistral-class mistral tonnerre marine nationale	Global
knowledge	Lack of on-the-job experience and specific knowledge can lead workers into misjudging situations and making unsafe decisions.	Experience Situation Unsafe Decisions	Global
landing_gear	Occurenace relating to an aircraft's landing gear. Equipment that supports the aircraft while on the ground	wheels up landing go around wave off hyd pressure tyres inadventant selection landing gear in flight undercarriage wheels tires	Global
level_bust	A deviation of 300 feet or more from the assigned level (CAA SRG).	lack of safe seperation airspace incursion GH general handling CAS infringement	Global
lightning_strike	Aircraft struck by lightning	unsuitable weather poor visibility emergency landing	Global
LII_CAMO	Lightning F35 Delivery Team Name		Global
LII_Training	Lightning F35 Delivery Team Name	LII Training	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
line	Issue relating to Flight Line ops.	line AMM liney ASP ramp walker taxiing SMRE supervisor chocks AF BF TR	Global
line_operations	Handling and launching of aircraft Any occurrence during line operations. This includes any operational environment including remote operating sites and flight decks.	line sup chockmen towing arm emergency procedures ground run flight deck marshalling rigger marshalling refuelling firefighting weapon loading	Global
line_over	Malfunction type. Line over canopy.	mal rotation involuntary turn spiral malformed	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
link_16	Any DASOR relating to issues with Link 16 and Zeus	link 16 air picture zues peripherals	Global
living_accommodation	Any occurrence where issues associated with living accommodation have contributed to the occurrence.	accommodation living block SLAM noise beds mattress shower hot cold warm freezing windows doors food	Global
load_lifting	Moving stores by helicopter	VERTREP downwash FOD SACRU static build up load lifting	Global
local_control_ATC	Any occurrences involving ATC personnel controlling aircraft locally.	local control ATC locally	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
LOCI	Any DASOR issue that resulted in LOCI/would most likely result in LOCI if all barriers failed	LOCI failure technical control	Global
logistics	Any occurrences where issues associated with logistic support was a contributing factor. This includes a lack of logistics support or slow logistics support.	logistic support logistics MJDI MF 731 MF 760 crate stowage damaged missing late adrift date time RDD state demand routine demand planning det provision	Global
lookout	Maintaining situational awareness by using visual means, primarily looking out of the cockpit	tunnel vision distraction clearance turning visual scan situational awareness CRM	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
loose_article	Uncontrolled item loose inside aircraft	tool control flying controls loose article FOD foreign object detached lost loose article	Global
LOS	Any loss of separation / deconfliction minima is to be reported. Any occurrence where there is a loss of separation between 2 aircraft in flight that concerns either the operator(s) within the aircraft or the ATC but does not meet the criterion of an AIRPROX.	Avoiding action traffic information separation height LOS seperation distance near miss	Global
lost_article	An item that is missing in or in the vicinity of aviation	FOD loose article grounding search manpower detached missing lost	Global
Low_Flying_Booking_Cell	Any DASOR relating to Low Flying Booking Cell	LowFlyingBookingCell LFBC	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
low_level	Below 2000ft AGL FW or Below 500ft AGL RW and Light Aircraft.	low low flying Low Flying Area LFA Low Flying System UKLFS CADS AGL	Global
MAC	Mid Air Collision	MAC mid air collision near miss airprox airspace confliction separation clearance	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
maintenance	Process of engineering and support to maintain a set state	critical procedural work cards engineering policy procedures maintenance non standard independent inspections independents process procedure practices practice routine maintained communication orientation oriented	Global
maintenance_activity		mechanical	Global
Maintenance_Error	Any DASOR relating to maintenance error	maintenance error	Global
Maintenance_Error_Post_C	Any DASOR relating to a maintenance error found after maintenance has been co-ordinated	MWO Co-ordination maintenance error	Global
Maintenance_Error_Potent	Any DASOR relating to a maintenance error with the potential to cause an Air Safety Incident	potential incident maintenance error	Global
Maintenance_Error_Proced	Any DASOR relating to the use of incorrect or insufficient maintenance	equipment defect maintenance error serious fault maintenance procedure maintenance error	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Maintenance_Error_Resou	Any DASOR relating to a maintenance error due to inadequate personnel, tools or time	MF700 co-ordination maintenance error lack of personnel incorrect tools incorrect FLAP lack of time resource maintenance error	Global
Maintenance_Error_Sched	Any DASOR relating to an error of maintenance timelines	maintenance procedure maintenance error overdue schedule maintenance maintenance error	Global
Maintenance_Error_Serious	Any DASOR relating to equipment defects identified during maintenance	maintenance error MWO Co-ordination serious fault equipment defect maintenance error	Global
Maintenance_Error_Support	Any DASOR relating to unsatisfactory completion of maintenance records	functional test independent inspections incomplete maintenance records maintenance error	Global
Maintenance_Error_Unapproved	Any DASOR relating to the use of components from unknown sources or unserviceable	lack of personnel incorrect tools incorrect FLAP lack of time resource maintenance error unapproved parts certificate of conformity maintenance error	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Maintenance_Error_Unsafe	Any DASOR relating to an air system being certified as serviceable in an unsafe or misrepresented state	overdue schedule maintenance maintenance error MF700 co-ordination maintenance error	Global
maintenance_overflow	Any occurrence where an aircraft has operated in flight outside the maintenance regime within the ADS and the RTS. This includes component lifing, scheduled maintenance, configuration and flight envelope.	outside outside maintenance scheduled GOLDesp hours days months years PT pt3 pt2 overflown forecase calendar date flexops maintenance scheduled	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
maintenance_scheduling	Any occurrence where issues with the scheduling of maintenance has resulted in the aircraft operating outside the ADS/RTS or where a maintenance organisation has had difficulty scheduling maintenance due to operation pressures, lack of resources or lack of manpower.	scheduling maintenance ADS RTS schedule GOLDesp hours days months years PT pt3 pt2 forecast calendar date	Global
malfunction	Malformed canopy requiring the operation of the Reserve parachute	Cut-away CUT AWAY Cutaway Reserve deployment Reserve Deployment Mal MAL Self entanglement Entanglement	Global
maritime	Any DASOR relating to operating in Maritime environment		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Marked Masts	Any DASOR relating to Marked Obstructions/Masts, where a conflict or potential conflict occurred.	#data #mission_planning_systems #Mistake #Publications #Uncharted Masts #Uncharted Obstruction	Global
Marked Obstructions	Any DASOR relating to Marked Obstructions/Masts, where a conflict or potential conflict occurred.	#data #mission_planning_systems #Mistake #Publications #Uncharted Masts #Uncharted Obstruction	Global
marshalling	Ground crew directing an aircraft during taxiing Any occurrences involving aircraft being marshalled on the ground or flight deck.	marshalling wands nav lights night flying high vis start-up line operations marshalled signs ignored turning gloves wands spot taxing turn day night signal	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Mars_Class	Embarked in Mars Class	AO Tidespring Tiderace Tidesurge Tideforce	Global
mass_and_balance	Any DASOR relating to issues concerning the loading and trimming of aircraft.	Mass Balance Trim Out of trim Overload Overweight	Global
members_of_the_public	Any DASOR relating to Members of the Public	MOP MOPs Members of the Public Member of the Public General Public	Global
military_javelin	Issue involving Military Javelin Parachute System	Malfunction Nuisance Factor Known Factors	Global
mini-pan	Issuesrelated to operating on the Mini-Pan located remotle from the main ASP.	mini-pan ASP Pan HAS line mini-line	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
mishandling	Any occurrence where the pilot has handled the aircraft poorly or dangerously either reducing the safety margin or breaching the RTC/flight envelope	poor poorly mishandled handled RTC input control judgement abrupt misuse misappropriate	Global
misident	GA aircraft has misidentified Warton for Blackpool	Misident Warton Blackpool	Global
missed_process	Process not carried out when required/directed	F2FP Process Task not completed work not carried out CIETP	Global
mission_planning_systems	Systems that support the safe planning and conduct of aircraft operations, including the transfer of mission-specific data to and from the aircraft.	mission planning systems mission planning GMSS OMS OMPS GMPS MSS AMPA STARS mapping anomalies terminal connectivity network connectivity system connectivity	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
mistake	Any occurrence where an individual makes a mistakes, which is a non-deliberate decision-making failure.	mistake accident non-deliberate failure complex knowledge rules pressure stressors equipment organisational supervision misinterpretation unintended	Global
MK_10_helmet	Any DASOR relating to Technical failures of MK 10 helmet.	Communication Intercom MK Helmet MK10	Global
mode_5_IFF	Any DASOR relating to Mode 5 IFF transponder, interrogator or control unit on all Platforms.	Mode 5 IFF M5 XPDR interrogator transponder SKL	Global
MOG	Any DASOR relating to a break in maximum number of Movements On Ground being handled or requested.	MOG Movement on ground	Global
MOR	CAA Mandatory Occurrence Report	civil civilian	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
navigation	Any occurrence where there have been errors in the navigation of the aircraft in flight or where there the navigation of a ship affects the safe recovery of an aircraft.	nav compass standby gyro direction navigation GPS route traverse areas maps AI failure HIS TACAN aircraft navigation attitude indicator intermittent radio intermittent radio loss of communication poor comms radio failure radio u/s unreliable TACAN	Global
NFF	No Fault Found – Unable to recreate reported fault, standard diagnostics tests find nothing unusual.	CIETP Diagnostics no fault unable to recreate	Global
non-aviation_duties	Any occurrence involving activities that are not directly associated with aviation, but can affect the safe operation of an aircraft.	non-aviation medical medics	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
norm	Workplace practices develop over time, through experience, and often under the influence of a specific workplace culture. These practices can be both, good and bad, safe and unsafe; they are referred to as “the way we do things round here” and become Norms.	Culture Practice Normalisation Group	Global
no_process	Work required that does not have a process laid down for its completion	F2FP Process Unable CIETP	Global
nr/nf_overspeed	Any occurrence where the engines have oversped due to either a technical cause or mishandling by the pilot.	oversped selection early late switch observed nr overspeed nf rpm	Global
NVD	Any DASOR relating to Incidents relating to NVD or Monocle.	NVD Monocle	Global
NVG	Night Vision Goggles	Night Vision Goggles compatibility with ac systems NVG Night Vision Device NVD	Global
ODHTopEvent	Any DASOR relating to DDH or ODH’s Top risks and events.	DDHTopRisk DDHTopEvent ODHTopRisk	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ODHTopRisk	Any DASOR relating to DDH or ODH's Top risks and events.	DDHTopRisk DDHTopEvent ODHTopEvent	Global
ODI-Landing_Lamps	Any DASOR relating to Landing lamp failure or malfunction	Landing Lamps DMLL	Global
ODI_Water_Ingress	All Chinook AS suffer water ingress issues	Water Ingress Instruments Crew Malfunction Helmet Intercom Downleads Electronics Avionics CAP	Global
oil	A viscous liquid used for fuel or lubrication / All incidents associated with an aircrafts oil system, indications, temperature and pressure.	hydraulic oil engine oil coolant pressure lubricant temperature limitations high temp gauge oil	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Op Clockwork / Norway	Any DASOR relating to aircraft operating in Norway or on Op Clockwork in Arctic conditions	#Clockwork #Norway #Arctic #Snow_Landing #Snow_Taxy #DVE_Snow #Deep_Snow #Deep_Snow_Landing #High_North	Global
operational_tasking	Any occurrence where the operational tasking has reduce the safety margin of the normal safe operations.	operational tasking operations danger risk duty holder operation required paramount	Global
OPFORTIS21	Operation Fortis 2021.	Queen Elizabeth Fort Victoria Tidespring Defender Diamond Kent Richmond Fortis F35 CSG Support Group Task Group QEC UKCSG	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
OpHighmast	Any DASOR relating to Op Highmast units and platforms.	PWLS 820 PWLS RICHMOND DAUNTLESS 845 C FLIGHT 815 VENG 1 815 VENG 3 617 SQDN	Global
Op_CHAMBRAY	Any DASOR relating to ongoing Operations in support of 903 EAW	Operation CHAMBRAY 903 EAW	Global
OP_FIREDRAKE	Any DASOR relating to OP FIREDRAKE activity	FIREDRAKE OP FIREDRAKE OP FD CSG 23 TASK GROUP TG 319.01	Global
OP_PITTING	Any DASOR relating to Op PITTING.	Pitting Op Pitting Kabul HKIA Afghanistan	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
orders	Any occurrence where the quality/content/accuracy/applicability of orders has contributed to the occurrence. This could include where person have breached orders or where they are not suitable.	breached breach orders instruction command tell order instruct supervise brevity clarity direct disobedience	Global
outhouse	Any occurrence where there are anomalies' with the use of outhouse to recover an aircraft safety to a ship.	outhouse recover recovery aircraft safety point of reference mother target	Global
overheat	Any occurrence where an aircraft system or equipment operates beyond safe working temperature.	heat temperature hot pressure gauge indication smoke grease extrusion whiting boiling fire	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
overtorque	A condition in which an engine has produced more torque than the manufacturer recommends, or where the engine torque has exceeded the maximum allowable for a given operating condition or time limit. Overtorque can cause internal damage to an engine or transmissions. Any occurrence where the aircraft systems have been overtorqued. This can include due to human error or a technical cause.	Torque Over Torque 100% Constant Speed Rotor Constant Rotor Speed Tq AEOTQ Gong tight shear snap figures length angle torquemeter torque wrench	Global
over_speed	Over speed of rotor head	over speed NR Nr high Nr over-speed Rotor Speed Auto Rotation PFL EOL	Global
panel	Item fitted to the internal or external of an Air System.	Panel cover cowling	Global
PAR	Precision Approach Radar	PAR Talkdown Az Only	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
parachuting	Any occurrence involving personnel parachuting or where parachuting has been taking place in the vicinity of an aircraft in flight.	para parachuting jumping chute descend canopy strap buckle fall snag deploy reserve height	Global
passenger_transfer	Any occurrence that includes passenger transfers within the sortie. This includes a SOOTAX and a VIPTAX, but excluded troop carrying as this has a separate hashtag.	passenger transfer VIP brief onloading loading steps ladders number	Global
PFL	Precautionary/Practise Forced Landing	Precautionary Forced Landing Practice Forced Landing Radar PFL RPFL	Global
pilot/eng_comms	Communication issues between Aircrew and Ground crew.	comms headset hearing radio	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
pins	Any DASOR where safety devices are an issue	Pins seat canopy weapon	Global
poor_material_state	Any occurrence involving the poor material state of an aircraft, equipment (role/ground), tools, survival equipment, infrastructure or ship.	poor state equipment tool tools infrastructure bad unsat equipment FOD crumbling handover condition	Global
PPE	Personal Protective Equipment - Articles used to prevent harm to it's user	PPE personal protective equipment gloves goggles cranial hard hat bump cap ingested inhaled injected absorbed safety equipment COSHH MSDS hazard protection	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
preps_flying_stations	Any occurrence where preparations for flying on a ship have not been conducted correctly.	prep preparations incorrect wrong FDO captain of flight deck SMR check list preps preparation FOD plods telebrief checks lighting checks signs barriers	Global
pressure	Any occurrence where pressure (either actual or perceived) on personnel has contributed	pressure actual personnel perceived stress panic organisational self perceived external	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
pre_launch_control_ATC	Any occurrence where the aircraft is controlled by ATC and the aircraft is about to launch.	pre launch pre-launch prelaunch pre launch comms take off checks	Global
procedure	Sequence of activities or course of action	checks distraction human factors cognitive errors	Global
propulsion_efflux	Where the efflux from a propulsion system (engines and propellers) has an unwanted effect. These effects typically impact other aircraft, vehicles, persons or infrastructure.NOTE Helicopter downwash is a separate tag.	Efflux jetblast propwash jetwash exhaust blow	Global
PSR	Primary Search Radar	PSR Primary Radar Watchman W'man SRE	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
publications	Documents produced by higher authority Any occurrence were the quality/content/accuracy/applicability of publication has contributed to the occurrence. This could include where person have breached a publication, where they are not suitable or where there is not sufficient access to the publication.	JTD joint technical data Joint Technical Data SOI AESO AERO servicing instruction AR action request publication quality MAA briefscan cockpit amendment state links CIETP	Global
QE_Class	Embarked in QE Class	CVF Queen Elizabeth Prince of Wales Carrier	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
quality_assurance	Any occurrence where the safety reducing was reduced and discovered during a quality assurance audit or where a quality assurance audit missed a performance shortfall. This includes all types of QA including standards for aircrew/ATC and maintenance airworthiness reviews (MAR)	quality audit performance QA MAR airworthiness review checks external checks internal checks IQA audit BMAR MAR assurance visits trap	Global
RA4947.1.a	Any DASOR relating to Develop and control an Aircraft Maintenance Programme, support any applicable reliability programme and propose amendments and additions to the Maintenance schedule to the Type Airworthiness Authority (TAA).	Aircraft Maintenance programme AMP Reliability F765 Propose amendments RCM	Global
RA4947.1.b	Any DASOR relating to Management and the embodiment of Modifications and repairs.	Mod Modification SM ISDC Embodiment Repair Out of limit No limit NL OOL	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RA4947.1.c	Any DASOR relating Ensuring that all Maintenance is carried out to the required quality and in accordance with (iaw) the Aircraft Maintenance Programme, and correctly released.	Approved data Delivery Acceptance Quality of Maintenance Release	Global
RA4947.1.d	Any DASOR relating Ensuring that all applicable Special Instructions (Technical) (SI(T)) are applied.	SI(T) Technical Instruction UTI RTI CTI Overfly CD Overflown Satisfaction Backstop	Global
RA4947.1.e	Any DASOR relating Ensuring that Military Maintenance Organizations (MMOs) or MRP Part 145 Approved Maintenance Organizations (AMOs) correctly manage Faults reported, or discovered during scheduled Maintenance.	ADF Deferred LIM Out of limits UFCM Fault Limitation Cumulative risk Uncommanded	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RA4947.1.f	Any DASOR relating Co-ordinating scheduled Maintenance, the application of SI(T) and the replacement of service life limited parts.	Biennial Concessions Scheduled Maintenance Major Annual Latitudes Deferments Fleet management LLP Minor	Global
RADHAZ	Radiation Hazard Any occurrence where a radio frequency may have operated outside the limited that are safe for exposure for a human. This can include airfield radars, aircraft equipment or ship's equipment or operating masts (HIRTA)	radar radio mobile phone fuelling armements frequency HIRTA radiation RADHAZ danger transmission EMC trials	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
radios	any breakdown in external communications	vhf uhf comms communications radios TCAS radio channel transmit receive intermittent failed	Global
rapid_roping	Any occurrences where rapid roping is taking place from an operating aircraft or the drill on land.	rapid roping descent fast roping abseiling fall weapons rope gloves snag	Global
reckless	Any occurrence where an individual shows a deliberate lack of regard for safety	intended reckless dangerous negligent defiant HF deliberate violation purpose	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
regulations	Any occurrence where the quality/content/accuracy/applicability of regulations has contributed to the occurrence. This could include where person have breached regulation, or where they are not suitable.	reg regs regulation rules procedure decree law SYOPS	Global
resource	Any occurrence where a lack of resources has contributed. This includes any type of resources including the available of personnel.	resource availability supply manpower tools aircraft aircrew personnel pubs equipment money	Global
RFFS	Rescue Fire Fighting Service	RFFS Rescue Fire Emergency response Crash Cat Crash Category ICAO	Global
RHAG	Rotary Hydraulic Arrestor Gear.	Wire Arrestor Cable	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RIAT	Any DASOR relating to RIAT event.	AirDisplay RIAT Royal International Air Tattoo Flypast	Global
role_change	Any occurrence where a role change to the aircraft has affected the outcome.	change role weapons carriers guns pods camera weight mod state seats fuel tanks	Global
role_equipment	Equipment that can be swapped around to change the overall role of that aircraft	troop seats sea tray SACRU MS10 M3M cannon GPMG ADS sonobuoy carrousel CASEVAC	Global
rotor-brake	Any Dasor relating to Technical issues with the rotor-brake	Rotor Brake	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
rotors_running_crew_chan	Any occurrence either during a rotors running crew change or where an original fault occurred during a rotors running crew change that affected the safe operation of the subsequent flight.	rotors running crew crew change change rotors running handover missed comms checks time	Global
rough_running	An engine not running smoothly or correctly	Rough Hesitant Backfire Cough Stutter Choke Miss Missfire Mixture	Global
RPAS_airspace_manageme	Any DASORs submitted resulting in airspace management and deconfliction.	Airspace air incursion airprox deconfliction safe separation ROZ hot cold	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RPAS_equipment_issues	Any DASORs submitted pertinent to system deficiencies or faults.	GCS UA Falcon Tracker centre section payload camera hand controller generator rail launcher FSK gloves toolbox battery laptop springs peli case motor	Global
RPAS_failed_launch	Any DASORs submitted that has resulted in a failed launch.	failed launch loss of separation ground tree props fingers impact launch stabilator elevator incursion	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RPAS_failed_recovery	Any DASORs submitted resulting in an unplanned recovery.	Failed landing recovery line of site impact with ground tree safe separation recovery stabilator elevator propulsion	Global
RPAS_processes_policies_a	Any DASORs submitted relating to processes, policies and documentation.	ADS FASP signatures qualifications tool control out of date	Global
RPAS_uplink_downlink_GP	Any DASORs submitted that has uplink, downlink and GPS issues.	uplink downlink loss of link comms box line of site GPS	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RTS	Release to Service - references the limitation, operating envelope and safety cases relevant to a specific aircraft type	CLE OEC policy procedure role specific safety systems RTS AWFL limits exceeded inadvertent	Global
runway_excursion	Any DASOR issue that resulted in Runway Excursion/would most likely result in Runway Excursion if all barriers failed	excursion runway overrun landing take-off lateral departure	Global
runway_incursion	Any DASOR issue that resulted in Runway Incursion/would most likely result in Runway Incursion if all barriers failed	incursion runway vehical truck person animal wildlife	Global
S2RPAS_ageing	Any DASOR relating to Ageing.		Global
S2RPAS_airprox	Any DASOR relating to Airprox.		Global
S2RPAS_airspace_excursion	Any DASOR relating to an RPAS Airspce Excursion.		Global
S2RPAS_airspace_incursion	Any DASOR relating to an Incursion into RPAS airspace.		Global
S2RPAS_airspace_manager	Any DASOR relating to Airspace management.		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
S2RPAS_Authorisation	Any DASOR where authorisation has played a factor.		Global
S2RPAS_autopilot	Any DASOR relating to Autopilot.		Global
S2RPAS_battery	Any DASOR relating to a Battery.		Global
S2RPAS_bowtie_1.1	Any DASOR relating to Bowtie_1.1		Global
S2RPAS_bowtie_2.6	Any DASOR relating to Bowtie_2.6		Global
S2RPAS_bowtie_2.7	Any DASOR relating to Bowtie_2.7		Global
S2RPAS_bowtie_3.1	Any DASOR relating to Bowtie_3.1		Global
S2RPAS_bowtie_3.1.2	Any DASOR relating to Bowtie_3.1.2		Global
S2RPAS_bowtie_3.1.3	Any DASOR relating to Bowtie_3.1.3		Global
S2RPAS_bowtie_3.1.4	Any DASOR relating to Bowtie_3.1.4		Global
S2RPAS_CFIT	Any DASOR relating to RPAS CFIT.		Global
S2RPAS_Communication	Any DASOR relating to any failings, issues or breakdowns in communication.		Global
S2RPAS_corrosion	Any DASOR relating to Corrosion.		Global
S2RPAS_Currency	Any DASOR relating to Currency including, but not limited to lapses in Live or Sim Currency.		Global
S2RPAS_DAFAIR_error	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Error.		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
S2RPAS_DAFAIR_mistake	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Mistake.		Global
S2RPAS_DAFAIR_sabotage	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Sabotage.		Global
S2RPAS_DAFAIR_violation	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Violation.		Global
S2RPAS_electrical_fault	Any DASOR relating to Electrical Fault.		Global
S2RPAS_electromagnetic_i	Any DASOR relating to Electromagnetic interference.		Global
S2RPAS_environment_altit	Any DASOR relating to the Environment Altitude.		Global
S2RPAS_environment_cold	Any DASOR relating to Environment cold.		Global
S2RPAS_environment_heat	Any DASOR relating to Environment heat.		Global
S2RPAS_environment_wet	Any DASOR relating to Environment wet		Global
S2RPAS_Equipment_Issues	Any DASOR relating to equipment issues.		Global
S2RPAS_erratic_flight_prof	Any DASOR relating to Erratic flight profile.		Global
S2RPAS_F2FP	Any DASOR relating to Failure to follow Procedure.		Global
S2RPAS_F2FP_DAC	Any DASOR relating to F2FP within the Defence aviation community		Global
S2RPAS_failed_launch	Any DASOR relating to a Failed launch.		Global
S2RPAS_Fatigue	Any DASOR relating to Fatigue of personnel.		Global
S2RPAS_GCS	Any DASOR relating to a ground control station		Global
S2RPAS_GPS	Any DASOR relating to RPAS GPS issues.		Global
S2RPAS_ground_power	Any DASOR relating to Ground Power.		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
S2RPAS_Human_Factors	Any DASOR in which human factors has been a factor.		Global
S2RPAS_launcher	Any DASOR relating to a Launcher.		Global
S2RPAS_loss_of_safe_sepa	Any DASOR relating to Loss of safe separation with personnel.		Global
S2RPAS_lost_link	Any DASOR relating to Lost Link.		Global
S2RPAS_maint_error	Any DASOR relating to a Maint Error.		Global
S2RPAS_meteorological_lim	Any DASOR relating to Meteorological Limits.		Global
S2RPAS_mobile_operations	Any DASOR relating to Mobile Operations.		Global
S2RPAS_not_determined	Any DASOR relating to a fault/cause that was Not determined		Global
S2RPAS_operator_error	Any DASOR relating to Operator error.		Global
S2RPAS_organisational_pre	Any DASOR that ends with the DAFAIR model being used and with the results being judged to be an Organisational Pressure.		Global
S2RPAS_payload	Any DASOR relating to an RPAS payload.		Global
S2RPAS_Processes_Policies	Any DASOR relating to processes policies and documents.		Global
S2RPAS_propulsion	Any DASOR relating to Propulsion.		Global
S2RPAS_recovery_accuracy	Any DASOR relating to RPAS Recovery accuracy.		Global
S2RPAS_role_fit	Any DASOR relating to Role Fit		Global
S2RPAS_RPAS_incorrect_sy	Any DASOR relating to incorrect system data.		Global
S2RPAS_servo	Any DASOR relating to a Servo.		Global
S2RPAS_Simulation	Any DASOR relating to flying simulation.		Global
S2RPAS_snap_screws	Any DASOR relating to Snap Screws.		Global
S2RPAS_software	Any DASOR relating to Software.		Global
S2RPAS_stabilator	Any DASOR relating to Stabilator.		Global
S2RPAS_structural_failure	Any DASOR relating to Structural Failure.		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
S2RPAS_Supervision	Any DASOR relating to any failings or issues within the supervisory chain.		Global
S2RPAS_tech_info	Any DASOR relating to Tech Info.		Global
S2RPAS_torn_ripped	Any DASOR relating to a damage to the RPAS skin/surface.		Global
S2RPAS_Training	Any DASOR relating to training be it either lack of training or training insufficient.		Global
S2RPAS_UFIT	Any DASOR relating to UFIT.		Global
S2RPAS_uncommanded_fli	Any DASOR relating to uncommanded flight profile.		Global
S2RPAS_vehicle_assisted_l	Any DASOR relating to Vehicle assisted launch.		Global
S2RPAS_water_ingress	Any DASOR relating to Water Ingress.		Global
S2RPAS_wing_damage	Any DASOR relating to Wing Damage		Global
safety_culture	6FTS safety, If the proposed safety culture has been proven / challenged or there appears to be lack of a safety culture of the unit. learning, appropriate culture.	safety culture learning	Global
SAPPHO/Scarecrow	All incidents relating to bird scaring operations.	SAPPHO bird scaring Scarecrow	Global
SAR	Search and rescue	winching CASEVAC CAL search and rescue	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SDA	Any DASOR relating to Infringement of the Surface Danger Area	SDA Surface Danger Area Infringement Vehicle Marine Vessel Seal Target Foul Farmer MOP Member of the public Safety trace Buckthorne Livestock Furuno	Global
seal	Any DASOR relating to Seals	Pup Breeding Bull Seal Seals Beach Herd	Global
seat_bay	Ejection seat bay		Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
sea_conditions	Any occurrence affected by sea conditions. This is applicable to any aircraft operating over the sea or very large lake not solely those embarked within a ship.	sea conditions embarked rough swell spray goffer wind out of limits pitch roll turbulent downwash waves salt	Global
SEF	Issue relating to Safety Equipment Trade.	SEF squipper AEA helmet mask PLB beacon chute HMSS	Global
servicing_overfly	Any DASOR relating to Maintenance Servicing of Aircraft or Aircraft components that have overflown dates laid down in Aviation Documents.	F700 Component Servicing Overflown Maintenance Exceeded Forecast	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ship	Any occurrence where aircraft are operating on or interacting with a ship.	embarked ship onboard vessel transport T23 T45 LPD RFA QE carrier destroyer frigate	Global
ship_motion	Any occurrence where the motion of a ship affected by sea state or weather has affected the safe operating of the aircraft. This includes all deck operations, winch transfers and HIRF. This excluded occurrence caused by the handling of the ship by its operators.	ship motion sea sea state weather deck winch HIRF roll pitch slow fast port starboard	Global
SID/STAR	Standard Instrument Procedures	SID STAR Standard Instrument Departure Standard Instrument Arrival	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
signage	Any DASOR relating to Signs or Signage	Sign Signage JSP403 MOP Member of the public Flag Barrier Lights Quad Flags Quads Flags	Global
signal_flare	All incidents relating to the 40mm Signal Flare	40mm Signal Flare Misfire Blind Fire	Global
situational_awareness	Any occurrence where a person loses situational awareness. Situational awareness is the perception of environmental elements and events with respect to time or space, the comprehension of their meaning, and the projection of their status after some variable has changed, such as time, or some other variable, such as a predetermined event.	awareness situational situational awareness perception observation attentive vigilant danger emergency focussed attention saturation awareness	Global
SmArms	All occurrences associated with small arms weapons up to and including 0.500? / 12.7mm calibre.	small arms 12.7mm	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
smoke_fumes_burning	Any occurrence where there is smoke/fumes/burning from any cause either within the aircraft or from an external source.	smoke fumes burning blacken scorch smoulder melt fire burning burn arcing combust smell exhaust flame	Global
snagging	Any occurrence where an individual is prevented from conducting their activity due to a physical restriction including clothing. This applies to any branch in any circumstance.	snagging restriction caught catching snagged obstructed impeded	Global
sonar_operations	Any occurrence where an active or passive sonar is being operated as a part of a sortie.	sonar active passive search dip sonbouy carousel chute sow field	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SOP	Any DASOR relating to issues with Standard Operating Procedures	SOP standard procedure	Global
soundproofing	Any Dasor relating to Soundproofing failure or loose article relating to soundproofing.	Soundproofing loose article	Global
spillage	Any occurrence where any fluid has spilt.	spill fluid spilt spillage leak overflow seepage over fill spilt dropped	Global
spray_shop	Spray Shop		Global
SQEP	Any occurrence that may have been affected by the competency or availability of suitably qualified and experienced personnel.	SQEP competent competency suitably qualified qualified experienced experience competence suitable	Global
SRA	Surveillance Radar Approach	SAR MAP Missed Approach Point	Global
SSR	Secondary Search Radar	SSR MSSR WAM squawk	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
STARS	Squadron training achievements recording system Any occurrence with the IT database STARS has affected the sortie.	database not working STARS unserviceable shutdown insufficient	Global
starting	Any DASOR relating to problems during engine start	Fire Flames Smoke Priming Over Priming Mixture Run down Ignition Stop RPM	Global
start_shutdown	Any occurrence that occurs during the start or shut down of an aircraft.	start shutdown start checks checks engines FRC's indications leaks	Global
STAR_NG	Any DASOR that is related to STAR NG	Network Star NG STAR PSR	Global
STEADFAST DEFENDER	Any DASOR relating to flying whilst on Ex STEADFAST DEFENDER	#STEADFASTDEFENDER #EXSTDF	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
stress	The feeling of being overwhelmed or unable to cope with mental or emotional pressure.	fatigue pressure strain tension stress	Global
StrikeWarrior	Any DASOR relating to HMS PWLS conducting exercise Strike warrior	#StrikeWarrior	Global
supervision	The act of supervising a task or individual	experience trust knowledge outcome level of supervision	Global
supervisor	Issue relating to the supervision of air and ground personnel.	supervisor authorisation auth	Global
supply	Issue relating to logistics Support Section.	supply LS spares PEP	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
survival_equipment	Any occurrence where issues with aircrew or deck crew survival equipment has been identified.	survival equipment immersion suit flying overalls STASS PSTASS helmet ear pieces lifejacket boots gloves MS5 MS10 rip torn damaged seal zips visor	Global
system_unreliable	Any occurrence where any aircraft or aviation facility system is unreliable.	unreliable unsat equipment unsat spurious untrustworthy	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
T23	Embarked in HMS T23	Duke Class Type 23 T23 Argyll Lancaster Iron Duke Monmouth Montrose Westminster Northumberland Richmond Somerset Sutherland Kent Portland St Albans Frigate	Global
T45	Embarked in HMS T45	Type 45 T45 Daring Dauntless Diamond Dragon Defender Duncan Destroyer	Global
TACAN	TACAN		Global
TAC_C2	Any DASOR relating to issues with TAC C2	TAC C2 clearance confliction	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
taxi_incident	Occurrence during aircraft taxiing Any occurrence that occurs when the aircraft is taxiing within an airfield.	brakes poor signage runway incursion taxiing taxi movements incursion strike structure brakes locks wheels tyres dispersal runway	Global
TCAS	Traffic Collision Avoidance System - Any TCAS event	airprox MAC confliction TCAS RA TA	Global
teamwork	In aviation many tasks and operations are team affairs; no single person (or organisation) can be responsible for the safe outcomes of all tasks. However, if someone is not contributing to the team effort, this can lead to unsafe outcomes.	Collaboration Group Cooperation Coordination	Global
tech	Any DASOR relating to a technical failure	Technical Unserviceable	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
test_flight	Any occurrence that occurs during a flight test. This includes partial test flights, maintenance test flights and experimental test flights.	test flight testflight test-flight maintenance experimental PTF MTF flight test vibration testing MTP 5M	Global
TIES	Troop insertion/extraction systems	insertion system extraction system fast roping abseiling winching fall fast rope fastrope abseil winch hoist RTES LTES ladder	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
TISHFWG	The Typhoon In Service Human Factors Working Group.	TISHFWG fatigue human factors capacity awareness lookout	Global
TLZ	Any DASOR relating to a Tactical Landing Zone	TLZ Tactical Landing Zone Sand C130 A400 Tide Sea Wave Waves Markers Load Pallet Land rover RIB	Global
tobaccofree	Any DASOR relating to the Tobacco free policy.	smoking no smoking ban health tobaccofree wellbeing tobaccofree tobacco vaping navyfit cessation	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
tooling	Working with and utilising tools to achieve a task Any occurrences were issues with the accounting of tools occurs.	tool control signature loose article tooling tools broken loose article lost tool unavailable design missing tool issue centre main toolbox line toolbox issue centre rating handover broken damaged u/s missing tool control log	Global
tools			Global
topsky	Any DASOR related to function of any TopSky Equipment	WAM Network VCCS HRDF TATCC SIS STAR NG EVCS Radar Replay	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
tornado	Enable the Tornado specific ASORs to be easily located by Occ Mgrs	Tornado	Global
tower	Any DASOR relating to the ATC Tower	Tower Control Tower Assistant MTA Main Tower Assistant BSO Bomb Score Operator Duty AWRC Duty Air Weapons Range Contro SAWRC Senior Air Weapons Range Cont Sun Reflection Window Bees Tinting Temperature MASCOT Wind dial Comms Equipment Furuno Radar VHF UHF Generator Barriers Visibility Landline	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
towing	The process of pulling an aircraft in order to move it from one location to another	towing arm marshallers brake rating chock rating supervision fitting tractor	Global
Traffic_Avoidance_System	Any DASOR where Traffic Avoidance System has been a factor, either as a barrier in preventing a more serious outcome or when it has: a. Provided spurious or incorrect information b. Failed	TAS TCAS ACAS Traffic Avoidance System Traffic Collision Avoidance Aircraft Collision Avoidance AIRPROX	Global
traffic_reporting	Has there been issues with traffic density within the local area.	MATZ ATZ airspace traffic danger areas	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
training	A method of ensuring everyone is competent in their job as a result of practice and training Any occurrences that have been affected by the training of an individual involved or occurs during a training activity.	shortfalls lectures training risk seminars training sortie education currencies training training activity learn qualify study train organisation burden phase 2 ACC LRQC	Global
transit_control_atc	Any occurrence where ATC are advising an aircraft through a transit.	control ATC control transit radio comms pass passing information frequency	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
transmission	The mechanism by which power is transmitted from an engine to the main rotor head of a helicopter or lift fan of a vertical take-off/landing fast jet.	engine transmission rotor head lift fan trans mxn chip detector drive gauge lubrication main rotor oli coolant tail rotor rotor	Global
Trials Event	Any DASOR relating to an aircraft trial	#Trials_event #Trial #RTS #Trials #Realised_hazard #TRA #RA2370	Global
troop_carrying	Any occurrence involving troop carrying. This excludes normal passenger transfers and VIPTAXs.	troop troop carrying passenger helmets troops personnel guns number trip fall	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
typhoon	Enable the Typhoon specific ASORs to be easily located by Occ Mgrs	Typhoon	Global
UFCM	Issues relating to Undemanded Flying Control Movement Any occurrence where the pilot experiences an uncommanded flying control movement.	undemanded flying control uncommanded jerk violent uncommanded roll pitch yaw unintended sudden nose down up left right cyclic collective yaw pedals oscillation excessive	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
UKCSG	UK Carrier Strike Group.	QNLZ OPFORTIS QEC Task Group Support Group CSG F35 Carrier Richmond Kent Diamond Defender Tidespring Fort Victoria Queen Elizabeth	Global
unauthorised_flight	Any flight that occurs but has not been authorised.	non-authorised non authorised unauthorised not authorised missed checks briefing authoriser	Global
uncharted_masts	Any occurrence where the aircrew detect a mast on the ground that is not recorded on a chart used to navigate the aircraft.	uncharted masts telephone mast pylon	Global
uncharted_obstruction	Obstruction not found on map, chart or DVOF.	DVOF Obstruction Mast AIDU DGC	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
undercarriage	Any undercarriage event	failure to raise gear fault with undercarriage overstress of undercarriage incorrect use of undercarriage failure to lower undercarriage gear landing gear wheels wheel nose steer steering MLG main brakes	Global
unsecured_panel	Panel left unsecured	walkaround FOD panel open in flight	Global
USAFE	Any DASOR relating to United States Air Force or United States Marine Corp in order to assist in tracking the amount of DASORs they are involved in. Due to USAFE not having access to ASIMS it is vital to aid accurate Trend Analysis.	USAFE USAF USMC	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
USL	Under Slung Load Operations	USL Under Slung Loads Strops Sling Load SACRU EMCRU Strop HULSE USL training HUSTLE load loads single double tandem triple hook fore aft centre	Global
VCCS	Any DASOR relating to reduced Voice Command and Control System (VCCS) within ATC under Project Marshall.	VCCS voice command ATC project marshall	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
vehicle	Any DASOR relating to Vehicles	Vehicle Car Motorbike SUV 4x4 Moped Tractor JCB Lorry HGV Transit Quad Bike Combine Harvester FFV Fire Fighting Vehicle Police car Ambulance Coastguard	Global
VF_cabin_crew	Any DASOR that Voyager Force cabin crew have raised.	Cabin Crew Cabin Crew CC Purser Voyager Force	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
vibration	Engine Vibration/Airframe Vibration / An aircraft vibrating significantly more than the expected normal. Any occurrence where vibration outside normal parameters is experienced. This included ground runs and flights.	engine vibration vib airframe vibration rattling oscillation vibration airframe excessive shaking violent resonance pulsating	Global
violation	Any occurrence where an individual deliberately does something wrong or against regulations.	violation deliberate illegal violate on purpose meant selfish rule breaking organisation situational misuse	Global
WAM	Any DASOR related to the function of WAM. Including False associations and instances where transponder information is lost as a result of ac being Non-SIFF equipt or Non-ICAO compliant.	WAM False Association SIFF Transponder Mode S TATCC Network	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
warnings_cautions	Any occurrence where the aircrew experience an advisory caption or flight critical warning in flight or on the ground.	warning caution caption advisory panel attention getter caution CWP green amber red audio	Global
weapons	Armaments used by aircraft	weapon loading mass switch armed drill practice operational warshot SMS weapon weapons GBU hellfire GSMS MCM	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
weapons_release	Any occurrence that occurs as a weapon is being released. This excludes small arms fire.	release released weapon hang-up misfire inadvertent jettison loose held	Global
weapon_loading	Any occurrence where weapons loading is taking place. This includes small arms weapons.	loading weapon weapons guns trapped fingers dropped snag trolley pins flags inadvertent trigger caught	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
weapon_system	Any DASOR relating to Weapons Systems	Weapons system Cannon Rocket Misfire Pod Round Flachette Casing Bullet Barrel Magazine Chamber Switches Switch Hot Live Retarded Slick High drag Low drag Spot No spot Loft Toss Ripple Salvo Wdz	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
weather	For occurrences involving Met information, both internally and externally produced / An incident or hazard/observation as a cause or directly related to actual or forecast weather; for example hail damage or lightening strike.	Met forecast meteorological TAF METAR MOMIDS Weather strong wind rain drizzle visibility storm clouds sleet snow ice sand thunder sun wind gusts torrential downpour hurricane tornado hail ash	Global
WESS	Weapons and Escape Systems Services	Canopy AEA	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
wildlife	The native fauna and flora of a region	birds animals habitat nature wildlife snake coyote deer duck geese goose herd seal	Global
winching	Exercise utilising the aircraft's winch Any occurrence where winching is taking place.	winch CALS snagging hazard winch jam snag wrapped wire drum cable hook secondary roles button switch comms stretcher hi-line	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
wind	Amount of wind.	limits knots strong weak gusty	Global
windscreen	Glass screen at front or side of the Air System.	side window windscreen window	Global
windscreen_wiper	Failure of windscreen wiper.	windscreen wiper windscreen wiper	Global
windsock	All incidents relating to airfield windsocks	Windsock sleeve shackle dayglow	Global
wires	An incident or near miss with domestic wires, powerlines or cables.	cable wire powerlines WSPS Wirestrike	Global
wirestrike	Any DASOR relating to a collision with Wires, Powerlines or Suspended Wires	Wires Powerlines Suspended	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
working_at_height	Any occurrence involving personnel working at height.	height fall crash mats clipped harness karibiner hemlet misplace platform engine bay doors trip footsteps fell dropped slipped	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
work_place_emergency	Any occurrence that occurs within a building support aviation. This includes Sqn building/hangar/tower/support buildings/workshops or ship and includes but not limited to fire, flooding caused by burst pipes, medical emergencies and total loss of power,	support building hangar fire flood emergency wind broken unsat equipment roof leaking leak pipes electrical fire blown down power surge power outage lighting	Global
wpns	Any DASOR issue that resulted in Wpns/would most likely result in Wpns if all barriers failed	hellfire MTS laser weapon weapons HF GBU BRU pylon MCM SMS uncommanded guide	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
WSCONUS	DASORs relating to JAC operations in WSCONUS	El Centro NAFEC WSCONUS Yuma Pendleton Miramar North Island	Global
WTC	All aspects of weapons training	weapons training weapons training	Global
_AIRFINC_airfield_design	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of airfield design, including lighting and enhanced visibility.	airfield lighting design	Global
_AIRFINC_airfield_training	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in airfield awareness training.	driver driving vehicle incursion	Global
_AIRFINC_ATC_alert	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of ATC prevention barriers, such as observation from the ATC tower and effective aircraft and vehicle movements control.	approach crossing taxiing taxi tower vehicle incursion	Global
_AIRFINC_ATC_avoid	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of ATC mitigation barriers, such as observation from the ATC tower and effective aircraft and vehicle movements control.	go around overshoot	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_AIRFINC_equipment_cons	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure to observe ground support equipment.	gpu set starter trolley steps platform	Global
_AIRFINC_FOD	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in FOD prevention and management.	FOD sweeper plod	Global
_AIRFINC_gnd_handling	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in the management and control of ground support equipment.	gse	Global
_AIRFINC_ground_marshall	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure to effectively ground marshal air systems.	marshaller marshalling	Global
_AIRFINC_pedestrian_cont	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in pedestrian control measures, such as signs and fencing.	pedestrian	Global
_AIRFINC_physical_interve	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in physical intervention by authorised personnel on the airfield to prevent the collision of an air system with an obstruction.	stopped waved	Global
_AIRFINC_phys_conspicuity	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure to ensure that an air system can be readily seen on the ground.	colour visual	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_AIRFINC_planning	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in planning and coordination measures.	planning	Global
_AIRFINC_regulations	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in the regulatory framework.	regulations	Global
_AIRFINC_security	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of effective airfield security, including security patrols and challenges made by authorised airfield users.	patrol security	Global
_AIRFINC_supervision	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in effective supervision.	supervision	Global
_AIRFINC_traffic_control	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in effective traffic control measures, such as traffic lights and barriers	tower atc barrier traffic	Global
_AIRFINC_training_currency	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure in aircrew training, currency or competency.	currency training	Global
_AIRFINC_visual_alert	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure to visually detect obstructions in the manoeuvring area.	spotted visual	Global
_AIRFINC_visual_avoid	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of the aircrew to visually avoid obstructions in the manoeuvring area.	avoid turned spotted visual	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_AIRFINC_wildlife_control	Any DASOR that indicates a loss of safe separation in the manoeuvring area through a failure of effective wildlife control measures.	hare deer rabbit dog fox camel	Global
_ALL_crashworthiness	Any DASOR that indicates the failure of the crashworthiness barrier in ANY BowTie	crashworthiness seat restraint	Global
_ALL_ejection	Any DASOR that indicates the failure of the ejection barrier in ANY BowTie	ejection	Global
_ALL_emergency_handling	Any DASOR that indicates a failure in the ability to reduce the risk to life by appropriate handling of the aircraft or returning to base or the nearest suitable airfield.	recovery BDA battle RTB divert diversion emergency	Global
_ALL_survival	Any DASOR that indicates the failure of the survival equipment barrier in ANY BowTie	dinghy liferaft PLB EPLB AEA	Global
_barrier_effective	Any DASOR that indicates that a BowTie barrier was effective in preventing a consequence from occurring	effective prevented the and or in A	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_barrier_effective_sec	Any DASOR that indicates that a BowTie barrier was effective in preventing a consequence from occurring (secondary barrier).	effective prevented avoided near the and or in a	Global
_barrier_effective_ter	Any DASOR that indicates that a BowTie barrier was effective in preventing a consequence from occurring (tertiary barrier).	effective prevented avoided near the and or in a	Global
_CFIT_airspace	Any DASOR that indicates the failure of the airspace structure and charts barrier in a CFIT BowTie	LFS low-flying low-level	Global
_CFIT_ATC_alert	Any DASOR that indicates the failure of the ATC services prevention barrier in a CFIT BowTie	SALT	Global
_CFIT_ATC_avoid	Any DASOR that indicates the failure of the ATC services recovery barrier in a CFIT BowTie	PAR	Global
_CFIT_GPWS_alert	Any DASOR that indicates the failure of the sense and avoid prevention barrier in a CFIT BowTie	RADALT	Global
_CFIT_GPWS_avoid	Any DASOR that indicates the failure of the sense and avoid recovery barrier in a CFIT BowTie	GCAS GPWS	Global
_CFIT_planning	Any DASOR that indicates the failure of the planning barrier in a CFIT BowTie	mountain NOTAM	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_CFIT_regulations	Any DASOR that indicates the failure of the regulations barrier in a CFIT BowTie	regulations	Global
_CFIT_SA_systems	Any DASOR that indicates the failure of the situational awareness systems barrier in a CFIT BowTie	navigation radar	Global
_CFIT_supervision	Any DASOR that indicates the failure of the supervision and authorisation barrier in a CFIT BowTie	supervision authorisation	Global
_CFIT_training_currency	Ability to reduce the risk of CFIT through training, maintaining currency and gaining competency.	training currency	Global
_CFIT_visual_alert	Any DASOR that indicates the failure of the see and avoid prevention barrier in a CFIT BowTie	terrain	Global
_CFIT_visual_avoid	Any DASOR that indicates the failure of the see and avoid recovery barrier in a CFIT BowTie	CFIT	Global
_FIRE_auto_protection	Any DASOR that indicates a failure in the ability to reduce the risk of fire through the use of automatic protection or limitation systems, such as circuit breakers.	circuit breaker	Global
_FIRE_detection_systems	Any DASOR that indicates a failure in the ability to reduce the risk of fire through the use of fire detection systems.	fire smoke heat firewire detector	Global
_FIRE_fighting_equipment	Any DASOR that indicates a failure in the ability to mitigate the risk of fire through the use of firefighting equipment.	axe smoke fire firefighting hand-held extinguisher	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_FIRE_human_detection	Any DASOR that indicates a failure in the ability to mitigate the risk of fire through the use of human senses to detect smoke or fire.	smell burning fuel fire smoke	Global
_FIRE_human_warning	Any DASOR that indicates a failure in the ability to reduce the risk of fire through the use of human senses to detect fuel vapour or overheating components.	acrid burning smell	Global
_FIRE_husbandry	Any DASOR that indicates a failure in the ability to reduce the risk of fire through good husbandry.	tidy spillage galley oven	Global
_FIRE_life_support	Any DASOR that indicates a failure in the ability to mitigate the risk of fire through the use of life support systems, including oxygen.	oxygen walkaround walk-around portable goggles smoke	Global
_FIRE_passenger_screening	Any DASOR that indicates a failure in the ability to reduce the risk of fire through security checking of passengers for ignition or fuel sources.	x-ray passenger phone screening	Global
_FIRE_planning	Any DASOR that indicates a failure in the ability to reduce the risk of fire through effective planning.	thunder storm lightening	Global
_FIRE_regulations	Any DASOR that indicates a failure in the ability to reduce the risk of fire through a regulatory framework.	regulations passenger	Global
_FIRE_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of fire through effective supervision.	loadmaster passenger phone	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_FIRE_suppression_system	Any DASOR that indicates a failure in the ability to mitigate the risk of fire through the use of fire suppressant systems.	extinguisher suppression suppressant	Global
_FIRE_system_warnings	Any DASOR that indicates a failure in the ability to reduce the risk of fire through the use of system warnings associated with fire, such as high temperature indications.	fire overheat temperature	Global
_FIRE_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of fire through training.	training currency emergency	Global
_HOSTILE_battlespace_ma	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of Battlespace Management.	JTAC C2	Global
_HOSTILE_defensive_aids	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor by a hostile actor through the use of defensive aids.	DAS flares countermeasures counter-measures decoy IRCM	Global
_HOSTILE_electromagnetic	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of Cyber & Electro-Magnetic Activities (CEMA).	CEMA electromagnetic electo-magnetic ew	Global
_HOSTILE_evasion	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of evasive manoeuvres.	RHWR RWR evasion	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_HOSTILE_physical_protection	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of physical protection.	protection spoof jamming laser ballistic	Global
_HOSTILE_planning	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through prior planning.	ATO intelligence configuration SPINS	Global
_HOSTILE_platform_design	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through air system design and performance.	CEMA canopy cross-section targeted	Global
_HOSTILE_regulations	Ability to reduce the risk of an air system being targeted by a hostile actor through a regulatory framework.	directive SyOPs targeting AOD	Global
_HOSTILE_SA_avoidance	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of onboard sensors and information.	PNT datalink sensor ESM	Global
_HOSTILE_SA_detection	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through the use of onboard sensors and information.	datalink PNT sensor ESM	Global
_HOSTILE_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through effective supervision.	supervision authoriser authorisation	Global
_HOSTILE_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor through training, maintaining currency and gaining competency.	currency theatre	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_HOSTILE_weapons	Any DASOR that indicates a failure in the ability to reduce the risk of an air system being targeted by a hostile actor by a hostile actor through the use of weapons.	ROE	Global
_LOCI_auto-recovery	Ability of the pilot to regain control of the air system using automatic or semi-automatic systems which provide aircraft stabilisation.	autorecovery DRF disorientation	Global
_LOCI_avionics_warning	Aircraft systems designed to detect and warn of an avionics system failure, including FCS, instrumentation and navigation equipment.	fcs navigation HUD avionics	Global
_LOCI_back-up_systems	Ability of the pilot to regain control of the air system through back-up systems.	backup	Global
_LOCI_bird_avoid	Ability to avoid or reduce the likelihood of LOCI from a bird-strike through avoidance.	bird birdstrike	Global
_LOCI_bird_warning	Ability to avoid or reduce the likelihood of LOCI through bird activity warnings while airborne.	bird-radar	Global
_LOCI_cargo_inflight	Ability to avoid or reduce the likelihood of LOCI through in-flight management of stores, cargo and passengers.	load-restraint	Global
_LOCI_cargo_loading	Ability to avoid or reduce the likelihood of LOCI through the correct loading, securing and storage of cargo and passengers.	loading	Global
_LOCI_control_obstruction	Robustly enacted policy in place to ensure that equipment or personnel do not cause an unintended flying control movement or restriction.	control restriction passenger	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_LOCI_control_warning	Aircraft systems designed to detect and warn of a control system degradation or failure.	hydraulics controls UFCM flaps rudder aileron	Global
_LOCI_cooperating_aircraft	Ability to avoid or reduce the likelihood of LOCI through component or system failure observation, or other assistance provided, by a cooperating aircraft.	formation cooperating	Global
_LOCI_CRM	Effective CRM to reduce the likelihood of a pilot making an unsafe control input or mis-managing an aircraft system.	CRM crew	Global
_LOCI_emergency_O2	Ability to reduce the likelihood of hypoxia with the use of emergency oxygen systems.	emergency oxygen	Global
_LOCI_engine_monitoring	Pilot or crew instrumentation and gauge scan to maintain awareness of propulsion system performance.	engine warning	Global
_LOCI_engine_warning	Aircraft systems designed to detect and warn of engine and gearbox malfunctions or performance limitations.	engine warning	Global
_LOCI_envelope_auto-return	System in place to automatically adjust the aircraft configuration to within the flight envelope parameters. This includes systems which automatically avoid stall conditions prior to a loss of control event.	stall stick-pusher	Global
_LOCI_envelope_limiter	System in place to ensure the pilot cannot exceed the flight envelope parameters.	flight-envelope limiter	Global
_LOCI_envelope_warning	System in place to warn the pilot that flight envelope parameters have been, or are about to be, exceeded.	flight-envelope warning	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_LOCI_FOD	Effective FOD prevention and loose article check policy to reduce the likelihood of aircraft damage or flying control restriction due to foreign objects.	FOD	Global
_LOCI_fuel_management	Ability to avoid or reduce the likelihood of LOCI through effective fuel management.	fuel	Global
_LOCI_fuel_warning	Aircraft systems designed to detect and warn of fuel quantity and fuel contamination issues.	fuel warning	Global
_LOCI_G-LOC_AEA	Systems and aircrew equipment assemblies in place to reduce the likelihood of G-LOC.	GLOC G-LOC	Global
_LOCI_G-LOC_awareness	Instrumentation monitoring and the ability to anticipate the early signs of G-LOC, prior to grey-out.	G-LOC GLOC	Global
_LOCI_handling_check	Procedure used to minimise the risk of LOCI by checking the performance of the aircraft in a safe environment prior to landing, following an event that may have compromised the propulsion or flying control systems.	handling low-speed birdstrike	Global
_LOCI_hypoxia_ATC	Ability to reduce the likelihood of hypoxia in pilots with effective awareness training and procedures for ATC personnel.	hypoxia	Global
_LOCI_hypoxia_CRM	Ability to reduce the likelihood of hypoxia in others with effective physiological awareness training.	hypoxia	Global
_LOCI_hypoxia_descent	Ability to reduce the likelihood of hypoxia through a descent below 10,000'.	hypoxia	Global
_LOCI_hypoxia_symptoms	Ability to reduce the likelihood of hypoxia through effective physiological awareness training.	hypoxia	Global
_LOCI_icing_systems	Ability to avoid or reduce the likelihood of LOCI through the use of anti-icing systems to avoid ice accretion.	icing anti-icing	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_LOCI_laser_observation	Ability to reduce the risk of a laser incident through pilot adherence to TTPs on observing a laser.	#laser #observation #observe	Global
_LOCI_laser_protection	Ability to reduce the risk of a laser incident through the use of protective equipment.	#laser #protection #goggles #glasses	Global
_LOCI_laser_warning	Ability to reduce the risk of a laser incident through pre-emptively warning the pilot of laser activity in a particular area.	#LWR #warings #laser	Global
_LOCI_O2_failure_detection	Ability to pre-emptively reduce the likelihood of hypoxia with effective O2 or conditioning system failure detection systems.	oxygen depressurisation	Global
_LOCI_planning	Ability to avoid or reduce the likelihood of LOCI through prior planning.	planning	Global
_LOCI_regulations	Ability to reduce the risk of LOCI through a regulatory framework.	regulations	Global
_LOCI_self_recovery	Ability of the pilot to manually regain control of the air system, having previously experienced a loss of control event.	disorientation	Global
_LOCI_supervision	Ability to pre-emptively reduce the likelihood of HF errors associated with a LOCI event by ensuring that the pilot/crew's currency, planning, experience and fitness for flight is appropriate for the task.	supervision	Global
_LOCI_training_currency	Ability to reduce the risk of LOCI through training, maintaining currency and gaining competency.	training currency	Global
_LOCI_weather_avoid	Ability to avoid or reduce likelihood of LOCI associated with adverse environmental conditions through weather avoidance.	met weather cb lightning	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_LOCI_weather_SA_system	Ability to avoid or reduce the likelihood of LOCI through the use of SA systems to avoid adverse weather conditions.	weather met cb lightning	Global
_LOCI_weather_warning	Ability to avoid or reduce the likelihood of LOCI through weather warnings.	weather met cb lightning	Global
_LOCI_weight_warning	Ability to avoid or reduce the likelihood of LOCI through weight and balance warning systems.	weight moment	Global
_LOCI_wildlife	Ability to reduce risk of LOCI through an effective wildlife control policy and programme.	wildlife bird birdstrike	Global
_MAC_air2air_comms	Any DASOR that indicates the failure of the inter-aircraft communications barrier in a MAC BowTie	inter-aircraft air-to-air air2air	Global
_MAC_airspace	Any DASOR that indicates the failure of the airspace structure and charts barrier in a MAC BowTie	airspace charts	Global
_MAC_ATC_alert	Any DASOR that indicates the failure of the ATC services prevention barrier in a MAC BowTie	deconfliction radar C2	Global
_MAC_ATC_avoid	Any DASOR that indicates the failure of the ATC services recovery barrier in a MAC BowTie	C2 conflicting avoiding	Global
_MAC_CWS_alert	Any DASOR that indicates the failure of the sense and avoid prevention barrier in a MAC BowTie	CWS TCAS-TA FLARM ECAS	Global
_MAC_CWS_avoid	Any DASOR that indicates the failure of the sense and avoid recovery barrier in a MAC BowTie	TCAS TCAS-RA	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_MAC_elec_conspicuity	Any DASOR that indicates the failure of the conspicuity of aircraft (electronic) barrier in a MAC BowTie	squawk transponder IFF MIDS L16	Global
_MAC_phys_conspicuity	Any DASOR that indicates the failure of the conspicuity of aircraft (physical) barrier in a MAC BowTie	hidden strobe	Global
_MAC_planning	Any DASOR that indicates the failure of the planning barrier in a MAC BowTie	CADS ATO planning NOTAM	Global
_MAC_regulations	Any DASOR that indicates the failure of the regulations barrier in a MAC BowTie	regulation MAA CAA GASO	Global
_MAC_SA_systems	Any DASOR that indicates the failure of the situational awareness systems barrier in a MAC BowTie	MIDS radar ADSB	Global
_MAC_supervision	Any DASOR that indicates the failure of the supervision and authorisation barrier in a MAC BowTie	supervision authorisation	Global
_MAC_training_currency	Ability to reduce the risk of MAC through training, maintaining currency and gaining competency.	training currency	Global
_MAC_visual_alert	Any DASOR that indicates the failure of the see and avoid prevention barrier in a MAC BowTie	tally	Global
_MAC_visual_avoid	Any DASOR that indicates the failure of the see and avoid recovery barrier in a MAC BowTie	avoidance airprox separation	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_RUNEX_airfield_retardati	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of an airfield retardation system.	hook over-run overrun barrier rhag rag cable	Global
_RUNEX_back-up_systems	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion using back-up directional control and retardation systems.	back-up brakes secondary	Global
_RUNEX_control_augment	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of control augmentation systems such as auto-land and directional stability control systems.	auto-land autoland	Global
_RUNEX_control_obstructi	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion by ensuring that equipment or personnel do not cause an unintended flying control movement or restriction.	restriction rudder steering	Global
_RUNEX_control_warning	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through warning systems to indicate equipment mismanagement.	overrun over-run overrun	Global
_RUNEX_CRM	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through effective CRM to reduce the likelihood of a pilot making an unsafe control input or mis-managing an aircraft system.	crm crew	Global
_RUNEX_failure_warning_s	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through warning systems that indicate equipment failures.	nosewheel reverse	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_RUNEX_planning	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through prior planning.	blacktop friction	Global
_RUNEX_regulations	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through a regulatory framework.	MADS regulations	Global
_RUNEX_runway_condition	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion by ensuring that the runway is well maintained, lit and retains adequate surface friction.	runway	Global
_RUNEX_SA_systems	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of systems that enhance and improve situational awareness.	approach unstable HUD head-up	Global
_RUNEX_self_recovery	Any DASOR that indicates a failure in the ability of the pilot to manually regain control of the air system, having previously started to deviate beyond the bounds of the manoeuvring area.	steered	Global
_RUNEX_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion by ensuring that the pilot/crew's currency, planning, experience and fitness for flight is appropriate for the task.	supervision authorisation	Global
_RUNEX_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through training, maintaining currency and gaining competency.	currency training	Global
_RUNEX_visibility_protection	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of systems to remove rain and other precipitation from the windscreen.	demist wipers	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_RUNEX_visual_indications	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of visual indications, such as airfield lighting and distance marker boards.	lighting markings markers signals	Global
_RUNEX_weather_info	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of weather information.	ATIS TAFs braking crosswind slippery wet	Global
_RUNEX_weather_SA_syste	Any DASOR that indicates a failure in the ability to reduce the risk of a runway excursion through the use of SA systems to mitigate adverse weather conditions.	radar crosswind windshear	Global
_UNAIRW_aircraft_config	Any DASOR that indicates a failure to ensure correct aircraft configuration in the Operation of an Unairworthy Air System BowTie.	configuration	Global
_UNAIRW_aircrew_observ	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through fault monitoring by the air system aircrew.	fault	Global
_UNAIRW_atc_observation	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through the reporting of a fault by ATC or other support personnel.	observed undercarriage	Global
_UNAIRW_cooperating_ob	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through fault observation by the crew of a cooperating aircraft.	cooperating	Global
_UNAIRW_design_data	Any DASOR that indicates a failure in maintenance of type design and approved data in the Operation of an Unairworthy Air System BowTie.	design approved data	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_UNAIRW_eng_assurance	Any DASOR that indicates a failure of the engineering assurance system in the Operation of an Unairworthy Air System BowTie.	assurance	Global
_UNAIRW_eng_standards	Any DASOR that indicates a failure to adhere to authorised standards and practices in the Operation of an Unairworthy Air System BowTie.	practices standards unauthorised	Global
_UNAIRW_gnd_handling	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through careful ground handling of aircraft and ground support equipment.	towing impact gpu	Global
_UNAIRW_loading	Any DASOR that indicates a failure in the safe loading of stores, equipment, passengers and cargo in the Operation of an Unairworthy Air System BowTie.	loading weapons stores	Global
_UNAIRW_maintenance	Any DASOR that indicates a failure of preventative and corrective maintenance in the Operation of an Unairworthy Air System BowTie.	repair maintenance	Global
_UNAIRW_recall	Any DASOR that indicates a failure in the ability to reduce the risk of the operation of an unairworthy air system through the recall of an aircraft.	recall	Global
_UNAIRW_regulations	Any DASOR that indicates a failure to adhere to regulations in the Operation of an Unairworthy Air System BowTie.	regulations regs	Global
_UNAIRW_release_documentation	Any DASOR that indicates a failure in the aircraft release process, including electronic or hard-copy documentation, in the Operation of an Unairworthy Air System BowTie.	F700 signed release	Global
_UNAIRW_resource_management	Any DASOR that indicates a failure in effective task to resource management in the Operation of an Unairworthy Air System BowTie.	overstretch fatigued manning	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_UNAIRW_see-off	Any DASOR that indicates a failure in pre-flight fault recognition and rectification during the see-off procedure in the Operation of an Unairworthy Air System BowTie.	see-off departure	Global
_UNAIRW_supervision	Any DASOR that indicates a failure of effective supervision in the Operation of an Unairworthy Air System BowTie.	supervision oversight	Global
_UNAIRW_training_currency	Any DASOR that indicates a failure of engineering training, currency and competency in the Operation of an Unairworthy Air System BowTie.	x-annotation competence	Global
_UNAIRW_warning_system	Any DASOR that indicates a failure in the ability to reduce risk of the operation of an unairworthy air system through aircraft warning systems.	warning caution alert	Global
_UNEXLOSS_aircrew_observed	Any DASOR that indicates a failure in the ability to reduce risk of unexpected loss of an item through visual monitoring by the air system aircrew.	spotted observed hanging	Global
_UNEXLOSS_atc_observation	Any DASOR that indicates a failure in the ability to reduce risk of the operation of an unairworthy air system through the recognition of a fault by ATC or other support personnel.	ATC tower	Global
_UNEXLOSS_cockpit_items	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the control of cockpit items.	torch bag snagged pressed	Global
_UNEXLOSS_cooperating_crew	Any DASOR that indicates a failure in the ability to reduce risk of unexpected loss of an item through observation by a cooperating aircraft crew.	wingman	Global
_UNEXLOSS_CRM	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the intervention of another crew member.	crew pilot	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_UNEXLOSS_emergency_p	Any DASOR that indicates a failure in the ability to reduce the risk of unintended release of an item through the use of emergency procedures.	emergency range jettison	Global
_UNEXLOSS_planning	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through effective planning.	planning	Global
_UNEXLOSS_regulations	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through a regulatory framework.	regulations GASOs orders	Global
_UNEXLOSS_release_check	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the use of release checklists.	check	Global
_UNEXLOSS_release_prote	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the use of release protection measures.	interlock MASS guard selection selector release	Global
_UNEXLOSS_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through effective supervision.	supervision authorised authoriser	Global
_UNEXLOSS_training_curre	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected release of an item through training.	training current currency	Global
_UNEXLOSS_warning_syste	Any DASOR that indicates a failure in the ability to reduce the risk of unexpected loss of an item through the use of air platform warning systems.	warning weapon DWP caution	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_WPNS_aircraft_stores_sys	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective stores system design and release.	#hung #standards #design #logic	Global
_WPNS_armament_regs	Any DASOR that indicates a failure in the ability to reduce the consequence of an unintended weapons or stores event through a regulatory framework.	#regulations #GASOs #orders #DSA #MAM-P	Global
_WPNS_ASD	Any DASOR that indicates a failure in the ability to reduce the consequence of unintended weapons or stores event through effective ASD procedures.	#ASD #manoeuvre	Global
_WPNS_collateral_implicat	Any DASOR that indicates a failure in the ability to reduce the consequence of unintended weapons or stores event through effective planning.	#planning #collateral	Global
_WPNS_CRM	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through the intervention of another crew member.	#formation #wingman #pilot #crew	Global
_WPNS_emergency_handli	Any DASOR that indicates a failure in the ability to reduce the consequence of an unintended weapons or stores event through recovering the aircraft to a suitable airfield.	#diversion #recovery	Global
_WPNS_EOD	Any DASOR that indicates a failure in the ability to reduce the consequence of an unintended weapons or stores event through the use of EOD intervention procedures.	#EOD #demolition	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_WPNS_load_planning	Any DASOR that indicates a failure in the ability to reduce the risk of unintended weapons or stores event through management of weapon life or loadout plans.	#loadout #pylon #station	Global
_WPNS_planning	Any DASOR that indicates a failure in the ability to reduce the risk of unintended weapons or stores event through effective planning.	#planning #ranges	Global
_WPNS_procedures	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective in-flight handling or release procedures.	#SPOs #checklists	Global
_WPNS_regulations	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through a regulatory framework.	#regulations #GASOs #orders #DSA	Global
_WPNS_release_protection	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through the use of release protection measures.	#release #selector #selection #guard #interlock #MASS	Global
_WPNS_safety_features	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through the use of weapon safety features.	#arming #fusing	Global
_WPNS_SOPs	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons event through the use of intervention procedures.	#procedures #SOPs	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_WPNS_store_design	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective store system design and integration.	#launcher #store #integration	Global
_WPNS_store_maintenance	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through preventative and corrective maintenance.	#configuration #industry #depth	Global
_WPNS_supervision	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective supervision.	#supervision #authorised #authoriser	Global
_WPNS_system_alerts	Any DASOR that indicates a failure in the ability to reduce the risk unintended weapons or stores event through the use of warning systems that indicate errors pre-release.	#POD #stores #GPS	Global
_WPNS_system_design	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through effective system design or HMI.	#software #integration #logic #HMI	Global
_WPNS_training_area	Any DASOR that indicates a failure in the ability to reduce the consequence of unintended weapons or stores event through the use of sanitised training areas.	#ranges #sanitised #clearance	Global
_WPNS_training_currency	Any DASOR that indicates a failure in the ability to reduce the risk of an unintended weapons or stores event through training.	#training #current #currency #synthetic	Global

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_WPNS_warning_systems	Any DASOR that indicates a failure in the ability to reduce the consequence of unintended weapons or stores event through the use of air platform warning systems.	#warning #DWP #caution #GPS #counting	Global
3rd_party_aircraft_operati	Any DASOR relating to other aircraft operations having an impact on 2 FTS	Cessna Civilian Club Drone Glider Helicopter Microlight Parachute Piper Sport UAV	2 FTS - RAF
Aerotow gliding	Any DASOR during aerotow gliding operations	Robin Tow	2 FTS - RAF
Battery	Any DASOR relating to a battery issue such as drain or incorrect fitment.	Battery discharge	2 FTS - RAF
cadet_gliding	Any DASOR relating to the actions of a cadet or involving a cadet.	Cadet GIF Paperwork	2 FTS - RAF
glider_ballast_weight	Any DASOR relating to operation of a glider with incorrect ballast weight configuration.	#Ballast #Weight #C of G	2 FTS - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
glider_winning	Any DASOR relating to winches or the winching operation of gliders	#Winch #Drum #Skylaunch #Disengagement #Power loss #Caption #Cable #Strop #Weak link.	2 FTS - RAF
Launch failure	Any DASOR where a Launch Failure was flown	#failure #winch #Launch	2 FTS - RAF
RAFAC_Drone	Any DASOR relating to a drone flown by RAFAC personnel	drone RAFAC RPAS	2 FTS - RAF
Ridge Soaring	Any DASOR relating to ridge soaring.	#Ridge #Soaring	2 FTS - RAF
Thermal Soaring	Any DASOR relating to thermal soaring	#Thermal #soaring	2 FTS - RAF
Trainee_gliding	Any DASOR relating to non-cadet trainee gliding	#Student #JSAT	2 FTS - RAF
Wave Soaring	Any DASOR relating to wave soaring.	#Wave #soaring	2 FTS - RAF
3FTS_birds	Any 3FTS DASOR relating to birds including activity, concentration and birdstrikes	Bird_activity BCU Birdstrike Bird_concentration Birds Bird_control_unit	3 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
3FTS_competence_ATC	Any 3FTS DASOR relating ATC competency	currency current competency training error mistake ATCO	3 FTS
3FTS_competence_QFI	Any 3FTS DASOR relating to QFI competency.	competency training recency currency current error mistake	3 FTS
3FTS_competence_trainee	Any 3FTS DASOR relating to trainee competency	student current training currency error mistake trainee	3 FTS
3FTS_conspicuity_electronic	Any 3FTS DASOR relating to electronic conspicuity or lack of.	visual_conspicuity lookout ADSB FLARM TAS TCAS alert TCAS_TA visual TCAS_RA	3 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
3FTS_conspicuity_visual	Any 3FTS DASOR relating to visual conspicuity or lack of.	error mistake ATCO currency current competency training visual visual_conspicuity lookout	3 FTS
3FTS_infrastructure	Any 3FTS DASOR relating to infrastructure either 3FTS, Cranwell or Barkston or elsewhere.	ASP infrastructure runway mess DOM sleep	3 FTS
3FTS_landaway	Any 3FTS DASOR relating to landaways.	landaway OTF VAHS	3 FTS
3FTS_lookout	Any 3FTS DASOR relating to lookout.	ADSB FLARM TAS alert TCAS_RA TCAS TCAS_TA lookout conspicuity visual	3 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
3FTS_orders_and_publicat	Any 3FTS DASOR relating to issues caused by orders and publications.	orders publications documentation ADS FOB FRCs Hot_Poop	3 FTS
3FTS_QFI_intervention	Any 3FTS DASOR relating to QFI intervention	Intervention QFI_intervention Intervene	3 FTS
3FTS_scheduling	Any 3FTS DASOR relating to scheduling of sorties and activity.	lookout conspicuity visual scheduling fatigue programming DFP TMIS	3 FTS
3FTS_supervision	Any 3FTS DASOR relating to flying supervision both pre-flight (DA, DOS, DSS) and airborne (QFI, DP).	QFI_supervision DSS DOS DA DP	3 FTS
3FTS_TRC	Any 3FTS DASOR relating to Truck Runway Caravan operations, manning or issues.	TRC Truck_Runway_Caravan Caravan Caravan_controller Flare Aldis_lamp	3 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
3FTS_weather	Any 3FTS DASOR relating to weather and impact on operations including performance.	weather met wind temperature icing heat visibility cloud	3 FTS
3FTS_wildlife	Any 3FTS DASOR relating to wildlife or wildlife strikes.	Hare Deer habitat_management BCU Wildlife	3 FTS
3FTS_workload	Any 3FTS DASOR relating to workload either pre-flight or in the air including task fixation.	task_focus task_fixation fatigue busy workload	3 FTS
autopilot(RPAS)	Erratic flight, UA failed launch	failed launch launch autopilot auto pilot auto-pilot RPAS UA erratic	32 Regt RA UAS Gp S2
erratic_flight_profile	UA height fluctuation, Flight path	fluctuation erratic flight profile flight path profile	32 Regt RA UAS Gp S2

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
lost_link(RPAS)	Loss of Ulink/Downlink, stay on mission loss of link	ulink downlink communication	32 Regt RA UAS Gp S2
UFIT	Uncontrolled flight into terrain (UFIT) Impact with ground	uncontrolled terrain impact	32 Regt RA UAS Gp S2
3rd_party_aircraft_operati	Any DASOR relating to other aircraft operations having an impact on 6 FTS.	Club Glider Civilian Airliner Cessna Piper UAV Drone Rocket Parachute Microlight Sport Helicopter Prefect	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AEF	Issue relating to Armament Engineering Section. Any DASOR relating to AEF flying or passengers.	AEF gun cannon WTC arm weapons missile bomb LGB flare seat Cadet PAX Air Experience Flight passenger	6 FTS
aircrew	Has aircrew seen and located an issue, and been able to resolve it.	pilot aircrew	6 FTS
aircrew_lookout	Have the aircrew spotted something which could lead to a top level event.	visual	6 FTS
airfield_procedure	Has airfield procedure been broken or has the airfield procedure stopped an un-safe practice form occurring.	runway Excursion rwy Incursion	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
area_ATC_service	Any DASOR relating to ATC services provided outside the ATZ/MATZ.	ATC Air Traffic Control Controller RADAR TS Service Deconfliction Communications Comms Squawk Radios VHF UHF Assistant SATCO Tower LARS Airspace Basic FLARM TAS TCAS	6 FTS
competencies	Are the personnel conducting their duties competent to carry out their specific role.	Fit to fly in date	6 FTS
conspicuity	Is the HF procedure which is currently in place working.	conspicuity	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
culture	Any DASOR relating to pilot culture across 6 FTS.	Culture Reporting Open Honest Hidden Just Questioning Learning Fatigue Tired HF Human Error Mistake Violation Pressure Procedure	6 FTS
deconfliction	Have aircrew noticed any issues with deconfliction or have other units not deconflicted correctly.	NOTAMS CADS IT Visual	6 FTS
fitness_to_fly	Are all flying personnel medically and personally fit to fly.	fitness medical crew in crew out	6 FTS
incorrect_aircraft	Any DASOR relating to signing for/taxiing/flying the wrong aircraft	Incorrect Wrong Aircraft Tag Signed Recall	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
local_ATC_service	Any DASOR relating to ATC services provided inside the ATZ/MATZ.	Air ATC Traffic Control Controller RADAR TS Traffic Service Deconfliction Communications Comms Squawk Radios VHF UHF Assistant SATCO Tower LARS Airspace Basic FLARM TAS TCAS Visual	6 FTS
LoSS_during_ground_Man	Has un-safe practices occurred on the ground which has or could lead to the top level event, whilst the aircraft is moving.	Airfield clearance Airfield clearance	6 FTS
LoSS_of_Safe_Aircraft_Con	Was the control of the air system lost, even if it was for a few seconds.	aircraft system failure engineering controls	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
LoSS_with_other_Air_users	Has potential for an Airprox or an Airprox has occurred regardless of the outcome.	airprox Airspace infringement	6 FTS
LoSS_with_the_ground	Has un-safe practices occurred on the ground which has or could lead to the top level event, whilst the aircraft is static.	vehicle buildings	6 FTS
magnetos	Any DASOR relating to magnetos/ignition left live	Ignition Mags Magneto Left Right Both	6 FTS
medical_cover	Any DASOR relating to medical cover across 6 FTS.	Medic Med Medical Ambulance Doctor RAFCAM CFMO Nurse CFS Glasses Spectacles Specs ARFF Fire Crash Cat Paramedic NHS Hospital A&E	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
nosewheel_shimmy	Any DASOR relating to signing for/taxiing/flying the wrong aircraft	Nose Wheel Nose-wheel Shimmy Vibration	6 FTS
tda	Has there been issues with traffic density within the local area.	ATZ traffic airspace danger areas MATZ	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
technical	Any DASOR relating to technical issues across 6 FTS.	Engine Fuel Gauge Radio Fumes CSU Prop Flap Cockpit Wing Tail FOD Canopy Oil Leak CO Detector Electric Generator Battery CWP Mags Magnetos Live Spillage Crack Damage	6 FTS
Tutor_Airworthiness_eng	Is there any issues with the Tutor airworthiness which has been sign off by Eng.	Aircraft release Engineering	6 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Tutor_FRCs	Any DASOR relating to Tutor FRCs. Including missed checks and suggestions for improvements.	FRC Flight Reference Cards Check IA Immediate Action Emergency SOP Drill	6 FTS
VAMPS	Any DASOR relating to VAMPS issues	VAMPS Ears	6 FTS
EHSI	Any DASOR relating to fault or failure with the EHSI	HSI EHSI De-synchronised Error Lagging Lag Wandering Rotating Spinning Erecting	6 FTS 3 FTS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
TE_4.2	Aircraft Activities (Troop Insertion/Extraction)	TIES Fast Roping Abseil Troop Passenger Rope Gloves Uncontrolled Strop Lock-Off Commander Dispatcher Extraction Equipment System Communication	Akrotiri - RAF Benson - RAF Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
TE_4.4	Aircraft Activities (Underslung Load)	Underslung Load Bambi Bucket Bucket Load Lifting Husle Strop SWL Firefighting Net Netted Trailer Land Rover 105 Gun Stores Hooker Communication Marshaller HLS Load Park Role Equipment USL	Akrotiri - RAF Benson - RAF Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
TE_4.8	Aircraft Activities (Winching)	Drum Stretcher Winch Winchman Operator Hoist Medic Weight Handhold Cut Hydraulics Stop Bosun Chair Strop Weight Cable Light Signal Hand Gloves Communication Comms Titan	Akrotiri - RAF Benson - RAF Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AOTE_3.10	Loss of safe separation with the ground	Kite RADALT Low MSD Ground Low Height wires mast obstacle obstruction	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
AOTE_3.11	Loss of Control in Flight (Flying)	Kite Restriction Jam Authority Control Divergence Undemanded UFCM	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AOTE_3.2	Person / Articles Falling off Aircraft	Insecure Unstrapped Pax Passenger Troop abseil fastrope parachute winch hoist Load Hook SARCRU Loadpole HUSLE Strop Net Oscillations Swing Insecure Unstrapped	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
AOTE_3.3	Aircraft Fire or Explosion	Fumes Smoke Smell Flames Fire Burning Spark Static Emergency Response	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AOTE_3.5	Loss of Safe Separation between an Aircraft's Emissions and an Object (Flying)	Chaff GPMG Jam Dud Fault pyro discharge misfire hang up stoppage Flare	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
AOTE_3.6	Approach, take-off, Landing incident	Overshoot Go around Approach Lift Hover Transition Landing dust brownout DVE	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
AOTE_3.7	Aircraft Deviating Beyond the Bounds of the Manoeuvring Area	Overshoot Go around Approach Lift Hover Transition Landing dust brownout DVE	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AOTE_3.9	Loss of Safe Separation with Other Air Users (Flying)	Close Airprox Lookout Lost Sight Not Visual TAS Traffic Confliction Converging TCAS	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
AOTE_5.1	Aircraft Occupants Exposed to the Post-Crash Environment	AEA FACS BALCS STASS PSTASS Crash Impact Heavy landing extinguisher liferaft stole Emergency Response	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BEN_human_factors_man	Human Factors Management Barrier / Ben Stds Initiative	Crew operating CRM TRM Cognitive Failure Control Handling Failure to Follow Process Procedure Operation Use Option Decision Process Situational Awareness fatigue	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
GOTE_2.1	Loss of Separation between a Parked Aircraft, or an Aircraft being Manoeuvred, and an Object	Procedure Tow Auth Supervisor Tower marshaller marshalled Towing	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
GOTE_2.3	Refuelling Fire or Explosion	Fumes Smoke Smell Flames Fire Burning	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
GOTE_2.3	Refuelling Fire or Explosion	Fumes Smoke Smell Flames Fire Burning Spark Static	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
GOTE_3.1	Release of unairworthy aircraft	Airworthiness Overflown Overdue Engineers Walk Around Unserviceable MAR Supervision Independent Inspections Indy Mil-AR CAMO	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
WETE_1.1	Failure to Follow Procedure	operating CRM TRM Crew Cognitive Failure Control Handling Failure to Follow Procedure Operation Use Option Decision Process Situational Awareness Fatigue	Akrotiri - RAF Benson - RAF OOA Kabul Brunei - RAF
realised_hazard	Any DASOR where the hazard has been realised.		ASWC - CON MOD Boscombe Down ASWC - BZN
crimson_warrior	Any DASOR relating to Ex Crimson Warrior related activity	Crimson Warrior CW Ex CW Ex Crimson Warrior ASWC	ASWC - WAD
AHDA	Advanced Hawk Development Aircraft	AHDA HNDA Advanced Hawk development	BAES WAR

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
telemetry	Flight test radio data link	FTI telemetry radio data data link flight test	BAES WAR
22sqn_tactics	Any report that comments on tactics training conducted by 22 Sqn.	helicopter tactics tactics training tactics trg	Benson - RAF
22sqn_trials	Any report that comments on helicopter air trials conducted by 22 Sqn.	air trials trials trials and evaluation helicopter T&E operational trials OEU	Benson - RAF
cold_weather_ex	Any occurrence that has taken place in cold weather conditions.	snow Ice Norway ex-clockwork artic	Benson - RAF
desert_ex	Any occurrence that has taken place in desert conditions.	sand Jordan heat desert	Benson - RAF
kites	Any incidents involving Kite strings in Afghanistan.	string entangled scored kite	Benson - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
TE_6.0	Reduction In Workforce Due To COVID-19	COVID-19 COVID Isolation Procedures Orders	Benson - RAF
BEN_aerodrome	Runway Incursion, Excursion ground	Incursion Runway Vehicle Emergency Response CFO Closed field ops	Benson - RAF OOA Kabul
TAD_kite_strike	Kite Strike within TORAL AO.	Kite String PCR	Benson - RAF OOA Kabul
4B4L_despatchers_helmet	Helmet worn by Despatchers on O2 sorties	4B4L	Brize Norton - RAF
ACP	Airspace Change Proposal	separation zone controlled airspace Infringement Infringement traffic TCAS TA/RA	Brize Norton - RAF
ae_camo_airworthiness	Any DASOR relating to possible airworthiness issues	PES Break Maintenance Packing Cutaway Line over Wear Failure	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ae_camo_engineering	Any DASOR relating to for possible engineering issues	Cutaway Failure Wear Break Failure	Brize Norton - RAF
ae_camo_maintenance	Any DASOR relating to a possible maintenance issue	Maintenance Packing Cutaway PES Line over	Brize Norton - RAF
AFPSU	Any DASOR relating to parachute packing by civilian organisation	Armed Forces Parachute Support Packing Contracted parachute packing	Brize Norton - RAF
AI	Artificial Horizon	AI failure standby attitude indicator artificial horizon	Brize Norton - RAF
ALFA	Any DASOR relating to Parachutist altimeter	Alti altimeter Parachutist altimeter Parachutist	Brize Norton - RAF
ALTITRACK	Any DASOR relating to parachuting	ALTITRACK Altitrack Alti-Track	Brize Norton - RAF
AoA_vanes	Angle of Attack Vanes	AoA SWS SWS fail SWS ACAWS	Brize Norton - RAF
ATAK	Any DASOR relating to Android Team Awareness Kit	Nav Aid Android Team Awareness Kit Awareness Kit ATAK	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATSY	A DASOR involving any aspect of RAF Police Security	screening Baggage XRAY Guarding Guard Security	Brize Norton - RAF
audible_altimeter	Any DASOR relating to parachuting	ECHO Audible ECHO Echo Audible Echo OPTIMA Optima PROTRACK ProTrack Pro-Track Protrack VISO II Viso II L&B ALPHA L&B Alpha L&B ECHO L&B Echo	Brize Norton - RAF
bergan	UK Military Personal Equipment Container	Kit Pack Equipment Container	Brize Norton - RAF
BPC	Basic Parachute Course	Basic Parachute Course Static Line Parachute Course Static Line Parachute Course	Brize Norton - RAF
brake_line	Steering lines and Brakes on a parachute	brakes steering	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
brake_toggle	Toggle used to initiate the Flare	Brakes Toggles	Brize Norton - RAF
bridle_line	Attaches the drogue parachute to the main parachute	Bridle Line	Brize Norton - RAF
BT380	Parachute Type	ADW PES C17 PT AFE parachute	Brize Norton - RAF
BT533	Parachute Type	ADW PES C17 PT AFE parachute	Brize Norton - RAF
BT533-MTTB	Parachute Type	ADW PES C17 PT AFE parachute	Brize Norton - RAF
BT80FF	Parachute Type	ADW PES C17 PT AFE parachute	Brize Norton - RAF
BT80_SL	Parachute Type	ADW PES C17 PT AFE paracute	Brize Norton - RAF
BZN-1.1_ADE	Aerial Delivery/Loss of Control of Load inside ac	ADE Loss of Control Bowtie	Brize Norton - RAF
BZN_1.1	Operation of Large Fixed wing aircraft (human performance)/Aircraft unintentionally deviates from normal in-flight parameters (aircraft upset)	Bowtie Loss of Control	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_1.1_AFE	Military and Display Parachuting / Loss of Control at any point in the despatch or descent	Bowtie PARA Loss of Control	Brize Norton - RAF
BZN_1.2	Operation of Large Fixed wing aircraft in adverse environmental conditions/Aircraft unintentionally deviates from normal in-flight parameters (aircraft upset)	Bowtie Loss of Control	Brize Norton - RAF
BZN_1.2_ADE	Aerial Delivery/Loss of Control of Load after despatch	ADE Loss of Control Bowtie	Brize Norton - RAF
BZN_1.2_AFE	Military or Display Parachuting / Loss of Control of Para equipment inside the AC (parachute deploys or smoke detonates)	PARA Loss of Control Bowtie	Brize Norton - RAF
BZN_1.3	Operation of Large Fixed wing aircraft experiencing technical failures/Aircraft unintentionally deviates from normal in-flight parameters (aircraft upset)	Loss of Control Bowtie	Brize Norton - RAF
BZN_10.1	Human Factors / Activities not performed, or not performed to a safe standard	Bowtie Umbrella	Brize Norton - RAF
BZN_10.1_ADE	Human Factors/Activities not performed, or not performed to a safe standard	ADE Umbrella Bowtie	Brize Norton - RAF
BZN_10.1_AFE	Human Factors / Activities not performed, or not performed to a safe standard	PARA Umbrella Bowtie	Brize Norton - RAF
BZN_10.2	Technical Factors / In-service technical equipment does not meet safe standard	Bowtie Umbrella	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_10.2_ADE	Technical Factors/In-service technical equipment does not meet safe standard	ADE Umbrella Bowtie	Brize Norton - RAF
BZN_10.2_AFE	Technical Factors / In-service technical equipment does not meet safe standard	Bowtie PARA Umbrella	Brize Norton - RAF
BZN_10.3	Environmental Factors / Degraded safety margin	Bowtie Umbrella	Brize Norton - RAF
BZN_10.3_ADE	Environmental Factors/Degraded safety margin	ADE Umbrella Bowtie	Brize Norton - RAF
BZN_10.3_AFE	Environmental Factors / Degraded safety margin	PARA Umbrella Bowtie	Brize Norton - RAF
BZN_11.1	Aircraft Operating over Populated Areas / Item Falls from AC	Bowtie Items falling airborne	Brize Norton - RAF
BZN_11.1_AFE	Parachutist Operating over Populated Areas / Item Falls from Parachutist	PARA Items falling Bowtie	Brize Norton - RAF
BZN_11.2	Operating in Close Formation / Item Falls From Other Formation AC	Bowtie Items falling airborne	Brize Norton - RAF
BZN_12.1	Low Level Flying / Inflicting Sudden Noise on 3rd Parties and/or Animals	Bowtie AC Noise on 3rd parties	Brize Norton - RAF
BZN_13.1	Air Dropping Equipment during Ops and Ex / Load despatched at incorrect release point leading to load landing outside of DZ	Bowtie Unsafe delivery of load MALDROP	Brize Norton - RAF
BZN_14.1	Operating from Ageing R/W / Undetected FOD on Aircraft Operating Surface	Bowtie ASI Runway	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_14.2	South Atlantic Airbridge / FOD on Operating Surface Comes in Contact with ac	Bowtie ASI Runway	Brize Norton - RAF
BZN_15.1	Operating at altitudes above 8000ft / Crew or Pax suffer effects of Hypoxia	Bowtie Hypoxia	Brize Norton - RAF
BZN_15.1_AFE	STATIC LINE PARACHUTING / Parachutist gets hung-up on exit	PARA Static line ops Bowtie	Brize Norton - RAF
BZN_2.1	Fixed wing aircraft - Landing Operations / Inability to make a stop within the expected landing distance requirement	Bowtie Runway Excursion	Brize Norton - RAF
BZN_2.2	Fixed wing aircraft - Take-off and Landing Operations / Loss of directional control on the runway	Bowtie Runway Excursion	Brize Norton - RAF
BZN_2.3	Fixed wing aircraft - Take-off/ Departure Operations / Aircraft does not accelerate or take-off as expected	Bowtie Runway Excursion	Brize Norton - RAF
BZN_3.1	Fixed wing aircraft - Arrival or departure (general) / Terrain separation deteriorating below normal requirements	Bowtie CFIT	Brize Norton - RAF
BZN_3.2	Fixed wing aircraft - Non-precision approach (especially in IMC or at night) / Terrain separation deteriorating below normal requirements	Bowtie CFIT	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_3.3	Fixed wing aircraft - Precision approach in IMC or at night / Terrain separation deteriorating below normal requirements	Bowtie CFIT	Brize Norton - RAF
BZN_3.4	Low Level Tactical Flying / Terrain separation deteriorating below normal requirements	Bowtie CFIT	Brize Norton - RAF
BZN_4.1	Aircraft operating on the ground in or close proximity to the protected area of an active runway / Incorrect presence of aircraft on the protected area	Bowtie runway/manoeuvring incursion	Brize Norton - RAF
BZN_4.2	Vehicles and/or personnel operating in or close to the protected area of an active runway / Incorrect presence of vehicle or person in the protected area	Bowtie Runway/manoeuvring incursion	Brize Norton - RAF
BZN_4.3	Fixed wing aircraft - Take-off and Landing Operations / Incorrect presence of aircraft on runway	Bowtie Runway/Manoeuvring Incursion	Brize Norton - RAF
BZN_4.4	Operating Large FW ac from a TLZ / Incorrect presence of vehicle or persons on the TLZ	Runway/Manoeuvring Incursion Bowtie	Brize Norton - RAF
BZN_5.1	Large AT fixed wing aircraft operations whilst airborne UK Class A airspace / AT aircraft in close proximity with another aircraft that their safety is or may be compromised	Bowtie Airborne Conflict	Brize Norton - RAF
BZN_5.1_AFE	Military or Display Parachuting / Loss of Safe Separation between Parachutists	PARA Airborne Conflict Bowtie	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_5.2	Large AT fixed wing aircraft operations whilst airborne UK Class G airspace / AT aircraft in close proximity with another aircraft that their safety is or may be compromised	Bowtie Airborne Conflict	Brize Norton - RAF
BZN_5.3	Large CAT Fixed wing aircraft in the circuit area of a procedural (non radar) equipped aerodrome / AT aircraft in close proximity with another aircraft that their safety is or may be compromised	Bowtie	Brize Norton - RAF
BZN_5.4	Operating ac ivo BZN / Loss of Safe Separation	Bowtie Airborne Conflict	Brize Norton - RAF
BZN_5.5	Flying in Operational Airspace / Loss of Safe Separation	Airborne Conflict Bowtie	Brize Norton - RAF
BZN_5.6	Tanker/Receiver Conducting Towline or Trail AAR / Loss of Safe Separation	Bowtie Airborne Conflict	Brize Norton - RAF
BZN_5.7	Low Level Flying / Loss of Safe Separation	Bowtie Airborne Conflict	Brize Norton - RAF
BZN_6.1	Loading operations for large fixed wing aircraft at UK Aerodromes / Aircraft significantly outside the operational mass and balance envelope	Bowtie Ground Handling	Brize Norton - RAF
BZN_6.2	Ground operations for large fixed wing aircraft at UK Aerodromes / Significant ground damage undetected prior to aircraft commencing take-off	Bowtie Ground Handling	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
BZN_6.3	Cold weather conditions conducive to large fixed wing aircraft contamination (on the ground) / Aircraft commences take-off with contaminated flying surfaces or engines	Bowtie Gruond Handling	Brize Norton - RAF
BZN_7.1	Aircraft electrical systems on large fixed wing aircraft / Hidden area fire becomes established	Bowtie Fire	Brize Norton - RAF
BZN_7.1_ADE	Aerial Delivery/Fuel/vapour leak from ADE leading to fire	Bowtie ADE Fire	Brize Norton - RAF
BZN_7.2	Combustible materials in the main or cargo compartment on large fixed wing aircraft / Uncontained Hold or Main Compartment Fire	Bowtie Fire	Brize Norton - RAF
BZN_7.3	Fuel and combustible aircraft components for large fixed wing aircraft - external to the pressurised areas / Fire occurs external to the pressurised areas of the aircraft in-flight	Bowtie Fire	Brize Norton - RAF
BZN_8.1	Operating in Enemy Threat Band (Air) and Area (Ground) / Attempted Engagement by Enemy	Bowtie Enemy Action Air&Ground	Brize Norton - RAF
BZN_8.2	Ac Operating in Threat Band / Terrain separation deteriorating below normal requirements during threat avoidance	Bowtie Enemy Action Air&Ground CFIT	Brize Norton - RAF
C-17_FEDS_ladder	Any DASOR relating to issues with the C-17 FEDS egress ladder system	FEDS Ladder Ladders Escape Egress	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
C17_AG1	C17 DASORs related to function and organisation	workforce manpower SQEP Management ToR WP	Brize Norton - RAF
C17_AG10	C17 DASORs related to FLAP and gaseous storage and control.	Hazardous waste spill spillage Gaseous	Brize Norton - RAF
C17_AG11	C17 DASORs related to Organisation operation	Flight Safety FSCC ASSC FLHC Handovers Briefs	Brize Norton - RAF
C17_AG12	C17 DASORs related to Aircraft Husbandry	F700 Bungs Blanks earth lead FOD Loose Article Found	Brize Norton - RAF
C17_AG13	C17 DASORs related to Equipment standard	Purpose Fit Role Equipment storage	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
C17_AG14	C17 DASORs related to self-assurance and sustainment activities	Assurance self Report Quality communication	Brize Norton - RAF
C17_AG15	C17 DASORs related to contingency planning	Crash Kit Emergency Response Quarantine Lockdown	Brize Norton - RAF
C17_AG16	C17 DASORs related to MT.	Inspection DI Driving Speed vehicle van	Brize Norton - RAF
C17_AG2	C17 DASORs related to documentation	F700 Data Cannibalisation PPMWO Weight balance	Brize Norton - RAF
C17_AG3	C17 DASORs related to Publications	JSP AP Tech Order TO AESP AESO	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
C17_AG4	C17 DASORs related to Tool control	control kits cal etching tallies Tool	Brize Norton - RAF
C17_AG5	C17 DASORs related to TME & PTT	PTT TME Minor Elect cal crimp Tool	Brize Norton - RAF
C17_AG6	C17 DASORs related to working accommodation and environment	Office Accommodation Working environment clothing	Brize Norton - RAF
C17_AG7	C17 DASORs related to SHEF	First aid injury laceration cut PPE DSE fire safety	Brize Norton - RAF
C17_AG8	C17 DASORs related to GSE and lifting tackle	GSE MEWP POMWP lift tackle	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
C17_AG9	C17 DASORs related to Supply Management	PEP Consumable spares	Brize Norton - RAF
C17_CAMO_CAMO_interes	This DASOR is subject to C-17 CAMO interest and may be commented upon further	CAMO interest C17 CAMO Interest	Brize Norton - RAF
C17_CAMO_LAC	This DASOR is being tracked by C-17 CAMO as it pertains to loose or found articles.	Loose Articles C17 CAMO Loose Missing Lost found not found LAC UNABLE TO FIND Find Not Fitted Dropped	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
C17_CAMO_sub_part_c	This DASOR is being tracked by C-17 CAMO as it may pertain to Sub Part C	CAMO C17 Sub Part C Missed forgotten Forgot AFTO 22 error Mistake Forecast out of date unrecorded spotted incorrect overflown failure failed not incomplete discrepancy not carried out unrecorded wrong signed for	Brize Norton - RAF
CARP	Any DASOR relating to the release of parachutist from an Aircraft	Calculated Air Release Point Released Drop Point	Brize Norton - RAF
CBA	Combat Body Armour	Parachutist Body Armour Parachutist Body Armour	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
cobham_oxygen_system	Oxygen system used with the MJ (American)	Cobham Oxygen System Oxygen System O2 system	Brize Norton - RAF
CPS	US Parachute Company that provides Parachute Training, Complete Parachute Solutions	Complete Parachute Solutions Parachute Solutions	Brize Norton - RAF
CSPEP	Carrying Straps Personal Equipment Parachutist	CSPEP	Brize Norton - RAF
cut_away	Emergency procedures for a parachute malfunction	Cut Away	Brize Norton - RAF
CYPRES	Any DASOR relating to this Automatic Activation Device fitted to parachutes	Cybernetic Parachute Release Reserve Deployment Malfunction Cut Away	Brize Norton - RAF
CYPRES_fire	Parachuting Automatic Activation Device	CYPRES Cypres CYPRES FIRE Cypres fire cypres AAD	Brize Norton - RAF
dashpot	Attenuation device attached to the Static Line	Static Line Attachment to the AC	Brize Norton - RAF
despatcher	Parachute Jumping Instructor working onboard the aircraft.	No1 No2 No3 PJJ Checker No4	Brize Norton - RAF
despatchers_belt	Anchor point between the Despatcher and the Ac	Anchor point Despatcher Belt	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
despatcher_checks	Final check of parachutist prior to conducting a parachute descent	PJI Checker Final Checks	Brize Norton - RAF
despatch_cadence	Time interval between despatching parachutists	Despatching timings	Brize Norton - RAF
DG	Dangerous Goods	DAC dangerous goods JSP 800 IATA	Brize Norton - RAF
digital_altimeter	Digital Altimeter	Alfa ALFA ARES Ares DIGITAL Digital	Brize Norton - RAF
driving	Airfield driving incident that breeches ATC Driving Regulations.	Speeding Failure to stop lamp signals failure to give way parking	Brize Norton - RAF
drogue_set	Tandem Drogue has been set.	Set Drogue Failed to set Dropped Drouge	Brize Norton - RAF
drogue_setter	Despatcher responsible for setting a Tandem Drogue.	Setter Despatcher PJI	Brize Norton - RAF
ECHO	L&B Audible Altimeter	Skydiving audible altimeter Audible Altimeter	Brize Norton - RAF
EGI	EGI Failure	EGI EGI Failure EGI Fail	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
EJD	Equipment Jettison device	EJD	Brize Norton - RAF
eng_fire_ACAWS	Egine Fire ACAWS	engine fire spurious eng fire ACAWS	Brize Norton - RAF
entanglement	Any DASOR relating to parachutists colliding with and becoming entangled with another parachutist or parachute	Entangled Entanglement snagged	Brize Norton - RAF
evacuation	Evacuation on the ground	Ground evacuation	Brize Norton - RAF
exit_(SL/FF)	The moment the Parachutist leaves the Aircraft	exit Green Light Leaving the Aircraft	Brize Norton - RAF
eyeshot	Parachutist's communication system	Comms Eq communication communication system Parachutist's	Brize Norton - RAF
fuel_indicators	Fuel Quantity Management Indications	system functionality fuel indicator	Brize Norton - RAF
GAO	Any DASOR relating to Air Mobility movements at GAO in Mali	Op NEWCOMBE GAO Mali	Brize Norton - RAF
HAHO	High Altitude High Opening	Jump High Altitude	Brize Norton - RAF
HALO	High Altitude Low Opening	High descent	Brize Norton - RAF
HAMO	High Altitude Medium Opening	Medium Altitude Descent	Brize Norton - RAF
HAPES	High Altitude Parachute Equipment Straps	HAPES	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
HAPLSS	Any DASOR relating to High Altitude Parachute Life Support System	Parachute Life Support System Life Support System High Altitude	Brize Norton - RAF
helstar	Any DASOR relating to lights attached to parachutist's helmets	Helstar Lights on parachutist's helmet Night descents	Brize Norton - RAF
HMNO	Any DASOR relating to night descents with night vision goggles.	Head Mounted Night Optics Night Descents	Brize Norton - RAF
HUPRA	Any DASOR relating to Hung Up Parachutist Release Assembly	Parachutist Release Assembly Hung Up Hung up parachutist	Brize Norton - RAF
INU	INU Failure	INU fail CNI	Brize Norton - RAF
LAIRCM	LAIRCM Failures, spurious firing or dispense	LAIRCM dispense chaff flare	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
LIS	Body of evidence for Logistics Information System: Any occurrence caused by a paper documents system that could have been ameliorated by the use of an Electronic Logistics Information System.	#Logistics Information System #LIS #ELIS Logistics and Inventory System Forecast Incorrectly Forecast Incorrect forecasting re-forecast Forecast date Overfly Overflown Review Reviewed Schedule Scheduled maintenance schedule Due Date Due Review Deferred Until Deferral date Missed maintenance Frequency Calendar Airworthiness Airworthiness rejection Backstop GOLDesp	Brize Norton - RAF
LLP	Parachute Type	ADW PES C17 PT AFE parachute	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
LPG	Any DASOR relating to Low Profile Goggles	Parachutists FF goggles Parachutists goggles Eye protection Low Profile	Brize Norton - RAF
LPS	Parachute Type	ADW PES C17 PT AFE parachute	Brize Norton - RAF
LPS_SO	Any DASOR relating to Student LPS descents	Lightweight Parachute System Student LPS SO	Brize Norton - RAF
maintenance_overrun	All Maintenance Overrun	maintenance overrun	Brize Norton - RAF
malfunctions	Parachute Cutaway	BT80 SL BT80 FF BT380 BT533 LPS LLF cutaway parachute	Brize Norton - RAF
MBTR	Multiband Team Radio	Comms Radio	Brize Norton - RAF
MDS	Maintenance Data Systems	mds functionality data system MDS SRP PMDS Tech Log computer system overfly	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
MFF	Military Free Fall	Free Fall FF Course Course	Brize Norton - RAF
MFFI	Military Free Fall Instructor	Free Fall Instructor Instructor	Brize Norton - RAF
minor_problems	Parachute nuisance factors on deployment	End Cell Closure End Cell Closures End cell closure High Twists Twists Low Twists High twists Low twists Brake Line Hanking Hanking Line hanking	Brize Norton - RAF
MJ	Military Javelin	Military Javelin Parachute Type	Brize Norton - RAF
off_landings	Landing off the DZ/TA	Off Landing Landing Off off landing Land Off land off Missed DZ missed DZ	Brize Norton - RAF
oil_smell	Cockpit/cabin conditioning	dry crank manual start APU u/s	Brize Norton - RAF
OMAS	Oxygen Mask Air System	OMAS Omas	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Ops_Core_Helmet	Parachuting Ops Core Helmet	Storm helmet OPS Core Fast Carbon Helmet Ops core fast carbon OPS Core Fast Ballistic High STORM Helmet Ops core fast ballistic high	Brize Norton - RAF
OP_REDTOP	Any DASOR relating to OP REDTOP	Redtop	Brize Norton - RAF
OTP	On Time Performance	Delay Delayed Distraction Time Compression Time	Brize Norton - RAF
overbanding	FOD caused by the breaking up of the runway.	overbanding FOD	Brize Norton - RAF
parachutist_injury	Injury to parachutist	Injured on landing landing injury hard landing	Brize Norton - RAF
PEL	Parachutist Equipment Load	PEL Eqpt HAPES Failure to lower PEL Failure to lower Eq Failure to lower EQ Failure to Lower Eq	Brize Norton - RAF
PES	Any DASOR relating to the Military Parachute Maintenance Facility	Parachute Engineering Squadron Maintainer Parachute Packing Parachute Packer Maintenance	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
PLP	Parachutist Life Preserver	PLP SFLJ USLJ	Brize Norton - RAF
PMDS	Portable Maintenance Data System	MDS Tech log SRP PMDS portable transfer	Brize Norton - RAF
POSS	Parachutists Oxygen Supply System	Oxygen Supply Parachutists Oxygen Supply System O2 Oxy system	Brize Norton - RAF
post_8C_maintenance_che	Any # relate to post 8C check / depth maintenance	maintenance check 8C check depth maintenance 8c Depth heavy	Brize Norton - RAF
PVSS	Perris Valley Student System	Perris Student System Valley	Brize Norton - RAF
reserve_deployment	Operation of the Reserve Parachute	Reserve deployment	Brize Norton - RAF
Ruck	Term used by the Americans for a Bergan, Equipment Container	Equipment Container Kit	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Sby_AI	Aby AI Failure	Sby Ai Failure Sby AI Fail Sby AI topple Sby AI Sby AI failure to erect	Brize Norton - RAF
SDB&BL	Static Line Bag and Bridle line	SDB&BL	Brize Norton - RAF
secure_comms	All Loss of Secure Communications	secure communications	Brize Norton - RAF
skyvan	Shorts Skyvan Ac	Parachute Training Aircraft Parachute Training Aircraft	Brize Norton - RAF
SLES	Static Line Extension Strop	Static Line Extension Strop Static Line Extension Strop	Brize Norton - RAF
smoke	Smoke and fumes	fumes cabin conditioning and aircrew	Brize Norton - RAF
spoofing	Any DASOR relating spoofing / EMI events	Spoofing EMI EGPWS GNSS GPS interference GPWS	Brize Norton - RAF
steering_toggles	Handles attached to the Brake Lines to steer the parachute	Brake Lines parachute Toggles	Brize Norton - RAF
stiff_pull	Stiff Pull on operating parachute	Stiff Pull stiff pull	Brize Norton - RAF
SWS	Stall Warning System	AoA SWS SWS fail SWS ACAWS	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
TES	Any DASOR relating to Tailgate Extension Strop for Static Line parachuting	Strop Tailgate Extension Static Line parachuting	Brize Norton - RAF
top_skin	Top surface of a square parachute	square parachute Canopy	Brize Norton - RAF
TSDB	Tether Static Line deployment Bag	TSDB	Brize Norton - RAF
V12_O2_Mask	Despatchers mask for O2 sorties	V12 O2 Mask	Brize Norton - RAF
VIRTUS_Helmet	VIRTUS Parachuting Helmet	VIRTUS Virtus	Brize Norton - RAF
WAP	warning annunciation panel	Warning EFCS reset	Brize Norton - RAF
water_descent	Planned parachute descent into water	Water descent Water descent	Brize Norton - RAF
weight_belt	Additional weight worn around the waist by parachutists	Weight Belt Belt parachutists	Brize Norton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
hydraulics	Hydraulic system failure, System relying on liquid moving in a confined space under pressure.	booster hydraulic auxiliary hydraulic Utility hydraulic control manifold failure hydraulic oil pressure system temperature brakes flaps nosewheel steering undercarriage	Brize Norton - RAF Waddington - RAF Culdrose - RNAS
arctic	Any DASORs relating to operations, including pre deployment preparations, in extreme cold weather environments.	Cold Snow Norway Clockwork Bardufoss	CHF HQ
desert	Any DASORs relating to operations, including pre deployment preparations, in desert environments.	Oman Desert Dust Sand Heat Hot El Centro	CHF HQ
detached	Any DASORs relating to operations taking place whilst detached from MOB (Main Operating Base). This includes pre deployment preparations.	Detached Detachment	CHF HQ

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
emabarked	Any DASORs relating to operations, including pre deployment preparations, in the embarked / maritime environment .	Flyco Deck Landing Deck Ship Embarked	CHF HQ
MOB	Any DASORs relating to issues concerning the Main Operating Base (MOB) and its facilities, impacting operations anywhere.	Engineering Support Supplies ATC MOB Yeovilton	CHF HQ
mountains	Any DASORs relating to operations in the mountainous environment, this includes pre deployment preparations.	Mountain Bowl Ridge Updraft Down Draft Torque	CHF HQ
UTSOSI	Unable to staff Occurrence Safety Investigation	Occurrence Safety Investigation Investigators	Coningsby - RAF
arm	Issue relating to Weapons Trade.	arm weapons missile bomb LGB flare gun cannon seat	Coningsby - RAF ASWC - CON
AV	Issue relating to Avionics Trade.	AV LRI	Coningsby - RAF ASWC - CON

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
mech	Issue relating to Mechanical Trade.	mech hydraulic fuselage undercarriage structure	Coningsby - RAF ASWC - CON
waterfront	Vehicular access road transiting through Aircraft movement area.	Waterfront collision lights	Coningsby - RAF ASWC - CON
panels	Any occurrence of an aircraft panel not being fitted, fitted incorrectly or becoming detached in flight.	panel missing detached insecure open panels	Coningsby - RAF Shawbury - RAF ASWC - CON
ATC_infrastructure	Failure of Air Traffic Control infrastructure buildings or equipment; VCR Windows, Air Conditioning etc.	ATC building air conditioning rwy surface sink holes runway surface ATC windows PSR RHAG Radar radio runway smre ssr sweeper taxiway tower watchman	Coningsby - RAF Valley - RAF ASWC - CON

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATM_mandatory	Any DASOR that was submitted as a mandatory report.	mandatory incursion incident accident level bust airprox breach regulations failure response	Cranwell - RAF
ATM_safety_management	Any DASOR that suggests an issue in the narrative (reporter issues hash tag) or as part of the LI produces an action or recommendation for the Safety Management Team. (OM issues hashtag)	SM Safety Audit Safety Assessment Hazard Risk BMFSO	Cranwell - RAF
ATM_standards	Any DASOR that suggests an issue in the narrative (reporter issues hash tag) or as part of the LI produces an action or recommendation for the Standards Team. (OM issues hashtag)	standards UStanO procedures rules policy	Cranwell - RAF
ATM_training	Any DASOR that suggests an issue in the narrative (reporter issues hash tag) or as part of the LI produces an action or recommendation for the Training Team. (OM issues hashtag)	Training UTO not taught ground school instructor	Cranwell - RAF
bleed_air_failure	Any events concerning bleed-air failure	bleed air sense line	Cranwell - RAF
bolt_hole	Visiting Waddington ac due to Waddington resurfacing		Cranwell - RAF
circuit_congestion	Busy circuit, mixed ac types in circuit, different ac speeds in circuit		Cranwell - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
congested_local_airspace			Cranwell - RAF
CWL_flight_planning	All airfield Flight Planning related activity	ops brief NOTAM MilEAMS Danger area Royal Flight AIRAC ERS CALF AMPA Map TAP charts SUKADS UKDNWS	Cranwell - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
CWL_operations	All airfield Operations related activity	Log Book HOW/TOW TAFs and METARs Communications equipment Flight Log Slot System Visiting ac movements Stn ac movements diversions airways training slots landaways book of low level system PDs F400s Flying Club VIP actions OOH Notifications Emergency states Mil EAMS flight following PPR	Cranwell - RAF
CWL_overseas	All airfield Overseas planning related activity	OTF Requests Overseas Information Boards Diplomatic Clearance AP1158 PPR Accommodation slot times captain's folder	Cranwell - RAF
dual_runway_ops	Simultaneous use of both runways		Cranwell - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
equipment_issue_effect	Any DASOR that has been submitted to highlight a new or an ongoing issue with broken equipment that effects human performance.	ongoing broken equipment issue not fixed	Cranwell - RAF
glider_deconfliction	Deconflicting gliding with Tutor flying at weekends	North Airfield Gliding Club	Cranwell - RAF
grass_strip	Use of the parallel grass strip	grass strip	Cranwell - RAF
IFR_VFR_integration			Cranwell - RAF
inform_convert_DASOR	Any InForm that has been converted to a DASOR	In form LEMSCo SEMSCo	Cranwell - RAF
landing_gear_unsafe_indic	Any events concerning Landing Gear Unsafe Indication	bulb failure bulb failed failed to illuminate gear relay cb gear unsafe gear down annunciator	Cranwell - RAF
MFTS_construction_work	Demolition and construction work associated with MFTS project		Cranwell - RAF
mixed_circuit_traffic	Different ac types at Cranwell, different ac speeds		Cranwell - RAF
MLG_cracks	Any events concerning Main Landing Gear cracks	main landing gear crack	Cranwell - RAF
movement_area_incursion			Cranwell - RAF
north_airfield	Proximity of North Airfield to South Airfield		Cranwell - RAF
north_and_south_airfield_simultaneous_ops			Cranwell - RAF
ORP_issues	Algae, slipping, incursion, clearance	algae slipping incursion clearance	Cranwell - RAF
PAR_limitations	Transfer of PAR lock from ac to ground return	PAR	Cranwell - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
severity_discrepancy	Any DASOR that has a significant discrepancy between the reporter and OM's severity rating.(OM would assign this hashtag)	high low perceived dangerous	Cranwell - RAF
south_airfield			Cranwell - RAF
tower_to_tower	Between Cranwell and Barkston Heath		Cranwell - RAF
aircraft_movements	The process of moving aircraft from the hanger to the flight line	line up chockmen towing arm tractor blades hanger doors PPE safety rating	Culdrose - RNAS
AMMC	Aircraft and Mission Management Computer - Merlin Mk II	reset data initialisation double AMMC reset failure	Culdrose - RNAS
anti_icing	system to protect aircraft systems from the hazards associated with icing	emergency landing loss of power engine failure unsuitable weather anti icing icing	Culdrose - RNAS
ASuW	Anti Surface Warfare	ESM threat avoidance surface search weapon targeting ISAR RRP	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ASW	Anti Submarine Warfare	submarine SU sonar sonobuoy carousel stingray doppler hover	Culdrose - RNAS
asymmetric	Power related malfunction resulting in asymmetric power settings	emergency landing loss of power engine failure	Culdrose - RNAS
bodily_fluids	Fluids that come from a Human or animal's body	blood excrement motion sickness contamination	Culdrose - RNAS
cabin	Compartment of aircraft primarily for passenger carrying	compartment seat passenger pressure communication	Culdrose - RNAS
CALS	Confined Area Landing	tip strike dynamic rollover birdstrike FOD brake failure livestock	Culdrose - RNAS
checks	standard list of procedures for a routine task	distraction human factors cognitive error procedures	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
chips	A system that detects metallic fragments in engine spaces	chip caution engine chip chip detector magnetic chip detector ferromagnetic	Culdrose - RNAS
cockpit	Compartment of aircraft for the pilot and crew	crew CRM CVR communication flying controls instruments access	Culdrose - RNAS
concentration	The action or power of focusing all one's attention	lapse focus energy procedure fatigue	Culdrose - RNAS
controlpanels	area where control or monitoring instruments are displayed	monitor instrument displays	Culdrose - RNAS
deferment	The action of delaying or putting something off	delaying deferring postponement	Culdrose - RNAS
detached_operations	Operations that are conducted as part of a detachment or away from home base/ship	foreign support detachment brief detachment commander logistics support publications landaway diversions	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
door_hinge	Unservicability of aircraft door	door opening in flight	Culdrose - RNAS
drugs	A medicine or other substance which has a physiological effect when ingested or otherwise introduced into the body.	side effects drowsiness loss of focus downgrade fatigue legal illegal	Culdrose - RNAS
electrical	Concerned with or utilising electricity	systems wiring circuit amps voltage resistance	Culdrose - RNAS
flaps	Occurrence relating to an aircraft's flap system	flapless recovery inadvertant selection	Culdrose - RNAS
fog	Low-lying moisture of near 100% humidity that reduced visibility to less than 1km	low visibility colour code red visual reference	Culdrose - RNAS
fungus	Spore producing organisms feeding on organic matter	yeast mushrooms wildlife mould	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
general_handling	Manoeuvres not related to mission specific tasks that are flown in an aircraft	transition circuits lookouts quickstops downwind sloping ground wingovers autorotation limited power advanced transitions	Culdrose - RNAS
hangar_doors	Doors that allow access to and from the hangar, primarily for aircraft	wind limits opening hangar closing damage procedures	Culdrose - RNAS
ice	Water frozen in a solid state	icing hoar frost freezing rain rime ice sub-zero anti-icing clear ice	Culdrose - RNAS
instrument_flying	Flying an aircraft with sole reference to instruments	IMC IFR GCA PAR SRA	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
jacking	The process of lifting an aircraft up a short height using mechanical process	jacks hydraulic mechanical height warning	Culdrose - RNAS
lapse	A brief or temporary failure of concentration, memory, or judgement.	concentration judgement following procedure character fatigue	Culdrose - RNAS
lashing	The process of securing something	lashes securing tipsock deck lashing nylon chain	Culdrose - RNAS
lights	Item that provides lighting and illumination	flashing occult anti-collision landing signal colour color	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
limitation	A limiting rule, restriction or circumstance imposed	RTS restriction operating envelope note caution warning transition circuits lookouts quickstops downwind sloping ground wingovers	Culdrose - RNAS
Me2ASaC	Any DASOR relating to Merlin Mk2 fitted with the CROWSNEST Role Equipment	CROWSNEST radar Me2ASaC Merlin	Culdrose - RNAS
medication	prescribed or unprescribed medicine that can have side effects	side effects drowsiness loss of focus downgrade	Culdrose - RNAS
mission_systems	Systems that assist aircrew and aircraft to perform mission specific tasking and orders	TMSC TMS tactical electrical data radar maps ESM	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
oil_filler_cap	Cap that can be removed to fill the engine with oil	ox27 risbridger juniper rig sight glass oil pressure	Culdrose - RNAS
order_and_policies	Overarching instruction and commands that dictate procedures	documentation instruction duty holder government MAA	Culdrose - RNAS
precipitation	Any product of the condensation of the atmosphere that falls under gravity	snow rain ice freezing rain	Culdrose - RNAS
pressurization	Abnormal pressure in a pressurized system	hyd pressure low pressure high pressure MGB pressure TGB pressure engine oil pressure filler cap	Culdrose - RNAS
radar	System used to detect and track aircraft movements in-flight	chaff RADHAZ airspace passive active airprox	Culdrose - RNAS
rain	Precipitation that falls as water droplets	cloud shower thunderstorm storm	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
sabotage	deliberately destroy, damage, or obstruct something	damage intent selfish conscious unjustifiable malicious substantial	Culdrose - RNAS
SE	Survival Equipment	flight helmet life jacket MS10 imersion suit	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
secondary_roles	Roles that can be carried out that are not primary to the aircraft such as winching and load lifting	winching loadlifting CALs wet winching winch mals HIRF stretchers SAR Troop carrying CASEVAC VERTREP overalls helmet visor boots LSJ immersion suit gloves rollneck thermals socks NSN stores	Culdrose - RNAS
snow	Precipitation that falls as crystalline water ice	snowstorm snowfall	Culdrose - RNAS
standards_and_practice	The levels at which processes and events should adhere to	procedure policy just culture	Culdrose - RNAS
STASS	Short Term Air Supply System	looes articles FOD ditching	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
time_pressure	A deadline or goal that has Limited flexibility with regards to time	stress perceived pressure human factors deadline extended hours	Culdrose - RNAS
TMSC	Tactical Mission System Computer - Merlin Mk II	link loss loss link failure TMSC Flight Plans initialisation waypoint	Culdrose - RNAS
tractor	A vehicle used primarily to assist in the moving of aircraft	towing arm driver current driving speed direction	Culdrose - RNAS
VERTREP	Vertical replenishment at sea	downwash FOD SACRU load lifting static build up	Culdrose - RNAS
visibility	Measure of the distance at which an object or light can be clearly discerned	low vis poor vis haze fog mist meters kilometers visual reference vision	Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
wateringress	Water entering a piece of equipment or the aircraft	moisture rain seal maritime environment	Culdrose - RNAS
whiteout	Where visibility and contrast are severely reduced by snow or sand	snowfall snow sandstorm visibility visual reference	Culdrose - RNAS
wiring	A system of wires providing electric circuits for a device or building	circuits electricity wiring diagram connecting power voltage	Culdrose - RNAS
software	Electronic programs written to support the stakeholder	CMMS JTD ALIS loading update version	Culdrose - RNAS Edwards AFB - USA
30R00	Any DASOR relating to F35 software state 30R00	TCTD DTR ICAW Integrated Caution And Warning Distribution Tracking Record	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
30R02.3	F35 Air Vehicle Software version 30R02.3	Software Software upgrade TCTD Time Compliant Technical Direc LDT Lightning delivery Team MPTF Military Permit To Fly	Edwards AFB - USA
3FR6.2	Any DASOR relating to F35 software state 3FR6.2	Software TCTD Time Compliant DTR Distribution Tracking Record ICAW Integrated Caution And Warning	Edwards AFB - USA
412th	Edwards AFB unit	412th JOTT Edwards	Edwards AFB - USA
ALIS	Automated Logistics Information System		Edwards AFB - USA
assembly	The act of putting something together	incorrect assembly incorrect installation removal assembly connected connection installed removed assembled secured	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AV_airframe	Fault relating to aircraft structure or mechanical system	Hydraulic Function Fault ICAW Integrated Caution And Warning Extension Retraction Independent Clutch Cooling HRC Health Reporting Code FSE Field service Engineer Hydraulic Function Fault ICAW Integrated Caution And Warning Extension Retraction Independent Clutch Cooling HRC Health Reporting Code FSE	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
AV_avionics	Fault relating to aircraft avionic systems	Integrated Caution And Warning ICAW HMD Helmet Mounted Display PTMS Power Thermal Management VMC Vehicle Management Computer HRC Health Reporting Code Field Service Engineer FSE	Edwards AFB - USA
BOS	Before Operation Servicing - before flight servicing	before flight BOS servicing	Edwards AFB - USA
CFT	Contractor Field Team - a civilian contractor team that maintains aircraft	Lockheed Martin lockheed martin LM contractor contractor field team CFT	Edwards AFB - USA
CMMS	An software maintenance program for conducting aircraft maintenance	Computerised Maintenance Maintenance Management System ALIS computerised maintenance maintenance management system	Edwards AFB - USA
contaminated	Something or someone that has been affected by a foreign body	polluted unclean dirty	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
degraded	An article that has lost part of it's functionality	intermittent degraded ICAW display software indication warning caution	Edwards AFB - USA
displayfail_nonrecoverable	Failure of aircraft displays which recover in flight	ICAW HMD Display reset	Edwards AFB - USA
displayfail_recoverable	Failure of aircraft displays which recover in flight	Display ICAW No Radio reset NORDO Display Management Computer DMC-H Helmet Mounted Display HMD Integrated Caution And Warning	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DTR	Issues regarding software and data updates of ALIS	ALIS CLS JTD PAIR PAIRS TCTD LDT UFN DTR Urgent Field Notice Distribution Tracking Record Lightning delivery Team Time Compliant Technical Joint Technical Data Consumer Led Support	Edwards AFB - USA
EEL	Issues regarding asset Electronic Engineering Logs	Tracking Airworthiness Lifing life TCTD PAIR EEL	Edwards AFB - USA
external_aircraft_other	Aircraft other than that being reported registered to a country not the UK or US	aircraft	Edwards AFB - USA
external_aircraft_UK	Aircraft other than that being reported registered to the UK	aircraft	Edwards AFB - USA
external_aircraft_US	Aircraft other than that being reported registered to the US	aircraft	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
failed	Something not functioning properly	failure failed failed to operate failed to function	Edwards AFB - USA
flight_line	The area of an airfield where aircraft are handed from engineers to aircrew	flight line line operations line	Edwards AFB - USA
HAZMAT	Chemical compounds or substances used to maintain aircraft	hazardous material consumables oil petrol lubricants grease chemicals	Edwards AFB - USA
HMD	A system used to provide hands off information to the aircrew	Helmet Mounted Displays helmet mounted displays head up display Head Up Display head up display	Edwards AFB - USA
hover	An airborne state where the aircraft maintains position above the ground	landing in flight	Edwards AFB - USA
HRC	Health Reporting Code - F-35 code produced by the aircraft to report faults	health reporting code Health Reporting Code	Edwards AFB - USA
ICAW	A cockpit audio and visual warning system	warning caution HRC health reporting code Health Reporting Code	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
intermittent	Occurring at irregular intervals	intermittent degraded ICAW display software indication warning caution	Edwards AFB - USA
in_flight	While airbourne	in flight in-flight take-off take off landing sortie mission airborne	Edwards AFB - USA
IOS	Inter Operation Servicing - turnaround servicing	IOS servicing interim flight	Edwards AFB - USA
IPP	Integrated Power Pack - auxiliary power unit	IPP APU	Edwards AFB - USA
JOTT	Joint Operational Test Team - F-35 joint testing organisation	412th JOTT Edwards	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
JTD	Joint Technical Directive - F-35 technical manual	joint technical data Joint Technical Data documents electronic media servicing instructions publications software AR JTD action request	Edwards AFB - USA
landing	Act of aircraft making contact with the ground for the purpose of remaining.	landing STOVL VL RVL hover in flight	Edwards AFB - USA
lifing	The expected time for a component to last	forecasting scheduling life cycle configuration management	Edwards AFB - USA
LO	Low Observability - Aircraft design characteristic that enables low observability in relation to RADAR energy	LO low observability Low Observability	Edwards AFB - USA
lockheed_martin	US arms manufacturer	Lockheed Martin lockheed martin LM contractor CFT	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
lost_tool	A tool that has been misplaced during use	tools tooling covers blanks article item lost tool	Edwards AFB - USA
missing	Something not present when expected to be	detached lost loose article missing FOD	Edwards AFB - USA
missing_tool	A tool that is not located in it's correct location (not during use)	tools tooling covers blanks article item missing tool	Edwards AFB - USA
MVI	A link between the aircraft and electronic workstation	JTD portable maintenance aid Portable Maintenance Aid ALIS Maintenance Vehicle Interface maintenance vehicle interface	Edwards AFB - USA
not_known	An unknown state	not known un-known unknown	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
PCD	Panoramic Cockpit Display - in cockpit display for F-35 pilots	PCD Panoramic Cockpit Display panoramic cockpit display cockpit display	Edwards AFB - USA
PCL	Pilot's Check List - Pilot's quick reference cards	PCL pilot's checklist Pilot's checklist checks	Edwards AFB - USA
PFE	Pilot's flight equipment - Equipment used by F-35 pilots	pilots flying equipment Piolts Flying Equipment flying clothing survival aids PFE helment	Edwards AFB - USA
PMA	Electronic Aircraft workstation	ALIS MVI CMMS software JTD portable maintenance aid Portable Maintenance Aid	Edwards AFB - USA
POS	Post Operation Servicing - after flight servicing	servicing after flight POS	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
Pratt_and_Whitney	US engine manufacturer	Pratt and Whitney pratt and whitney Pratt & Whitney pratt & whitney F135 engine F135-600 P&W P & W engine start	Edwards AFB - USA
prop_liftfan	Issues regarding the Lift fan and Transmission	Lift Fans Doors FADEC FOD Driveshaft Mode STOVL Clutch Gearbox	Edwards AFB - USA
prop_powerplant	Issues regarding the Engine, Exhaust and Roll posts	Thrust Fuel FOD Heat 3BSM 3BSN FADEC STOVL	Edwards AFB - USA
PT	Project Team - manages aircraft through life operations	PT project team Project Team	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
PTMS	Issues regarding the Power and Thermal Management System	Integrated Power Pack IPP COOL FAIL ICAW VMC Clutch Gen	Edwards AFB - USA
RVL	Rolling Vertical Landing - Landing using the aircraft's hover capability while maintaining a slow forward speed	RVL rolling vertical landing landing hover VL STOVL	Edwards AFB - USA
STO	Short Take Off - Take off using a short amount of runway	STO	Edwards AFB - USA
support_equipment	Articles used to assist in aircraft operations	SE support equipment stand loose article	Edwards AFB - USA
support_services	Organisations which help to deliver capability	CFT P&W LM Rolls Royce contractor civillian CLS	Edwards AFB - USA

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
symbology	Figures, letters or numbers displayed to the pilot or maintainer	symbolism figures display information displayed display symbol	Edwards AFB - USA
takeoff	Act of aircraft leaving the ground for intended flight	takeoff airborne STOVL STO in flight	Edwards AFB - USA
TCTD	Issues regarding Time Compliant Technical Directives	Scheduled Approved Tracking Mod Embodied	Edwards AFB - USA
unsecured	Part of an assembly which has not been or potentially not been correctly safeguarded	disconnected detached loose	Edwards AFB - USA
FTI	Flight Test Instrumentation ? Agency or Equipment issues	DART FSR Trial Testing instrument test flight test instrumentation	Edwards AFB - USA BAES WAR
aircraft_marshalling	Overstress/Stall/Spin	aircraft marshalling marshalling	Halton - RAF
airfied_conspicuity	Failure to see R/W	airfield	Halton - RAF
air_incursion	ATZ entry	air incursion	Halton - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
crew_capacity	Sickness/GLOC	crew capacity	Halton - RAF
downdraught/wind_effect	Rotor streaming etc	downdraught wind effect	Halton - RAF
forced_landing		forced landing	Halton - RAF
foreign_object_damage		foreign object damage	Halton - RAF
ground_incursion	Vehicles or pedestrian incursion	ground incursion	Halton - RAF
indiscipline	Deliberate breaking of rules	discipline	Halton - RAF
procedual_failure	Failure to follow procedures	procedure procedual	Halton - RAF
ridge_flying		ridge flying	Halton - RAF
student_aircrew		student aircrew	Halton - RAF
technical_factor	Engineering or equipment	technical	Halton - RAF
advanced	Individual who is advanced undertaking JSAT Parachuting.	adv quantity of jumps advanced course experienced	JSAT
AFF	Accelerated Free Fall.	AFF levels	JSAT
altimeter	Height. Instrument worn on the parachutist to give indication of altitude.	ancil viso galaxy alpha instrument digital analogue	JSAT
bag_lock	Malfunction type. The canopy is unable to come out of the Parachute bag and the Parachutist will need to conduct reserve drills.	mal fast speed malfunction no canopy reserve drill required	JSAT

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
camera	Parachute filming.	go pro camera helmet camera head chest	JSAT
canopy_handling	Control of Canopy. The method in which a parachute controls the parachute from deployment to landing.	CH1 CH2 coach poor good dangerous low turn	JSAT
canopy_handling	Control of Canopy. The method in which a parachute controls the parachute from deployment to landing.	CH1 CH2 coach poor good dangerous low turn	JSAT
chief_instructor	Overseeing Parachute activity on DZ.	responsible subject knowledge	JSAT
cutaway	Transfer of main to reserve.	pad operate fall away	JSAT
end_cell_closure	Nuisance factor.	deflated depression of brakes end cells	JSAT

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
formation_skydiving	Formation Parachuting.	4 People 4 Way FS1 Advanced track away camera	JSAT
freefall	After exit and prior to deployment.	FF stable unstable solo 4 way	JSAT
freefly	Head up flying.	FF FF1 FF2	JSAT
instructor	Instructing JSAT Parachuting.	CI Inst oversee CSBI AFFI CSI tandem Coach	JSAT
landed_off	Missed PLA. The parachutist has not landed in the planned area and outside of the pre-planned landing area.	off wind spot cloud injured not injured distance	JSAT

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
landing_pattern	Controlling canopy onto PLA.	heights left right into wind downwind cross wind	JSAT
parachute	A system that allows a person to descend safely when dropped from an aircraft.	para system container reserve main RSL 3 ring cuttaway pad reserve handle leg straps chest straps lines canopy toggle	JSAT
parachute_documentation	Parachute material that provides official information or evidence or that serves a record.	POM air safety management plan performance designs	JSAT
PLA	The area used to land.	landing area safe landing area pre planned	JSAT
premature_break_release	Nuisance factor.	steering toggle turn spiral	JSAT

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
publication	Documentation issued to make something general know.	air publications AP document regulatory article RN	JSAT
reserve	Used if the main canopy fails to get a person safely to the ground. Operated by pulling the reserve handle.	handle second canopy	JSAT
slider_high	Slider not coming down the lines.	high nuisance factor depression of brakes stuck	JSAT
static_line	Static line deployed. A method of deploying the main canopy, the anchor point on the aircraft will assist with the deployment of the main canopy.	SL student RAPS	JSAT
student	Individual who is a student undertaking JSAT Parachuting.	AFF basic tandem student	JSAT
tandem	When a student skydiver is connected to an instructor via a harness.	drogue harness instructor attached student connected	JSAT
toggle	Turn Canopy. Pulled to deploy main canopy.	steering dropped released pulled stiff fell	JSAT

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
twists	Nuisance Factor. Twist in the lines that prevent Parachutist taking control.	nuisance factor high twists minimal twists	JSAT
wind_loading	Weight under canopy. This is the number indicating the load per unit of surface of a parachute.	Sabre PD Katanna Storm Navigator Velocity Stiletto tandem Recommendation POM	JSAT
wind_tunnel	Indoor skydiving.	VWT wind wall door glass instructor course student	JSAT
AHRS	For occurrences involving the aircraft AHRS.	AHRS AI HSI toppled erect	Leeming - RAF
ATC_landline	Any DASOR relating to Direct Dial Landlines that are unserviceable or intermittent.	Landline Telephone ATC Communications	Leeming - RAF
exercise_traffic	For occurrences involving aircraft temporarily based on Stn for exercises.	Exercise Ex	Leeming - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
foreign_aircraft	For occurrences involving non-UK aircraft.	Foreign overseas	Leeming - RAF
incorrect_clearance	For occurrences involving an incorrect clearance	Clearance cleared	Leeming - RAF
MDU	For occurrence involving the aircraft MDU.	MDU mdu	Leeming - RAF
visiting_aircraft	For occurrences involving non-Stn based aircraft.	Visiting Non-Station	Leeming - RAF
fuel_gauge	Instrument used to indicate the level of fuel contained in a tank. Any DASOR relating to fuel gauging issues	fuel gauge fuel gauge failure of gauge oscillation of contents LH RH Ltrs Imbalance	Leeming - RAF 6 FTS
bird_activity	When Bird Activity is recorded as being Medium or High. Circuit traffic is restricted to clearances of departures only, straight in arrivals or no further take-offs. Flt Lt Andrew Cornes	activity nest bird	Leeming - RAF Halton - RAF
glider	For occurrence involving Gliders/Paragliders/Paramotors/Hangliders	glider gliders paraglider paragliders paramotor paramotors handglider handgliders glider site	Leeming - RAF Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
airfield_equipment	Any occurrence involving Generic Airfield Equipment, which is maintained by Airfield repair services such as Barriers, Arrestors, Traffic Lights, Runway Lights etc.	Barrier Arrestor Runway Lights Taxiway Lights Approach lights PAPI VASI Traffic Lights	Leeming - RAF Valley - RAF
ATC_staffing	When ATC Manning is below that acceptable for ATC/BM tasking.	manning ATC Air Traffic BM tasking	Leeming - RAF Waddington - RAF
3rd_age_unseen	Those 3rd age reports that were not observed by any other than the crew. This allows differentiation from those 3rd age which are submitted because the event was obvious to others.		Linton-on-Ouse - RAF
DAO	Duty Aircrew Officer involvement in the occurrence	DAO DI duty instructor	Linton-on-Ouse - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ECM	Engine Control Malfunction as per the Tucano ADS	surge fluctuation fluct rpm tq EEC malfunction torque undemanded EGT overswing gauge	Linton-on-Ouse - RAF
infringement	Airspace/Level infringement by Linton based aircraft	ATZ infringement controlled airspace wrong runway airspace incursion level bust cleared flight level take off without clearance MATZ incursion potential level bust dange area incursion	Linton-on-Ouse - RAF
intervention	Instructor Intervention insufficient or too late to prevent occurrence	intervene take control taken control	Linton-on-Ouse - RAF
microswitches	Canopy or Undercarriage microswitch fault	canopy undercarriage reds gear	Linton-on-Ouse - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
MTF	Maintenance Test Flights	Test Flight Maintenance Test Flight Unit Test Pilot Unit Test Flight Airtest	Linton-on-Ouse - RAF
overstress	Overstress, or suspected/possible overstress of Undercarriage system, Flap or Airframe	gear flap overspeed airframe landing gear	Linton-on-Ouse - RAF
PFC	Primary Flying Control faults ie Flaps, Airbrakes or undercarriage (not microswitch)	control restriction flap malfunction flap failure flap airbrake undercarriage	Linton-on-Ouse - RAF
formation	Formation Flying	Form Formation Battle Tactical pair 3 ship MAC airshow fly past fly past practice	Linton-on-Ouse - RAF Culdrose - RNAS
generator_failure	Generator failure	GEN Caption generator generator failure generator caption Gen	Linton-on-Ouse - RAF Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
task_v_resource-GSE/Tools	Any DASOR where unavailability of GSE/Tools has been a causal factor	GSE Tools	Lossiemouth - RAF
task_v_resource-personnel	Any DASOR where an imbalance between task and personnel (either quantity or SQEP) is a causal factor		Lossiemouth - RAF
task_v_resource-spares	Any DASOR where a lack of spares is a causal factor	Rob Aircraft on Ground AOG Cannibalisation D State	Lossiemouth - RAF
task_v_resource-planning	Any DASOR where planning (eg late notice changes/unrealistic expectations) has been a causal factor		Lossiemouth - RAF
DT-ADS	Lightning F35 Delivery Team Name	DT-ADS	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-ALIS	Lightning F35 Delivery Team Name	DT - ALIS	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Config	Lightning F35 Delivery Team Name	DT - Config	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Crew_Systems	Lightning F35 Delivery Team Name	DT - Crew Systems	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Eng_Co-Ord	Lightning F35 Delivery Team Name	DT - Eng Co-Ord	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-EOSH🔒	Lightning F35 Delivery Team Name🔒	DT - EOSH🔒	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Flight_Ctrl	Lightning F35 Delivery Team Name	Flight Ctrl	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Flying_Systems	Lightning F35 Delivery Team Name	DT - Flying Systems	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-JTD	Lightning F35 Delivery Team Name	DT - JTD	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-LISSC	Lightning F35 Delivery Team Name	DT - LISSC	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Management	Lightning F35 Delivery Team Name	DT - Management	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Mission_Ops	Lightning F35 Delivery Team Name	DT - Mission Ops	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Mission_Software	Lightning F35 Delivery Team Name	DT - Mission Software	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Mission_Support	Lightning F35 Delivery Team Name	DT - Mission Support	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Mission_Systems	Lightning F35 Delivery Team Name	DT - Mission Systems	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Propulsion	Lightning F35 Delivery Team Name	DT - Propulsion	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Quality	Lightning F35 Delivery Team Name	DT - Quality	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-RTS	Lightning F35 Delivery Team Name	DT - RTS	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Safety_Team	Lightning F35 Delivery Team Name	DT - Safety Team	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Software	Lightning F35 Delivery Team Name	DT - Software	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-SptPol	Lightning F35 Delivery Team Name	DT - SptPol	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Struct	Lightning F35 Delivery Team Name	DT - Struct	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Supply🔗	Lightning F35 Delivery Team Name🔗	DT - Supply🔗	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Support_Equip	Lightning F35 Delivery Team Name	DT - Support Equip	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Sustainment	Lightning F35 Delivery Team Name	DT - Struct DT - Sustainment🔗	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Training_Systems	Lightning F35 Delivery Team Name	LII Training Lightning Delivery Team F35	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-US_CPP	Lightning F35 Delivery Team Name	DT - US CPP	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
DT-Utility_&_Sub_Sys	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DT-Weapons_Int	Lightning F35 Delivery Team Name	DT - Utility & Sub Sys	Marham - RAF Edwards AFB - USA MCAS Beaufort - USA Queen Elizabeth - HMS OOA Akrotiri Prince of Wales - HMS
airfield_FOD	FOD on the aircraft operating areas.	FOD Apron Litter Airfield Runway Taxi	MOD Boscombe Down
contractor_control	Issues with contractors working on the airfield.	Safeguarding Works Services Airfield works Parking Infringement EMCOR Contractor	MOD Boscombe Down
RA1166	Allow identification of reports raised by RWTES crews flying QinetiQ aircraft under RA1166		MOD Boscombe Down
solar_farm	Activities relating to the local solar farm	solar farm infringement Solar farm	MOD Boscombe Down

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
wildlife_damage	Wildlife damage	badgers deer pheasants rabbits moles topping out chafer beetle crows gulls undermining grass strip	MOD Boscombe Down
stud_2_&_3_comms	Issues with airfield radio communications	comms stud 2 stud 3 jotron radio aerials aquilla	MOD Boscombe Down QinetiQ Civil Flying Org
ODI- Refuel_Fire_or_Explos	Any DASOR relating to Fire, explosion or refuelling operations.	RRRF Fire Explosion	Odiham - RAF
ODI-Bird_Strike	Any AS that is struck by a bird in flight	Bird Wildlife Impact	Odiham - RAF
ODI-CGI	Any DASOR relating to CGI Exceedance or overstress of airframe.	Exceedance CGI Overstress Airframe Limits	Odiham - RAF
ODI-Fatigue	Fatigue by any service personnel	Sleep Tired Exhaustion Tiredness	Odiham - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ODI-FDAD	Any DASOR relating to Loss of control of a role activity.	Loss Control Role Activity FDAD	Odiham - RAF
ODI-Lag_Dampers	Any DASOR relating to Lag Damper failure or malfunction	Lag Dampers	Odiham - RAF
ODI-Laser	Any AS that is illuminated by a laser in flight	Laser Lazer Eyes Optical Distraction	Odiham - RAF
ODI-Loss_of_Control	Any DASOR relating to Loss of control in flight or loss of control on the ground.	Control Flight Loss	Odiham - RAF
ODI-MCT	Any DASOR relating to Maritime Counter Terrorism incident.	Maritime Counter Terrorism	Odiham - RAF
ODI-OP-R1	Any DASOR Relating to ODI R1 activities.	OOA A R1	Odiham - RAF
ODI-Water_Ingress	Any DASOR relating to Water Ingress into the Ac or equipment	Water Ingress	Odiham - RAF
ODI_AFF	Any Odiham DDH DASOR relating to the Aerial Firefighting Detachment.	AFF Firefighting Top Event Bambi Bucket Odiham 1310Ft Bambi Bucket	Odiham - RAF
ODI_AFOA_TE	Any Odiham DDH DASOR relating an AFOA Top Event occurrence	AFOA Top Event	Odiham - RAF
ODI_families_day	Relevant Lessons Identified for planning of future families' day events	Families Families Day	Odiham - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ODI_Op_PELEDA	Any DASOR reported by Sqns deployed on Op PELEDA	PELEDA Estonia Op PELEDA OpPELEDA	Odiham - RAF
ODI_UFIT/O	Uncontrolled impact with Terrain or Obstacle.	Maintenance caution warning damaged	Odiham - RAF
WCONUS	Any DASOR relating to ongoing Operations in support of JAC deployed aircraft to Western USA.	Yuma Mountain Home Chinook DVE EQ El Centro	Odiham - RAF
ODI_OP_PITTING	Any DASOR relating to OOA A Block.	OOA A Chinook OOA A Block	OOA A Block
ODI_AC_emissions	Aircraft Emissions affecting 3RD Party.	downwash horse rider	OOA A Block Benson - RAF Odiham - RAF OOA Newcombe
ODI_AFOA	Any DASOR relating to Articles Falling Off the Aircraft (AFOA)	AFOA Articles Falling Fell ODI RT3P	OOA A Block Hereford Benson - RAF Odiham - RAF OOA Newcombe

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ODI_CFIT	An event which has resulted in, or has got close to a collision with the ground, or an obstruction.	Terrain CFIT DVE uncharted unchartered	OOA A Block Hereford Benson - RAF Odiham - RAF OOA Newcombe
ODI_MAC	A Mid Air Collision (MAC) or near MAC.	Airprox prox MAC TAS	OOA A Block Hereford Benson - RAF Odiham - RAF OOA Newcombe
ODI_RT3P	An event which has resulted in Third Party persons or property being endangered or hurt/damaged.	Third party HLS damage horse rider downwash AFOA	OOA A Block Hereford Benson - RAF Odiham - RAF OOA Newcombe
ODI_RUA	The release or near release of an unairworthy aircraft for flight.	unairworthy GOLDesp AMIS overfly release	OOA A Block Hereford Benson - RAF Odiham - RAF OOA Newcombe

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ODI_Survivability	Any DASOR relating to Survivability (including BALCS, PSTASS, maritime integration of aircrew equipment and windscreen strength)	BALCS PSTASS Embarked Water Ingress Intercom Windscreen Drone UAV UAS	OOA A Block Hereford Benson - RAF Odiham - RAF OOA Newcombe
ODI_TIES	Any incident or hazard relating to TIES	TIES LTES RTES FR fast rope winch hoist abseil	OOA A Block Hereford Benson - RAF Odiham - RAF OOA Newcombe
checklist	Checklist discipline, missed or misread items, incorrect read-back of settings.	discipline omitted misread	OOA Iraq
MQ9Airspace		confliction TAC C2 clearance	OOA Iraq
906EAW	Any DASOR relating to Minhad, UAE.	Minhad OOA UAE	OOA Minhad
multi_typing	Any DASOR where multi typing could have been a causal factor	cognitive mistake mishandling Different aircraft	QinetiQ Civil Flying Org

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RWTES	Allow identification of reports raised by RWTES crews when flying QCFO aircraft.	RWTES QCFO	QinetiQ Civil Flying Org
maritime_infringement	A vehicle, person or animal has entered the range without approval.	surface danger area incursion infringement vehicle person cyclist car	Ranges - 2 Gp
SDA_infringement	A vehicle, person or animal has entered the range without approval	surface danger area incursion infringement vehicle person cyclist car	Ranges - 2 Gp
ACAS	A hazard/observation or occurrence related to the ACAS collision avoidance system fitted to the Juno and Jupiter aircraft. Malfunction/discrepancy in airborne collision avoidance system	volume traffic audio ACAS collision avoidance	Shawbury - RAF
airfield_driving	An incident involving an unauthorised vehicle driving on the airfield or a authorised vehicle in breach of procedures or accepted practise.	permit driving car ADP vehicle	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
airfield_markers	Physical objects/boards on airfield used for marking areas and conveying information.	strip eol markers triangle boards	Shawbury - RAF
AMC	Malfunction/discrepancy in aircraft management system operation	AMC management	Shawbury - RAF
ap_actuator	Malfunction/discrepancy in auto pilot actuators	AP actuator	Shawbury - RAF
ap_control	Failure or partial failure of the autopilot control panel	AP Control	Shawbury - RAF
ap_trim	Malfunction/discrepancy in autopilot trim actuator	AP Trim	Shawbury - RAF
arms_range	Firing range for various weaponry.	live red range	Shawbury - RAF
avionics	Aircraft avionics exclusive of engine indications.	moving map sentinel MFD Avionics	Shawbury - RAF
back_up_SAS	Failure of back up SAS	SAS back up	Shawbury - RAF
battery	Malfunction/discrepancy in battery	Battery charge	Shawbury - RAF
battery_overheat	Battery temp above 70 degrees	Battery overheat	Shawbury - RAF
beep_trim	Malfunction/failure in beep trim system for ap	Beep trim system	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
building_work	An incident or hazard/observation regarding contractual or building work taking place in vicinity of aviation.	workmen proximity	Shawbury - RAF
CA	Confined Area	CA confined area	Shawbury - RAF
caption	A cockpit warning indication either spurious or real.	chips captions master caution warning	Shawbury - RAF
cargo_hook	Malfunction/discrepancy in cargo hook operation	Cargo hook load loads	Shawbury - RAF
CBOX	Combining Gearbox	c-box cbox combining gearbox	Shawbury - RAF
CEP	CEP Ear protection device	CEP IECD Ears	Shawbury - RAF
chetwynd	A helicopter landing field used by DHFS.	RLG landing direction centreline	Shawbury - RAF
chips_caption	A cockpit warning indication relaying information from gearbox and engine chip detectors.	engine chips chips caption	Shawbury - RAF
CoG	Referring to the Centre of Gravity of an aircraft.	mass moment tech log planning all up weight	Shawbury - RAF
collective	Malfunction/discrepancy in collective operation	Collective flying control	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
cyclic	Malfunction/discrepancy in cyclic operation	Cyclic flying control	Shawbury - RAF
data_card	Malfunction/discrepancy in data transfer card	DTC data transfer	Shawbury - RAF
decks	Rescue Hoist Operations over boats	Winching winchman SAR winchop decks SMIT	Shawbury - RAF
ditching	Emergency landing on water	ditching water landing Ditch	Shawbury - RAF
doors_cabin	Any observation or incident regarding the cabin doors of an aircraft.	doors cabin doors exit lock cockpit doors hinge handle	Shawbury - RAF
doors_cockpit	Any observation or incident regarding the cockpit doors of an aircraft.	doors cabin doors exit lock cockpit doors hinge handle	Shawbury - RAF
double_engine_failure	Both engine n1 below threshold values	Double engine failure	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
elec_overlimit	Electrical system supply outside threshold values	Electric Electrics elec supply power	Shawbury - RAF
emerg_shed_bus	Emergency shed busbar malfunction/operation	Emergency emerg busbar	Shawbury - RAF
engine_gauge	In-aircraft indications of engine performance including faulty gauges or indications of engine degradation.	engine reading gauge zero	Shawbury - RAF
engine_overspeed	Rise in torque, n1 and tot on affected engine. Reverse in non-affected engine	Engine overspeed over speed torque	Shawbury - RAF
eng_chip	Metal particles detected in engine oil	Engine chip detector oil	Shawbury - RAF
eng_fuel_filter	Engine fuel filter contaminated	Engine eng fuel filter	Shawbury - RAF
eng_oil_press	Low pressure in engine oil system	Engine eng oil pressure high low	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
eng_sensor	Malfunction/discrepancy in engine monitoring sensors	Engine eng sensor	Shawbury - RAF
eng_starter	Engine starter malfunction	Engine eng starter	Shawbury - RAF
eng_training_mode	Malfunction in engine training mode	Engine eng trg training mode	Shawbury - RAF
EOL	A helicopter practise engine off landing.	EOL engine off engine off landing	Shawbury - RAF
EOL_strip	Area designated for engine-off landing activities.	strip eol area	Shawbury - RAF
EPU	EPU malfunction or EPU door open	EPU Epu epu door	Shawbury - RAF
FACS	Future Aircrew Clothing System	flying suit two piece kneepads clothing	Shawbury - RAF
FADEC_sensor	Malfunction/discrepancy in FADEC monitoring sensors	FADEC sensor	Shawbury - RAF
fire_cockpit/cabin	Fire/smoke/fumes in cockpit or cabin	Fire smoke fumes cockpit cabin	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
fire_electrical	Odour of burning insulation/acrid smoke	Smell fumes smoke flames electrics	Shawbury - RAF
fire_engine_bay_in_flight	Over temperature in engine compartment in flight	Engine bay fire flight	Shawbury - RAF
fire_engine_bay_on_ground	Over temperature in engine compartment on ground	Engine bay fire ground	Shawbury - RAF
fire_post_shutdown	Tot rises markedly after shutdown	Fire shutdown	Shawbury - RAF
FLI	Malfunction/discrepancy with Flight Limit Indicator	FLI Fli fli	Shawbury - RAF
flight_instruments	In-aircraft indications of flight including faulty instruments or incidents involving incorrect use or interpretation.	altimeter altitude pressure setting QNH QFE horizon	Shawbury - RAF
FLIPS	All electronic or hardcopy aircraft planning documentation.	documents maps charts publications reference	Shawbury - RAF
flot	Malfunction/discrepancy in flotation system	FLOT flotation	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
fluctuations	Uncommanded but predictable oscillations of an aircraft due to engines, autopilot systems or flying controls.	hunt datum fluctuations	Shawbury - RAF
FND	Malfunction/discrepancy in flight navigation display operation	Nav navigation FND	Shawbury - RAF
fuel_cap	A cap sealing the refuel point of an aircraft.	fuel cap fuel filler filler cap lid fumes pump	Shawbury - RAF
fuel_indication	Malfunction/discrepancy in fuel sensing system	Fuel indication gauge	Shawbury - RAF
fuel_low	Respective supply tank contents below threshold value	Fuel low fuel tanks	Shawbury - RAF
fuel_press	Malfunction in engine fuel supply system	Fuel pressure press high low	Shawbury - RAF
fuel_pump	Malfunction in airframe fuel supply system	Fuel pump	Shawbury - RAF
generator	All systems and indications relating to the conversion of mechanical to electrical power in an aircraft.	voltage amps discharge	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
grappling	Rescue Hoist Operations	SAR Winching Winchman WinchOp Grappling Drums	Shawbury - RAF
ground_resonance	The regular vibration of increasing amplitude of an aircraft position on the ground.	ground resonance oscillation regular vibration	Shawbury - RAF
GTN	Malfunction/discrepancy in Garmin operation	garmin GTN	Shawbury - RAF
handler_save	A potential incident prevented by a diligent ground handler during a post-start walk around or during refuelling.	start check leak disc handler	Shawbury - RAF
heating	Malfunction/discrepancy in heating system	Heating Heat	Shawbury - RAF
heavy_landing	A landing perceived to impact the ground with greater force than is necessary or warranted.	abnormal heavy bounce hard landing	Shawbury - RAF
hoist	Malfunction/discrepancy in hoist operation	Hoist load	Shawbury - RAF
hot_start	Incident where engine temperature limits are exceeded upon start.	T4 temperature starting hot	Shawbury - RAF
hyds_out	Hydraulic out running landing	hydraulic out running landing Hyds out running landing	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
IESI	Malfunction/discrepancy in Integrated Electronic Standby Instrument	IESI integrated	Shawbury - RAF
IF_box	Designated airspace applicable to Shawbury based aircraft in LFA 9 for instrument flying.	alpha brave delta charlie IF box	Shawbury - RAF
illumination (DO NOT USE,	This hashtag should not be used, illumination reports should be identified by selecting the LASER/HP ILLUMINATION additional report. A deliberate direct or indirect illumination of an aircraft by a ground-based high intensity light source.	night nvd laser light bright	Shawbury - RAF
IMC	Flight in Instrument Metrological Conditions	IFR cloud HSI EHSI AI Icing IMC	Shawbury - RAF
intercom	Malfunction/discrepancy in intercom operation	Intercom comms	Shawbury - RAF
knee_protection	Issues with crewman knee protection	Knee pads kneepads protection	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
leak	Fluid leaking from an aircraft.	fuel dripping oil leaking fluid	Shawbury - RAF
local_avoid	An aircraft infringes a published local avoid or sensitive area, unknowingly, due to insufficient planning, navigational error, miscommunication or weather.	sensitive area operations brief	Shawbury - RAF
longlead	Malfunction/discrepancy in crewman long intercom lead operation	Longlead long lead intercom	Shawbury - RAF
lowlevel_corridor	Airspace used to transit Manchester and Liverpool airspace.	corridor manchester liverpool	Shawbury - RAF
MFD	Malfunction/discrepancy in multi-function display operation	MFD	Shawbury - RAF
MFTS	Incidents or hazard/observations involving Juno and Jupiter aircraft at RAF Shawbury/Valley as part of UK Military Flying Training System.	Juno Jupiter RWFT Airbus AHUK	Shawbury - RAF
mgb_chip	Metal particles detected in tail rotor gearbox oil system	Gearbox tailrotor tail rotor oil chip	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
mgb_high_temp	Main gearbox oil temperature above 105 degrees	MGB mgb temp temperature high	Shawbury - RAF
mgb_oil_press	Main gearbox oil pressure below minimum	Gearbox G'box MRGB pressure oil low high	Shawbury - RAF
mgb_overlimit	Main gearbox temperature and/or pressure outside threshold values	MGB mgb pressure press limit overlimit	Shawbury - RAF
MMI	Failure or limit exceeded of the Mass Moment Indicator present on Juno and Jupiter aircraft. Malfunction/discrepancy in mast moment indication	mass moment indicator sloping ground MMI mast moment indicator	Shawbury - RAF
MOA_incursion	Operating area incursion	taxiway incursion runway incursion taxiing	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
model_ac	Traditional remote control model aircraft often flown at known sites, not to be confused with drone.	model aircraft peplow sleap club remote montford bridge	Shawbury - RAF
no_clearance	An aircraft fails to obtain or be in receipt of positive clearance prior to entering an airfield area or a regime of flight.	radio call taxi take-off clearance	Shawbury - RAF
overfly	An incident or potential incident where an aircraft hours exceed scheduled maintenance or checks.	hours overdue maintenance techlog	Shawbury - RAF
over_torque	Over torque	over torque Tq over-torque	Shawbury - RAF
pitot_static	Malfunction/discrepancy in pitot static air system	Pitot static	Shawbury - RAF
power_outage	A power outage resulting in the loss of electrical equipment within aviation support buildings.	powercut electricity	Shawbury - RAF
pressure_setting	Incorrect pressure setting	QFE QNH RPS FL ICAO SPS	Shawbury - RAF
p_flt_test	The pre flight test of the autopilot system of the Juno and Jupiter aircraft.	pitch roll autopilot	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RadAlt	Radar Altimeter Malfunction/discrepancy in radio altimeter operation	altimeter RADALT Radalt rad-alt	Shawbury - RAF
refuel	Any incident involving the refuelling of an aircraft including bowser activity.	bowser refuel ppe fuel hose	Shawbury - RAF
rescue_hoist	Rescue Hoist Operations	SAR Winching Winchman WinchOp Decks Sits Grappling	Shawbury - RAF
rotor_brake	Rotor Brake	Rotor Brake	Shawbury - RAF
rotor_rpm	Nr low/high	Nr rpm	Shawbury - RAF
RRRF	Incidents occurring during rotors running refuelling.	rotors running bowser refuel	Shawbury - RAF
running_landing	An occurrence during a practice running landing.	running landing run on landing	Shawbury - RAF
run_on_landing	Malfunction/discrepancy during run on landing	EOL running landing	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
seats	Incidents of observations relating to aircraft seats and harnesses.	seat inertia reel strap buckle seatbelt	Shawbury - RAF
single_engine_failure	Respective engine n1 below threshold values	Single engine failure	Shawbury - RAF
sits	Rescue Hoist Operations over land	SAR Winching Winchman WinchOp Decks Sits Grappling Injury	Shawbury - RAF
sleep	A general aviation airfield in the vicinity of Shawbury also used as a relief landing ground.	RLG general aviation GA	Shawbury - RAF
starter_motor	The electrical motor used to start aircraft engines.	starter starter motor	Shawbury - RAF
stby_bat	Malfunction/discrepancy in standby battery	Stby Standby battery	Shawbury - RAF
stinger_strike	Stinger Strike	stinger strike tail strike hockey stick	Shawbury - RAF
sys_bus_tie	Malfunction/discrepancy in system bus ties	System sys bus	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
tailrotor_fail_forward_flight	Failure of tail rotor control/drive in forward flight	Tail rotor tailrotor failure hover	Shawbury - RAF
tailrotor_fail_hover	Failure of tail rotor control/drive in hover	Tail rotor tailrotor failure hover	Shawbury - RAF
TAWS	Malfunction/discrepancy in engine monitoring sensors	TAWS engine eng monitoring	Shawbury - RAF
Tern_Hill		RLG runway triangle	Shawbury - RAF
throttle	Engine throttles.	throttle	Shawbury - RAF
Tilstock	A free-fall parachuting site in the vicinity of Shawbury.	para paradropping freefall	Shawbury - RAF
torque_mismatch	A difference in torque produced by a twin-engine aircraft.	torque tq mismatch	Shawbury - RAF
trgb_chip	Metal particles detected in tail rotor gearbox oil system	tailrotor tail rotor oil Gearbox chip	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
trim	Helicopter trim system.	trim pitch pitch actuator roll actuator beeper	Shawbury - RAF
unexpected_GA	Unexpected interaction with GA traffic either in the air or on the ground, for example a C172 makes an approach to airfield without permission.	general aviation GA civilian aircraft out of hours	Shawbury - RAF
verey_pistol	Use of Verey Pistol	Smokes SAR Misfire winching	Shawbury - RAF
vert_bounce	A phenomenon specific to helicopters in the form of vibration in the vertical plane.	oscillations bounce vertical vibration	Shawbury - RAF
VMS	Malfunction/discrepancy in vehicle monitoring system operation	VMS monitoring	Shawbury - RAF
walk_around	An hazard identified during a walkaround or a incident due to a insufficient walkaround	walkaround reach around walk around ground inspection	Shawbury - RAF
window	An incident involving aircraft windows.	window crack	Shawbury - RAF
windscreen_wiper	Windscreen wiper	windscreen wiper	Shawbury - RAF
wipers	Malfunction/discrepancy in heating system	Wipers windscreen motor blade blades	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
WSPS	Wire strike protection system	wire strike wire cutter WSPS	Shawbury - RAF
AFCS	Aircraft Flying Control System Disengagement or failure of both autopilot systems	ASW IF deviation from flight path CFIT AFCS autopilot system	Shawbury - RAF Culdrose - RNAS
bleed_valves/bleed_air	Malfunction of engine bleed valve	engine failure bleed valve illuminated light loss of power	Shawbury - RAF Culdrose - RNAS
door	Parts of aircraft that allow crew access Malfunction/discrepancy in aircraft doors	cargo door airstair door failure to close jammed door door	Shawbury - RAF Culdrose - RNAS
night	Any activity taking place during the night flying period	NVD look out fatigue unsuitable weather night darkness after dark nights	Shawbury - RAF Culdrose - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
NVD	Night vision device	nvd nvg goggles night flying fatigue laser look out night vision unsuitable weather	Shawbury - RAF Culdrose - RNAS
TAS	Traffic Alert System	TCAS FLARM TAS Airprox near miss RADAR Service ATSOCAS CAS ATZ Conflict	Shawbury - RAF QinetiQ Civil Flying Org
SWK_hazard_1_unnotified	Any DASOR relating to an un-notified increase or change to traffic levels in the Swanwick Mil AOR	traffic levels exercise traffic traffic increase controller workload controller overload overload	Swanwick RAF (U)
SWK_hazard_2_non_transp	Any DASOR relating to interaction with a non-transponding light a/c while under the control of Swanwick Mil	Non squawking Non transponding Primary only Primary only contact	Swanwick RAF (U)

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SWK_hazard_3_lack_of_dy	Hashtag DefinitionAny DASOR relating to an event involving map overlays on NATS controlling screens	map overlay dynamic overlay dynamic mapping SIS radar map radar screen controller screen	Swanwick RAF (U)
SWK_hazard_catastrophic	Any DASOR relating to NATS equipment being affected by a catastrophic fault	NATS equipment Equipment failure Equipment fault NATS hardware	Swanwick RAF (U)
SWK_hazard_controller_fa	Any DASOR involving a controller from Swanwick Mil controlling while fatigued	fatigue controller fatigue	Swanwick RAF (U)
SWK_hazard_cosford_light	Any DASOR relating to non-detection of slow-moving light aircraft operating in the vicinity of RAF Cosford	Cosford Tutuors Cosford RAF Cosford	Swanwick RAF (U)
SWK_hazard_listening_wat	Hashtag DefinitionAny DASOR relating to sorties being controlled by Swanwick Mil controllers requiring a listening watch which was not pre-planned, or aircrew not understanding the service requirement of a listening watch in line with GASOs	listening watch	Swanwick RAF (U)
SWK_hazard_Northolt_rwy	Any DASOR relating to increased traffic workload while operating on Rwy 07 at RAF Northolt	Northolt Rwy 07 Northolt 07 Rwy 07 Northolt	Swanwick RAF (U)
SWK_hazard_north_7000_	Any DASOR relating to unintended interaction with 7000 squawking aircraft in the Swanwick Mil North AOR	North 7000 7000	Swanwick RAF (U)
SWK_hazard_NOTAM_AGL	Hashtag DefinitionAny DASOR relating to confusion from NOTAMs using AGL vs. AMSL.	AMSL AGL	Swanwick RAF (U)

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SWK_issue_1_task_vs_resc	Any DASOR relating to flying activity exceeding the available manpower at Swanwick	Swanwick manpower Swanwick manning Controller manning manpower manning	Swanwick RAF (U)
SWK_issue_2_airspace_act	Any DASOR relating to Swanwick Mil controllers being unaware of airspace activity in their AOR	AOR airspace activity	Swanwick RAF (U)
SWK_issue_3_overload_tra	Any DASOR relating to a Swanwick Mil Tac controller becoming overloaded due to capacity or workload, or from poor management by the Planner	Traffic management controller workload	Swanwick RAF (U)
SWK_issue_communication	Any DASOR relating to miscommunication with NATS Swanwick/Prestwick	NATS Swanwick NATS Preswick	Swanwick RAF (U)
SWK_issue_CO_SQEP	Any DASOR relating to the CO not being fully SQEP in Safety qualifications due to Covid reducing the opportunity to complete training courses.	CO RAF Swanwick	Swanwick RAF (U)
SWK_issue_D&D_hrdf_infr	Any DASOR relating to HRDF equipment being infringed by vegetation	HRDF	Swanwick RAF (U)
SWK_issue_MAMC_experie	Any DASOR relating to incidents involving inexperienced Pers working in MAMC due to staff turnover at RAF Swanwick	MAMC	Swanwick RAF (U)
SWK_issue_night_shift_ma	Any DASOR relating to manning over night shift periods where each bank routinely only has one controller.	night shift manning night shift	Swanwick RAF (U)
SWK_issue_Northolt_radar	Any DASOR relating to an unnotified increase in Northolt Radar traffic OOH when only one radar controller is rostered	Northolt Radar Northolt Manning	Swanwick RAF (U)
SWK_issue_southeast_SUP	Any DASOR relating to a lack of Supervisors on Swanwick Mil West Bank due to controllers being required to endorse in Southeast before beginning Sup training	Swanwick Mil West	Swanwick RAF (U)

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SWK_issue_swanwick_flight	Any DASOR relating to the unavailability of the RAF Swanwick Flight Safety Officer due to controlling requirements	Swanwick Flight Safety Officer Swanwick FSO Swanwick BMFSO	Swanwick RAF (U)
SWK_issue_traffic_regeneration	Any DASOR relating to an increase in civil flying activity following as COVID restrictions are eased	covid Traffic regeneration	Swanwick RAF (U)
incorrect_switches	Any DASOR relating to incorrect switch configuration, wrong switches selected	Switch Incorrect Selected Selection	Valley - RAF
Texan_Ejection_Systems	Any DASOR relating to Texan Ejection Seat Systems	PIRD HPRU Harness Seat Ejection Restraint Straps Texan Seats Texan Mk 16B Texan Ejection	Valley - RAF 4 FTS - RAF
_ATC Transmission/Instructional Error	A transmission error and or an instructional error has occurred without the awareness of the Controller/ASOS	#transmission error	Valley - RAF 4 FTS - RAF
_Runway Incursion	An occurrence at an aerodrome involving the incorrect presence of an aircraft, vehicle or person on the protected area of a surface designated for the landing and take-off of aircraft (ICAO 2006)	#incursion	Valley - RAF 4 FTS - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_T2 Aircraft Critical System	To work around the hazard affects the ability to save life. When an aircraft is parked on the ground safety devices, in the form of distinctive safety pins, are fitted to prevent the accidental actuation of the ejection seat. In most cases, they can be made safe for rescue using just one or two seat pins. Once initiated, the ejection sequence is fully automatic and cannot be stopped.	#failure #malfunction	Valley - RAF 4 FTS - RAF
_T2 Inadvertent Initiation of	In normal conditions, only trained and competent technicians should attempt to make an ejection seat safe. However, emergency service personnel may be faced with undertaking the task in exceptional circumstances, where the risk associated with attempting	#ejection	Valley - RAF 4 FTS - RAF
_T2 Increased Rtl v Normal	A top event that has a greater risk of release due to operating at an unfamiliar airfield	#detachment #exercise	Valley - RAF 4 FTS - RAF
_T2 LoSS during ground man	Aircraft on the ground being dangerously close to each other, which is dealt with under Ground Operations.	#collision	Valley - RAF 4 FTS - RAF
_T2 Loss Safe Aircraft Control	Continued safe control of the aircraft cannot be maintained	#Loss of safe aircraft control	Valley - RAF 4 FTS - RAF
_T2 LoSS with Other Air Use	A Top Event release that would result in a significant MAC that would inevitably lead to the loss of the aircraft.	#MAC #LoSS	Valley - RAF 4 FTS - RAF
_T2 LoSS with the Ground	Defined as a breach of MSD or other safe separation with any terrain or fixed obstacle	#ground	Valley - RAF 4 FTS - RAF
_T2 Pilot Error	Pilot Error - Action, through lack of knowledge or skill, that threatens aircraft safe operation.	#Pilot Error	Valley - RAF 4 FTS - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_T2 RUAC	Release', in this context, means that an Air System has been placed on the line ready for use that day (prior to aircrew arriving at the aircraft) It is a latent condition - obviously, it is an undesirable condition but at this stage there is not a clear and present RtL. There also follows stages where control can be regained as (primarily) aircrew checks exist to capture any shortfall. The rationale is that these recovery barriers have the potential to eliminate the Threat of RoUA in the operating Bowties, rather than just accepting it as a Threat and then dealing with it as it starts its trajectory towards a new, more pernicious TE.	#unairworthy	Valley - RAF 4 FTS - RAF
_T2 Rwy Excursion	A runway excursion occurs when an aircraft departs the runway in use during the take-off or landing run.	#excursion	Valley - RAF 4 FTS - RAF
_Texan Accidental Initiation	In normal conditions, only trained and competent technicians should attempt to make an ejection seat safe. However, emergency service personnel may be faced with undertaking the task in exceptional circumstances, where the risk associated with attempting	#ejection	Valley - RAF 4 FTS - RAF
_Texan Aircraft Critical System	Critical Systems considered: Structure, aerodynamic capability, flying controls, undercarriage, propulsion and power (hyd & elec).	#malfunction #failure	Valley - RAF 4 FTS - RAF
_Texan Increased RtL v Normal	A top event that has a greater risk of release due to operating at an unfamiliar airfield	#detachment #exercise	Valley - RAF 4 FTS - RAF
_Texan LoSS during ground	Aircraft on the ground being dangerously close to each other, which is dealt with under Ground Operations.	#collision	Valley - RAF 4 FTS - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
_Texan Loss of Effectiveness	Connected to DHAN 241. Concerns ref freeboarding and selfrighting of LP, as well as other AEA issues.	#survival environment	Valley - RAF 4 FTS - RAF
_Texan Loss Safe Aircraft Control	Continued safe control of the aircraft cannot be maintained	#Loss of safe aircraft control	Valley - RAF 4 FTS - RAF
_Texan LoSS with Other Aircraft	A Top Event release that would result in a significant MAC that would inevitably lead to the loss of the aircraft.	#MAC #LoSS	Valley - RAF 4 FTS - RAF
_Texan LoSS with the Ground	Defined as a breach of MSD or other safe separation with any terrain or fixed obstacle	#ground	Valley - RAF 4 FTS - RAF
_Texan Pilot Error	Pilot Error - Action, through lack of knowledge or skill, that threatens aircraft safe operation.	#pilot error	Valley - RAF 4 FTS - RAF
_Texan RUAC	Release', in this context, means that an Air System has been placed on the line ready for use that day (prior to aircrew arriving at the aircraft) It is a latent condition - obviously, it is an undesirable condition but at this stage there is not a clear and present RtL. There also follows stages where control can be regained as (primarily) aircrew checks exist to capture any shortfall. The rationale is that these recovery barriers have the potential to eliminate the Threat of RoUA in the operating Bowties, rather than just accepting it as a Threat and then dealing with it as it starts its trajectory towards a new, more pernicious TE.	#unairworthy	Valley - RAF 4 FTS - RAF
_Texan Rwy Excursion	A runway excursion occurs when an aircraft departs the runway in use during the take-off or landing run.	#excursion	Valley - RAF 4 FTS - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC1.1	Loss of control, human performance & handling (ATC)	atc human performance handling loss of control	Waddington - RAF
ATC1.2	Loss of Control, adverse environmental conditions (ATC)	loss of control environmental	Waddington - RAF
ATC1.3	Loss of Control, technical failure (ATC)	failure loss of control atc technical	Waddington - RAF
ATC2.1	Runway excursion, landing operations overrun (ATC)	ATC runway excursion overrun landing	Waddington - RAF
ATC2.2	Runway excursion, lateral excursion (ATC)	excursion ATC runway lateral	Waddington - RAF
ATC2.3	Takeoff/departures overrun (ATC)	Takeoff departures overrun ATC	Waddington - RAF
ATC3.1	CFIT, general flight (ATC)	CFIT ATC flight	Waddington - RAF
ATC3.2	CFIT, non-precision control (ATC)	CFIT ATC non-precision control	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC3.3	CFIT, precision approach (ATC)	CFIT ATC precision approach	Waddington - RAF
ATC4.1	Runway incursion, aircraft operating on the ground, within the protected area (ATC)	ATC Runway incursion ground protected area	Waddington - RAF
ATC4.2	Runway Incursion, aircraft takeoff and landing operations (ATC)	ATC Runway Incursion takeoff landing	Waddington - RAF
ATC5.1	Airborne conflict, civilian airspace (ATC)	conflict ATC civilian airspace airspace	Waddington - RAF
ATC5.2	Airborne conflict, general airspace (ATC)	ATC conflict general airspace airspace	Waddington - RAF
ATC5.3	Airborne conflict, specialist military operating (ATC)	conflict specialist ATC	Waddington - RAF
ATC6.1	Ground handling, mass and balance (ATC)	Ground handling ATC mass and balance	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC6.2	Ground handling, environmental (ATC)	Ground handling environmental ATC	Waddington - RAF
ATC6.3	Ground handling, undetected damage (ATC)	Ground handling damage ATC	Waddington - RAF
ATC6.4	Ground operations, incursion (ATC)	Ground operations incursion ATC	Waddington - RAF
bleed_air	Any bleed air event		Waddington - RAF
E3D1.1	Loss of control, human performance & handling (Sentry)	handling Handling	Waddington - RAF
E3D1.2	Loss of control, adverse environmental conditions (Sentry)	turbulence ice windshear birdstrike	Waddington - RAF
E3D1.3	Loss of control, technical failure (Sentry)	powerplant malfunction instrument failure crew incapacitation reverse thrust in flight	Waddington - RAF
E3D2.1	Runway excursion, landing operations overrun (Sentry)	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
E3D2.2	Runway excursion, lateral excursion (Sentry)	runway excursion collision on takeoff collision on landing	Waddington - RAF
E3D2.3	Takeoff/departure operations overrun	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF
E3D3.1	CFIT, general flight (Sentry)	controlled flight into terrain non-low level non low level	Waddington - RAF
E3D3.2	CFIT, non-precision approach (Sentry)	non-low level non low level controlled flight into terrain	Waddington - RAF
E3D3.3	CFIT, precision approach (Sentry)	controlled flight into terrain non-low level non low level pilot incapacitation	Waddington - RAF
E3D4.1	Runway incursion, aircraft operating on the ground within the protected area (Sentry)	runway incursion vehicle animal person	Waddington - RAF
E3D4.2	Runway Incursion, aircraft takeoff and landing operations (Sentry)	runway incursion vehicle animal person	Waddington - RAF
E3D5.1	Airborne conflict, civilian controlled airspace (Sentry)	mid air collision mid-air collision	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
E3D5.2	Airborne conflict, general uncontrolled airspace (Sentry)	mid air collision mid-air collision	Waddington - RAF
E3D5.3	Airborne conflict, specialist military operating (Sentry)	mid air collision mid-air collision co-operating non-co-operating non co-operating	Waddington - RAF
E3D6.1	Ground handling, mass and balance (Sentry)	ramp loading operations balance moment	Waddington - RAF
E3D6.2	Ground handling, environmental (Sentry)	ramp de-icing ground handling	Waddington - RAF
E3D6.3	Ground handling, undetected damage (Sentry)	ramp damage loading operations	Waddington - RAF
E3D6.4	Ground operations, incursion (Sentry)	ground collision	Waddington - RAF
E3D7.1	Fire, crew accessible zone (Sentry)	fire technical failure	Waddington - RAF
E3D7.2	Fire, crew inaccessible zone (Sentry)	fire technical failure	Waddington - RAF
lase_before_arm	Lase before Arm	lase before arm target reaper	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
mainwheels	Any mainwheel event	brakes burst tyre deflation vibration abort rejected take off mainwheels undercarriage	Waddington - RAF
nosewheel	Any nosewheel event	vibration shimmy deflation steering burst tyre abort rejected take off mainwheels undercarriage	Waddington - RAF
REA1.1	Loss of control, human performance & handling (Reaper)	handling Handling	Waddington - RAF
REA1.2	Loss of control, adverse environmental conditions (Reaper)	ice windshear birdstrike turbulence	Waddington - RAF
REA1.3	Loss of control, technical failure (Reaper)	powerplant malfunction instrument failure crew incapacitation reverse thrust in flight	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
REA2.1	Runway excursion, landing operations overrun (Reaper)	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF
REA2.2	Runway excursion, lateral excursion (Reaper)	runway excursion collision on takeoff collision on landing	Waddington - RAF
REA2.3	Takeoff/departure operations overrun (Reaper)	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF
REA3.1	CFIT, general flight (Reaper)	controlled flight into terrain non-low level non low level	Waddington - RAF
REA3.2	CFIT, non-precision approach (Reaper)	controlled flight into terrain non-low level non low level pilot incapacitation	Waddington - RAF
REA3.3	CFIT, precision approach (Reaper)	controlled flight into terrain non-low level pilot incapacitation non low level	Waddington - RAF
REA4.1	Runway incursion, aircraft operating on the ground within the protected area (Reaper)	runway incursion vehicle animal person	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
REA4.2	Runway Incursion, aircraft takeoff and landing operations (Reaper)	vehicle animal person runway incursion	Waddington - RAF
REA5.1	Airborne conflict, civilian controlled airspace (Reaper)	mid air collision mid-air collision	Waddington - RAF
REA5.2	Airborne conflict, general uncontrolled airspace (Reaper)	mid air collision mid-air collision	Waddington - RAF
REA5.3	Airborne conflict, specialist military operating (Reaper)	mid air collision mid-air collision co-operating non co-operating non-co-operating	Waddington - RAF
REA6.1	Ground handling, mass and balance (Reaper)	ramp loading operations balance moment	Waddington - RAF
REA6.2	Ground handling, environmental (Reaper)	ramp de-icing ground handling	Waddington - RAF
REA6.3	Ground handling, undetected damage (Reaper)	ramp damage loading operations	Waddington - RAF
REA6.4	Ground operations, incursion (Reaper)	ground collision	Waddington - RAF
REA7.1	Fire, crew accessible zone (Reaper)	fire technical failure	Waddington - RAF
REA7.2	Fire, crew inaccessible zone (Reaper)	fire technical failure	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RJT1.1	Loss of control, human performance & handling (Rivet Joint)	handling Handling	Waddington - RAF
RJT1.2	Loss of control, adverse environmental conditions (Rivet Joint)	ice windshear birdstrike turbulence	Waddington - RAF
RJT1.3	Loss of control, technical failure (Rivet Joint)	powerplant malfunction instrument failure crew incapacitation reverse thrust in flight	Waddington - RAF
RJT2.1	Runway excursion, landing operations overrun (Rivet Joint)	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF
RJT2.2	Runway excursion, lateral excursion (Rivet Joint)	runway excursion collision on takeoff collision on landing	Waddington - RAF
RJT2.3	Takeoff/departure operations overrun (Rivet Joint)	undershoot overshoot incorrect landing calculations collision on takeoff collision on landing runway excursion	Waddington - RAF
RJT3.1	CFIT, general flight (Rivet Joint)	controlled flight into terrain non-low level non low level	Waddington - RAF
RJT3.2	CFIT, non-precision approach (Rivet Joint)	controlled flight into terrain non-low level non low level	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RJT3.3	CFIT, precision approach (Rivet Joint)	controlled flight into terrain non-low level non low level pilot incapacitation	Waddington - RAF
RJT4.1	Runway incursion, aircraft operating on the ground within the protected area (Rivet Joint)	runway incursion vehicle animal person	Waddington - RAF
RJT4.2	Runway Incursion, aircraft takeoff and landing operations (Rivet Joint)	runway incursion vehicle animal person	Waddington - RAF
RJT5.1	Airborne conflict, civilian controlled airspace (Rivet Joint)	mid air collision mid-air collision	Waddington - RAF
RJT5.2	Airborne conflict, general uncontrolled airspace (Rivet Joint)	mid air collision mid-air collision	Waddington - RAF
RJT5.3	Airborne conflict, specialist military operating (Rivet Joint)	mid-air collision co-operating mid air collision non-co-operating non co-operating	Waddington - RAF
RJT6.1	Ground handling, mass and balance (Rivet Joint)	loading operations balance moment ramp	Waddington - RAF
RJT6.2	Ground handling, environmental (Rivet Joint)	ramp de-icing ground handling	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RJT6.3	Ground handling, undetected damage (Rivet Joint)	ramp damage loading operations	Waddington - RAF
RJT6.4	Ground operations, incursion (Rivet Joint)	ground collision	Waddington - RAF
RJT7.1	Fire, crew accessible zone (Rivet Joint)	fire technical failure	Waddington - RAF
RJT7.2	Fire, crew inaccessible zone (Rivet Joint)	fire technical failure	Waddington - RAF
SHA1.1	Loss of control, human performance & handling (Shadow)	handling Handling	Waddington - RAF
SHA1.2	Loss of control, adverse environmental conditions (Shadow)	turbulence ice windshear birdstrike	Waddington - RAF
SHA1.3	Loss of control, technical failure (Shadow)	powerplant malfunction instrument failure crew incapacitation reverse thrust in flight	Waddington - RAF
SHA2.1	Runway excursion, landing operations overrun (Shadow)	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF
SHA2.2	Runway excursion, lateral excursion (Shadow)	runway excursion collision on takeoff collision on landing	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SHA2.3	Takeoff/departure operations overrun (Shadow)	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF
SHA3.1	CFIT, general flight (Shadow)	controlled flight into terrain non-low level non low level	Waddington - RAF
SHA3.2	CFIT, non-precision approach (Shadow)	controlled flight into terrain non-low level non low level	Waddington - RAF
SHA3.3	CFIT, precision approach (Shadow)	controlled flight into terrain non-low level non low level pilot incapacitation	Waddington - RAF
SHA4.1	Runway incursion, aircraft operating on the ground within the protected area (Shadow)	runway incursion vehicle animal person	Waddington - RAF
SHA4.2	Runway Incursion, aircraft takeoff and landing operations (Shadow)	runway incursion vehicle animal person	Waddington - RAF
SHA5.1	Airborne conflict, civilian controlled airspace (Shadow)	mid air collision mid-air collision	Waddington - RAF
SHA5.2	Airborne conflict, general uncontrolled airspace (Shadow)	mid air collision mid-air collision	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SHA5.3	Airborne conflict, specialist military operating (Shadow)	mid air collision mid-air collision co-operating non-co-operating non co-operating	Waddington - RAF
SHA6.1	Ground handling, mass and balance (Shadow)	ramp loading operations balance moment	Waddington - RAF
SHA6.2	Ground handling, environmental (Shadow)	ramp de-icing ground handling	Waddington - RAF
SHA6.3	Ground handling, undetected damage (Shadow)	ramp damage loading operations	Waddington - RAF
SHA6.4	Ground operations, incursion (Shadow)	ground collision	Waddington - RAF
SHA7.1	Fire, crew accessible zone (Shadow)	fire technical failure	Waddington - RAF
SHA7.2	Fire, crew inaccessible zone (Shadow)	fire technical failure	Waddington - RAF
STL1.1	Loss of control, human performance & handling (Sentinel)	handling Handling	Waddington - RAF
STL1.2	Loss of control, adverse environmental conditions (Sentinel)	turbulence ice windshear birdstrike	Waddington - RAF
STL1.3	Loss of control, technical failure (Sentinel)	powerplant malfunction instrument failure crew incapacitation reverse thrust in flight	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
STL2.1	Runway excursion, landing operations overrun (Sentinel)	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF
STL2.2	Runway excursion, lateral excursion (Sentinel)	runway excursion collision on takeoff collision on landing	Waddington - RAF
STL2.3	Takeoff/departure operations overrun (Sentinel)	runway excursion undershoot overshoot incorrect landing calculations collision on takeoff collision on landing	Waddington - RAF
STL3.1	CFIT, general flight (Sentinel)	controlled flight into terrain non-low level non low level	Waddington - RAF
STL3.2	CFIT, non-precision approach (Sentinel)	non-low level non low level pilot incapacitation controlled flight into terrain	Waddington - RAF
STL3.3	CFIT, precision approach (Sentinel)	controlled flight into terrain non-low level non low level pilot incapacitation	Waddington - RAF
STL4.1	Runway incursion, aircraft operating on the ground within the protected area (Sentinel)	runway incursion vehicle animal person	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
STL4.2	Runway Incursion, aircraft takeoff and landing operations (Sentinel)	vehicle animal person runway incursion	Waddington - RAF
STL5.1	Airborne conflict, civilian controlled airspace (Sentinel)	mid air collision mid-air collision	Waddington - RAF
STL5.2	Airborne conflict, general uncontrolled airspace (Sentinel)	mid air collision mid-air collision	Waddington - RAF
STL5.3	Airborne conflict, specialist military operating (Sentinel)	mid-air collision co-operating mid air collision non co-operating non-co-operating	Waddington - RAF
STL6.1	Ground handling, mass and balance (Sentinel)	ramp loading operations balance moment	Waddington - RAF
STL6.2	Ground handling, environmental (Sentinel)	ramp de-icing ground handling	Waddington - RAF
STL6.3	Ground handling, undetected damage (Sentinel)	ramp damage loading operations	Waddington - RAF
STL6.4	Ground operations, incursion (Sentinel)	ground collision	Waddington - RAF
STL7.1	Fire, crew accessible zone (Sentinel)	fire technical failrue	Waddington - RAF
STL7.2	Fire, crew inaccessible zone (Sentinel)	fire technical failure	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
2404	Any DASOR relating to the platforms operating software	2404 software	Waddington - RAF OOA Iraq
2407	Any DASOR relating to the platforms operating software	2407 software	Waddington - RAF OOA Iraq
2409	Any DASOR relating to the platforms operating software	2409 software	Waddington - RAF OOA Iraq
ACU	Any DASOR relating to issues with GCS air conditioning for equipment cooling	Air conditioning trip	Waddington - RAF OOA Iraq
AoA_sensor	Any DASOR relating to issues with the AoA Sensor	AoA stall potentiometer	Waddington - RAF OOA Iraq
datalinks	Any DASOR relating to issues with datalinks	AV TX1 AV TX2 GDT Omni directional interference SATCOM dish satellite lost link	Waddington - RAF OOA Iraq
deconflictor	Any DASOR relating to issues with the deconflictor and supporting processes	deconflictor peripheral aircraft status frequencies	Waddington - RAF OOA Iraq

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
DFCS	Any DASOR relating to issues with the Flight Control System	UARB servo autopilot DFCS hold mode	Waddington - RAF OOA Iraq
F700	Any DASOR relating to issues with the F700 and support processes	documentation F700 SNOW ADF Skynet	Waddington - RAF OOA Iraq
F781	Any DASOR relating to issues with the F781 and support processes	documentation SNOW ADF Skynet F777H F781	Waddington - RAF OOA Iraq
flight_controls	Any DASOR relating to the GCS flight controls	Flight stick controls lever condition throttle trim yaw rudder speed	Waddington - RAF OOA Iraq
FSST	Any DASOR relating to issues with the FSST	lost link satellite relay FSST	Waddington - RAF OOA Iraq

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
GCS_power	Any DASOR relating to issues with GCS power supplies	line mains power PSU GCU UPS battery trip breaker	Waddington - RAF OOA Iraq
handover	Any DASOR relating to issues with Handover between LRE-MCE and MCE-MCE	Gaining FSST Losing Handover	Waddington - RAF OOA Iraq
headset	Any DASOR relating to issues with the GCS intercom system and headsets	headset intercom	Waddington - RAF OOA Iraq
LRE	Any DASOR relating to issues with the LRE	LRE CLRE landing take-off recovery handover handback Det Cdr DetCo	Waddington - RAF OOA Iraq
MASS	Any DASOR relating to issues with the MASS	MASS master arm red pen consent trigger	Waddington - RAF OOA Iraq

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
MCE	Any DASOR relating to issues with MCE	MCE	Waddington - RAF OOA Iraq
MIC_stn	Any DASOR relating to issues with the MIC Station	Tacitview VLC video freeze MIC Tacit	Waddington - RAF OOA Iraq
MJAT	Any DASOR relating to issues with MJAT	simulator sim MJAT	Waddington - RAF OOA Iraq
MTS	Any DASOR relating to issues with Multi Spectral Targeting Pod	MTS pod camera multi feed video GIMDIS	Waddington - RAF OOA Iraq
rack_lock_up	Any DASOR relating to issues with Rack Lock Ups	rack lock up freeze blank screen point PCL	Waddington - RAF OOA Iraq
secure_chat	Any DASOR relating to issues with mIRC	mIRC secure chat peripherals	Waddington - RAF OOA Iraq
technical_failure	Any DASOR relating to failure of aircraft or gcs equipment	warning caution technical failure	Waddington - RAF OOA Iraq

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
theatre_documentation	Any DASOR relating to issues with Theatre documentation	ACO air picture updates SPINs ACM measure	Waddington - RAF OOA Iraq
wildlife_strike	Any DASOR relating to Wildlife strikes	wildlife strike impact hit	Waddington - RAF OOA Iraq
lost_link	Lost link event	lost link reaper datalink data link PPSL FSST frequency Em Msn space signal mission	Waddington - RAF OOA Iraq ASWC - WAD
sequencing	Relating to sequencing the mixed arr/deps of IFR/VFR traffic	Break-Off Continue 3nm call call by 2	Wittering - RAF
VL OOH	All aviation Out of Hours (OOH) moves at RNAS Yeovilton.	#Out of Hours moves #OOH #Rotary Wing Operations #RWO #Limited Operation #LO	Yeovilton - RNAS

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
mgb_overlimit	Main gearbox temperature and/or pressure outside threshold values	MGB,limit,mgb,overlimit,press,pressure	Shawbury - RAF
model_ac	Traditional remote control model aircraft often flown at known sites, not to be confused with drone.	club,model aircraft,montford bridge,peplow,remote,sleap	Shawbury - RAF
night	Any activity taking place during the night flying period	NVD,after dark,darkness,fatigue,look out,night,nights,unsuitable weather	Shawbury - RAF
no_clearance	An aircraft fails to obtain or be in receipt of positive clearance prior to entering an airfield area or a regime of flight.	clearance,radio call,take-off,taxi	Shawbury - RAF
over_torque	Over torque	Tq,over torque,over-torque	Shawbury - RAF
overfly	An incident or potential incident where an aircraft hours exceed scheduled maintenance or checks.	hours,maintenance,overdue,techlog	Shawbury - RAF
p_flt_test	The pre flight test of the autopilot system of the Juno and Jupiter aircraft.	autopilot,pitch,roll	Shawbury - RAF
panels	Any occurrence of an aircraft panel not being fitted, fitted incorrectly or becoming detached in flight.	detached,insecure,missing,open,panel,panels	Shawbury - RAF
pitot_static	Malfunction/discrepancy in pitot static air system	Pitot,static	Shawbury - RAF
power_outage	A power outage resulting in the loss of electrical equipment within aviation support buildings.	electricity,powercut	Shawbury - RAF
pressure_setting	Incorrect pressure setting	FL,ICAO,QFE,QNH,RPS,SPS	Shawbury - RAF
refuel	Any incident involving the refuelling of an aircraft including bowser activity.	bowser,fuel,hose,ppe,refuel	Shawbury - RAF
rescue_hoist	Rescue Hoist Operations	Decks,Grappling,SAR,Sits,WinchOp,Winching,Winchman	Shawbury - RAF
rotor_brake	Rotor Brake	Rotor Brake	Shawbury - RAF
rotor_rpm	Nr low/high	Nr,rpm	Shawbury - RAF
run_on_landing	Malfunction/discrepancy during run on landing	EOL,running landing	Shawbury - RAF
running_landing	An occurrence during a practice running landing.	run on landing,running landing	Shawbury - RAF
seats	Incidents of observations relating to aircraft seats and harnesses.	buckle,inertia reel,seat,seatbelt,strap	Shawbury - RAF
single_engine_failure	Respective engine n1 below threshold values	Single,engine,failure	Shawbury - RAF
sits	Rescue Hoist Operations over land	Decks,Grappling,Injury,SAR,Sits,WinchOp,Winching,Winchman	Shawbury - RAF
sleap	A general aviation airfield in the vicinity of Shawbury also used as a relief landing ground.	GA,RLG,general aviation	Shawbury - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
starter_motor	The electrical motor used to start aircraft engines.	starter,starter motor	Shawbury - RAF
stby_bat	Malfunction/discrepancy in standby battery	Standby,Stby,battery	Shawbury - RAF
stinger_strike	Stinger Srtike	hockey stick,stinger strike,tail strike	Shawbury - RAF
sys_bus_tie	Malfunction/discrepancy in system bus ties	System,bus ,sys	Shawbury - RAF
tailrotor_fail_forward_flight	Failure of tail rotor control/drive in forward flight	Tail rotor,failure,hover,tailrotor	Shawbury - RAF
tailrotor_fail_hover	Failure of tail rotor control/drive in hover	Tail rotor,failure,hover,tailrotor	Shawbury - RAF
throttle	Engine throttles.	throttle	Shawbury - RAF
torque_mismatch	A difference in torque produced by a twin-engine aircraft.	mismatch,torque,tq	Shawbury - RAF
trgb_chip	Metal particles detected in tail rotor gearbox oil system	Gearbox,chip,oil,tail rotor,tailrotor	Shawbury - RAF
trim	Helicopter trim system.	beeper,pitch,pitch actuator,roll actuator,trim	Shawbury - RAF
unexpected_GA	Unexpected interaction with GA traffic either in the air or on the ground, for example a C172 makes an approach to airfield without permission.	GA,civilian aircraft,general aviation,out of hours	Shawbury - RAF
verey_pistol	Use of Verey Pistol	Misfire,SAR,Smokes,winching	Shawbury - RAF
vert_bounce	A phenomenon specific to helicopters in the form of vibration in the vertical plane.	bounce,oscillations,vertical,vibration	Shawbury - RAF
walk_around	An hazard identified during a walkaround or a incident due to a insufficient walkaround	ground inspection,reach around,walk around,walkaround	Shawbury - RAF
window	An incident involving aircraft windows.	crack>window	Shawbury - RAF
windscreen_wiper	Windscreen wiper	windscreen wiper	Shawbury - RAF
wipers	Malfunction/discrepancy in heating system	Wipers,blade,blades,motor,windscreen	Shawbury - RAF
SWK_hazard_1_unnotified_traffic_increase	Any DASOR relating to an un-notified increase or change to traffic levels in the Swanwick Mil AOR	controller overload,controller workload,exercise traffic,overload,traffic increase,traffic levels	Swanwick RAF (U)
SWK_hazard_2_non_transponding_light_aircraft	Any DASOR relating to interaction with a non-transponding light a/c while under the control of Swanwick Mil	Non squawking,Non transponding,Primary only,Primary only contact	Swanwick RAF (U)
SWK_hazard_3_lack_of_dynamic_mapping	Hashtag Definition Any DASOR relating to an event involving map overlays on NATS controlling screens	SIS,controller screen,dynamic mapping,dynamic overlay,map overlay,radar map,radar screen	Swanwick RAF (U)
SWK_hazard_NOTAM_AGL_AMSL_conversion	Hashtag Definition Any DASOR relating to confusion from NOTAMs using AGL vs. AMSL.	AGL,AMSL	Swanwick RAF (U)
SWK_hazard_Northolt_rwy_07	Any DASOR relating to increased traffic workload while operating on Rwy 07 at RAF Northolt	Northolt,Northolt 07,Northolt Rwy 07,Rwy 07	Swanwick RAF (U)

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SWK_hazard_catastrophic_equipment_failure	Any DASOR relating to NATS equipment being affected by a catastrophic fault	Equipment failure,Equipment fault,NATS equipment,NATS hardware	Swanwick RAF (U)
SWK_hazard_controller_fatigue	Any DASOR involving a controller from Swanwick Mil controlling while fatigued	controller fatigue ,fatigue	Swanwick RAF (U)
SWK_hazard_cosford_light_aircraft	Any DASOR relating to non-detection of slow-moving light aircraft operating in the vicinity of RAF Cosford	Cosford ,Cosford Tutuors,RAF Cosford	Swanwick RAF (U)
SWK_hazard_listening_watch_discrepancy	Hashtag Definition Any DASOR relating to sorties being controlled by Swanwick Mil controllers requiring a listening watch which was not pre-planned, or aircrew not understanding the service requirement of a listening watch in line with GASOs	listening watch	Swanwick RAF (U)
SWK_hazard_north_7000_squawk	Any DASOR relating to unintended interaction with 7000 squawking aircraft in the Swanwick Mil North AOR	7000,North 7000	Swanwick RAF (U)
SWK_issue_1_task_vs_resource	Any DASOR relating to flying activity exceeding the available manpower at Swanwick	Controller manning,Swanwick manning,Swanwick manpower,manning,manpower	Swanwick RAF (U)
SWK_issue_2_airspace_activity_AOR	Any DASOR relating to Swanwick Mil controllers being unaware of airspace activity in their AOR	AOR,airspace activity	Swanwick RAF (U)
SWK_issue_3_overload_traffic_management	Any DASOR relating to a Swanwick Mil Tac controller becoming overloaded due to capacity or workload, or from poor management by the Planner	Traffic management,controller workload	Swanwick RAF (U)
SWK_issue_CO_SQEP	Any DASOR relating to the CO not being fully SQEP in Safety qualifications due to Covid reducing the opportunity to complete training courses.	CO RAF Swanwick	Swanwick RAF (U)
SWK_issue_D&D_hrdf_infringement	Any DASOR relating to HRDF equipment being infringed by vegetation	HRDF	Swanwick RAF (U)
SWK_issue_MAMC_experience	Any DASOR relating to incidents involving inexperienced Pers working in MAMC due to staff turnover at RAF Swanwick	MAMC	Swanwick RAF (U)
SWK_issue_Northolt_radar_requirement	Any DASOR relating to an unnotified increase in Northolt Radar traffic OOH when only one radar controller is rostered	Northolt Manning,Northolt Radar	Swanwick RAF (U)
SWK_issue_communication_with_NATS	Any DASOR relating to miscommunication with NATS Swanwick/Prestwick	NATS Preswick,NATS Swanwick	Swanwick RAF (U)
SWK_issue_night_shift_manning	Any DASOR relating to manning over night shift periods where each bank routinely only has one controller.	night shift,night shift manning	Swanwick RAF (U)

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SWK_issue_southeast_SUP_endorsement	Any DASOR relating to a lack of Supervisors on Swanwick Mil West Bank due to controllers being required to endorse in Southeast before beginning Sup training	Swanwick Mil West	Swanwick RAF (U)
SWK_issue_swanwick_flight_safety_officer	Any DASOR relating to the unavailability of the RAF Swanwick Flight Safety Officer due to controlling requirements	Swanwick BMFSO,Swanwick FSO,Swanwick Flight Safety Officer	Swanwick RAF (U)
SWK_issue_traffic_regeneration	Any DASOR relating to an increase in civil flying activity following as COVID restrictions are eased	Traffic regeneration,covid	Swanwick RAF (U)
UFIT	Uncontrolled flight into terrain (UFIT) Impact with ground	impact,terrain,uncontrolled	UAS Gp S2
autopilot(RPAS)	Erratic flight, UA failed launch	RPAS,UA,auto pilot,auto-pilot,autopilot,erratic,failed launch,launch	UAS Gp S2
erratic_flight_profile	UA height fluctuation, Flight path	erratic,flight path,flight profile,fluctuation,profile	UAS Gp S2
lost_link(RPAS)	Loss of Ulink/Downlink, stay on mission loss of link	communication,downlink,ulink	UAS Gp S2
ATC_infrastructure	Failure of Air Traffic Control infrastructure buildings or equipment; VCR Windows, Air Conditioning etc.	ATC,ATC building,PSR,RHAG,Radar,air conditioning,radio,runway,runway surface,rwy surface,sink holes,smre,ssr,sweeper,taxiway,tower,watchman,window s	Valley - RAF
Texan_Ejection_Systems	Any DASOR relating to Texan Ejection Seat Systems	Ejection,HPRU ,Harness,PIRD ,Restraint,Seat,Straps,Texan Ejection,Texan Mk 16B,Texan Seats	Valley - RAF
airfield_equipment	Any occurrence involving Generic Airfield Equipment, which is maintained by Airfield repair services such as Barriers, Arrestors, Traffic Lights, Runway Lights etc.	Approach lights,Arrestor,Barrier,PAPI,Runway Lights,Taxiway Lights,Traffic Lights,VASI	Valley - RAF
incorrect_switches	Any DASOR relating to incorrect switch configuration, wrong switches selected	Incorrect,Selected,Selection,Switch	Valley - RAF
2404	Any DASOR relating to the platforms operating software	2404,software	Waddington - RAF
2407	Any DASOR relating to the platforms operating software	2407,software	Waddington - RAF
2409	Any DASOR relating to the platforms operating software	2409,software	Waddington - RAF
ACU	Any DASOR relating to issues with GCS air conditioning for equipment cooling	Air conditioning,trip	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC1.1	Loss of control, human performance & handling (ATC)	atc,handling,human,loss of control,performance	Waddington - RAF
ATC1.2	Loss of Control, adverse environmental conditions (ATC)	environmental,loss of control	Waddington - RAF
ATC1.3	Loss of Control, technical failure (ATC)	atc,failure,loss of control,technical	Waddington - RAF
ATC2.1	Runway excursion, landing operations overrun (ATC)	ATC,excursion,landing,overrun,runway	Waddington - RAF
ATC2.2	Runway excursion, lateral excursion (ATC)	ATC,excursion,lateral,runway	Waddington - RAF
ATC2.3	Takeoff/departures overrun (ATC)	ATC,Takeoff,departures,overrun	Waddington - RAF
ATC3.1	CFIT, general flight (ATC)	ATC,CFIT,flight	Waddington - RAF
ATC3.2	CFIT, non-precision control (ATC)	non-precision ,ATC,CFIT,control	Waddington - RAF
ATC3.3	CFIT, precision approach (ATC)	ATC,CFIT,approach,precision	Waddington - RAF
ATC4.1	Runway incursion, aircraft operating on the ground, within the protected area (ATC)	ATC,Runway,ground,incursion,protected area	Waddington - RAF
ATC4.2	Runway Incursion, aircraft takeoff and landing operations (ATC)	ATC,Incursion,Runway,landing,takeoff	Waddington - RAF
ATC5.1	Airborne conflict, civilian airspace (ATC)	ATC,airspace,civilian airspace,conflict	Waddington - RAF
ATC5.2	Airborne conflict, general airspace (ATC)	ATC,airspace,conflict,general airspace	Waddington - RAF
ATC5.3	Airborne conflict, specialist military operating (ATC)	ATC,conflict,specialist	Waddington - RAF
ATC6.1	Ground handling, mass and balance (ATC)	ATC,Ground,handling,mass and balance	Waddington - RAF
ATC6.2	Ground handling, environmental (ATC)	ATC,Ground,environmental,handling	Waddington - RAF
ATC6.3	Ground handling, undetected damage (ATC)	ATC,Ground,damage,handling	Waddington - RAF
ATC6.4	Ground operations, incursion (ATC)	ATC,Ground,incursion,operations	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
ATC_staffing	When ATC Manning is below that acceptable for ATC/BM tasking.	ATC,Air Traffic,BM,manning,tasking	Waddington - RAF
AoA_sensor	Any DASOR relating to issues with the AoA Sensor	potentiometer,AoA,stall	Waddington - RAF
DFCS	Any DASOR relating to issues with the Flight Control System	DFCS,UARB,autopilot,hold mode,servo	Waddington - RAF
E3D1.1	Loss of control, human performance & handling (Sentry)	Handling,handling	Waddington - RAF
E3D1.2	Loss of control, adverse environmental conditions (Sentry)	birdstrike,ice windshear,turbulence	Waddington - RAF
E3D1.3	Loss of control, technical failure (Sentry)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
E3D2.1	Runway excursion, landing operations overrun (Sentry)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
E3D2.2	Runway excursion, lateral excursion (Sentry)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
E3D2.3	Takeoff/departure operations overrun	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
E3D3.1	CFIT, general flight (Sentry)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
E3D3.2	CFIT, non-precision approach (Sentry)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
E3D3.3	CFIT, precision approach (Sentry)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
E3D4.1	Runway incursion, aircraft operating on the ground within the protected area (Sentry)	animal,person,runway incursion,vehicle	Waddington - RAF
E3D4.2	Runway Incursion, aircraft takeoff and landing operations (Sentry)	animal,person,runway incursion,vehicle	Waddington - RAF
E3D5.1	Airborne conflict, civilian controlled airspace (Sentry)	mid air collision,mid-air collision	Waddington - RAF
E3D5.2	Airborne conflict, general uncontrolled airspace (Sentry)	mid air collision,mid-air collision	Waddington - RAF
E3D5.3	Airborne conflict, specialist military operating (Sentry)	co-operating,mid air collision,mid-air collision,non co-operating,non-co-operating	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
E3D6.1	Ground handling, mass and balance (Sentry)	balance,loading operations,moment,ramp	Waddington - RAF
E3D6.2	Ground handling, environmental (Sentry)	de-icing,ground handling,ramp	Waddington - RAF
E3D6.3	Ground handling, undetected damage (Sentry)	damage,loading operations,ramp	Waddington - RAF
E3D6.4	Ground operations, incursion (Sentry)	ground collision	Waddington - RAF
E3D7.1	Fire, crew accessible zone (Sentry)	fire,technical failure	Waddington - RAF
E3D7.2	Fire, crew inaccessible zone (Sentry)	fire,technical failure	Waddington - RAF
F700	Any DASOR relating to issues with the F700 and support processes	ADF,F700,SNOW,Skynet,documentation	Waddington - RAF
F781	Any DASOR relating to issues with the F781 and support processes	ADF,F777H,F781,SNOW,Skynet,documentation	Waddington - RAF
FSST	Any DASOR relating to issues with the FSST	FSST,lost link,relay,satellite	Waddington - RAF
GCS_power	Any DASOR relating to issues with GCS power supplies	GCU,PSU,UPS,battery,breaker,line,mains power,trip	Waddington - RAF
LRE	Any DASOR relating to issues with the LRE	CLRE,Det Cdr,DetCo,LRE,handback,handover,landing,recovery,take-off	Waddington - RAF
MASS	Any DASOR relating to issues with the MASS	MASS,arm,consent,master,red pen,trigger	Waddington - RAF
MCE	Any DASOR relating to issues with MCE	MCE	Waddington - RAF
MIC_stn	Any DASOR relating to issues with the MIC Station	MIC,Tacit,Tacitview,VLC,freeze,video	Waddington - RAF
MJAT	Any DASOR relating to issues with MJAT	MJAT,sim,simulator	Waddington - RAF
MTS	Any DASOR relating to issues with Multi Spectral Targeting Pod	GIMDIS,MTS,camera,feed,multi,pod,video	Waddington - RAF
REA1.1	Loss of control, human performance & handling (Reaper)	Handling,handling	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
REA1.2	Loss of control, adverse environmental conditions (Reaper)	birdstrike,ice windshear,turbulence	Waddington - RAF
REA1.3	Loss of control, technical failure (Reaper)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
REA2.1	Runway excursion, landing operations overrun (Reaper)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
REA2.2	Runway excursion, lateral excursion (Reaper)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
REA2.3	Takeoff/departure operations overrun (Reaper)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
REA3.1	CFIT, general flight (Reaper)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
REA3.2	CFIT, non-precision approach (Reaper)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
REA3.3	CFIT, precision approach (Reaper)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
REA4.1	Runway incursion, aircraft operating on the ground within the protected area (Reaper)	animal,person,runway incursion,vehicle	Waddington - RAF
REA4.2	Runway Incursion, aircraft takeoff and landing operations (Reaper)	animal,person,runway incursion,vehicle	Waddington - RAF
REA5.1	Airborne conflict, civilian controlled airspace (Reaper)	mid air collision,mid-air collision	Waddington - RAF
REA5.2	Airborne conflict, general uncontrolled airspace (Reaper)	mid air collision,mid-air collision	Waddington - RAF
REA5.3	Airborne conflict, specialist military operating (Reaper)	co-operating,mid air collision,mid-air collision,non co-operating,non-co-operating	Waddington - RAF
REA6.1	Ground handling, mass and balance (Reaper)	balance,loading operations,moment,ramp	Waddington - RAF
REA6.2	Ground handling, environmental (Reaper)	de-icing,ground handling,ramp	Waddington - RAF
REA6.3	Ground handling, undetected damage (Reaper)	damage,loading operations,ramp	Waddington - RAF
REA6.4	Ground operations, incursion (Reaper)	ground collision	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
REA7.1	Fire, crew accessible zone (Reaper)	fire,technical failure	Waddington - RAF
REA7.2	Fire, crew inaccessible zone (Reaper)	fire,technical failure	Waddington - RAF
RJT1.1	Loss of control, human performance & handling (Rivet Joint)	Handling,handling	Waddington - RAF
RJT1.2	Loss of control, adverse environmental conditions (Rivet Joint)	birdstrike,ice windshear,turbulence	Waddington - RAF
RJT1.3	Loss of control, technical failure (Rivet Joint)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
RJT2.1	Runway excursion, landing operations overrun (Rivet Joint)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
RJT2.2	Runway excursion, lateral excursion (Rivet Joint)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
RJT2.3	Takeoff/departure operations overrun (Rivet Joint)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
RJT3.1	CFIT, general flight (Rivet Joint)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
RJT3.2	CFIT, non-precision approach (Rivet Joint)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
RJT3.3	CFIT, precision approach (Rivet Joint)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
RJT4.1	Runway incursion, aircraft operating on the ground within the protected area (Rivet Joint)	animal,person,runway incursion,vehicle	Waddington - RAF
RJT4.2	Runway Incursion, aircraft takeoff and landing operations (Rivet Joint)	animal,person,runway incursion,vehicle	Waddington - RAF
RJT5.1	Airborne conflict, civilian controlled airspace (Rivet Joint)	mid air collision,mid-air collision	Waddington - RAF
RJT5.2	Airborne conflict, general uncontrolled airspace (Rivet Joint)	mid air collision,mid-air collision	Waddington - RAF
RJT5.3	Airborne conflict, specialist military operating (Rivet Joint)	co-operating,mid air collision,mid-air collision,non co-operating,non-co-operating	Waddington - RAF
RJT6.1	Ground handling, mass and balance (Rivet Joint)	balance,loading operations,moment,ramp	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
RJT6.2	Ground handling, environmental (Rivet Joint)	de-icing,ground handling,ramp	Waddington - RAF
RJT6.3	Ground handling, undetected damage (Rivet Joint)	damage,loading operations,ramp	Waddington - RAF
RJT6.4	Ground operations, incursion (Rivet Joint)	ground collision	Waddington - RAF
RJT7.1	Fire, crew accessible zone (Rivet Joint)	fire,technical failure	Waddington - RAF
RJT7.2	Fire, crew inaccessible zone (Rivet Joint)	fire,technical failure	Waddington - RAF
SHA1.1	Loss of control, human performance & handling (Shadow)	Handling,handling	Waddington - RAF
SHA1.2	Loss of control, adverse environmental conditions (Shadow)	birdstrike,ice windshear,turbulence	Waddington - RAF
SHA1.3	Loss of control, technical failure (Shadow)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
SHA2.1	Runway excursion, landing operations overrun (Shadow)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
SHA2.2	Runway excursion, lateral excursion (Shadow)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
SHA2.3	Takeoff/departure operations overrun (Shadow)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
SHA3.1	CFIT, general flight (Shadow)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
SHA3.2	CFIT, non-precision approach (Shadow)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
SHA3.3	CFIT, precision approach (Shadow)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
SHA4.1	Runway incursion, aircraft operating on the ground within the protected area (Shadow)	animal,person,runway incursion,vehicle	Waddington - RAF
SHA4.2	Runway Incursion, aircraft takeoff and landing operations (Shadow)	animal,person,runway incursion,vehicle	Waddington - RAF
SHA5.1	Airborne conflict, civilian controlled airspace (Shadow)	mid air collision,mid-air collision	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
SHA5.2	Airborne conflict, general uncontrolled airspace (Shadow)	mid air collision,mid-air collision	Waddington - RAF
SHA5.3	Airborne conflict, specialist military operating (Shadow)	co-operating,mid air collision,mid-air collision,non co-operating,non-co-operating	Waddington - RAF
SHA6.1	Ground handling, mass and balance (Shadow)	balance,loading operations,moment,ramp	Waddington - RAF
SHA6.2	Ground handling, environmental (Shadow)	de-icing,ground handling,ramp	Waddington - RAF
SHA6.3	Ground handling, undetected damage (Shadow)	damage,loading operations,ramp	Waddington - RAF
SHA6.4	Ground operations, incursion (Shadow)	ground collision	Waddington - RAF
SHA7.1	Fire, crew accessible zone (Shadow)	fire,technical failure	Waddington - RAF
SHA7.2	Fire, crew inaccessible zone (Shadow)	fire,technical failure	Waddington - RAF
STL1.1	Loss of control, human performance & handling (Sentinel)	Handling,handling	Waddington - RAF
STL1.2	Loss of control, adverse environmental conditions (Sentinel)	birdstrike,ice windshear,turbulence	Waddington - RAF
STL1.3	Loss of control, technical failure (Sentinel)	crew incapacitation,instrument failure,powerplant malfunction,reverse thrust in flight	Waddington - RAF
STL2.1	Runway excursion, landing operations overrun (Sentinel)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
STL2.2	Runway excursion, lateral excursion (Sentinel)	collision on landing,collision on takeoff,runway excursion	Waddington - RAF
STL2.3	Takeoff/departure operations overrun (Sentinel)	collision on landing,collision on takeoff,incorrect landing calculations,overshoot,runway excursion,undershoot	Waddington - RAF
STL3.1	CFIT, general flight (Sentinel)	controlled flight into terrain,non low level,non-low level	Waddington - RAF
STL3.2	CFIT, non-precision approach (Sentinel)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF
STL3.3	CFIT, precision approach (Sentinel)	controlled flight into terrain,non low level,non-low level,pilot incapacitation	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
STL4.1	Runway incursion, aircraft operating on the ground within the protected area (Sentinel)	animal, person, runway incursion, vehicle	Waddington - RAF
STL4.2	Runway Incursion, aircraft takeoff and landing operations (Sentinel)	animal, person, runway incursion, vehicle	Waddington - RAF
STL5.1	Airborne conflict, civilian controlled airspace (Sentinel)	mid air collision, mid-air collision	Waddington - RAF
STL5.2	Airborne conflict, general uncontrolled airspace (Sentinel)	mid air collision, mid-air collision	Waddington - RAF
STL5.3	Airborne conflict, specialist military operating (Sentinel)	co-operating, mid air collision, mid-air collision, non co-operating, non-co-operating	Waddington - RAF
STL6.1	Ground handling, mass and balance (Sentinel)	balance, loading operations, moment, ramp	Waddington - RAF
STL6.2	Ground handling, environmental (Sentinel)	de-icing, ground handling, ramp	Waddington - RAF
STL6.3	Ground handling, undetected damage (Sentinel)	damage, loading operations, ramp	Waddington - RAF
STL6.4	Ground operations, incursion (Sentinel)	ground collision	Waddington - RAF
STL7.1	Fire, crew accessible zone (Sentinel)	fire, technical failrue	Waddington - RAF
STL7.2	Fire, crew inaccessible zone (Sentinel)	fire, technical failure	Waddington - RAF
bleed_air	Any bleed air event		Waddington - RAF
datalinks	Any DASOR relating to issues with datalinks	AV TX1, AV TX2, GDT, Omni, SATCOM, directional, dish, interference, lost link, satellite	Waddington - RAF
deconflictor	Any DASOR relating to issues with the deconflictor and supporting processes	aircraft status, deconflictor, frequencies, peripheral	Waddington - RAF
flight_controls	Any DASOR relating to the GCS flight controls	Flight stick, condition, controls, lever, rudder, speed, throttle, trim, yaw	Waddington - RAF
handover	Any DASOR relating to issues with Handover between LRE-MCE and MCE-MCE	FSST, Gaining, Handover, Losing	Waddington - RAF
headset	Any DASOR relating to issues with the GCS intercom system and headsets	headset, intercom	Waddington - RAF

ASIMS HashTag Definitions

Hashtag	Description	Associated Words	Station
hydraulics	Hydraulic system failure, System relying on liquid moving in a confined space under pressure.	Utility hydraulic,auxiliary hydraulic,booster hydraulic,brakes,control manifold,failure,flaps,hydraulic oil,nosewheel steering,pressure,system,temperature,undercarriage	Waddington - RAF
lase_before_arm	Lase before Arm	lase before arm,reaper,target	Waddington - RAF
lost_link	Lost link event	Em Msn,FSST,PPSL,data link,datalink,frequency,lost link,mission,reaper,signal,space	Waddington - RAF
mainwheels	Any mainwheel event	abort,brakes,burst tyre,deflation,mainwheels,rejected take off,undercarriage,vibration	Waddington - RAF
nosewheel	Any nosewheel event	abort,burst tyre,deflation,mainwheels,nose wheel,nosewheel,rejected take off,shimmy,steering,undercarriage,vibration	Waddington - RAF
rack_lock_up	Any DASOR relating to issues with Rack Lock Ups	PCL,blank screen,freeze,lock up,point,rack	Waddington - RAF
secure_chat	Any DASOR relating to issues with mIRC	mIRC,peripherals,secure chat	Waddington - RAF
technical_failure	Any DASOR relating to failure of aircraft or gcs equipment	caution,failure,technical,warning	Waddington - RAF
theatre_documentation	Any DASOR relating to issues with Theatre documentation	ACM,ACO,SPINs,air picture,measure,updates	Waddington - RAF

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

[illegible]

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions

ASIMS HashTag Definitions
