



UK Health  
Security  
Agency

# Hydrogen sulphide

## Incident management

This document provides information needed for response to a chemical incident, such as physicochemical properties, health effects and decontamination advice.

Thank you for visiting the compendium of chemical hazards. Please take our [short survey](#) to help us make improvements.

# Contents

Incident management .....	1
Contents.....	2
Main points.....	3
General.....	3
Health .....	3
Casualty decontamination at the scene.....	3
Environment .....	3
Inform the Environment Agency where appropriate and avoid release into the environment.	3
Hazard identification .....	4
Physicochemical properties .....	8
Reported effect levels from authoritative sources .....	9
Exposure standards, guidelines or regulations .....	11
Health effects .....	12
Decontamination at the scene.....	13
Chemical specific advice .....	13
Clinical decontamination and first aid.....	14
Important notes .....	14
Clinical decontamination following surface contamination.....	14
Dermal exposure .....	15
Ocular exposure .....	15
Inhalation.....	16
Ingestion.....	16
Clinical decontamination and first aid references .....	17
About the UK Health Security Agency .....	18

## Main points

### General

Hydrogen sulphide has a strong rotten egg odour and is a colourless, flammable gas at room temperature. It reacts with strong oxidants, generating fire and explosion hazard. Heating may cause violent combustion or explosion.

Hydrogen sulphide decomposes on burning, producing sulphur oxides.

Attacks many metals and some plastics.

### Health

Prolonged inhalation exposure causes respiratory tract irritation, with rhinitis, pharyngitis, bronchitis, dyspnoea and pulmonary oedema.

Systemic effects include vomiting, diarrhoea, headache, nystagmus, dizziness, agitation, drowsiness, tremor, muscular weakness, convulsions, tachycardia and hypotension.

Inhalation of high concentrations rapidly leads to collapse, respiratory paralysis, coma, cardiac arrhythmias and death.

Exposure to the eyes causes pain, blepharospasm, lacrimation, conjunctivitis and photophobia.

Exposure to the skin can result in itching, pain, redness and skin discolouration.

## Casualty decontamination at the scene



Decontamination should not be necessary following exposure to hydrogen sulphide as it exists as a gas at room temperature. Hydrogen sulphide is stored as a liquid under pressure in cylinders; this liquid will rapidly volatilise if released, though it may cause thermal burns on contact with skin.

### Environment

Inform the [Environment Agency](#) where appropriate and avoid release into the environment.

# Hazard identification

**Table 1. Standard (UK) dangerous goods emergency action codes for hydrogen sulphide**

<b>UN</b>		1053	Hydrogen sulphide	
<b>EAC</b>		2WE	Use fine water spray. Wear chemical protective clothing with liquid-tight connections for whole body in combination with breathing apparatus [note 1]. Substance can be violently or explosively reactive. There may be a public safety hazard outside the immediate area of the incident [note 2]	
<b>APP</b>		A(cf)	Fire kit with gas-tight chemical protective suit with breathing apparatus [note 3]. Liquefied flammable gas with a boiling point below -20°C.	
<b>Hazards</b>	<b>Class</b>	2.3	Toxic gases	
	<b>Sub-risks</b>	2.1	Flammable gases	
<b>HIN</b>		263	Toxic gas, flammable	

## Abbreviations

UN = United Nations number.

EAC = emergency action code.

APP = additional personal protection.

HIN = hazard identification number.

## Notes to Table 1

Note 1: Chemical protective clothing with liquid-tight connections for whole body (type 3) conforming to the relevant standards such as BS 8428 or EN 14605, in combination with breathing apparatus conforming to BS EN 137.

Note 2: In such cases due care must be exercised to avoid unnecessary pollution of surface and groundwaters and wherever possible control measures such as the sealing of drains should be employed.

Note 3: People should stay indoors with all doors and windows closed, preferably in rooms upstairs and facing away from the incident. Ignition sources should be eliminated and ventilation stopped. Effects may spread beyond the immediate vicinity. All non-essential personnel should be instructed to move at least 250 m away from the incident.

#### Reference

[‘Dangerous Goods Emergency Action Code List’](#). National Chemical Emergency Centre (NCEC), part of Ricardo-AEA. The Stationery Office (2023)

Note 1: Chemical protective clothing with liquid tight connections for whole body (Type 3) conforming to the relevant standards such as BS 8428 or EN 14605 in combination with breathing apparatus conforming to BS EN 137.





Note 2: People should be warned to stay indoors with all doors and windows closed, preferably in rooms upstairs and facing away from the incident. Ignition sources should be eliminated and ventilation stopped. Effects may spread beyond the immediate vicinity. All non-essential personnel should be instructed to move at least 250 m away from the incident.

Note 3: Normal fire kit in combination with gas-tight chemical protective clothing conforming to BS EN 943 part 2 in combination with breathing apparatus conforming to BS EN 137. Suitable thermal resistant gloves should be worn, such as those conforming to BS EN511 or BS EN407.

## References

'[Dangerous Goods Emergency Action Code List](#)'. National Chemical Emergency Centre (NCEC), part of Ricardo-AEA. The Stationery Office (2023)

**Table 2. The GB classification, labelling and packaging (CLP) regulation for hydrogen sulphide**


<b>Hazard class and category</b>	Press. Gas	Pressurised gas	
	Flam. Gas 1	Flammable gas, category 1	
	Acute Tox. 2	Acute toxicity (inhalation) category 2	
	Aquatic Acute 1	Acute hazard to the aquatic environment	
<b>Hazard statement</b>	H220	Extremely flammable gas	
	H330	Fatal if inhaled	
	H400	Very toxic to aquatic life	
<b>Signal words</b>	DANGER		

## References

The Health and Safety Executive (HSE). '[GB CLP Regulation](#)' (viewed September 2024)

# Physicochemical properties

**Table 3. Physicochemical properties**

<b>CAS number</b>	7783-06-4
<b>Molecular weight</b>	34
<b>Formula</b>	H <sub>2</sub> S
<b>Common synonyms</b>	Dihydrogen sulphide
<b>State at room temperature</b>	Gas
<b>Volatility</b>	Vapour pressure = 1880 kPa at 20°C
<b>Specific gravity</b>	1.19 (air = 1)
<b>Flammability</b>	Extremely flammable. Gas/air mixtures are explosive.
<b>Lower explosive limit</b>	3.9%
<b>Upper explosive limit</b>	45.5%
<b>Water solubility</b>	Soluble in water: 0.5 g/100 mL water at 20°C
<b>Reactivity</b>	<p>Heating may cause violent combustion or explosion. Reacts with strong oxidants, generating fire and explosion hazard.</p> <p>Decomposes on burning, producing sulphur oxides. Attacks many metals and some plastics.</p>
<b>Odour</b>	Strong rotten egg odour
<b>Structure</b>	

## References

International Programme on Chemical Safety. [International Chemical Safety Card entry for hydrogen sulphide](#). ICSC 0165, 2017. World Health Organization: Geneva. (viewed September 2024)

PubChem [Internet]. Bethesda (MD): National Library of Medicine (US), National Center for Biotechnology Information; 2004-. [PubChem Compound Summary for CID 402, Hydrogen Sulfide](#) (viewed September 2024)



## Reported effect levels from authoritative sources

These values give an indication of levels of exposure that can cause adverse effects. They are not health protective standards or guideline values.

**Table 4. Exposure by inhalation**

ppm	mg/m <sup>3</sup>	Signs and symptoms	Reference
2	2.8	Bronchial constriction in asthmatic individuals	a
3.6	5	Increased eye complaints	a
20	28	Fatigue, loss of appetite, headache, irritability, poor memory, dizziness	a
50	70	Severe damage to eye tissue (exposure of an hour or more)	a
100	140	Olfactory paralysis	a
250-600	350-740	Pulmonary oedema	b
500	700	Potentially fatal (rapid respiratory failure)	a
530-1,000	750-1,400	Strong CNS stimulation, hyperpnoea followed by respiratory arrest	c
1,000-2,000	1,400-2,800	Immediate collapse with respiratory paralysis	c

### References

- a. International Programme on Chemical Safety (IPCS), [Hydrogen sulfide. Concise International Chemical Assessment Document 53](#), 2003, WHO: Geneva. (Viewed September 2025)
- b. Scientific Committee on Occupational Exposure Limits (SCOEL), [Recommendation from the Scientific Committee on Occupational Exposure Limits for Hydrogen Sulphide](#), 2007, European Union (Viewed September 2025).
- c. Air Quality Guidelines for Europe. '[World Health Organization Regional Office for Europe, Copenhagen WHO Regional Publications, European Series, No. 91, Second Edition](#)', World Health Organization 2000 (Viewed September 2025)

**Table 5. Acute exposure guideline levels (AEGLs)**

	Concentration (ppm)				
	10 minutes	30 minutes	60 minutes	4 hours	8 hours
<b>AEGL-1</b> [note 1]	0.75	0.60	0.51	0.36	0.33
<b>AEGL-2</b> [note 2]	41	32	27	20	17
<b>AEGL-3</b> [note 3]	76	59	50	37	31

#### Notes to Table 5

Note 1: Level of the chemical in air at or above which the general population could experience notable discomfort.

Note 2: Level of the chemical in air at or above which there may be irreversible or other serious long-lasting effects or impaired ability to escape.

Note 3: Level of the chemical in air at or above which the general population could experience life-threatening health effects or death.

Level of distinct odour awareness = 0.01ppm

#### Reference

US Environmental Protection Agency (EPA) '[Acute Exposure Guideline Levels](#)' (viewed September 2024)

# Exposure standards, guidelines or regulations

**Table 7. Occupational standards**

	LTEL (8-hour reference period)		STEL (15-min reference period)	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
<b>WEL</b>	5	7	10	14

## Abbreviations

WEL = workplace exposure limit.

LTEL = long-term exposure limit.

STEL = short-term exposure limit.

## Reference

HSE. '[EH40/2005 Workplace Exposure Limits](#) . Fourth Edition' (2020)

**Table 8. Public health standards and guidelines**

<b>WHO guideline for drinking water quality</b>	It is unlikely that a person would consume a harmful dose of hydrogen sulphide from drinking-water; hence, a health-based guideline value has not been derived for this compound.  Taste and odour threshold estimated to be between 0.05 and 0.1 mg/L.
<b>WHO air quality guideline</b>	0.15 mg/m <sup>3</sup> with an averaging time of 24 hours.  Concentrations should not be allowed to exceed 7 µg/m <sup>3</sup> , with a 30-minute averaging period, to prevent odour annoyance to the exposed population.

## Reference

WHO. [Guidelines for Drinking-water Quality, 4th Edition Incorporating First and Second Addendum](#) 2022 WHO: Geneva.

WHO Regional Office for Europe. '[Air Quality Guidelines for Europe, European Series, No. 91, 2nd Edition](#)', 2000. WHO: Copenhagen

## Health effects

Inhalation is the most likely route of exposure.

**Table 9. Signs or symptoms of acute exposure**

Route	Signs and symptoms
<b>Inhalation</b>	<p>Prolonged exposure causes respiratory tract irritation, with rhinitis, pharyngitis, bronchitis, dyspnoea and pulmonary oedema.</p> <p>Systemic effects include vomiting, diarrhoea, headache, nystagmus, dizziness, agitation, drowsiness, tremor, muscular weakness, convulsions, tachycardia and hypotension.</p> <p>Inhalation of high concentrations leads rapidly to collapse, respiratory paralysis, cyanosis, convulsions, coma, cardiac arrhythmias and death within minutes.</p> <p>Severe acute exposures have been associated with long-term neurological impairment including microsmia, psychomotor slowing, extrapyramidal signs and deficits in memory and executive/planning functioning.</p>
<b>Eyes</b>	<p>Severe damage to the eye may occur. Initial features may include pain, blepharospasm, lacrimation, conjunctivitis, palpebral oedema and photophobia. Severe features may include corneal burns, iritis, anterior and posterior synechia, corneal opacification, cataracts, glaucoma and retinal atrophy. Injury to the eye should be considered an ophthalmic emergency.</p> <p>Injury to the eyelid may result in features described under dermal exposure.</p>
<b>Dermal</b>	<p>Pain, itching, redness and skin discolouration may occur. Exposure to the compressed liquid may cause frostbite injury.</p>

### Reference

[TOXBASE](#). Hydrogen sulphide, August 2024 (viewed September 2024)

## Decontamination at the scene

### Chemical specific advice

The approach used for decontamination at the scene will depend upon the incident, location of the casualties and the chemicals involved. Therefore, a risk assessment should be conducted to decide on the most appropriate method of decontamination.

Decontamination should not be necessary following exposure to hydrogen sulphide as it exists as a gas at room temperature. Hydrogen sulphide is stored as a liquid under pressure in cylinders; this liquid will rapidly volatilise if released, though it may cause thermal burns on contact with skin.

People who are processed through improvised decontamination should subsequently be moved to a safe location, triaged and subject to health and scientific advice. Based on the outcome of the assessment, they may require further decontamination.

Emergency services and public health professionals can obtain further advice from the UK Health Security Agency (UKHSA) Radiation, Chemicals, Climate and Environmental Hazards Directorate using the 24-hour chemical hotline number: 0344 892 0555.

## Clinical decontamination and first aid

Clinical decontamination is the process where trained healthcare professionals, using purpose-designed decontamination equipment, treat contaminated persons individually.

[Detailed information on clinical management](#) can be found on TOXBASE.

### Important notes

Once body surface contaminants have been removed or if your patient was exposed by ingestion or inhalation, the risk that secondary care givers may become contaminated is very low. Secondary carers should wear standard hospital PPE as a precaution against secondary contamination from vomit and body fluids.

If the patient has not been decontaminated following surface contamination, secondary carers must wear appropriate NHS PPE for chemical exposure to avoid contaminating themselves.

The area should be well ventilated.

For comprehensive clinical advice consult [TOXBASE](#) directly.

### Clinical decontamination following surface contamination

Avoid contaminating yourself.

Carry out decontamination after resuscitation. This should be performed in a well-ventilated area, preferably with its own ventilation system.

Contaminated clothing should be removed, double-bagged, sealed and stored safely.

Decontaminate open wounds first and avoid contamination of unexposed skin. Any particulate matter adherent to skin should be removed and the patient washed with copious amounts of water under low pressure for at least 10 to 15 minutes, or until pH of skin is normal (pH of the skin is 4.5 to 6 although it may be closer to 7 in children, or after irrigation). The earlier irrigation begins, the greater the benefit.

Pay special attention to skin folds, fingernails and ears.

## Dermal exposure

Decontaminate (as above) the patient following surface contamination.

Following decontamination, recheck pH of affected areas after a period of 15 to 20 minutes and repeat irrigation if abnormal. Burns with strong solutions may require irrigation for several hours or more. Attention should be paid to avoiding hypothermia during prolonged irrigation with cool fluids.

Once the pH is normal and stabilised, treat as per a thermal injury.

Burns totalling more than 15% of body surface area in adults (>10% in children) will require standard fluid resuscitation as for thermal burns.

Moderate/severe chemical burns should be reviewed by a burns specialist.

Carry out other supportive measures as indicated by the patient's clinical condition.

## Ocular exposure

Remove contact lenses if present.

Anaesthetise the eye with a topical local anaesthetic (for example, oxybuprocaine, amethocaine or similar). However, do not delay irrigation if local anaesthetic is not immediately available.

Immediately irrigate the affected eye thoroughly with 1,000mL 0.9% saline or equivalent crystalloid (for example, by an infusion bag with a giving set) for a minimum of 10 to 15 minutes irrespective of initial conjunctival pH. A Morgan Lens may be used if anaesthetic has been given.

Aim for a neutral conjunctival pH of 7 to 7.2. The conjunctivae may be tested with indicator paper. Retest at 15 - 30 minutes after irrigation and use further irrigation if necessary.

Any particles lodged in the conjunctival recesses should be removed.

Repeated instillation of local anaesthetics may reduce discomfort and help more thorough decontamination. However, prolonged use of concentrated local anaesthetics is damaging to the cornea.

Patients with corneal damage, those who have been exposed to strong acids or alkalis and those whose symptoms do not resolve rapidly should be discussed urgently with an ophthalmologist.

Carry out other supportive measures as indicated by the patient's clinical condition.

## Inhalation

Maintain a clear airway and ensure adequate ventilation.

Administer oxygen to achieve adequate oxygenation.

In severely affected patients, especially those with tachypnoea, stridor or upper airway damage, critical care input is essential with urgent assessment of the airway. A supraglottic-epiglottic burn with erythema and oedema is usually a sign that further oedema will occur that may lead to airway obstruction.

Children are at increased risk of airway obstruction.

Monitor vital signs and cardiac rhythm. Check the capillary blood glucose.

Check and record pupil size.

Perform a 12-lead ECG in all patients who require an assessment.

Carry out other supportive measures as indicated by the patient's clinical condition.

## Ingestion

Maintain airway and established haemodynamic stability.

In severely affected patients, especially those with tachypnoea, stridor or upper airway damage, critical care input is essential with urgent assessment of the airway. A supraglottic-epiglottic burn with erythema and oedema is usually a sign that further oedema will occur that may lead to airway obstruction.

Children are at increased risk of airway obstruction.

Do not attempt gastric lavage. Do not give neutralising chemicals as heat produced during neutralisation reactions may increase injury.

Monitor vital signs and cardiac rhythm; check the capillary blood glucose.



Perform a 12-lead ECG in all patients who require assessment.

Carry out other supportive measures as indicated by the patient's clinical condition.

## Clinical decontamination and first aid references

[TOXBASE](#). Hydrochloric acid (Hydrogen chloride), (2020) (viewed September 2024)

TOXBASE. Corrosives – ingestion, (2022)

TOXBASE. Corrosives – inhalation, (2020)

TOXBASE. Skin decontamination – Corrosives, January (2020)

TOXBASE. Chemicals sprayed and splashed into the eyes – features and management, (2020)

## About the UK Health Security Agency

UKHSA is responsible for protecting every member of every community from the impact of infectious diseases, chemical, biological, radiological and nuclear incidents and other health threats. We provide intellectual, scientific and operational leadership at national and local level, as well as on the global stage, to make the nation health secure.

[UKHSA](#) is an executive agency, sponsored by the [Department of Health and Social Care](#).

This document from the UKHSA Radiation, Chemicals, Climate and Environmental Hazards Directorate reflects understanding and evaluation of the current scientific evidence as presented and referenced here.

© Crown copyright 2025

First published: June 2016

Full document update: August 2019

Full document update: September 2024

Table 4 updated: September 2025

For queries relating to this document, please contact [chemcompendium@ukhsa.gov.uk](mailto:chemcompendium@ukhsa.gov.uk) or [enquiries@ukhsa.gov.uk](mailto:enquiries@ukhsa.gov.uk)

Publishing reference: GOV-17360



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](#). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the  
Sustainable Development Goals

