

# Permitting Decisions- Environment Agency Initiated Variation

We have decided to issue an Environment Agency initiated variation for European Metal Recycling operated by European Metal Recycling Limited following a review of the permit in accordance with Environmental Permitting (England and Wales) Regulations 2016, regulation 34(1).

The variation number is EPR/LB3408MP/V002.

#### **Permit Review**

This Environment Agency has a duty, under the Environmental Permitting (England and Wales) Regulations 2016 (EPR), regulation 34(1), to periodically review permits. Article 21(3) of the Industrial Emissions Directive (IED) also requires the Environment Agency to review conditions in permits to ensure that they deliver compliance with relevant standards, within four years of the publication of updated decisions on Best Available Techniques (BAT) Conclusions.

We have reviewed the permit for this regulated facility and varied the permit to make a number of changes to reflect relevant standards and best practice. These changes principally relate to the implementation of our technical guidance for <u>WEEE treatment and transfer</u> and <u>Treating metal waste in shredders</u>, including the relevant requirements of the <u>BAT Conclusions for Waste Treatment</u> which have been incorporated into our guidance.

In this decision document, we set out the reasoning for the variation notice that we have issued.

It explains how we have reviewed and considered the techniques used by the operator in the operation and control of the plant and activities of the installation (operating techniques) against our technical guidance.

As well as considering the review of the operating techniques used by the Operator for the operation of the plant and activities of the installation, the consolidated variation notice takes into account and brings together in a single document all previous variations that relate to the original permit issue. Where this has not already been done, it also modernises the entire permit to reflect the conditions contained in our current generic permit template.

LIT 12011 20/11/2020 Page 1 of 25

# Purpose of this document

This decision document provides a record of the decision making process. It:

- explains how the Environment Agency initiated variation has been determined;
- summarises the decision making process in the <u>decision considerations</u> section to show how the main relevant factors have been taken into account;
- highlights <u>key issues</u> in the determination.

Read the permitting decisions in conjunction with the environmental permit and the variation notice.

# Key issues of the decision

### **Environment Agency led variation – permit review**

We have carried out an Environment Agency initiated variation to the permit following a permit review as required by legislation to ensure that permit conditions deliver compliance with relevant legislative requirements and appropriate standards to protect the environment and human health.

The Industrial Emissions Directive (IED) came into force on 7 January 2014 with the requirement to implement all relevant Best Available Techniques (BAT) Conclusions as described in the Commission Implementing Decision. Article 21(3) of the IED requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication of updated decisions on Best Available Techniques (BAT) Conclusions.

The BAT Conclusions for Waste Treatment (the BREF) was published on 17 August 2018 following a European Union wide review of BAT, implementing decision (EU) 2018/1147 of 10 August 2018. Relevant existing facilities were expected to be in compliance with the BAT Conclusions within 4 years (i.e. by August 2022).

On 13th July 2022 our WEEE (waste electrical and electronic equipment) appropriate measures guidance was published on gov.uk. This guidance includes additional appropriate measures for WTEE (waste temperature exchange equipment).

This technical guidance explains the standards (appropriate measures) that are relevant to regulated facilities with an environmental permit to treat or transfer

LIT 12011 20/11/2020 Page 2 of 25

WEEE (including WTEE) and incorporates the relevant requirements of the BAT Conclusions.

On 20<sup>th</sup> October 2021 our Treating metal waste in shredders appropriate measures guidance was published on gov.uk. This technical guidance explains the standards that are relevant to regulated facilities with an environmental permit to mechanically treat metal waste in shredders and incorporates the relevant requirements of the BAT Conclusions.

We issued a notice under regulation 61(1) of the Environmental Permitting (England and Wales) Regulations 2016 (a Regulation 61 Notice) on 17/12/2021 and 20/04/2022 requiring the operator to provide information to confirm that the operation of their facility currently meets, or how it will subsequently meet, the standards (appropriate measures) described in our technical guidance.

The notice required that where the revised standards are not currently met, the operator should provide information that:

- Describes the techniques that will be implemented to ensure operations meet the relevant standards and by when, or
- Explains why they are not applicable to the facility in question, or
- Justifies why an alternative technique is appropriate and will achieve an equivalent level of environmental protection to the standards described in our guidance

The standards described in our technical guidance are split into 7 chapters:

- General management appropriate measures
- Waste pre-acceptance, acceptance and tracking appropriate measures
- Waste storage, segregation and handling appropriate measures
- Waste treatment appropriate measures
- Emissions control appropriate measures
- Emissions monitoring and limits appropriate measures
- Process efficiency appropriate measures

We have set emission limit values (ELVs) and monitoring requirements for relevant substances in line with our technical guidance and the BAT Conclusions for Waste Treatment, unless a tighter, i.e. more stringent, limit was previously imposed and these limits have been carried forward.

The Regulation 61 notice required the operator to confirm whether they could comply the standards described in each of these chapters. Table 1 below provides a summary of the response received and our assessment of it. The overall status of compliance with the standards (appropriate measures) is indicated in the table as:

NA – Not Applicable

CC - Currently Compliant

FC – Compliant in the future (through improvement conditions set in permit)

NC – Not Compliant

In accordance with Article 22(2) of the Industrial Emissions Directive, the Regulation 61 notice asked the operator to provide a soil and groundwater risk assessment, along with a baseline report or summary report confirming the current state of soil and groundwater contamination, where listed activities are undertaken that involve the use, production of release of relevant hazardous substances.

The Regulation 61 notice also asked the operator to confirm whether they operate a medium combustion plant or specified generator (as per Schedule 25A or 25B of EPR 2016) and whether they had considered how their operations could be affected by climate changes (e.g. through a climate change adaptation plan).

Our assessment of the responses received from the operator regarding soil and groundwater risk assessment, medium combustion plant and specified generators, and consideration of climate change are also summarised in Table 1.

The Regulation 61 notice response from the Operator was received on 30/08/2022.

We considered that the response did not contain sufficient information for us to commence determination of the permit review. We therefore issued a further information request to the operator. Suitable further information was provided by the operator on 18/11/2024 and 29/01/2025.

LIT 12011 20/11/2020 Page 4 of 25

Table 1 – Summary of our assessment of the operator's Reg 61 response

Appropriate measures	Compliance status	Assessment of the installation's compliance with relevant standards (appropriate measures) and any alternative techniques proposed by the operator
General management appropriate measures	CC	Treating Metal Waste In Shredders: Appropriate Measures  The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.  WEEE: Appropriate Measures  The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.  ELV: Appropriate Measures  The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.
Waste pre-acceptance, acceptance and tracking appropriate measures	CC	Treating Metal Waste In Shredders: Appropriate Measures  The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.  WEEE: Appropriate Measures  The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.

LIT 12011 20/11/2020 Page 5 of 25

		ELV: Appropriate Measures
		The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.
Waste storage, segregation	FC	Treating Metal Waste In Shredders: Appropriate Measures
and handling appropriate measures		The operator confirmed that they currently meet the requirements of the appropriate measures in this section with the exception of:
		<ul> <li>Section 4.1, Point 3 which requires the covering of non-metallic shredder fractions. The operator has confirmed that the shelter used to cover the fractions is in the process of being built at the manufacturer's premise. Delivery is estimated to be at the end of February 2025 with full installation to be completed by mid-March 2025, but have not had full confirmation of completion. We have therefore included an improvement condition which asks the operator to confirm completion.</li> </ul>
		<ul> <li>Section 4.4, Point 4 which states that lead acid batteries must be stored upright with terminals taped off or capped in acid proof containers to prevent leaks and short circuits. The operator has confirmed they currently do not tape/cap the terminals due to a concern with increase fire risk. We have included an Improvement Condition which asks the operator to provide an alternative measure or comply with the appropriate measure. This has been included in the Improvement Condition programme.</li> </ul>
		WEEE: Appropriate Measures
		The operator confirmed that they currently meet the requirements of the appropriate measures in this section with the exception of:
		<ul> <li>Section 4.2, Point 1-18 (WEEE) which relates the additional storage requirements of gas discharge lamps, flat panel display equipment, cathode ray tube equipment, small mixed WEEE, and photovoltaic panels. The operator has confirmed that this is N/A as the installation does not accept, store or treat any of these wastes.</li> </ul>
		ELV: Appropriate Measures

		<ul> <li>The operator confirmed that they currently meet the requirements of the appropriate measures in this section with the exception of:</li> <li>Section 4.4, Point 5 which states that lead acid batteries must be stored upright with terminals taped off or capped in acid proof containers to prevent leaks and short circuits. The operator has confirmed they currently do not tape/cap the terminals due to a concern with increase fire risk. We have included an Improvement Condition which asks the operator to provide an alternative measure or comply with the appropriate measure. This has been included in the Improvement Condition programme.</li> </ul>
Waste treatment appropriate measures	FC	Treating Metal Waste In Shredders: Appropriate Measures
		The operator confirmed that they currently meet the requirements of the appropriate measures in this section with the exception of:
		<ul> <li>Section 5.2, Point 6 which requires full characterising and classifying of process solutions and washings from density separation processes. This is N/A as density separation is carried out via a cyclonic process using air.</li> <li>Section 5.5, Point 1-3 which relate to minimising the release of diffuse emissions to air from activities that may create them. This is achieved by carrying out the activity using enclosed equipment or closed buildings. The operator has stated that they cannot adhere to this due to the risk of flame events within the shredder. The operator has carried out a review and the following has been implemented:</li> </ul>
		<ul> <li>A water misting system within the mill to suppress fugitive air emissions;</li> <li>The fitting of a wet scrubber abatement system to ensure dust is reduced to at least 5mg/m3 in accordance with the BAT-AEL;</li> <li>The covering and enclosing of all conveyors, transfer points and drop points downstream of the shredder carrying light fraction.</li> <li>Monitoring of ambient air emissions through the requirement of the permit.</li> </ul>
		WEEE: Appropriate Measures
		The operator confirmed that they currently meet the requirements of the appropriate measures in this section with the exception of:

	T	
		<ul> <li>Section 5.5, Point 1-14 which sets out the treatment of gas discharge lamps. The operator has confirmed that this is N/A as they do not receive, store, or treat this waste type.</li> <li>Section 5.6, Point 1-14 which sets out the treatment of cathode ray tube equipment. The operator has confirmed that this is N/A as they do not receive, store, or treat this waste type.</li> <li>Section 5.7, Point 1-14 which sets out the treatment of flat panel display equipment. The operator has confirmed that this is N/A as they do not receive, store, or treat this waste type.</li> <li>Section 5.8, Point 1-14 which sets out the treatment of small mixed WEEE. The operator has confirmed that this is N/A as they do not receive, store, or treat this waste type.</li> <li>Section 5.9, Point 1-14 which sets out the treatment of IT, telecommunications and business equipment. The operator has confirmed that this is N/A as they do not receive, store, or treat this waste type.</li> <li>Section 5.11, Point 1-14 which sets out the treatment of photovoltaic panels. The operator has confirmed that this is N/A as they do not receive, store, or treat this waste type.</li> <li>Section 5.12, Point 5 which requires fully characterisation and classification of process solutions and washings from density separation processes before determining suitable disposal options. The operator has confirmed this is N/A as no density separation processes occur on site.</li> <li>ELV: Appropriate Measures</li> <li>The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.</li> </ul>
Emissions control appropriate measures	FC	Treating Metal Waste In Shredders: Appropriate Measures  The operator confirmed that they currently meet the requirements of the appropriate measures in this
		Section with the exception of:  Section 6.1, Point 1 which requires the operator to contain the waste treatment plant to make sure process emissions are collected, extracted and directed to an appropriate abatement system for treatment before release. The operator has stated that the shredder is partially enclosed, but full enclose cannot be adhered to due to the risk of flame events and accessibility required. The operator has carried out a review and the following has been implemented:  A water misting system within the mill to suppress fugitive air emissions;  The fitting of a wet scrubber abatement system to ensure dust is reduced to at least 5mg/m3 in accordance with the BAT-AEL;

- The covering and enclosing of all conveyors, transfer points and drop points downstream of the shredder carrying light fraction.
- Monitoring of ambient air emissions through the requirement of the permit.
- Section 6.1, Point 2 which requires the operator to identify the main chemical constituents of the site's point source emissions as part of the site's inventory of emissions to air. We have included an improvement condition (IC4a and IC4b) which requires the completion of an emissions inventory and H1 Risk Assessment for the point source emissions to air. See Improvement Programme for further details.
- Section 6.1, Point 3 which requires the operator to assess the fate and impact of substances emitted to air. We have included an improvement condition (IC4a and IC4b) which requires the completion of an emissions inventory and H1 Risk Assessment for the point source emissions to air.
- Section 6.2, Point 8 which requires full enclosure of transfer and storage systems and
  equipment, including conveyors, hoppers, containers, tanks and skips. The operator has four
  conveyors that are currently not covered. An improvement condition has been retained (IC3) to
  demonstrate compliance with the appropriate measure.
- Section 6.2, Point 9 which recommends the operator to keep enclosed buildings and equipment under adequate negative pressure. The operator has responded to state that negative pressure cannot be achieved as the shredder is not fully enclosed. The operator has carried out a review and the following has been implemented:
  - A water misting system within the mill to suppress fugitive air emissions;
  - The fitting of a wet scrubber abatement system to ensure dust is reduced to at least 5mg/m3 in accordance with the BAT-AEL;
  - The covering and enclosing of all conveyors, transfer points and drop points downstream of the shredder carrying light fraction.
  - Monitoring of ambient air emissions through the requirement of the permit.
- Section 6.2, Point 10-13 which requires the use of fast-acting airlocks, full enclosure of pre- and post-treatment shredder plant, use of appropriate process interlocks, and the containment and extraction of dust emissions from the shredder plant to an appropriate abatement system. The operator has responded to state that fast acting air lock doors are of no benefit as the enclosed dirt sheds experience constant loading shovel movement in and out of the enclosures. The operator has also stated that where possible, (for full enclosure, process interlocks, and appropriate abatement), these have been fitted. However, full enclosure of the shredder chamber within a building is impractical due to potential flame events. The operator has carried out a review and the following has been implemented:
  - A water misting system within the mill to suppress fugitive air emissions;

- The fitting of a wet scrubber abatement system to ensure dust is reduced to at least 5mg/m3 in accordance with the BAT-AEL;
- The covering and enclosing of all conveyors, transfer points and drop points downstream of the shredder carrying light fraction.
- Monitoring of ambient air emissions through the requirement of the permit.
- Section 6.2, Point 31 requires the operator to have either pressure relief dampers or a preshredder. The operator has provided a working deflagration management plan which will be used to mitigate the frequency and effects of any deflagrations. In the event that the amount of deflagrations per year is unacceptable, it is likely we will request the operator to comply with this appropriate measure and install one or the other.
- Section 6.4, Point 1 which requires the operator to identify the main chemical constituents of the site's point source emissions as part of the site's inventory of emissions to water and sewer. We have included an improvement condition (IC4a and IC4b) which requires the completion of an emissions inventory and H1 Risk Assessment for the point source emissions to water and sewer. See Improvement Programme for further details.
- Section 6.4, Point 2 which requires the operator to assess the fate and impact of substances emitted to water and sewer. We have included an improvement condition (IC4a and IC4b) which requires the completion of an emissions inventory and H1 Risk Assessment for the point source emissions to water and sewer.
- Section 6.5, Point 4 which requires each water stream generated to be collected and treated separately. We have therefore included an Improvement Condition which requires the operator to review and resubmit their site drainage plan to demonstrate the feasibility of segregating clean and dirty water. The operator has confirmed that this does not currently occur on site, and therefore the feasibility to separate and segregate must be explored in order to meet compliance with BAT 19f.

#### WEEE Appropriate Measures

The operator confirmed that they currently meet the requirements of the appropriate measures in this section with the exception of:

Section 6.1, Point 1-3 and section 6.4, Point 2 which requires an assessment of the fate and
impact of the substances emitted to air and water, following the Environment Agency's air and
water emission risk assessment methodology. An Improvement Condition has been included for
this assessment. This has been included in the Improvement Condition programme.

		ELV: Appropriate Measures
		LEV. Appropriate Measures
		The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.
Emissions monitoring and	FC	Treating Metal Waste In Shredders: Appropriate Measures
limits appropriate measures		The operator confirmed that they currently meet the requirements of the appropriate measures in this section with the exception of:
		<ul> <li>Section 7.1, Point 1 which requires the operator to have an emissions inventory which characterises the parameters of the point source emissions to air.</li> </ul>
		<ul> <li>Section 7.3, Point 1 which requires the operator to have an emissions inventory which characterises the parameters of the point source emissions to water.</li> </ul>
		We have included an improvement condition (IC4a and IC4b) which requires the completion of an emissions inventory and H1 Risk Assessment for the point source emissions to air. See Improvement Programme for further details.
		WEEE: Appropriate Measures
		The operator confirmed that they currently meet the requirements of the appropriate measures in this section with the exception of:
		<ul> <li>Section 7.1, Point 1 which requires the operator to have an emissions inventory which characterises the parameters of the point source emissions to air.</li> </ul>
		<ul> <li>Section 7.3, Point 1 which requires the operator to have an emissions inventory which characterises the parameters of the point source emissions to water.</li> </ul>
		We have included an improvement condition (IC4a and IC4b) which requires the completion of an emissions inventory and H1 Risk Assessment for the point source emissions to air. See Improvement Programme for further details.
	1	<u> </u>

Process efficiency appropriate	CC	Treating Metal Waste In Shredders: Appropriate Measures
measures		A request for information dated 30/01/2025 that asked for the confirmation of outstanding process efficiency measures in order to comply with the appropriate measures.
		On 12/02/2025, the operator responded to confirm how the outstanding are being met. The operator has now confirmed how they meet the following appropriate measures:
		<ul> <li>Measure 8.1, Point 1-2;</li> <li>Measure 8.1, Point 3-4;</li> <li>Measure 8.3, Point 1;</li> <li>Measure 8.3, Point 3;</li> <li>Measure 8.3, Point 6; and</li> <li>Measure 8.3, Point 9</li> </ul>
		The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.
		WEEE: Appropriate Measures
		The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.
Waste minimisation, recovery,	CC	ELV: Appropriate Measures
and disposal		The operator confirmed that they currently meet the requirements of all appropriate measures in this section. Compliance with the appropriate measures in this section of the guidance has been incorporated into the varied permit through the updated operating techniques listed in Table S1.2.
Reg 61 requirement	Assessment	of response received
Soil and groundwater risk assessment	Within the Regulation 61 Notice response dated the operator has referenced the document 'Baseline report reference 72670_EMR-Portsmouth_IED Baseline_April 2018', which they have confirmed as previously submitting.	

Medium combustion plant and specified generators	N/A. The operator confirmed that there are no combustion plant or generators associated with the permitted activity.
Climate change	Submission of climate change risk assessment is no longer application requirement. It now forms a part of the operator's EMS and will be reviewed within compliance assessment.
Summary of other changes mad	e to the permit as a result of our assessment of the Reg 61 response
Removal of D15 from AR5	We have removed 'D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced) from activity AR5 'Waste electrical and electronic equipment authorised treatment facility'.
	In the Regulation 61 Notice response, the operator stating that all incoming waste's intended purpose is for recovery. The removal of D15 was confirmed with the operator on the 18/11/2024 in response to a request for further information.
Removal of DAAs	The following DAAs have been removed from the permit:
	<ul> <li>AR3 – Storage of waste excluding temporary storage of hazardous waste under Section 5.6 A(1)(a); and</li> <li>AR4 – Storage of processed materials, excluding temporary storage of hazardous waste under Section 5.6 A(1)(a).</li> <li>AR6 – Discharge of site drainage from storage and treatment areas to foul sewer.</li> </ul>
	AR3 has been superseded by the following DAA (AR3) within the permit:
	Storage of non-hazardous waste pending treatment.
	The AR1 activity now has a limit included to confirm the storage of treated waste: "Treated waste (ferrous metal, non-ferrous metal, WEEE, and ELV) shall be stored prior to transfer off-site for no longer than 6 months or as agreed in any approved Fire Prevention Plan". Therefore, AR3 and AR4 has been removed as it is now redundant. The new AR3 DAA allows for the storage of non-hazardous waste prior to treatment, which supersedes the pre-existing AR3.
	AR6 has been removed because the permit previously listed the site interceptor for surface water runoff as a Directly Associated Activity (DAA). Following a review against our guidance (RGN 2: Understanding the Meaning of Regulated Facility), we have determined that the use of the interceptor does not meet the criteria for DAA).

The use of an interceptor is considered a standard pollution control measure rather than a separate activity that is technically connected to and directly associated with the waste treatment operation. It does not process waste or generate emissions itself but rather provides a passive means of protecting controlled waters from contamination. Therefore, it is more appropriately captured within the emissions control requirements of the permit, particularly within the emissions to water table and relevant infrastructure conditions. The interceptor will continue to be regulated through conditions requiring control of emissions to sewer, and the operator remains responsible for ensuring it is maintained and performs effectively to prevent pollution. Added restriction of waste The following waste codes within Table S2.2 relating to the metal shredding process (AR1) has been restricted to the code following: 16 02 14 – discarded equipment other than those mentioned in 16 02 09 to 16 02 13 (cookers, washing machines, street lights, dishwashers and tumble dryers, excluding heat pump tumble dryers) • 16 02 16 – components removed from discarded equipment other than those mentioned in 16 02 15 (ferrous and non-ferrous metal waste only). • 20 01 36 – discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35 (cookers, washing machines, street lights, dishwashers and tumble dryers, excluding heat pump tumble dryers) These waste codes have been restricted to limit the type of waste that can be accepted under this waste code, in order to make clear the intention of the types of waste that are acceptable to be treated under the metal shredding activity. The operator has provided an updated waste acceptance procedure that ensures that no hazardous material from street lighting will be accepted. Inclusion and removal of We have added the following waste code to table S2.5: waste codes • 17 04 10\* - cables containing oil, coal tar and other hazardous substances. We have identified that 17 04 11 is included on the metal recycling waste code table. EMR have a Regulatory Position Statement in place for the treatment and storage of hazardous cables which will expire. To ensure the operator can still accept this waste, we have included the mirror-hazardous entry so that the waste code can be dual-coded upon acceptance to the site. However, the following limits are included within AR7's limits of activities to reflect the Industrial Emissions Directive thresholds:

The maximum quantity of hazardous waste (in aggregate) that can be accepted or stored at the site shall not exceed 50 tonnes at any one time.

As there is no associated S5.3 A(1) (a) (ii) activity within this permit, the IED thresholds remain in place that treatment of hazardous waste shall not exceed 10 tonnes per day.

We have added the following waste codes to table S2.5:

- 20 01 33\* batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
- 20 01 34 batteries and accumulators other than those mentioned in 20 01 33

These waste codes have been added as requested by the operator in an email dated 27/06/2025 to reflect incoming batteries from household waste recycling centres. As the operator already accepts similar waste from ELVs and controls the environmental risk through compliance with the appropriate measures and site specific control measures, there is likely no significant risk associated with this additional waste stream.

In an email dated 07/03/2025, the operator confirmed that "Only polluted ELVs would be accepted into the depollution area of the yard. 16 01 04\*".

We have therefore removed the following waste codes which are not accepted as part of the Vehicle storage, depollution and dismantling (authorised treatment) facility (AR5):

- 16 01 06 end-of-life vehicles, containing neither liquids nor other hazardous components
- 16 01 17 ferrous metal
- 16 01 18 non-ferrous metal
- 16 01 21\* hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14
- 16 01 22 components not otherwise specified
- 16 06 01\* lead batteries
- 16 06 05 other batteries and accumulators

We have added the following waste code to Table S2.3:

	,
	• 16 01 19 - plastic
	These waste codes have been added as requested by the operator in an email dated 27/06/2025 to reflect acceptance of ELV bumpers separately. These will be stored for onward movement to EMR's sister company MBA Polymers. As the operator already accepts similar waste and controls the environmental risk through compliance with the appropriate measures and site-specific control measures, there is likely no significant risk associated with this additional waste stream.
Removal of Condition 2.6.2	The following condition has been removed from the permit:
	2.6.2 Unless otherwise agreed in writing by the Environment Agency, WEEE and components of WEEE shall be treated in accordance with the methods and standards specified in table S1.5, unless it is being prepared for re-use or the operator has taken appropriate measures to ensure such treatment following transfer off site.
	The operator has confirmed with their Regulation 61 Notice and follow-up Request For Information emails that they do not accept the following WEEE waste:
	<ul> <li>Small Mixed WEEE</li> <li>Gas Discharge Lamps</li> <li>Flat Panel Display Equipment</li> <li>IT, Telecommunications and Business Equipment</li> <li>Waste Temperature Exchange Equipment</li> <li>Cathode Ray Tubes</li> </ul>
	Therefore, this standard condition that refers to Table S1.5 specifying the treatment methods and standards for the treatment of this type of WEEE has been removed from the permit.
	AR6 has been removed and similar wording included in Table S3.2 of the permit.
Removal of condition 3.6.7	We have removed the following condition from the permit:
	3.6.7 – The operator shall, without delay, inform the Environment Agency of each confirmed detection of radiation in accordance with this condition and the action taken in accordance with condition 4.3.1.
	We have removed this condition as the operator has an associated SR 2017 No 1 permit under EPR/TB3996DN which authorises the operator to keep radioactive material and accumulate radioactive waste that is identified by a radiation

	detection system following its unintentional receipt. Therefore, condition 3.6.7 is superseded by the standard rules permit in place.	
Limits of treatment operations of Waste electrical and electronic equipment authorised treatment facility (AR6)	Provious permit allowed for the following treatment operations:  Sorting Dismantling Separation Shredding Screening Grading Bailing Shearing Compacting Crushing Granulation Repair or refurbishment Cutting  In response to a Request For Information email dated 18/02/2025 the operator confirmed they currently only process Large Domestic Appliances and other non-hazardous WEEE through the shredder (AR1) activity.  Reference to 'shredding' and 'granulation' have been removed as these are present treatment operations for the shredder (AR1) activity.  The following treatment operations have been removed as the operator does not carry out these treatment operations on site:	
	<ul> <li>Dismantling</li> <li>Screening</li> <li>Bailing</li> <li>Shearing</li> <li>Compacting</li> <li>Crushing</li> <li>Cutting</li> </ul>	

Table S1.1 has been updated within the permit to reflect these changes.
---

### **Decision Considerations**

#### **Confidential information**

A claim for commercial or industrial confidentiality has not been made.

The decision was taken in accordance with our guidance on confidentiality.

## Identifying confidential information

We have not identified information provided as part of the Regulation 61 notice response that we consider to be confidential.

The decision was taken in accordance with our guidance on confidentiality.

## The regulated facility

We considered the extent and nature of the facility at the site in accordance with RGN2 'Understanding the meaning of regulated facility', Appendix 2 of RGN2 'Defining the scope of the installation', and Appendix 1 of RGN 2 'Interpretation of Schedule 1'.

#### The site

There is no change to the site plan as a result of this variation. The plan is included in the permit.

## **Operating technique**

We have reviewed the techniques used by the operator and compared these with the relevant guidance notes and we consider them to represent appropriate techniques for the facility.

The operating techniques that the applicant must use are specified in S1.2 in the environmental permit.

## Changes to the permit conditions

We have varied the permit as stated in the variation notice.

LIT 12011 20/11/2020 Page 19 of 25

## Improvement programme

We have included an improvement programme to ensure that the permit is in accordance with the relevant appropriate measures and guidance.

The previous permit (EPR/EP3292HT/V008) had 7 improvement conditions associated with it. These improvement conditions have not been discharged and were intended to remain within the permit. IC 1 and IC 7 have been retained and no changes have occurred to these as part of this permit review. However, IC 2, 3, 4, 5, and 6 have been replaced or removed as part of this permit review. Details of this information can be found below.

Improvement Condition 1 requires the operator to use Best Available Techniques to trace and inspect baled wastes delivered to the site. This improvement condition has passed its required completion date of 21/09/2023. The operator has submitted this information, but it has not yet been approved. Therefore, we have retained this improvement condition for completion.

Improvement Condition 2 required a written management system in accordance with Best Available Techniques. This improvement condition has passed its required completion date of 21/09/2023. The operator has confirmed within the Regulation 61 Notice response that the management system has been completed but not yet fully computerised. Therefore, we have removed this improvement condition as the response states compliance with Section 2.1 of the appropriate measures.

Improvement Condition 3 (now 2a and 2b) requires the demonstration of covering of conveyors, transfer points and drop points. This improvement condition has passed its required completion date of 21/09/2023. The operator has submitted this information, but it has not yet been approved. We have removed this condition and replaced it with an up-to-date version that is more closely aligned with the relevant appropriate measures. This improvement condition requires the operator to review their emission control procedures related to the heavy fractions that pass through uncovered conveyors to ensure that no significant fugitive emissions are released, using a combination of techniques as outlined in the appropriate measures. Improvement Condition 2b must be completed after 2a to review the effectiveness of the implemented emission control procedures as well as any further ongoing monitoring where required. Any identified improvements must be proposed and timescales for those proposals implemented.

Improvement Condition 4, 5 and 6 which related to the submission of a written monitoring plan for air and surface water, as well as the submission of a H1 assessment for air and surface water. This improvement condition has passed its required completion date of 21/09/2023. The operator has submitted this information, but it has not yet been approved. However, as new parameters have

been introduced into the permit as per the requirements of this permit review, we have replaced these improvement conditions with an updated Improvement Condition, 'IC4a' and 'IC4b within the permit.

Improvement Condition 7 (now moved to IC 3) requires a written proposal for tests that determine the size distribution of particulate matter from exhaust gas emissions. This improvement condition has passed its required completion date of 21/09/2023. The operator has submitted this information, but it has not yet been approved. Therefore, we have retained this improvement condition for completion.

Improvement Condition 5 requires the covering of non-metallic fractions. On the 12/02/2025 via email, the operator confirmed that the shelter is in the process of being built at the manufacturer's premise, with delivery estimated at the end of February, and installation to be completed by mid-March 2025. This improvement condition ensures that the operator meets their obligation.

Improvement Condition 6 requires the operator to comply with the taping or capping of lead acid batteries. The operator has confirmed they do not currently comply with this measure, therefore an improvement condition has been imposed to comply with this measure or provide alternative measures which meet an equivalent level of environmental protection.

Improvement Condition 7 requires the operator to review and resubmit their site drainage plan to demonstrate the feasibility of segregating clean and dirty water. The operator has confirmed that this does not currently occur on site, and therefore the feasibility to separate and segregate must be explored in order to meet compliance with BAT 19f.

## **Changes to EWC codes**

The following EWC codes have been modified within Table S2.2. This is following clarification from the operator regarding the Large Domestic Appliances (LDA) that are accepted for shredding. Limits in brackets have been included to specify the type of waste that can be accepted for shredding under these waste codes.

16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 02	discarded equipment and its components
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13 (cookers, washing machines, dishwashers and tumble dryers, excluding heat pump tumble dryers)
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15 (ferrous and non-ferrous metal waste only)
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

20 01	separately collected fractions (except 15 01)
	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35 (cookers, washing machines, dishwashers and tumble dryers, excluding heat pump tumble dryers)

The following waste codes have been removed from Table S2.3 as the operator have confirmed in an email dated 07/03/2025 that they only accept '16 01 04\* - end-of-life vehicles' into the depollution area:

16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	End-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 06	end-of-life vehicles, containing neither liquids nor other hazardous components
16 01 17	ferrous metals
16 01 18	non-ferrous metal
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14
16 01 22	components not otherwise specified
16 06	Batteries and accumulators
16 06 01*	lead batteries
16 06 05	other batteries and accumulators

#### **Emission limits**

Emission Limit Values (ELV's) based on Best Available Techniques – Achievable Emission Levels (BAT-AELS) for Waste Treatment, have been amended for the following substances:

Total Suspended Particulates (now 'Dust')

This substance, listed under the emission points A1 in Table S3.1 of the permit, has been amended in line with the current requirements of BAT. The AEL for this substance was 20 mg/m3. The revised AEL is 5 mg/m3.

Emission Limit Values (ELV's) based on Best Available Techniques – Achievable Emission Levels (BAT-AELS) for Waste Treatment, have been added for the following substances:

- Total VOCs
- Brominated flame retardants
- Dioxin-like PCBs
- Metals (As, Cd, Co, Cr, Cu, Mn, Ni, Pb, Sb, Se, Tl, V)
- Dioxins and furans (PCDD/F)

The above substances, listed under the emission points A1, have been added in line with the current requirements of BAT.

Emissions limits have been added for indirect emissions to water (sewer, effluent treatment plant or other transfers off-site) as a result of this variation based on Best Available Techniques – Achievable Emissions Levels (BAT-AELs) for Waste Treatment.

- Hydrocarbon oil index
- Arsenic
- Cadmium
- Chromium
- Copper
- Lead
- Nickel
- Zinc
- Mercury
- PFOA
- PFOS
- Deca BDE

The above substances, listed under the emission points 1, 2 and 3 in Table S3.2 of the permit, have been added in line with the current requirements of BAT.

## **Monitoring**

We have decided that monitoring should be added for the following parameters, using the methods detailed and to the frequencies specified:

- All mechanical treatment of WEEE by process stream: LDA Total VOCs
- Brominated flame retardants
- Dioxin-like polychlorinated biphenyls (PCBs)
- Metals (As, Cd, Co, Cr, Cu, Mn, Ni, Pb, Sb, Se, Tl, V)
- Dioxins and furans (PCDD/F)
- Hydrocarbon oil index
- Cadmium
- Chromium
- Copper
- Lead

- Nickel
- Zinc
- Mercury
- PFOA
- PFOS
- Deca BDE

We made these decisions in accordance with Best Available Techniques for Waste Treatment.

## Reporting

We have added reporting in the permit for the following parameters:

- Emissions to air
- Emissions to water
- Process monitoring

We made these decisions in accordance with Best Available Techniques for Waste Treatment

## **Growth Duty**

We have considered our duty to have regard to the desirability of promoting economic growth set out in section 108(1) of the Deregulation Act 2015 and the guidance issued under section 100 of that Act in deciding whether to grant the variation of this permit.

Paragraph 1.3 of the guidance says:

"The primary role of regulators, in delivering regulation, is to achieve the regulatory outcomes for which they are responsible. For a number of regulators, these regulatory outcomes include an explicit reference to development or growth. The growth duty establishes economic growth as a factor that all specified regulators should have regard to, alongside the delivery of the protections set out in the relevant legislation."

We have addressed the legislative requirements and environmental standards to be set for this operation in the body of the decision document above. The guidance is clear at paragraph 1.5 that the growth duty does not legitimise non-compliance and its purpose is not to achieve or pursue economic growth at the expense of necessary protections.

We consider the requirements and standards we have set in this permit are reasonable and necessary to avoid a risk of an unacceptable level of pollution. This also promotes growth amongst legitimate operators because the standards

Page 24 of 25

