

Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m 1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	Low	Low

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m 0


Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.



Your ref: 14047_-_2_Merton_Road_-_SS Grid ref: 359359 176135

16 Boreholes



16.1 BGS Boreholes

Records within 250m 1

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on page 75


ID	Location	Grid reference	Name	Length	Confidential	Web link
1	162m NE	359460 176280	FEARS DAIRY	67.66	N	388108



Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

17 Natural ground subsidence - Shrink swell clays



17.1 Shrink swell clays

Records within 50m

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on page 76

Location	Hazard rating	Details
On site	Low	Ground conditions predominantly medium plasticity.






Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

Natural ground subsidence - Running sands



17.2 Running sands

Records within 50m 1

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on page 77


Location	Hazard rating	Details
On site	Negligible	Running sand conditions are not thought to occur whatever the position of the water table. No identified constraints on lands use due to running conditions.



Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

Natural ground subsidence - Compressible deposits



17.3 Compressible deposits

Records within 50m 1

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on page 78

On site	Negligible	Compressible strata are not thought to occur.
Location	Hazard rating	Details






Your ref: 14047_-_2_Merton_Road_-_SS Grid ref: 359359 176135

Glid rel. 539539 170153

Natural ground subsidence - Collapsible deposits



17.4 Collapsible deposits

Records within 50m 1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on page 79

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.






Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m 1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.

Features are displayed on the Natural ground subsidence - Landslides map on page 80

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.






Ref: CAR1-ZO8-E6J-SX4-M7A
Your ref: 14047_-2_Merton_Road_-SS

Grid ref: 359359 176135

Natural ground subsidence - Ground dissolution of soluble rocks



17.6 Ground dissolution of soluble rocks

Records within 50m 1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on page 81

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.


This data is sourced from the British Geological Survey.



Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

18 Mining, ground workings and natural cavities



18.1 Natural cavities

Records within 500m 0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.





Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

18.2 BritPits

Records within 500m 3

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining, ground workings and natural cavities map on page 82

ID	Location	Details	Description
1	292m S	Name: Russell's Field Quarry Address: Ashley Down, BRISTOL, Gloucestershire Commodity: Limestone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
2	316m SE	Name: Russell's Field Quarry Address: Ashley Down, BRISTOL, Gloucestershire Commodity: Limestone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
В	473m SW	Name: Oxford Farm Address: Bishopston, BRISTOL, Avon Commodity: Limestone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority

This data is sourced from the British Geological Survey.

18.3 Surface ground workings

Records within 250m

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

This is data is sourced from Ordnance Survey/Groundsure.





Your ref: 14047 - 2 Merton Road - SS

0

0

Grid ref: 359359 176135

18.4 Underground workings

Records within 1000m

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This is data is sourced from Ordnance Survey/Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m 0

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

This data is sourced from the British Geological Survey.

18.7 Mining cavities

Records within 1000m 0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.

18.8 JPB mining areas

Records on site 0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

01273 257 755

This data is sourced from Johnson Poole and Bloomer.





Your ref: 14047_-_2_Merton_Road_-_SS

0

Grid ref: 359359 176135

18.9 Coal mining

Records on site 0

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.

18.10 Brine areas

Records on site

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.11 Gypsum areas

Records on site 0

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.12 Tin mining

Records on site 0

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.

18.13 Clay mining

Records on site

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).






Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

19 Radon



19.1 Radon

Records on site 1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on page 86

Location	Estimated properties affected	Radon Protection Measures required
On site	Between 5% and 10%	Basic

Contact us with any questions at:

info@groundsure.com 01273 257 755





359360.55097915157,176137.608114 7862,

Ref: CAR1-ZO8-E6J-SX4-M7A

Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

This data is sourced from the British Geological Survey and UK Health Security Agency.





Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

20 Soil chemistry

20.1 BGS Estimated Background Soil Chemistry

Records within 50m

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	35 - 45 mg/kg	No data	300 - 600 mg/kg	240 - 360 mg/kg	3.0 - 6.0 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg

This data is sourced from the British Geological Survey.

20.2 BGS Estimated Urban Soil Chemistry

Records within 50m 0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.

20.3 BGS Measured Urban Soil Chemistry

Records within 50m 0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².


This data is sourced from the British Geological Survey.



Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

21 Railway infrastructure and projects



21.1 Underground railways (London)

Records within 250m 0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

21.2 Underground railways (Non-London)

Records within 250m 0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.





Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135

This data is sourced from publicly available information by Groundsure.

21.3 Railway tunnels

Records within 250m

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

21.4 Historical railway and tunnel features

Records within 250m 3

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

Features are displayed on the Railway infrastructure and projects map on page 89

Location	Land Use	Year of mapping	Mapping scale
198m N	Tramway Sidings	1916	2500
201m N	Tramway Sidings	1903	2500
203m N	Tramway Sidings	1934	2500

This data is sourced from Ordnance Survey/Groundsure.

21.5 Royal Mail tunnels

Records within 250m 0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.

This data is sourced from Groundsure/the Postal Museum.

21.6 Historical railways

Records within 250m 0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.





Your ref: 14047_-_2_Merton_Road_-_SS

0

0

Grid ref: 359359 176135

21.7 Railways

Records within 250m

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

21.8 Crossrail 1

Records within 500m

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

21.9 Crossrail 2

Records within 500m 0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

21.10 HS2

Records within 500m 0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 ltd.





Your ref: 14047_-_2_Merton_Road_-_SS

Grid ref: 359359 176135


Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see https://www.groundsure.com/sources-reference.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: https://www.groundsure.com/terms-andconditions-april-2023/.





Site Details:

359360.55097915157,176137.6 081147862

Client Ref: 14047_-_2_Merton_Road_-_SS Report Ref: CAR1-9MO-YWN-CI6-XJT


359360, 176137 Grid Ref:

Map Name: County Series

1881-1883 Map date:

1:2,500 Scale:

Printed at: 1:2,500






Powered by W: www.groundsure.com

Produced by **Groundsure Insights** T: 08444 159000 E: info@groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 04 April 2023

Map legend available at:



Site Details:

359360.55097915157,176137.6 081147862

Client Ref: 14047_-_2_Merton_Road_-_SS Report Ref: CAR1-9MO-YWN-CI6-XJT


Grid Ref: 359360, 176137

Map Name: County Series

Map date: 1903

1:2,500 Scale:

Printed at: 1:2,500







Produced by **Groundsure Insights** T: 08444 159000 E: info@groundsure.com

W: www.groundsure.com

Production date: 04 April 2023

Map legend available at:



Site Details:

359360.55097915157,176137.6 081147862

Client Ref: 14047_-_2_Merton_Road_-_SS Report Ref: CAR1-9MO-YWN-CI6-XJT


Grid Ref: 359360, 176137

Map Name: County Series

Map date: 1916-1918

1:2,500 Scale:

Printed at: 1:2,500








Produced by **Groundsure Insights** T: 08444 159000

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 04 April 2023

Map legend available at:



Site Details:

359360.55097915157,176137.6 081147862

Client Ref: 14047_-2_Merton_Road_-_SS Report Ref: CAR1-9MO-YWN-CI6-XJT


Grid Ref: 359360, 176137

Map Name: County Series

Map date: 1934-1936

Scale: 1:2,500

Printed at: 1:2,500







Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 04 April 2023

Map legend available at:



Site Details:

359360.55097915157,176137.6 081147862

Client Ref: 14047_-2_Merton_Road_-SS Report Ref: CAR1-9MO-YWN-CI6-XJT


Grid Ref: 359360, 176137

Map Name: National Grid

Map date: 1950

Scale: 1:1,250

Printed at: 1:2,000







Produced by Groundsure Insights T: 08444 159000 E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 04 April 2023

Map legend available at:



Site Details:

359360.55097915157,176137.6 081147862

 Client Ref:
 14047_-_2_Merton_Road_-_SS

 Report Ref:
 CAR1-9MO-YWN-CI6-XJT


 Grid Ref:
 359360, 176137

Map Name: National Grid

Map date: 1951-1952

1:1,250 Scale:

Printed at: 1:2,000







Produced by **Groundsure Insights** T: 08444 159000 E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 04 April 2023

Map legend available at: