

| Report Section        | Page Number |
|-----------------------|-------------|
| Summary               | -           |
| Agency & Hydrological | 1           |
| Waste                 | 46          |
| Hazardous Substances  | 49          |
| Geological            | 50          |
| Industrial Land Use   | 54          |
| Sensitive Land Use    | -           |
| Data Currency         | 100         |
| Data Suppliers        | 106         |
| Useful Contacts       | 107         |

## Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

## Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

## Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

## Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

## Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

## Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

## Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

## Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

## Report Version v53.0

| Data Type                                                     | Page Number | On Site | 0 to 250m | 251 to 500m | 501 to 1000m<br>(*up to 2000m) |
|---------------------------------------------------------------|-------------|---------|-----------|-------------|--------------------------------|
| <b>Agency &amp; Hydrological</b>                              |             |         |           |             |                                |
| BGS Groundwater Flooding Susceptibility                       | pg 1        | Yes     | Yes       | Yes         | n/a                            |
| Contaminated Land Register Entries and Notices                |             |         |           |             |                                |
| Discharge Consents                                            | pg 1        |         | 3         | 17          | 43                             |
| Prosecutions                                                  | pg 17       |         |           | 4           |                                |
| Enforcement and Prohibition Notices                           |             |         |           |             |                                |
| Integrated Pollution Controls                                 |             |         |           |             |                                |
| Integrated Pollution Prevention And Control                   |             |         |           |             |                                |
| Local Authority Integrated Pollution Prevention And Control   |             |         |           |             |                                |
| Local Authority Pollution Prevention and Controls             | pg 18       |         | 2         | 4           | 10                             |
| Local Authority Pollution Prevention and Control Enforcements |             |         |           |             |                                |
| Nearest Surface Water Feature                                 | pg 20       |         | Yes       |             |                                |
| Pollution Incidents to Controlled Waters                      | pg 20       |         |           |             | 1                              |
| Historical Prosecutions                                       | pg 20       |         |           | 1           | 1                              |
| Registered Radioactive Substances                             | pg 20       |         |           |             | 13                             |
| Substantiated Pollution Incident Register                     | pg 22       |         |           |             | 1                              |
| Water Abstractions                                            | pg 23       |         |           |             | 14 (*48)                       |
| Water Industry Act Referrals                                  |             |         |           |             |                                |
| Groundwater Vulnerability Map                                 | pg 38       | Yes     | n/a       | n/a         | n/a                            |
| Groundwater Vulnerability - Soluble Rock Risk                 | pg 38       | 1       | n/a       | n/a         | n/a                            |
| Groundwater Vulnerability - Local Information                 |             |         | n/a       | n/a         | n/a                            |
| Bedrock Aquifer Designations                                  | pg 38       | Yes     | n/a       | n/a         | n/a                            |
| Superficial Aquifer Designations                              | pg 38       | Yes     | n/a       | n/a         | n/a                            |
| Source Protection Zones                                       |             |         |           |             |                                |
| Extreme Flooding from Rivers or Sea without Defences          | pg 39       | Yes     | Yes       | n/a         | n/a                            |
| Flooding from Rivers or Sea without Defences                  | pg 39       |         | Yes       | n/a         | n/a                            |
| Areas Benefiting from Flood Defences                          |             |         |           | n/a         | n/a                            |
| Flood Water Storage Areas                                     |             |         |           | n/a         | n/a                            |
| Flood Defences                                                |             |         |           | n/a         | n/a                            |
| OS Water Network Lines                                        | pg 41       |         | 4         | 13          | 19                             |
| Water Framework Directive - Catchment                         | pg 45       | Yes     |           | Yes         | Yes                            |
| Water Framework Directive - Groundwater                       | pg 45       | Yes     |           |             |                                |
| Water Framework Directive - Surface Waters                    | pg 45       |         |           | Yes         |                                |

| Data Type                                                           | Page Number | On Site | 0 to 250m | 251 to 500m | 501 to 1000m<br>(*up to 2000m) |
|---------------------------------------------------------------------|-------------|---------|-----------|-------------|--------------------------------|
| <b>Waste</b>                                                        |             |         |           |             |                                |
| BGS Recorded Landfill Sites                                         |             |         |           |             |                                |
| Historical Landfill Sites                                           |             |         |           |             |                                |
| Integrated Pollution Control Registered Waste Sites                 |             |         |           |             |                                |
| Licensed Waste Management Facilities (Landfill Boundaries)          |             |         |           |             |                                |
| Licensed Waste Management Facilities (Locations)                    | pg 46       |         |           |             | 4                              |
| Local Authority Landfill Coverage                                   | pg 46       | 1       | n/a       | n/a         | n/a                            |
| Local Authority Recorded Landfill Sites                             |             |         |           |             |                                |
| Potentially Infilled Land (Non-Water)                               | pg 46       |         | 2         | 1           | 1                              |
| Potentially Infilled Land (Water)                                   | pg 47       |         |           | 1           | 2                              |
| Registered Landfill Sites                                           |             |         |           |             |                                |
| Registered Waste Transfer Sites                                     | pg 47       |         |           |             | 3                              |
| Registered Waste Treatment or Disposal Sites                        | pg 48       |         |           |             | 2                              |
| <b>Hazardous Substances</b>                                         |             |         |           |             |                                |
| Control of Major Accident Hazards Sites (COMAH)                     |             |         |           |             |                                |
| Explosive Sites                                                     |             |         |           |             |                                |
| Notification of Installations Handling Hazardous Substances (NIHHS) | pg 49       |         |           |             | 2                              |
| Planning Hazardous Substance Consents                               | pg 49       |         |           |             | 3                              |
| Planning Hazardous Substance Enforcements                           |             |         |           |             |                                |

| Data Type                                                         | Page Number | On Site | 0 to 250m | 251 to 500m | 501 to 1000m (*up to 2000m) |
|-------------------------------------------------------------------|-------------|---------|-----------|-------------|-----------------------------|
| <b>Geological</b>                                                 |             |         |           |             |                             |
| BGS 1:625,000 Solid Geology                                       | pg 50       | Yes     | n/a       | n/a         | n/a                         |
| BGS Estimated Soil Chemistry                                      | pg 50       | Yes     | Yes       | Yes         | Yes                         |
| BGS Recorded Mineral Sites                                        | pg 51       |         |           | 1           | 3                           |
| BGS Urban Soil Chemistry                                          |             |         |           |             |                             |
| BGS Urban Soil Chemistry Averages                                 |             |         |           |             |                             |
| CBSCB Compensation District                                       |             |         | n/a       | n/a         | n/a                         |
| Coal Mining Affected Areas                                        | pg 52       | Yes     | n/a       | n/a         | n/a                         |
| Mining Instability                                                | pg 52       | Yes     | n/a       | n/a         | n/a                         |
| Man-Made Mining Cavities                                          | pg 52       |         |           |             | 1                           |
| Natural Cavities                                                  |             |         |           |             |                             |
| Non Coal Mining Areas of Great Britain                            |             |         |           | n/a         | n/a                         |
| Potential for Collapsible Ground Stability Hazards                | pg 52       | Yes     |           | n/a         | n/a                         |
| Potential for Compressible Ground Stability Hazards               | pg 53       | Yes     | Yes       | n/a         | n/a                         |
| Potential for Ground Dissolution Stability Hazards                |             |         |           | n/a         | n/a                         |
| Potential for Landslide Ground Stability Hazards                  | pg 53       | Yes     |           | n/a         | n/a                         |
| Potential for Running Sand Ground Stability Hazards               | pg 53       | Yes     | Yes       | n/a         | n/a                         |
| Potential for Shrinking or Swelling Clay Ground Stability Hazards | pg 53       | Yes     | Yes       | n/a         | n/a                         |
| Radon Potential - Radon Affected Areas                            |             |         | n/a       | n/a         | n/a                         |
| Radon Potential - Radon Protection Measures                       |             |         | n/a       | n/a         | n/a                         |
| <b>Industrial Land Use</b>                                        |             |         |           |             |                             |
| Contemporary Trade Directory Entries                              | pg 54       |         | 29        | 97          | 165                         |
| Fuel Station Entries                                              | pg 78       |         |           | 1           | 4                           |
| Points of Interest - Commercial Services                          | pg 79       |         | 10        | 53          | 44                          |
| Points of Interest - Education and Health                         | pg 88       |         | 1         | 2           | 4                           |
| Points of Interest - Manufacturing and Production                 | pg 88       |         | 12        | 18          | 41                          |
| Points of Interest - Public Infrastructure                        | pg 94       |         |           | 11          | 15                          |
| Points of Interest - Recreational and Environmental               | pg 96       |         | 1         | 11          | 18                          |
| Underground Electrical Cables                                     |             |         |           |             |                             |

| Data Type                            | Page Number | On Site | 0 to 250m | 251 to 500m | 501 to 1000m<br>(*up to 2000m) |
|--------------------------------------|-------------|---------|-----------|-------------|--------------------------------|
| <b>Sensitive Land Use</b>            |             |         |           |             |                                |
| Ancient Woodland                     |             |         |           |             |                                |
| Areas of Adopted Green Belt          |             |         |           |             |                                |
| Areas of Unadopted Green Belt        |             |         |           |             |                                |
| Areas of Outstanding Natural Beauty  |             |         |           |             |                                |
| Environmentally Sensitive Areas      |             |         |           |             |                                |
| Forest Parks                         |             |         |           |             |                                |
| Local Nature Reserves                |             |         |           |             |                                |
| Marine Nature Reserves               |             |         |           |             |                                |
| National Nature Reserves             |             |         |           |             |                                |
| National Parks                       |             |         |           |             |                                |
| Nitrate Sensitive Areas              |             |         |           |             |                                |
| Nitrate Vulnerable Zones             |             |         |           |             |                                |
| Ramsar Sites                         |             |         |           |             |                                |
| Sites of Special Scientific Interest |             |         |           |             |                                |
| Special Areas of Conservation        |             |         |           |             |                                |
| Special Protection Areas             |             |         |           |             |                                |
| World Heritage Sites                 |             |         |           |             |                                |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A13SE (NW)                             | 0                            | 1       | 358490 171580 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A13NW (NW)                             | 20                           | 1       | 358450 171600 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A13SW (SW)                             | 70                           | 1       | 358450 171500 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A13SE (SE)                             | 154                          | 1       | 358650 171500 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A13SE (SE)                             | 183                          | 1       | 358600 171400 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | A13SE (SE)                             | 214                          | 1       | 358650 171400 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Potential for Groundwater Flooding to Occur at Surface                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | A13SE (SE)                             | 221                          | 1       | 358700 171450 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Potential for Groundwater Flooding to Occur at Surface                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | A13SE (SE)                             | 227                          | 1       | 358600 171350 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A13NE (N)                              | 252                          | 1       | 358550 171850 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A13SW (S)                              | 307                          | 1       | 358450 171250 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A18SE (N)                              | 392                          | 1       | 358490 172000 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A13SE (SE)                             | 393                          | 1       | 358750 171250 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | A8NW (S)                               | 406                          | 1       | 358450 171150 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Potential for Groundwater Flooding to Occur at Surface                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | A8NW (S)                               | 415                          | 1       | 358400 171150 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Limited Potential for Groundwater Flooding to Occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A18SE (N)                              | 442                          | 1       | 358490 172050 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | A8NW (S)                               | 464                          | 1       | 358400 171100 |
|        | <b>BGS Groundwater Flooding Susceptibility</b><br>Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | A8NW (SW)                              | 474                          | 1       | 358250 171150 |
| 1      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: East Street Cso, 168 East Street, Bedminster, Bristol, Bs3 4eh<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011270<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 31st May 2005<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status: Authorisation revoked</b><br>Positional Accuracy: Located by supplier to within 100m | A13SW (SW)                             | 193                          | 2       | 358330 171460 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 1      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: East Street Cso, 168 East Street, Bedminster, Bristol, Bs3 4eh<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 102898<br>Permit Version: 2<br>Effective Date: 15th June 2020<br>Issued Date: 15th June 2020<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Sheene Road Culvert<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                                                                                                                 | A13SW (SW)                             | 199                          | 2       | 358326 171454 |
| 2      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Storm Overflow Jcn North St & Merrywood Rd, Bedminster, Bristol, Avon, Bs3 1hw<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021514<br>Permit Version: 1<br>Effective Date: 23rd August 1971<br>Issued Date: Not Supplied<br>Revocation Date: 31st March 2002<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Avon (S)<br><b>Status: Revoked (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 100m | A13SW (W)                              | 234                          | 2       | 358240 171550 |
| 3      | <b>Discharge Consents</b><br>Operator: Asda Superstore<br>Property Type: MAKING OF FOOD PRODUCTS/DAIRY<br>Location: Asda Superstore, East Street, Bedminster, Bristol, Bs3 4jy<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 100161<br>Permit Version: 1<br>Effective Date: 24th March 1997<br>Issued Date: 24th March 1997<br>Revocation Date: Not Supplied<br>Discharge Type: Trade Effluent Discharge-Site Drainage<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status: New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 100m                                                                        | A13NE (NE)                             | 305                          | 2       | 358660 171855 |
| 3      | <b>Discharge Consents</b><br>Operator: Asda Superstore<br>Property Type: SHOP INCL GARDEN CENTRE/RETAIL TRADE(NOT MOTOR VEHICLE)<br>Location: Asda Superstore (Bedminster), Regent/New Charlotte Sts, Bedminster, Bristol, Bs3 4jy<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 010294<br>Permit Version: 1<br>Effective Date: 1st July 1987<br>Issued Date: Not Supplied<br>Revocation Date: 1st October 1996<br>Discharge Type: Discharge Of Other Matter-Surface Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Malago, Culverted R<br><b>Status: Lapsed (under Environment Act 1995, Schedule 23)</b><br>Positional Accuracy: Located by supplier to within 10m                                                                     | A13NE (NE)                             | 309                          | 2       | 358660 171860 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 4      | <b>Discharge Consents</b><br>Operator: Asda Superstore<br>Property Type: MAKING OF FOOD PRODUCTS/DAIRY<br>Location: Asda Superstore, East Street, Bedminster, Bristol, Bs3 4jy<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 100161<br>Permit Version: 1<br>Effective Date: 24th March 1997<br>Issued Date: 24th March 1997<br>Revocation Date: Not Supplied<br>Discharge Type: Trade Effluent Discharge-Site Drainage<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status: New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 100m         | A13NE (NE)                             | 375                          | 2       | 358755 171865 |
| 4      | <b>Discharge Consents</b><br>Operator: Asda Superstore<br>Property Type: SHOP INCL GARDEN CENTRE/RETAIL TRADE(NOT MOTOR VEHICLE)<br>Location: Asda Superstore (Bedminster), Regent/New Charlotte Sts, Bedminster, Bristol, Bs3 4jy<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 010294<br>Permit Version: 1<br>Effective Date: 1st July 1987<br>Issued Date: Not Supplied<br>Revocation Date: 1st October 1996<br>Discharge Type: Discharge Of Other Matter-Surface Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Malago, Culverted R<br><b>Status: Lapsed (under Environment Act 1995, Schedule 23)</b><br>Positional Accuracy: Located by supplier to within 10m      | A13NE (NE)                             | 375                          | 2       | 358750 171870 |
| 4      | <b>Discharge Consents</b><br>Operator: Asda Superstore<br>Property Type: Retail Distribution<br>Location: Asda Superstore (Bedminster), Regent/New Charlotte Sts, Bedminster, Bristol, Bs3 4jy<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 010294<br>Permit Version: 1<br>Effective Date: 1st July 1987<br>Issued Date: Not Supplied<br>Revocation Date: 1st October 1996<br>Discharge Type: Discharge Of Other Matter-Surface Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Malago, Culverted R<br><b>Status: Lapsed (under Environment Act 1995, Schedule 23)</b><br>Positional Accuracy: Located by supplier to within 100m                                         | A13NE (NE)                             | 376                          | 2       | 358760 171860 |
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Cumberland Road S S O(Bristol), Bristol, Avon<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 010176<br>Permit Version: 1<br>Effective Date: 1st February 1986<br>Issued Date: Not Supplied<br>Revocation Date: 31st December 1993<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Avon,River(Tidal)<br><b>Status: Consent revoked: Discharge ceased (Water Resources Act 1991, Schedule 10 &amp; 6)</b><br>Positional Accuracy: Located by supplier to within 100m | A18SE (N)                              | 441                          | 2       | 358540 172045 |



| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Cumberland Road S S O(Bristol), Bristol, Avon<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 010113<br>Permit Version: 1<br>Effective Date: 22nd January 1985<br>Issued Date: Not Supplied<br>Revocation Date: 14th February 1996<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Avon<br><b>Status: Consent revoked: Discharge ceased (Section 37(1))</b><br>Positional Accuracy: Located by supplier to within 100m   | A18SE (N)                              | 446                          | 2       | 358540 172050 |
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Clare Street Combined Sewer, Overflow, 2 Clare Street, Bristol, Bs1 1xr<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101081<br>Permit Version: 3<br>Effective Date: 31st December 2023<br>Issued Date: 15th October 2021<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon Via Sws<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m      | A18SE (N)                              | 456                          | 2       | 358568 172056 |
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Clare Street Combined Sewer, Overflow, 2 Clare Street, Bristol, Bs1 1xr<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101081<br>Permit Version: 2<br>Effective Date: 15th October 2021<br>Issued Date: 15th October 2021<br>Revocation Date: 30th December 2023<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon Via Sws<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m | A18SE (N)                              | 456                          | 2       | 358568 172056 |
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Cumberland Road Old Gaol Syphon Cso, Cumberland Road, Bristol, Bs1 6tg<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101080<br>Permit Version: 2<br>Effective Date: 23rd December 2020<br>Issued Date: 23rd December 2020<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon Via Sws<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m      | A18SE (N)                              | 456                          | 2       | 358567 172056 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Broad Quay Cso, Broad Quay, City Centre, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 100456<br>Permit Version: 2<br>Effective Date: 27th July 2020<br>Issued Date: 27th July 2020<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Tributary Of The River Avon<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                                                                                                            | A18SE (N)                              | 456                          | 2       | 358567 172056 |
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Broad Quay Cso, Broad Quay, City Centre, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 100456<br>Permit Version: 1<br>Effective Date: 9th February 1998<br>Issued Date: 9th February 1998<br>Revocation Date: 26th July 2020<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon<br><b>Status: New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 100m                                  | A18SE (N)                              | 456                          | 2       | 358570 172055 |
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Broad Quay Outfall, Bristol, Broad Quay, Southville, Bristol, Bs1 4da<br>Authority: Environment Agency, South West Region<br>Catchment Area: Frome (Bristol)<br>Reference: 103054<br>Permit Version: 1<br>Effective Date: 22nd December 2005<br>Issued Date: 27th July 2005<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon(S)<br><b>Status: New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m                  | A18SE (N)                              | 461                          | 2       | 358570 172060 |
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Cumberland Road Old Gaol Syphon Cso, Cumberland Road, Bristol, Bs1 6tg<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101080<br>Permit Version: 1<br>Effective Date: 25th April 2000<br>Issued Date: 4th May 2000<br>Revocation Date: 22nd December 2020<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: (S) Culverted River Frome<br><b>Status: New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m | A18SE (N)                              | 461                          | 2       | 358570 172060 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Cumberland Sso, Cumberland Road, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021595<br>Permit Version: 1<br>Effective Date: 15th October 1987<br>Issued Date: Not Supplied<br>Revocation Date: 25th April 2000<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Bristol Avon<br><b>Status: Deemed Consent - 1986 Variation</b><br>Positional Accuracy: Located by supplier to within 100m                                                                                                      | A18SE (N)                              | 461                          | 2       | 358570 172060 |
| 5      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Clare Street Combined Sewer, Overflow, 2 Clare Street, Bristol, Bs1 1xr<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101081<br>Permit Version: 1<br>Effective Date: 25th April 2000<br>Issued Date: 4th May 2000<br>Revocation Date: 14th October 2021<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: (S) Culverted River Frome<br><b>Status: New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m | A18SE (N)                              | 480                          | 2       | 358570 172080 |
| 6      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Pembroke Road Cso, 19 Pembroke Road, Southville, Bristol, Bs3 1pp<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011269<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 15th March 2007<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status: Consent revoked or revised: New Consent issued (Section 37(1))</b><br>Positional Accuracy: Located by supplier to within 100m                                                          | A12NE (NW)                             | 481                          | 2       | 358090 171890 |
| 7      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Off Coronation Road, Southville, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021601<br>Permit Version: 1<br>Effective Date: 15th October 1987<br>Issued Date: Not Supplied<br>Revocation Date: 7th January 2015<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon (E)<br><b>Status: Surrendered under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 100m                                                                                                                      | A18SE (NE)                             | 543                          | 2       | 358810 172040 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR              |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|------------------|
| 8      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: St Johns Lane Cso, Lower Knowle, Bristol, Bs3 5hn<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101671<br>Permit Version: 1<br>Effective Date: 31st March 2002<br>Issued Date: 29th November 2001<br>Revocation Date: 21st April 2013<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: The Malago (S)<br><b>Status:</b> <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m         | A8NE (S)                               | 593                          | 2       | 358500<br>170960 |
| 9      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Outside 1 Coronation Road, Bristol, Bs3 1aa<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011274<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 26th July 2004<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status:</b> <b>Application refused - 1961 Rivers (Prevention of Pollution) Act</b><br>Positional Accuracy: Located by supplier to within 100m                                                           | A19SW (NE)                             | 595                          | 2       | 358910<br>172020 |
| 9      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Coronation Road, Southville, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021593<br>Permit Version: 1<br>Effective Date: 15th October 1987<br>Issued Date: Not Supplied<br>Revocation Date: 25th April 2000<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Bristol Avon<br><b>Status:</b> <b>Deemed Consent - 1986 Variation</b><br>Positional Accuracy: Located by supplier to within 100m                                                                                     | A19SW (NE)                             | 616                          | 2       | 358930<br>172030 |
| 9      | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Commercial Road Cso, Near Bedminster Bridge, Bristol, Bs1 6tg<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 102830<br>Permit Version: 1<br>Effective Date: 1st April 2005<br>Issued Date: 16th March 2005<br>Revocation Date: 30th March 2017<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon (E)<br><b>Status:</b> <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m | A19SW (NE)                             | 644                          | 2       | 358950<br>172050 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Corporation Rd Storm Overflow, (Malago Interceptor), Bristol, Avon<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021518<br>Permit Version: 1<br>Effective Date: 19th March 1973<br>Issued Date: 28th August 1985<br>Revocation Date: 22nd September 2022<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Bristol Avon (S)<br><b>Status: Surrendered under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 100m | A17SE (NW)                             | 622                          | 2       | 358100 172100 |
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Pembroke Road Cso, 19 Pembroke Road, Southville, Bristol, Bs3 1pp<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103307<br>Permit Version: 2<br>Effective Date: 3rd September 2021<br>Issued Date: 3rd September 2021<br>Revocation Date: 30th March 2025<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon Via Sws<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                   | A17SE (NW)                             | 638                          | 2       | 358091 172113 |
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Pembroke Road Cso, 19 Pembroke Road, Southville, Bristol, Bs3 1pp<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103307<br>Permit Version: 3<br>Effective Date: 31st March 2025<br>Issued Date: 3rd September 2021<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon Via Sws<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                         | A17SE (NW)                             | 638                          | 2       | 358091 172113 |
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Myrtle Street Cso, Myrtle Street Locked-Up Garages, Bristol, Bs3 1jg<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103306<br>Permit Version: 2<br>Effective Date: 2nd August 2019<br>Issued Date: 2nd August 2019<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Saline Estuary<br>Environment:<br>Receiving Water: River Avon Via Sws (Estuarine)<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                      | A17SE (NW)                             | 645                          | 2       | 358079 172113 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Road Cso, 191 Bedminster, Bristol, Bs3 5nj<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103305<br>Permit Version: 1<br>Effective Date: 16th March 2007<br>Issued Date: 16th March 2007<br>Revocation Date: 14th June 2020<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon(S)<br><b>Status:</b> <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m                 | A17SE (NW)                             | 650                          | 2       | 358080 172120 |
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Myrtle Street Cso, Myrtle Street Locked-Up Garages, Bristol, Bs3 1jg<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103306<br>Permit Version: 1<br>Effective Date: 16th March 2007<br>Issued Date: 16th March 2007<br>Revocation Date: 1st August 2019<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon(E)<br><b>Status:</b> <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m | A17SE (NW)                             | 650                          | 2       | 358080 172120 |
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Pembroke Road Cso, 19 Pembroke Road, Southville, Bristol, Bs3 1pp<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103307<br>Permit Version: 1<br>Effective Date: 16th March 2007<br>Issued Date: 16th March 2007<br>Revocation Date: 2nd September 2021<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon(E)<br><b>Status:</b> <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m | A17SE (NW)                             | 650                          | 2       | 358080 172120 |
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Road Cso, 191 Bedminster, Bristol, Bs3 5nj<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103305<br>Permit Version: 2<br>Effective Date: 15th June 2020<br>Issued Date: 15th June 2020<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Saline Estuary<br>Environment:<br>Receiving Water: River Avon Via Sws<br><b>Status:</b> <b>Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                                                                                                           | A17SE (NW)                             | 653                          | 2       | 358068 172114 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Pembroke Road Cso, 19 Pembroke Road, Southville, Bristol, Bs3 1pp<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103307<br>Permit Version: 3<br>Effective Date: 31st March 2025<br>Issued Date: 3rd September 2021<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon Via Sws<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m       | A17SE (NW)                             | 654                          | 2       | 358067 172114 |
| 10     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Pembroke Road Cso, 19 Pembroke Road, Southville, Bristol, Bs3 1pp<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103307<br>Permit Version: 2<br>Effective Date: 3rd September 2021<br>Issued Date: 3rd September 2021<br>Revocation Date: 30th March 2025<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon Via Sws<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m | A17SE (NW)                             | 654                          | 2       | 358067 172114 |
| 11     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Commercial Road Cso, Near Bedminster Bridge, Bristol, Bs1 6tg<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 102830<br>Permit Version: 2<br>Effective Date: 31st March 2017<br>Issued Date: 15th March 2017<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Saline Estuary<br>Environment:<br>Receiving Water: River Avon (Estuarine)<br><b>Status: Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                   | A19SW (NE)                             | 646                          | 2       | 358950 172053 |
| 11     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Commercial Road Cso, Near Bedminster Bridge, Bristol, Bs1 6tg<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101096<br>Permit Version: 1<br>Effective Date: 25th April 2000<br>Issued Date: 5th May 2000<br>Revocation Date: 31st March 2005<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Saline Estuary<br>Environment:<br>Receiving Water: (E) River Avon<br><b>Status: Authorisation revoked</b><br>Positional Accuracy: Located by supplier to within 10m                           | A19SW (NE)                             | 651                          | 2       | 358950 172060 |



| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 11     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Bridge Sso, Commercial Road, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021592<br>Permit Version: 1<br>Effective Date: 15th October 1987<br>Issued Date: Not Supplied<br>Revocation Date: 25th April 2000<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Bristol Avon<br><b>Status: Deemed Consent - 1986 Variation</b><br>Positional Accuracy: Located by supplier to within 100m                                             | A19SW (NE)                             | 651                          | 2       | 358950 172060 |
| 11     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Bridge Sso, Commercial Road, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 010175<br>Permit Version: 1<br>Effective Date: 1st February 1986<br>Issued Date: Not Supplied<br>Revocation Date: 31st December 1993<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Avon,River(Tidal)<br><b>Status: Consent revoked: Discharge ceased (Water Resources Act 1991, Schedule 10 &amp; 6)</b><br>Positional Accuracy: Located by supplier to within 100m | A19SW (NE)                             | 652                          | 2       | 358960 172050 |
| 11     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Commercial Road, Near Wapping House, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011218<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 25th April 2000<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Bristol Avon/Floating Harbour<br><b>Status: Temporary Consents (Water Act 1989, Section 113)</b><br>Positional Accuracy: Located by supplier to within 100m                          | A19SW (NE)                             | 658                          | 2       | 358960 172060 |
| 12     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Cso Junc Camden Rd/Allington Rd, Bedminster, Bristol, Bs3 1qa<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011819<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 15th May 2006<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Avon<br><b>Status: Application refused - 1961 Rivers (Prevention of Pollution) Act</b><br>Positional Accuracy: Located by supplier to within 100m       | A17SE (NW)                             | 653                          | 2       | 357990 172040 |



| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR              |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|------------------|
| 13     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Myrtle Street Cso, Myrtle Street Locked-Up Garages, Bristol, Bs3 1jg<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011267<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 15th March 2007<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status:</b> <b>Consent revoked or revised: New Consent issued (Section 37(1))</b><br>Positional Accuracy: Located by supplier to within 100m                                         | A12SE (W)                              | 658                          | 2       | 357830<br>171440 |
| 14     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Road Cycle Track Cso, Bedminster Road, Bristol, Bs3 5pe<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101670<br>Permit Version: 1<br>Effective Date: 31st March 2002<br>Issued Date: 29th November 2001<br>Revocation Date: 7th June 2021<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: The Malago (S)<br><b>Status:</b> <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m | A8SE (S)                               | 663                          | 2       | 358490<br>170890 |
| 14     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Road Cycle Track Cso, Bedminster Road, Bristol, Bs3 5pe<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101670<br>Permit Version: 2<br>Effective Date: 7th June 2021<br>Issued Date: 7th June 2021<br>Revocation Date: 30th March 2024<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: The Malago<br><b>Status:</b> <b>Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                                                                                            | A8SW (S)                               | 668                          | 2       | 358485<br>170885 |
| 14     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Road Cycle Track Cso, Bedminster Road, Bristol, Bs3 5pe<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 101670<br>Permit Version: 3<br>Effective Date: 31st March 2024<br>Issued Date: 7th June 2021<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: The Malago<br><b>Status:</b> <b>Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                                                                                             | A8SW (S)                               | 668                          | 2       | 358485<br>170885 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 14     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Bedminster Road Cycle Track Cso, Bedminster Road, Bristol, Bs3 5pe<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011817<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 31st March 2002<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Avon<br><b>Status:</b> <b>Revoked (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 100m | A8SE (S)                               | 673                          | 2       | 358490 170880 |
| 15     | <b>Discharge Consents</b><br>Operator: Lloyds Bank Plc<br>Property Type: CONSTRUCTION OF BUILDINGS<br>Location: Lloyds Bank Development, Canons Marsh, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Frome (Bristol)<br>Reference: 010502<br>Permit Version: 1<br>Effective Date: 18th June 1990<br>Issued Date: Not Supplied<br>Revocation Date: 1st October 1996<br>Discharge Type: Discharge Of Other Matter-Surface Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Avon<br><b>Status:</b> <b>Lapsed (under Environment Act 1995, Schedule 23)</b><br>Positional Accuracy: Located by supplier to within 100m                                                                                                                   | A18NW (N)                              | 665                          | 2       | 358380 172265 |
| 15     | <b>Discharge Consents</b><br>Operator: Lloyds Bank Plc<br>Property Type: CONSTRUCTION OF BUILDINGS<br>Location: Lloyds Bank Development, Canons Marsh, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 010451<br>Permit Version: 1<br>Effective Date: 18th June 1990<br>Issued Date: Not Supplied<br>Revocation Date: Not Supplied<br>Discharge Type: Trade Discharge - Process Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Avon<br><b>Status:</b> <b>New Consent, by Application (Water Resources Act 1991, Section 113 &amp; Schedule 12)</b><br>Positional Accuracy: Located by supplier to within 10m                                                                                        | A18NW (N)                              | 670                          | 2       | 358380 172270 |
| 16     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: St Johns Lane Cso, Lower Knowle, Bristol, Bs3 5hn<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011273<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 31st March 2002<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status:</b> <b>Authorisation revoked</b><br>Positional Accuracy: Located by supplier to within 100m                                                                                                      | A9NW (SE)                              | 680                          | 2       | 358850 170970 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 17     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: East Street Cso, 168 East Street, Bedminster, Bristol, Bs3 4eh<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 102898<br>Permit Version: 1<br>Effective Date: 1st June 2005<br>Issued Date: 1st June 2005<br>Revocation Date: 14th June 2020<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon(E)<br><b>Status:</b> <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m | A17SE (NW)                             | 709                          | 2       | 357980 172110 |
| 18     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: St Johns Lane Cso, Lower Knowle, Bristol, Bs3 5hn<br>Authority: Environment Agency, South West Region<br>Catchment Area: Not Supplied<br>Reference: 101671<br>Permit Version: 2<br>Effective Date: 22nd April 2013<br>Issued Date: 22nd April 2013<br>Revocation Date: Not Supplied<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: The Malago (S)<br><b>Status:</b> <b>Varied under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 10m                                                                                                   | A8SE (S)                               | 725                          | 2       | 358491 170828 |
| 18     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: St Johns Lane Storm Overflow, St Johns Lane South Side, Bedminster, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021444<br>Permit Version: 1<br>Effective Date: 13th November 1973<br>Issued Date: 13th November 1973<br>Revocation Date: 22nd September 2022<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Bristol Avon (S)<br><b>Status:</b> <b>Surrendered under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 100m                                | A8SE (S)                               | 753                          | 2       | 358500 170800 |
| 19     | <b>Discharge Consents</b><br>Operator: Clerical Medical Investment Group Ltd<br>Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE)<br>Location: Land Off Cannons Way, Adj To Lloyds Tsb Building, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 102566<br>Permit Version: 1<br>Effective Date: 27th April 2004<br>Issued Date: 8th June 2004<br>Revocation Date: Not Supplied<br>Discharge Type: Trade Discharges - Cooling Water<br>Discharge: Saline Estuary<br>Environment:<br>Receiving Water: Bristol Floating Harbour<br><b>Status:</b> <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 100m     | A18NW (N)                              | 747                          | 2       | 358200 172300 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 20     | <b>Discharge Consents</b><br>Operator: Lloyds Bank Plc<br>Property Type: CONSTRUCTION OF BUILDINGS<br>Location: Lloyds Bank Development, Canons Marsh, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Frome (Bristol)<br>Reference: 010502<br>Permit Version: 1<br>Effective Date: 18th June 1990<br>Issued Date: Not Supplied<br>Revocation Date: 1st October 1996<br>Discharge Type: Discharge Of Other Matter-Surface Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Avon<br><b>Status: Lapsed (under Environment Act 1995, Schedule 23)</b><br>Positional Accuracy: Located by supplier to within 100m                                                       | A18NW (N)                              | 772                          | 2       | 358480 172380 |
| 21     | <b>Discharge Consents</b><br>Operator: Lloyds Bank Plc<br>Property Type: CONSTRUCTION OF BUILDINGS<br>Location: Lloyds Bank Development, Canons Marsh, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 010451<br>Permit Version: 1<br>Effective Date: 18th June 1990<br>Issued Date: Not Supplied<br>Revocation Date: Not Supplied<br>Discharge Type: Trade Discharges - Cooling Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Avon<br><b>Status: New Consent, by Application (Water Resources Act 1991, Section 113 &amp; Schedule 12)</b><br>Positional Accuracy: Located by supplier to within 10m                           | A18NW (N)                              | 773                          | 2       | 358350 172370 |
| 22     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Cumberland Road, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021596<br>Permit Version: 1<br>Effective Date: 15th October 1987<br>Issued Date: Not Supplied<br>Revocation Date: 7th January 2015<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Avon (E)<br><b>Status: Surrendered under EPR 2010</b><br>Positional Accuracy: Located by supplier to within 100m                                                             | A17SE (NW)                             | 854                          | 2       | 357820 172150 |
| 22     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: MAKING OF OTHER TRANSPORT EQUIP/SHIPS/TRAINS/BIKES<br>Location: Albion Dockyard, By Cumberland Road, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021597<br>Permit Version: 1<br>Effective Date: 15th October 1987<br>Issued Date: Not Supplied<br>Revocation Date: 25th April 2000<br>Discharge Type: Discharge Of Other Matter-Surface Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Bristol Avon<br><b>Status: Deemed Consent: Transitional Provisions (Section 40)</b><br>Positional Accuracy: Located by supplier to within 100m | A17SW (NW)                             | 877                          | 2       | 357790 172150 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 22     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: MAKING OF OTHER TRANSPORT EQUIP/SHIPS/TRAINS/BIKES<br>Location: Albion Dockyard, By Cumberland Road, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 021598<br>Permit Version: 1<br>Effective Date: 15th October 1987<br>Issued Date: Not Supplied<br>Revocation Date: 25th April 2000<br>Discharge Type: Discharge Of Other Matter-Surface Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: Trib Of River Bristol Avon<br><b>Status: Deemed Consent - 1986 Variation</b><br>Positional Accuracy: Located by supplier to within 100m                                                                                      | A17SW (NW)                             | 885                          | 2       | 357780 172150 |
| 23     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Spring Street, Opp B R Services Depot, Bristol, Bs3 4ag<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011276<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 26th July 2004<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status: Application refused - 1961 Rivers (Prevention of Pollution) Act</b><br>Positional Accuracy: Located by supplier to within 100m                                                           | A14NE (E)                              | 890                          | 2       | 359360 171820 |
| 24     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Greenway Bush Lane, Junc Greenbank Road, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011265<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 15th May 2006<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status: Authorisation revoked</b><br>Positional Accuracy: Located by supplier to within 100m                                                                                                             | A17SW (W)                              | 985                          | 2       | 357540 171920 |
| 25     | <b>Discharge Consents</b><br>Operator: The Serviced Apartment Company Ltd<br>Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES)<br>Location: Purifier House & Building 1 Cannons Marsh, Anchor Road, Bristol, Avon<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 103905<br>Permit Version: 1<br>Effective Date: 9th January 2008<br>Issued Date: 9th January 2008<br>Revocation Date: Not Supplied<br>Discharge Type: Trade Discharges - Cooling Water<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: The Floating Harbour<br><b>Status: New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b><br>Positional Accuracy: Located by supplier to within 10m | A17NE (NW)                             | 996                          | 2       | 358000 172480 |

| Map ID | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Quadrant Reference (Compass Direction) | Estimated Distance From Site | Contact | NGR           |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------------|---------|---------------|
| 26     | <b>Discharge Consents</b><br>Operator: Bristol 2000<br>Property Type: Undefined Or Other<br>Location: Wildscreen World , Canons Marsh , BRISTOL<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 100596/2/1<br>Permit Version: Not Supplied<br>Effective Date: Not Supplied<br>Issued Date: 15th June 1998<br>Revocation Date: Not Supplied<br>Discharge Type: Trade Effluent<br>Discharge: Tidal Waters<br>Environment:<br>Receiving Water: Floating Harbour, Licence Status: Lapsed, Revoked Or Cancelled<br><b>Status: Not Supplied</b><br>Positional Accuracy: Located by supplier to within 100m                                        | A23SE (N)                              | 998                          | 2       | 358530 172605 |
| 27     | <b>Discharge Consents</b><br>Operator: Wessex Water Services Limited<br>Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY)<br>Location: Greenway Bush Lane, Junc Greenbank Road, Bristol<br>Authority: Environment Agency, South West Region<br>Catchment Area: Tidal Bristol Avon<br>Reference: 011264<br>Permit Version: 1<br>Effective Date: 12th September 1989<br>Issued Date: Not Supplied<br>Revocation Date: 15th May 2006<br>Discharge Type: Public Sewage: Storm Sewage Overflow<br>Discharge: Freshwater Stream/River<br>Environment:<br>Receiving Water: River Malago<br><b>Status: Authorisation revoked</b><br>Positional Accuracy: Located by supplier to within 100m | A12NW (W)                              | 998                          | 2       | 357510 171870 |
| 28     | <b>Prosecutions</b><br>Location: Bedminster Motor Services Bartley Street Bristol Bs3 4db<br>Prosecution Text: Not Supplied<br>Prosecution Act: Water Resources Act 1991 WWALD Byelaw 20<br>Hearing Date: 28th January 2021<br>Verdict: Guilty<br>Fine: 26760<br>Cost: Not Supplied<br>Positional Accuracy: Manually positioned to the road within the address or location                                                                                                                                                                                                                                                                                                                          | A13NE (NE)                             | 304                          | 4       | 358777 171704 |
| 28     | <b>Prosecutions</b><br>Location: Bedminster Motor Services Bartley Street Bristol Bs3 4db<br>Prosecution Text: Not Supplied<br>Prosecution Act: Water Resources Act 1991 WWALD Byelaw 20<br>Hearing Date: 11th February 2020<br>Verdict: Adjourned Sine Die<br>Fine: 0<br>Cost: Not Supplied<br>Positional Accuracy: Manually positioned to the road within the address or location                                                                                                                                                                                                                                                                                                                 | A13NE (NE)                             | 304                          | 4       | 358777 171704 |
| 28     | <b>Prosecutions</b><br>Location: Bedminster Motor Services Bartley Street Bristol Bs3 4db<br>Prosecution Text: Not Supplied<br>Prosecution Act: Water Resources Act 1991 WWALD Byelaw 20<br>Hearing Date: 8th May 2018<br>Verdict: Guilty<br>Fine: 500<br>Cost: Not Supplied<br>Positional Accuracy: Manually positioned to the road within the address or location                                                                                                                                                                                                                                                                                                                                 | A13NE (NE)                             | 304                          | 4       | 358777 171704 |
| 28     | <b>Prosecutions</b><br>Location: Bedminster Motor Services Bartley Street Bristol Bs3 4db<br>Prosecution Text: Not Supplied<br>Prosecution Act: Water Resources Act 1991 WWALD Byelaw 20<br>Hearing Date: 16th June 2017<br>Verdict: Guilty<br>Fine: 500<br>Cost: Not Supplied<br>Positional Accuracy: Manually positioned to the road within the address or location                                                                                                                                                                                                                                                                                                                               | A13NE (NE)                             | 304                          | 4       | 358777 171704 |