



## Enforcement Undertaking Summary

### Electric Vehicles (Smart Charge Points) Regulations 2021

An Enforcement Undertaking is a commitment by a business to undertake specific actions within a specified timeframe.

The Office for Product Safety and Standards ('OPSS') has accepted an Enforcement Undertaking under paragraph 20, Schedule 2 to the Electric Vehicles (Smart Charge Points) Regulations 2021 ('the Regulations') as summarised below:

Date Enforcement Undertaking starts	08 December 2023
Date by which all actions specified in the Enforcement Undertaking must be completed	30 June 2024

<b>Name of business:</b>	Keba Limited
<b>Company registration number:</b> (if applicable)	13781946
<b>Address:</b> (including postcode)	16 Great Queen Street Covent Garden London WC2B 5AH

<b>Model(s) or type(s) of charge point covered by the Enforcement Undertaking</b>
1. KeContact P30 x-series UK Charger
<b>Technical requirement(s) addressed in the Enforcement Undertaking</b>
1. Regulation 12 (Security)

# Enforcement Undertaking

Model or Type of charge point	Breach(es)	Action(s)	Completion Date
<b>Action(s) to secure that the breach(es) do not continue or recur.</b>			
KeContact P30 x-series UK Charger	Regulation 12	Develop a software update to implement fully encrypted communication between P30 x-series and load management controller M20, based on OCPP.	30 June 2024
<b>Action(s) to secure the restoration of the position, in so far as possible, to what it would have been if the breach(es) had not been committed.</b>			
KeContact P30 x-series UK Charger	Regulation 12	Notify customers using the M20 in combination with P30 x-series to perform the software update.	30 June 2024
<b>Action(s) (including the payment of any sums of money) to benefit any third parties affected by the breach(es).</b>			
No actions offered.			
<b>How the statement of compliance will reflect the areas of compliance with the Regulations, and any areas of non-compliance, for the respective charge point:</b>			
Each quote issued by Keba Limited in the UK including a P30 x-series with M20 load management controller will display a sentence specifying the areas of non-compliance.			