

HS2

High Speed Rail (London – West Midlands)

Supplementary environmental information report

Temporary Closure of Waste Lane

February 2026



High Speed Two (HS2) Limited has been tasked by the Department for Transport (DfT) with managing the delivery of a new national high speed rail network. It is a non-departmental public body wholly owned by the DfT.

High Speed Two (HS2) Limited
Two Snowhill
Snow Hill Queensway
Birmingham B4 6GA

Telephone: 08081 434 434

General email enquiries: HS2enquiries@hs2.org.uk

Website: www.hs2.org.uk

A report prepared for High Speed Two (HS2) Limited:



High Speed Two (HS2) Limited has actively considered the needs of blind and partially sighted people in accessing this document. The text will be made available in full on the HS2 website. The text may be freely downloaded and translated by individuals or organisations for conversion into other accessible formats. If you have other needs in this regard, please contact High Speed Two (HS2) Limited.

© High Speed Two (HS2) Limited, 2023, except where otherwise stated.

Copyright in the typographical arrangement rests with High Speed Two (HS2) Limited.

This information is licensed under the Open Government Licence v3.0.

To view this licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/version/3 **OGL** or write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or e-mail psi@nationalarchives.gsi.gov.uk. Where we have identified any third-party copyright information you will need to obtain permission from the copyright holders concerned.



Printed in Great Britain on paper containing 100% recycled fibre.

Contents

1	INTRODUCTION	4
1.1	Background to High Speed Two	4
1.2	Introduction to this SEI and its purpose	4
1.3	The Environmental Minimum Requirements	5
2	SCOPE	6
3	SITE AND WORKS DESCRIPTION	7
4	SUMMARY OF CHANGES FROM THE ES (AS AMENDED)	9
4.1	Changes to the engineering design and construction methodology from the ES (as amended)	9
4.2	Engineered Design and Construction Methodology as described in the ES (as amended)	9
4.3	Engineering and design changes since the time of the ES (as amended)	9
4.4	Topics impacted	10
5	ASSESSMENT OF CHANGES	11
5.1	Traffic and transport	11
6	CONCLUSIONS	14
7	LIST OF ACRONYMS AND ABBREVIATIONS	15
8	REFERENCES	16
9	APPENDIX A	17

1 Introduction

1.1 Background to High Speed Two

- 1.1.1 The hybrid Bill for High Speed Rail between London and the West Midlands ('the Bill') was submitted to Parliament together with an Environmental Statement (ES) in November 2013 ('the main ES'). The Bill was amended a number of times following its submission resulting in five Additional Provisions (APs) which were each accompanied by Supplementary Environmental Statements (SES).
- 1.1.2 The nominated undertaker, taking forward the detailed design and implementation of Phase One of HS2, is required by the Secretary of State (SoS) to comply with the Environmental Minimum Requirements (EMRs). The components of the EMRs are described in the EMR General Principles (CS755 02/17, February 2017).
- 1.1.3 Any new or different significant effects that were likely to result from changes to the design which did not require amendments to the Bill; changes to construction assumptions, new environmental baseline information and corrections to the main ES were reported in Supplementary Environmental Statements (SEs). These were deposited alongside the APs.
- 1.1.4 The Bill was enacted in February 2017 to become the High Speed Rail (London – West Midlands) Act 2017 ('the HS2 Act'). The HS2 Act confers the necessary powers required to construct, maintain and operate the HS2 railway from London to the West Midlands.
- 1.1.5 HS2 comprises the construction of a new railway approximately 230 km (143 miles) in length between London and the West Midlands. Passenger services will be provided by new high speed trains from 2026, which will travel at speeds of up to 360 kph (225 mph).

1.2 Introduction to this SEI and its purpose

- 1.2.1 This Supplementary Environmental Information (SEI) report describes new or different likely significant effects at Waste Lane (within Community Forum Area 18) arising from changes to construction methodology and that exceed those reported in the ES (as amended) and that, despite the implementation of the controls set out in the Environmental Minimum Requirements (EMRs), are predicted to remain as new significant effects (NSE).

1.3 The Environmental Minimum Requirements

- 1.3.1 The HS2 EMRs set out the high-level environmental and sustainability commitments that the Government has entered into through the hybrid Bill process.
- 1.3.2 The EMRs consist of a suite of framework documents which: (i) define the mechanisms by which the nominated undertaker will engage with communities and other key stakeholders; and (ii) implement environmental and sustainability management measures designed to protect communities and the environment during detailed design development and construction. The nominated undertaker is the body, appointed by the Secretary of State for Transport (SoS), responsible for delivering Phase One of HS2.
- 1.3.3 The nominated undertaker, taking forward the detailed design and implementation of Phase One of HS2, is required by the SoS to comply with the EMRs. The components of the EMRs are described in the EMR General Principles (CS755 02/17, February 2017).
- 1.3.4 The controls contained in the EMRs, along with powers contained in the HS2 Act and the Undertakings given by the Secretary of State, will ensure that impacts which have been assessed in the ES (as amended) will not be exceeded, unless any new impact or impacts in excess of those assessed in the ES:
- results from a change in circumstances which was not likely at the time of the ES¹;
 - would not be likely to do be environmentally significant²;
 - results from a change or extension to the project, where that change or extension does not itself require environmental impact assessment (EIA) under either (i) article 4(1) of and paragraph 24 of Annex 1 to the EIA Directive³; or (ii) article 4(2) of and paragraph 13 of Annex 2 to the EIA Directive⁴; or
 - would be considered as part of a separate consent process (and therefore further EIA if required).

1 In addition, Supplementary Environmental Statements and Additional Provision Environmental Statements were published and tabled by the Promoter in July 2015, September 2015, October 2015 and December 2015

2 i.e. a situation that could not reasonably have been anticipated at the time of the Environmental Statement. This covers all effects (both positive and negative)

3 2011 consolidated EIA Directive (2011/92/EU)

4 Broadly, this would not allow those changes or extensions to the project (once it has received Royal Assent) which would give rise to adverse environmental effects within the EIA

2 Scope

2.1.1 Section 63(3) of the High Speed Rail (London – West Midlands) Act 2017 Act (“the Act”) amends Regulation 9 (relating to subsequent applications) of the Environmental Impact Assessment Regulations. In particular Regulation 9, paragraph (1)(b)(ii) of the Environmental Impact Assessment Regulations is amended to specifically reference the Act.

2.1.2 Regulation 9(3) allows the relevant planning authority to request further environmental information (under Regulation 25) where they believe environmental information currently provided is deemed not adequate to assess the significant effects of the development on the environment.

2.1.3 This Supplementary Environmental Information Report (SEI) provides further environmental information to the ES (as amended) so as to satisfy any requests under paragraphs 9 and 25 of the EIA Regs by the relevant planning authorities, Warwick District Council and Warwickshire County Council when considering any relevant subsequent applications.

2.1.4 Additionally, Paragraph 1.1.3 of the High Speed Rail (London – West Midlands) Environmental Minimum Requirements (EMR) General Principles states that:

“The controls contained within the Environmental Minimum Requirements (EMRs) [...] will ensure that impacts which have been assessed in the ES will not be exceeded, unless any new impact in excess of those assessed in the ES results from a change in circumstances which was not likely at the time of the ES...”

Furthermore paragraph 3.1.8 states:

“In the circumstances in the first bullet point of paragraph 1.1.3, if the significant adverse impacts identified in the ES are likely to be exceeded, the nominated undertaker will take all reasonable steps to minimise or eliminate those additional impacts. If despite these reasonable steps, significant impacts remain the nominated undertaker will report them.”

2.1.5 Consequently, this document also provides a report to meet the requirements of paragraph 3.1.8 of the EMR General Principles.

3 Site and works description

- 3.1.1 The site is located in Community Forum Area (CFA) 18, near Balsall Common, at approximate Chainage 147+650.
- 3.1.2 Waste Lane (and its continuation as Kelsey Lane), spanning approximately 2 km overall, links The A452 to the west with Hodgetts Lane and Nailcote Lane to the east. The wider rural and suburban road network connects the Tile Hill area of Coventry to Balsall Common.
- 3.1.3 Waste Lane accommodates up to 5,400 motorised vehicles daily and is part of a public transport route. It does have footpaths along both sides around the western end where it serves residences, however these terminate some distance before the road intersects with the HS2 scheme.
- 3.1.4 Along the western end of Waste Lane there are continuous residences which become interspersed to the east of Windmill Lane. There is a single farm immediately south west of the Waste Lane bridge and another just to the north east of the scheme.

The site is presented in **Figure 1 ES CFA 18 Map** and **Figure 2 Post-HS2 highway network and associated construction works** below.




Figure 1 ES CFA 18 Map

Supplementary Environmental Information Report
Temporary closure of Waste Lane



Figure 2 Post-HS2 highway network and associated construction works

3.1.5 The works assessed in this report include the following:

- The temporary closure of Waste Lane for a period of four weeks starting 12th January 2026 (following two previous periods of closure) to enable tie-in works associated with the replacement structure.

4 Summary of changes from the ES (as amended)

4.1 Changes to the engineering design and construction methodology from the ES (as amended)

4.1.1 Since the submission of the ES (as amended), it has been necessary to make changes to engineering design and construction methodology for the Waste Lane bridge replacement tie-in works. These changes have resulted in the temporary closure of Waste Lane for multiple occasions across a period of five months. These changes are described below.

4.2 Engineered Design and Construction Methodology as described in the ES (as amended)

4.2.1 The scheme, as assessed by the ES (as amended), includes the replacement of the existing bridge over the former railway at Waste Lane, constructing offline to minimise disruption.

4.2.2 The ES (as amended) anticipated that during the bridge replacement tie-in works, the current roads would remain open and traffic could flow normally. These works were expected to require only minimal traffic management with short-term closures, i.e. overnight or weekend. These brief interruptions were projected to have a minimal impact on public traffic.

4.2.3 In the initial assessment of construction within the ES (as amended), only major works with a significant impact on traffic and transport were considered. At the time of the ES's publication, some construction works and/or construction traffic on Waste Lane were identified as being significant for traffic flows with a mixture of moderate and major significant effects on driver delay. The ES (as amended) notes that temporary local traffic management may be necessary to minimise any additional impact on public traffic.

4.3 Engineering and design changes since the time of the ES (as amended)

4.3.1 Since the ES (as amended), it has been determined that the required construction works are more extensive than assumed within the ES (as amended) and multiple temporary road closures of Waste Lane are required to complete the works. The reasons for this include:

Supplementary Environmental Information Report

Temporary closure of Waste Lane

- Utility information contained within the ES proved to be inaccurate while physical constraints have resulted in inadequate spacing between utility infrastructure, leading to more complex re-provision across the replacement structure.
- Ground conditions were discovered to be different than anticipated, requiring additional works for ground improvement.
- There is a high need for safety and alternative excavation methods during utility infrastructure works due to the congestion underground.

4.3.2 A temporary closure of Waste Lane will be required for a period of four weeks within Q1 2026 to complete the bridge replacement tie-in works. This follows previous closures with similar durations between 1st to 27th September and 10th November to 6th December 2025.

4.3.3 During the closure, access will be maintained for existing residences and businesses up to the closure on both sides of the scheme and will route (from the east side) via Hodgetts Lane, Cromwell Lane, Red Lane, A452 Kenilworth Road / Birmingham Road and (where required) Kelsey Lane onto Waste Lane, resulting in a total diversion length of around 9 km.

4.4 Topics impacted

4.4.1 Following a review of the combined changes in circumstances detailed in the preceding paragraphs new significant effects (NSE) have been identified with respect to the following:

- Traffic flows
- Public transport
- Disruption at stations/interchanges
- Vulnerable road users
- Severance

4.4.2 Effects for other environmental topics assessed in the ES (as amended) were determined to be not significant (i.e., not NSE) and so are not considered further in this report.

4.4.3 A review of the environmental topics identified above is reported in Section 5.

5 Assessment of changes

5.1 Traffic and transport

Introduction

- 5.1.1 This section of the report describes the environmental baseline in relation to traffic and transport that is relevant to the assessment. It then identifies any new or different likely significant environmental effects as a result of the changes introduced in Section 4, compared to the ES (as amended).

Scope, assumptions and limitations

Methodology

- 5.1.2 The assessment scope, key assumptions and limitations for traffic and transport are as set out in Volume 1, the SMR (Volume 5: Appendix CT-001-000/1) and the SMR Addendum (Volume 5: Appendix CT-001-000/2). This report follows the standard assessment methodology.
- 5.1.3 Definitions as defined in the Scope and Methodology Report Addendum (CT-001-000/2), Annex I, Section 3.

Assumptions and limitations

- 5.1.4 Local assumptions and limitations for traffic and transport are set out in the main ES (Volume 2, CFA 18, Section 12).

Environmental baseline

- 5.1.5 The existing baseline for traffic and transport is as set out in (Volume 2, CFA 18, Section 12 of the ES (as amended)).

Effects arising during construction

Avoidance and mitigation measures

- 5.1.6 The CoCP (see Volume 5: Appendix CT-003-000/1) will include measures which seek to reduce the impacts and effects of deliveries of construction materials and equipment, including construction lorry trips during peak background traffic periods. The CoCP includes HGV management and control measures.
- 5.1.7 Other measures in the CoCP include clear controls on vehicle types, hours of site operation, and routes for heavy goods vehicles, to reduce the impacts of road-based construction traffic. To achieve this, generic and site-specific management measures will be implemented during the construction of the works on or adjacent

to public roads, bridleways, footpaths, and other Public Right of Way (PRoW) affected by the works as necessary.

Assessment of significant effects

Traffic Flows

- 5.1.8 The closure of Waste Lane for four weeks will affect up to 5,400 motorised vehicle users per day. These vehicles will be required to undergo a maximum diversion of up to 9 km, resulting in a major adverse significant effect on traffic flows.
- 5.1.9 Access is maintained for all local residences during the closure. Non-motorised user access is not maintained through the road closure for the duration, though none is currently provided.
- 5.1.10 The formal diversion route detailed above is illustrated in **Appendix A**.
- 5.1.11 The diversion of existing traffic volumes from Waste Lane onto Cromwell Lane will increase traffic volumes through the single file signal controlled section across the HS2 scheme, resulting in a moderate adverse significant effect on traffic flows.

Public transport

- 5.1.12 The closure of Cromwell Lane for up to four weeks will affect the route of bus service 87 which connects Solihull and Coventry with an hourly service throughout the day. This service has its route diverted during the road closures, resulting in a relatively short additional journey length (less than 1 km), which is not considered to be a significant effect on public transport delay.

Disruption at stations/interchanges

- 5.1.13 The diversion of the bus route from Waste Lane will result in increased journey lengths for passengers between their residence and remaining operational bus stops. These affect only a small number of residences and therefore have no associated community effects. The increased distance to the bus stops will result in a moderate adverse significant effect on users.

Traffic severance

- 5.1.14 Cromwell Lane currently carries around 6,500 vehicles per day. The proposed change in traffic volumes would add approximately 2,700 vehicles per day (60% of Waste Lane traffic), resulting in a total of almost 10,000 vehicles per day and equivalent to a 50% increase. Pedestrian movements are unlikely to be materially affected with no new obstructions to crossing the road except increased volumes.

- 5.1.15 Based on the categories of effect, this is considered to result in a minor change in traffic related severance. With a moderate number of users (200 to 750 users per day) this leads to a minor adverse significant effect.

Vulnerable road user delay

- 5.1.16 The section of Waste Lane proposed to be closed does not currently offer footways along either side, while there are also very few properties close to the closure, significantly reducing the opportunity and risk of vulnerable users travelling along this section of road.

- 5.1.17 Based on these circumstances, it is considered that there will be no significant effect on vulnerable road users.

Other mitigation measures

- 5.1.18 Closures have been phased to minimise the total duration of impact, whilst maintaining local access where possible.
- 5.1.19 BBV will continue to develop their construction methodology and mitigation measures to minimise the duration of closures, whilst implementing local solutions to partially mitigate for local communities.

6 Conclusions

Table 1 provides a summary of the new significant effects anticipated because of the changes described in Section 4.

Table 1. Summary of new significant effects

Environmental Disciple / Category	Effect <i>(delete the rows below as appropriate)</i>
Traffic & Transport - Traffic Flows	The four week temporary closure of Waste Lane will require around 5,400 motorised vehicles per day to follow a signed 9 km diversion, resulting in a Major adverse significant effect on traffic flows. The increased traffic volume from diverted traffic will be required to pass along Cromwell Lane along a signal controlled single lane section, resulting in a Moderate adverse significant effect on traffic flows.
Traffic & Transport - Disruption to stations/ interchanges	The four week temporary closure of Waste Lane will have a major magnitude with a low number of travellers, resulting in a Moderate adverse effect on disruption to bus stops.
Traffic & Transport - Traffic severance	The four week temporary closure of Waste Lane will affect between 200 and 750 daily users along the diversion route of Cromwell Lane, resulting in a Minor adverse effect from traffic-related severance.

7 List of acronyms and abbreviations

Table 2. Acronyms and abbreviations

Acronym	Description
AP	Additional Provisions
BPM	Best Practicable Means
CFA	Community Forum Area
CoCP	Code of Construction Practice (Annex 1 of the EMRs)
EIA	Environmental Impact Assessment
EMR	Environmental Minimum Requirements
ES	Environmental Statement
SES	Supplementary Environmental Statement
SoS	Secretary of State for Transport
PRoW	Public Right of Way

8 References

HS2 Environmental Statement, Volume 5: Appendix CT-001-000/1); Scope and Methodology Report (SMR).

HS2 Environmental Statement, Volume 5: Appendix CT-001-000/2); Scope and Methodology Report (SMR) Addendum.

HS2 Environmental Statement, Volume 2, Community Forum Area Report: CFA 18 Stoneleigh, Kenilworth and Burton Green

HS2 Environmental Statement, Volume 2, Community Forum Area Report: CFA 23 Balsall Common and Hampton in Arden

High Speed Rail (London-West Midlands), Environmental Minimum Requirements General Principles.

9 Appendix A




Figure A.1 Waste Lane closure signed diversion route (9 km)